

# Refrigerator Filter

## Quick Setup Guide

BE-SSHC531 / BE-SSHC532

**BEST BUY**  
**essentials**<sup>™</sup>

Before using your new product, please read these instructions to prevent any damage.

## Package contents

- Refrigerator water filter(s)  
(1 or 2 pack)
- *Quick Setup Guide*

## Compatibility

### Samsung®

DA29-00020B, DA29-00020A,  
DA2900020A, DA29-00019A,  
DA2900019A, DA-97-08006A,  
DA-97-08006A-B, DA-97-08006B,  
DA97- 08006A-B, HAF-CIN,  
HAF-CIN-EXP, HAF- CINEXP, HAF-CIN

### Kenmore®

04609101000, 09101, 46-9101, 469101,  
9101

## Installing your filter

- It is normal for black carbon particles to appear on the outside of your new filter during shipping. Simply wipe them away before installation.
  - This water filter is designed to prevent leaks. Twist in place securely to ensure a proper fit.
- 1 Twist the old filter a quarter-turn counterclockwise.
  - 2 Pull the filter straight out and discard.
  - 3 Carefully remove the plastic cap from the new filter before installation.
  - 4 Push the new filter into the refrigerator until it stops.
  - 5 Twist the filter a quarter-turn clockwise.
  - 6 Make sure that the indicator arrows on the new filter are lined up with the indicator arrow on the refrigerator after installation.
  - 7 Run about two gallons (7.6 L) to three gallons (11.3L) of water through your refrigerator's water dispenser to remove air and loose carbon pieces. The water may be cloudy and sputter until the air is removed.
  - 8 Reset your "change filter" indicator (if your refrigerator has one). See below.

## Before using your filter

If your refrigerator has a change filter indicator, reset it. See "Resetting your filter indicator" for instructions.

## Resetting your filter indicator

**Note:** These are the most common filter reset instructions. If the instructions don't work for your refrigerator brand, see the documentation that came with your refrigerator.

- **Samsung®:** Press and hold the ICE TYPE and CHILD LOCK buttons for three seconds. The water filter indicator should turn green.

**Note:** Only hold these buttons for three seconds. Holding these buttons for five seconds cancels the reset. If you cancel the reset, repeat the procedure.

## Storage and maintenance

- Replace your filter every three to six months to prevent bacteria and fungus growth in your filter, supply lines, and storage tank.
- Stored filters do not expire. Keep your unused filters in a cool, dark, and dry place until you need them.
- If you do not use your water dispenser for more than four days, run two gallons (7.6 L) of water before using it to prevent bad tasting water.

## Troubleshooting

### My refrigerator is not dispensing water

- Make sure that the filter is securely connected to the receiver. Do not use tools to tighten the filter in place.
- Make sure that the water line to the refrigerator is turned on. The valve must be completely open for the refrigerator to receive water.
- Make sure that the refrigerator door is closed or the dispenser will not work.

### My water dispenser is dripping

- A few drops are normal. If the water is dripping constantly, have a service technician check your refrigerator's water valve.

### My water is cloudy or contains black carbon pieces

- Cloudy water is caused by microscopic air bubbles. Run two (7.6 L) to three (11.3L) gallons of water from your dispenser to clear the air bubbles out.
- Black carbon pieces in the water are normal and appear with all carbon filters. Run two (7.6 L) to three (11.3L) gallons of water through your dispenser to remove loose carbon pieces.

### My new filter is making noises or sputtering

- Noises and sputtering are caused by trapped air pockets. Run two (7.6 L) to three gallons (11.3 L) of water through your dispenser to push the air out.
- Please reinstall the new filter as instructed and make sure that the filter is securely connected to the receiver. Do not use tools to tighten the filter in place.

### My water tastes bad

- If you do not use your water dispenser for more than four days, run two gallons (7.6 L) of water through the dispenser before using it.
- Make sure that you replace your filter every three to six months to prevent bacteria growth.

## Specifications

- **Temperature:** 33~100° F (0.6~38° C)
- **Pressure:** 20-100 psi (140-689 kPa)
- **Capacity:** 300 gal (1137 L)
- **Flow rate:** 0.5 gpm (1.9 lpm)

## Substance reduction

The system has been tested and certified by the NSF International according to NSF/ANSI Standards 42 and 53 for the reduction of the substances listed below. The concentration of the indicated substances in water entering the system was reduced to a concentration less than or equal to the permissible limit for the water leaving the system, as specified by NSF/ANSI Standards 42 and 53.

While testing was performed under standard laboratory conditions, actual performance may vary.

## Performance data sheet

SUBSTANCE	INFLUENT AVERAGE	NSF SPECIFIED CHALLENGE CONCENTRATION	AVE. % REDUCTION	AVERAGE PRODUCT WATER CONCENTRATION	MAX. PERMISSIBLE PRODUCT WATER CONCENTRATION	NSF REDUCTION REQUIREMENTS	NSF TEST REPORT
Chlorine, taste, and odor	1.9 mg/L	2.0 mg/L ± 10%	95.7%	0.082 mg/L	N/A	≥50%	J-00295502
Benzene	15 ug/L	15 ug/L ± 10%	96.6%	0.5 ug/L	0.5 ug/L	N/A	J-00268283
Carbofuran	73 ug/L	73 ug/L ± 10%	98.4%	2 ug/L	40 ug/L	N/A	J-00268284
Lead (pH 8.5)	140 ug/L	140 ug/L ± 10%	99.6%	0.5 ug/L	10 ug/L	N/A	J-00268279
Lead (pH 6.5)	140 ug/L	140 ug/L ± 10%	99.6%	0.5 ug/L	10 ug/L	N/A	J-00268280
Cyst	120,000 oocysts/L	minimum 50000 oocysts/L	>99.99%	1 oocysts/L	N/A	≥99.95%	J-00263594
Endrin	6 ug/L	6 ug/L ± 10%	93.6%	0.3 ug/L	2 ug/L	N/A	J-00296278
Mercury (pH 8.5)	6 ug/L	6 ug/L ± 10%	92.3%	0.5 ug/L	2 ug/L	N/A	J-00326152
Mercury (pH 6.5)	6 ug/L	6 ug/L ± 10%	93.8%	0.3 ug/L	2 ug/L	N/A	J-00268282

## Certifications



REPLACEMENT  
ELEMENT

Tested and Certified by NSF International in Model EFF-6027S against NSF/ANSI Standards 42 and 53 for the reduction of the claims specified on the Performance Data Sheet.

System Model No.: EFF-6027S

Replacement Filter Cartridge Model No.: BE-SSHC531/BE-SSHC532

## One-year limited warranty

Visit [www.bestbuy.com/bestbuinessentials](http://www.bestbuy.com/bestbuinessentials) for details.

## Contact Best Buy essentials

For customer service, call 866-597-8427 (U.S. and Canada)

[www.bestbuy.com/bestbuinessentials](http://www.bestbuy.com/bestbuinessentials)

Best Buy essentials is a trademark of Best Buy and its affiliated companies.

Distributed by Best Buy Purchasing, LLC  
7601 Penn Ave South, Richfield, MN 55423 U.S.A.

©2021 Best Buy. All rights reserved.

V1 ENGLISH 21-0083

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>