

WS-1610T

电子计算器 /  
Electronic Calculator



E-1M-2949

使用说明书 中文  
Instruction EN

## 运算例子 / Calculation Examples

计算举例/ Calculation	按键操作 / Operation	显示/ Display
		1234567890123456
<b>▼ 混合运算/Mixed</b>		
$2 \times 2 - 3 = 6$	2 $\times$ 2 $=$	( 0. )
$-7 \times 9 \div 9 = -63$	7 $\times$ 9 $\div$ 9 $=$	( 6.00 )
		( -63.00 )
<b>▼ 附加模式运算/Add Mode</b>		
$\$14.90 + \$0.35 = 15.25$	1490 $+$ 35 $=$	( 15.25 )
<b>▼ 浮动运算/Floating Calculation</b>		
$8 \div 3 \times 9 = 23.999999999999999$	8 $\div$ 3 $\times$ 9 $=$	( 23.999999999999999 )
<b>▼ 向上圆正/Round-up</b>		
$28 \div 3 = 9.333333333333333$	28 $\div$ 3 $=$	( 9.34 )
<b>▼ 向下圆正/Round-down</b>		
$11 \div 3 = 3.666666666666666$	11 $\div$ 3 $=$	( 3.66 )
<b>▼ 相反/Reverse</b>		
$10 \div 5 = 2$ $5 \div 10 = 0.5$	10 $\div$ 5 $(RV)$ $=$	( 0.50 )
<b>▼ 百分比运算/Percentage</b>		
$1200 + (1200 \times 20\%) = 1,440$	1200 $+$ 20 $\%$ $=$	( 1'440.00 )
$1200 - (1200 \times 20\%) = 960$	1200 $-$ 20 $\%$ $=$	( 960.00 )

计算举例/ Calculation	按键操作 / Operation	显示/ Display
		1234567890123456
<b>▼ 税项运算/Tax calculation</b>		
设定税率/Set tax rate	5 $RATE$ $SET$	( TAX% 5. )
税率/Rate:5%		
税率增加/Add tax amount	2000 $TAX+$	( TAX+ 2'100.00 )
2,000成本不包税率/Cost \$2,000 without tax		
销售价格包税率/Selling price with tax =?(\$2,100)	2000 $TAX+$	( TAX+ 100.00 )
税率减少/Deduct the tax amount	3150 $TAX-$	( TAX- 3'000.00 )
销售价格包税率/Selling price \$3,150 with tax		
成本价格不包税率/Cost without tax =?(\$2,000)		
税率/Rate:5%	3150 $TAX-$	( TAX- 150.00 )
<b>▼ 记忆运算/Memory</b>		
$3 \times 4 = 12$	3 $\times$ 4 $M\pm$	( M 0. )
$-) 6 \div 0.2 = 30$	6 $\div$ 0.2 $M\pm$	( M 12.00 )
$-18$	$RM$ $CM$ (重呼记忆/ Recall Memory)	( M 30.00 )
$+) 200$	200 $M\pm$	( M -18. )
$182$	$RM$ $CM$ (清除记忆/ Clear Memory)	( M 200.00 )
	$RM$ $CM$	( M 182. )
	$RM$ $CM$	( 182. )
<b>▼ 总计运算/Grand Total</b>		
$4 \times 30 = 120$	4 $\times$ 30 $=$	( 0. )
$+) 5 \times 60 = 300$	5 $\times$ 60 $=$	( GT 120.00 )
$420$	$GT$	( GT 300.00 )
$+) 23 \times 35 = 805$	23 $\times$ 35 $=$	( GT 420. )
$1,225$	$GT$ (清除总计/ Clear Grand Total)	( GT 805.00 )
	$GT$	( GT 1'225. )
	$GT$	( 1'225. )
<b>▼ 销售价运算/Mark-up</b>		
成本/Cost \$2,000		
销售价格的20%/Profit 20% of selling price		
销售价格/Selling price =?(\$2,500)	2000 $\times$ 20 $MU$	( 2'500.00 )
利润/Profit =?(\$500)	$MU$	( 500.00 )
<b>▼ 成本价运算/Mark-down</b>		
销售价格/Selling price \$2,400		
成本价格的20%/Profit 20% of cost		
成本/Cost =?(\$2,000)	2400 $\div$ 20	( 2'000.00 )
利润/Profit =?(\$400)	$MU$	( 400.00 )
	$MU$	
<b>▼ 溢出运算/Overflow</b>		
1) $123456789 \times 789000000 = 9.7407406521000000$ (溢出/ERROR)	123456789 $\times$ 789000000 $=$	( E 9.740740652100000 )
2) $6 \div 0 = 0$ (溢出/ERROR)	6 $\div$ 0 $=$	( E 0. )
	$\div$	( 0. )

- 使用本产品前，请务必阅读本使用说明书；保留备用；理解本说明书内容后，请正确使用。

### ⚠ 注意事项

- 1) 切勿在阳光直射下使用计算器。亦应避免把计算器放置于阳光猛烈、潮湿、肮脏(如灰尘)及温度急速变化的地方。
- 2) 使用柔软的干布拭净计算器的外部。切勿使用清水或清洁溶剂。
- 3) 切勿使用坚硬物体或其它尖锐物体按压计算器的按键，避免在机上留下刮痕。
- 4) 切勿扭曲或弯曲或尝试拆开计算器。
- 5) 电力不足可能会使存储器内容损坏或出现故障，请重新开启计算器。

### 供电电源

本计算器配有两种电源：太阳能及锂电池。锂电池的使用时间完全取决于个别的使用情况。

- ⓘ 电磁干扰或静电释放可引起显示故障或存储器的内容丢失或被改变。若出现此情况，请按  $\text{ON}$  键重新开始计算。

### 数据溢出功能

在下列情况下，显示幕上将显示出"E" (错误) 字样，键盘也会被锁定，不能继续操作。按  $\text{ON}$  键可清除溢出。可导致溢出的情况如下：

- 1) 计算结果或内存数字超过16位数字。
- 2) 进行除以"0"的计算。

### 规格

电源：太阳能及锂电池 (CR2032 x 1)

工作温度范围：摄氏0至40度

自动断电：约7分钟

体积：198(长) x 150(宽) x 38(高) 毫米

重量：238克

本使用说明书的规格及内容如有改动，恕不另行通知

### 佳能电产香港有限公司

香港新界葵涌货柜码头路82-100号

永得利广场第1期17楼

### 北京博怡盛亿科技股份有限公司

北京市西城区北展北街华远企业中心D座

1单元505/506室

- Before using this product, please read this manual carefully. And keep it on hand for future reference.

### ⚠ CAUTION

- 1) Avoid using, placing or storing the calculator in places subject to strong sunlight, rapid temperature change, humid or dusty areas.
- 2) Use a dry cloth to clean the casing of the unit. Do not use water, organic solvents or detergents.
- 3) Avoid using the calculator in places where there are iron filings, as this may affect the electrical circuits of the calculator.
- 4) Do not twist or bend or attempt to open the calculator.
- 5) Lack of electricity may cause damage or failure of memory content, please reset the sample.

### POWER SUPPLY

This calculator has two power sources: battery and solar. The duration of the battery depends on individual usage.

- ⓘ Electromagnetic interference or electrostatic discharge may cause the display to malfunction or the contents of the memory to be lost or altered. Should this occur, press the  $\text{ON}$  key and re-start your calculation from the beginning.

### OVERFLOW FUNCTIONS

In the following cases, error message (E) will be shown on the display. The keyboard is electronically locked, and further operation is impossible. Press  $\text{ON}$  to clear the overflow. The overflow occurs when:

- 1) The result or the memory content exceeds 16 digits to the left of the decimal point.
- 2) Dividing by "0".

### SPECIFICATIONS

Power Source: Solar cell and Lithium battery (CR2032 x 1)

Operating Temperature: 0°C to 40°C

Automatic Power-off: approx. 7 minutes

Dimension: 198(L) x 150(W) x 38(H) mm

Weight: 238g

All specifications and contents of this instruction are subject to change without notice

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>