Operation Guide 5231

CASIO®

ENGLISH

Congratulations upon your selection of this CASIO watch.

F-1

About This Manual




- Depending on the model of your watch, display text appears either as dark figures on a light background, or light figures on a dark background. All examples in this manual are shown using dark figures on a light background.
- Button operations are indicated using the letters shown in the illustration.
- Note that the product illustrations in this manual are intended for reference only, and so the actual product may appear somewhat different than depicted by an illustration.



Things to check before using the watch

1. Check the battery power level.



2. Check the Home City and the daylight saving time (DST) setting.

Use the procedure under "To configure Home City settings" (page E-26) to configure your Home City and daylight saving time settings.

Important!

E-4

Proper World Time Mode data depends on correct Home City, time, and date settings in the Timekeeping Mode. Make sure you configure these settings

3. Set the current time.

• To set the time See "Configuring Current Time and Date Settings" (page E-31).

The watch is now ready for use.

Contents

- E-2 About This Manual
- E-4 Things to check before using the watch
- E-11 Charging the Watch
 - E-20 To recover from the sleep state
- E-21 Mode Reference Guide
- E-25 Timekeeping
- E-26 Configuring Home City Settings

 - E-26 To configure Home City settings E-29 To change the Daylight Saving Time (summer time) setting
- E-31 Configuring Current Time and Date Settings

To change the current time and date settings

E-36 Using the World Time Mode

- E-36 To enter the World Time Mode
 To view the time in another time zone
- E-36
- To specify standard time or daylight saving time (DST) for a city
- E-38 To swap your Home Time and World Time Cities

E-39 Using the Stopwatch

- E-39 To enter the Stopwatch Mode
- F-40 To perform an elapsed time operation
- E-40 To pause at a split time E-40 To measure two finishes

E-42 Using the Countdown Timer

- To enter the Countdown Timer Mode E-42
- E-42 To specify the countdown start time
- To perform a countdown timer operation To stop the alarm

E-45 Using the Alarm

- E-45 To enter the Alarm Mode
- E-46 To set an alarm time E-47 To test the alarm
- E-48 To turn an alarm and the Hourly Time Signal on and off
- To stop the alarm

E-50 Illumination

- F-50 To turn on illumination manually
- E-51 To change the illumination duration To turn the auto light switch on and off
- E-54

E-57 Hand Home Position Adjustment

E-57 To adjust home positions manually

E-60 Moving the Hands for Easy Viewing of the Digital Dials

To move the hands to view a digital dial

E-62 To return the hands to their normal positions

E-5

Operation Guide 5231

CASIO

E-63 Other Settings

E-63 To turn the button operation tone on and off

E-65 To turn Power Saving on and off

E-67 Troubleshooting E-69 Specifications

Charging the Watch

generated power charges a built-in rechargeable battery, which powers watch operations. The watch charges whenever it is exposed to light. **Charging Guide** Whenever you are not

The face of the watch is a solar panel that generates power from light. The

 Best charging performance is achieved by exposing the watch to the strongest light available.

wearing the watch, leave it in a location where it is

exposed to light.



When wearing the watch, make sure that its face is not blocked from light by the sleeve of your clothing.

 The watch may enter a sleep state (page E-19) if its face is blocked by your sleeve even only partially.

F-10 F-11

Warning!

Leaving the watch in bright light for charging can cause it to become quite hot. Take care when handling the watch to avoid burn injury. The watch can become particularly hot when exposed to the following conditions for long

- On the dashboard of a car parked in direct sunlightToo close to an incandescent lamp
- · Under direct sunlight

Important!

- Allowing the watch to become very hot can cause the digital displays to black out.
 The appearance of the LCD should become normal again when the watch returns to a lower temperature.
- Turn on the watch's Power Saving function (page E-19) and keep it in an area normally exposed to bright light when storing it for long periods. This helps to ensure that power does not run down.
- Storing the watch for long periods in an area where there is no light or wearing it in such a way that it is blocked from exposure to light can cause power to run down. Expose the watch to bright light whenever possible.

Power Levels

You can get an idea of the watch's power level by observing the battery power indicator in the lower digital dial.



Level	Battery Power Indicator	Function Status
1 (H)	(All functions enabled.
2 (M)	(All functions enabled.
3 (L and LOW)	洲	Illumination and beeper disabled. Except for Timekeeping Mode, all other modes disabled.
4 (CHG)	>}!!:	All functions and display indicators disabled except for timekeeping and display of CHG (charge) in the lower digital dial. Hour and minute hands stopped at 12 o'clock.
5	Q	All functions disabled.

• The flashing LOW message at Level 3 (L) tells you that battery power is very low. and that exposure to bright light for charging is required as soon as possible

E-14 E-15

- At Level 5, all functions are disabled and settings return to their initial factory defaults. Once the battery reaches Level 2 (M) after falling to Level 5, reconfigure the current time, date, and other settings.
- Display indicators reappear as soon as the battery is charged from Level 5 to
- Leaving the watch exposed to direct sunlight or some other very strong light source can cause the battery power indicator to show a reading temporarily the is higher than the actual battery level. The correct battery level should be indiced. after a few minutes.
- The current time and all other settings return to their initial factory defaults whenever battery power drops to Level 5 and when you have the battery replaced.

- Performing multiple illumination, beeper, and/or high-speed hand movement operation during a short period may cause all of the battery power indicators (H, M, and L) to start flashing in the lower digital dial. This indicates that the watch is the power recovery mode. Illumination, alarm, countdown timer alarm, and hourly time signal operations will be disabled until battery power recovers.
- Battery power will recover in about 15 minutes. At this time, the battery power indicators (**H**, **M**, **L**) will stop flashing. This indicates that the functions listed above are enabled again.

 If all of the battery power indicators (**H**, **M**, **L**) are flashing and the **CHG** (charge) message also is flashing, it means the battery level is very low. Expose the watch to bright light as soon as possible.
- Frequent flashing of all of the battery power indicators (H, M, L) probably means that remaining battery power is low. Leave the watch in bright light to allow it to charge.

Charging Times

	Daily	Level Change *2				
Exposure Level (Brightness)	Operation	Level 5	Level 4	Level 3	Level 2	Level 1
(Drightiless)	*1			→	\longrightarrow	\longrightarrow
Outdoor sunlight (50,000 lux)	8 min.	3 hours		28 hours	8 hours	
Window sunlight (10,000 lux)	30 min.	8 hours		105 hours	28 hours	
Window sunlight on cloudy day (5,000 lux)	48 min.	13 hours 170		170 hours	46 hours	
Indoor fluorescent lighting (500 lux)	8 hours	180 hours				

- * 1 Approximate exposure each day to generate power for normal daily operation.
 * 2 Approximate exposure time (in hours) required to take power up one level.
- The above exposure times all are for reference only. Actual exposure times depend on lighting conditions.

• For details about the operating time and daily operating conditions, see the "Power Supply" (page E-70) section of the Specifications.

When turned on, Power Saving enters a sleep state automatically whenever the watch is left for a certain period in an area where it is dark. The table below shows how watch functions are affected by Power Saving.

• For information about enabling and disabling power saving, see "To turn Power Saving on and off" (page E-65).

• There actually are two sleep state levels: "display sleep" and "function sleep".

Elapsed Time in Dark Digital Dials		Operation
60 to 70 minutes (display sleep)	Blank	Digital dials are off, but all functions are enabled.
6 or 7 days (function sleep)	Blank	Hour and minute hands stop at 12 o'clock. All functions are disabled, but timekeeping is maintained.

F-18 F-19

- The watch will not enter a sleep state between 6:00 AM and 9:59 PM. If the watch is already in a sleep state when 6:00 AM arrives, however, it will remain in the sleep
- The watch will not enter a sleep state while it is in the Stopwatch Mode or Countdown Timer Mode.

Move the watch to a well-lit area or press any button.

Mode Reference Guide

Your watch has "five modes". The mode you should select depends on what you

To do this:	Enter this mode:	See:
View the current date in the Home City Configure Home City and daylight saving time (DST) settings Configure time and date settings Switch between 12-hour and 24-hour timekeeping Display an alarm countdown	Timekeeping Mode	E-25
View the current time in one of 48 cities (31 time zones) around the globe	World Time Mode	E-36
Use the stopwatch to measure elapsed time	Stopwatch Mode	E-39
Use the countdown timer	Countdown Timer Mode	E-42
Set an alarm time	Alarm Mode	E-45

F-20 F-21

Selecting a Mode

- . The illustration below shows which buttons you need to press to navigate between
- To return to the Timekeeping Mode from any other mode, hold down @ for at

Timekeeping Mode Stopwatch Mode Countdown Timer Mode Alarm Mode **World Time Mode** (C) (C) ©

General Functions (All Modes)

The functions and operations described in this section can be used in all of the

Auto Return Features

- The watch returns to the Timekeeping Mode automatically if you do not perform any button operation for two or three minutes in the Alarm Mode.
 If you leave the watch in a setting mode (with flashing digits) for two or three minutes without performing any operation, the watch will exit the setting mode automatically.


Initial Screens

When you enter the World Time or Alarm Mode, the data you were viewing when you last exited the mode appears first.

The (B) and (D) buttons are used in the setting mode to scroll through data. In most cases, holding down these buttons during a scroll operation scrolls through the data at high speed.

E-24

Timekeeping



Use the Timekeeping Mode to set and view the current

- time and date.

 If you have an alarm time set, the right digital dial will change to show a countdown of the final 60 minutes until the alarm time is reached.
- When viewing a digital dial, you can move the analog hands for an unobstructed view.
 Press @ to toggle the left digital dial between month/day and hour/minutes.



E-25

Configuring Home City Settings

There are two Home City settings: actually selecting the Home City, and selecting either standard time or daylight saving time (DST).



To configure Home City settings

- In the Timekeeping Mode, hold down (a) for about two seconds until ADJ appears in the right digital dial. When you release (a), the city code and city name will scroll across the right digital dial. This is the setting
- The watch will exit the setting mode automatically if you do not perform any operation for about two or three minutes.
- . For details about city codes, see the "City Code Table" at the back of this
- Whenever you enter a setting mode, the analog hands will automatically move to positions that allow easier viewing of the digital dials.



- 2. Use

 (East) and

 (West) to scroll through the city codes in the right digital dial until the one you want to use as your Home City is displayed.
- 3. Press © so the DST indicator is flashing in the left digital dial, which indicates the DST setting mode
- Press ① to toggle the DST setting between Daylight Saving Time (ON) and Standard Time (OFF) in the right digital dial.
- Note that you cannot switch between standard time and daylight saving time (DST) while UTC is selected as your Home City.

E-27

5. After the setting is the way you want, press (A) to return to the Timekeeping

- Mode.

 The DST indicator appears to indicate that Daylight Saving Time is turned on.

 Exiting a setting mode will normally cause the hands to return to regular timekeeping automatically. However, if you manually move the hands (page E-61) and then enter a setting mode, they will not return to regular timekeeping automatically when you exit the setting mode. In this case, you will need to return the hands to their normal positions manually (page E-62).

- After you specify a city code, the watch will use UTC* offsets in the World Time Mode to calculate the current time for other time zones based on the current time in your Home City.

 **Coordinated Universal Time, the world-wide scientific standard of timekeeping. The reference point for UTC is Greenwich, England.

To change the Daylight Saving Time (summer time) setting





- In the Timekeeping Mode, hold down (a) for about two seconds until ADJ appears in the right digital dial. When you release (a), the city code and city name will scroll across the right digital dial. This is the setting
- Whenever you enter a setting mode, the analog hands will automatically move to positions that allow easier viewing of the digital dials. This is the setting mode.
- 2. Press © to enter the DST setting mode.
- Press
 to toggle the DST setting between Daylight Saving Time (ON) and Standard Time (OFF).

F-28 F-29

- 4. After the setting is the way you want, press (A) to return to the Timekeeping
- Mode.

 The **DST** indicator appears to indicate that Daylight Saving Time is turned on.

 Exiting a setting mode will normally cause the hands to return to regular timekeeping automatically. However, if you manually move the hands (page E-61) and then enter a setting mode, they will not return to regular timekeeping automatically when you exit the setting mode. In this case, you will need to return the hands to their normal positions manually (page E-62).

Configuring Current Time and Date Settings

You can configure current time and date settings


To change the current time and date settings



- In the Timekeeping Mode, hold down (A) for about two seconds until ADJ appears in the right digital dial.
 When you release (A), the city code and city name will scroll across the right digital dial. This is the setting
 - Whenever you enter a setting mode, the analog hands will automatically move to positions that allow easier viewing of the digital dials.

F-30 F-31

2. Press © to move the flashing in the sequence shown below to select the other



• The following steps explain how to configure timekeeping settings only

3. When the timekeeping setting you want to change is flashing, use ① and/or ® to change it as described below.

Screen	To do this:	Do this:	
TYO:TOKYO	Change the city code	Use (D) (East) and (B) (West).	
OFF	Toggle between Daylight Saving Time (ON) and Standard Time (OFF)		
12H	Toggle between 12-hour (12H) and 24-hour (24H) timekeeping	Press (1).	
36	Reset the seconds to 00		
РМ 10:08	Change the hour or minute	Use (D) (+) and (B) (-).	
20 12 6:30	Change the year, month, or day		
MUTE	Toggle between button operation tone on (KEY♪) and off (MUTE)	- Press (D).	
LT1	Toggle the illumination duration between three seconds (LT3) and 1.5 seconds (LT1)		

- 4. Press (A) to exit the setting mode
- The watch automatically adjusts its analog setting to match the current time displayed in the left digital dial.

 Exiting a setting mode will normally cause the hands to return to regular.
- timekeeping automatically. However, if you manually move the hands (page E-61) and then enter a setting mode, they will not return to regular timekeeping automatically when you exit the setting mode. In this case, you will need to return the hands to their normal positions manually (page E-62).

Note

- For information about selecting a Home City and configuring the DST setting, see "Configuring Home City Settings" (page E-26).
 While 12-hour format is selected for timekeeping, a PM indicator will appear for
- times from noon to 11:59 p.m. No indicator appears for times from midnight to 11:59 a.m. With 24-hour format, time is displayed from 0:00 to 23:59, without any
- The watch's built-in full automatic calendar makes allowances for different month lengths and leap years. Once you set the date, there should be no reason to change it except after you have the watch's rechargeable battery replaced or after power drops to Level 5 (page E-15).
 The day of the week changes automatically when the date changes.
- Refer to the pages shown below for more information on Timekeeping Mode
- Button operation tone on/off: "To turn the button operation tone on and off"
- (page E-63) Enabling and disabling power saving: "To turn Power Saving on and off" (page E-65).

 1. The lift of the control of
- The illumination duration: "To change the illumination duration" (page E-51)

E-34 E-35

Using the World Time Mode

(NYC) 8:08

ted World Time City

You can use the World Time Mode to view the current time in one of 31 time zones (48 cities) around the globe. The city that is currently selected in the World Time Mode is called the "World Time City"

To enter the World Time Mode

Use $\ensuremath{\mathbb{C}}$ to select the World Time Mode as shown on page E-22.

The right digital dial will show WT for about one second. After that, the city code and city name will scroll once across the right digital dial, and then the three-letter corresponding city code will be displayed.

To view the time in another time zone

In the World Time Mode, use ① (East) to scroll through city codes.

To specify standard time or daylight saving time (DST) for a city



- In the World Time Mode, use ① (East) and ⑧ (West) to scroll through the city codes in the right digital dial until the one whose Standard Time/Daylight Saving Time setting you want to change is displayed.
- 2. Hold down $\ensuremath{\text{\textcircled{A}}}$ for about two seconds until the watch beeps.
 - This toggles the city code you selected in step 1 between Daylight Saving Time (DST indicator displayed in the left digital dial) and standard time (DST indicator not displayed).
- Using the World Time Mode to change the DST setting of the city code that is selected as your Home City also will change the Timekeeping Mode time DST settina
- Note that you cannot switch between standard time/daylight saving time (DST) while **UTC** is selected as the World Time City.

E-36

• The standard time/daylight saving time (DST) setting affects only the currently selected time zone. Other time zones are not affected.

To swap your Home Time and World Time Cities

- 2. To swap, hold down (A) and (B) at the same time until the watch beeps.



- This will make the World Time City you selected in step 1 (NYC (New York)) your
- Your previous Home City (TYO (Tokyo)) will be your new World Time City.

Using the Stopwatch

The stopwatch measures elapsed time, split times, and two finishes.



1/100 second

Use © to select the Stopwatch Mode (STW) as shown on page E-23.

F-38

F-39

To perform an elapsed time operation



To measure two finishes



F-40

- The Stopwatch Mode can indicate elapsed time up to 59 minutes, 59.99 seconds.
 Once started, stopwatch timing continues until you press (1) to stop it, even if you exit the Stopwatch Mode to another mode and even if timing reaches the stopwatch limit defined above.
- Exiting the Stopwatch Mode while a split time is frozen on the display clears the split time and returns to elapsed time measurement.

F-41

Using the Countdown Timer

The countdown timer can be set within a range of one minute to 100 minutes. An alarm sounds when the countdown reaches zero.



To enter the Countdown Timer Mode

Use c to select the Countdown Timer Mode (TMR) as shown on page E-23.

specify the countdown start time

- 1. Enter the Countdown Timer Mode.
- If a countdown is in progress (indicated by the seconds counting down in the left digital dial), press (b) to stop it and then press (a) to reset to the current countdown start time.
- If a countdown is paused, press (A) to reset to the current countdown start time.

- Hold down (a) until the minute setting of the current countdown start time starts to flash. This is the setting mode.
 Whenever you enter a setting mode, the analog hands will automatically move to positions that allow easier viewing of the digital dials.
- 3. Press c to move the flashing between the minute and second settings
- 4. Use

 (+) and
 (-) to change the flashing item.
 To set the starting value of the countdown time to 100 minutes, set 00'00".
- 5. Press (A) to exit the setting mode.
 - Press (a) to exit the setting mode.

 Exiting a setting mode will normally cause the hands to return to regular timekeeping automatically. However, if you manually move the hands (page E-61) and then enter a setting mode, they will not return to regular timekeeping automatically when you exit the setting mode. In this case, you will need to return the hands to their normal positions manually (page E-62).

To perform a countdown timer operation



- Before starting a countdown timer operation, check to make sure that a countdown operation is not in progress (inclicated by the seconds counting down). If it is, press (i) to stop it and then (i) to reset to the countdown start time.

 An alarm sounds for 10 seconds when the end of the countdown is reached. This alarm will sound in all modes. The countdown time is reset to its starting value
- automatically when the alarm sounds

To stop the alarm

Using the Alarm



You can set five independent daily alarms. When a daily alarm is turned on, an alarm tone will sound for about 10 seconds each day when the time in the Timekeeping Mode reaches the preset alarm time. This is true even if the watch is not in the Timekeeping Mode.
You can also turn on an Hourly Time Signal, which will cause the watch to beep twice every hour on the hour.

To enter the Alarm Mode

Use © to select the Alarm Mode as shown on page E-23.


- The right digital dial will show **ALM** for about one
- second and then the indictor for the currently selected alarm (AL1 through AL5, or SIG) will appear.

 When you enter the Alarm Mode, the data you were viewing when you last exited the mode appears first.

F-44

To set an alarm time

Alarm ON/OFF indicator





- 2. Hold down (A) for about two seconds until the alarm time starts to flash. This is
 - Whenever you enter the setting mode, the analog hands will automatically move to positions that allow easier viewing of the digital dials.
- 3. Press © to move the flashing between the hour and minute settings.

4. While a setting is flashing, use (1) (+) and (8) (-) to change it.

- When setting the alarm time using the 12-hour format, take care to set the time correctly as a.m. (no indicator) or p.m. (**PM** indicator).
- 5. Press (A) to exit the setting mode.
 - Press (4) to exit the setting mode.

 Exiting a setting mode will normally cause the hands to return to regular timekeeping automatically. However, if you manually move the hands (page E-61) and then enter a setting mode, they will not return to regular timekeeping automatically when you exit the setting mode. In this case, you will need to return the hands to their normal positions manually (page E-62).

To test the alarm

In the Alarm Mode, hold down (D) to sound the alarm

To turn an alarm and the Hourly Time Signal on and off



In the Alarm Mode, use (1) to scroll through the alarm indicators (AL1 to AL5, SIG) in the right digital dial until the one you want is displayed.

2. When the alarm or the Hourly Time Signal you want is

selected, press (a) to toggle it between on and off.

The alarm on indicator (when any alarm is on) and the Hourly Time Signal on indicator (when the Hourly Time Signal is on) are displayed in all modes.

Alarm Countdown Alarm Countdox



When the current time reaches one hour before an alarm time setting, the alarm on/off indicator (in the lower digital dial) will flash and a countdown of the final 60 minutes will be displayed in the right digital dial while the watch is in the Timekeeping Mode

- Pressing (A) while an alarm countdown is in progress will display the day of the week in the right digital dial for about two seconds. After that, the dial will return to the countdown.
- When you enter the Timekeeping Mode from another mode while an alarm countdown is in progress, the day of the week will appear in the right digital dial for two seconds. After that, the countdown will appear.
- If an alarm countdown for another alarm starts while a previous alarm countdown is already in progress, it will be displayed after the ongoing countdown reaches zero and its alarm sounds.

To stop the alarm

F-48

F-49

Illumination

F-50



The face of the watch is illuminated for easy reading in

the dark.

The watch's auto light switch turns on illumination automatically when you angle the watch towards your face.

The auto light switch must be turned on (page E-54) for

To turn on illumination manually

Press (B) in any mode to illuminate the face of the watch.

. You can use the procedure below to select either 1.5 seconds or three seconds as the illumination 1.5 seconds or three seconds as the illumination duration. When you press (B), the face will remain illuminated for about 1.5 seconds or three seconds, depending on the current illumination duration setting. The above operation turns on illumination regardless of the current auto light switch

To change the illumination duration

In the Timekeeping Mode, hold down (a) for about two seconds until ADJ appears in the right digital dial.
 When you release (a), the city code and city name will scroll across the right digital dial. This is the setting mode.

- Whenever you enter a setting mode, the analog hands will automatically move to positions that allow easier viewing of the digital dials.
- 2. Use 0 to cycle through the settings in the right digital dial until the current illumination duration (LT1 or LT3) is shown.
 - See the sequence in step 2 of the procedure under "To change the current time and date settings" (page E-31) for information about how to scroll through cetting series.

F-51

4. After all of the settings are the way you want, press (A) to exit the setting mode.

• Exiting a setting mode will normally cause the hands to return to regular timekeeping automatically. However, if you manually move the hands (page E-61) and then enter a setting mode, they will not return to regular timekeeping automatically when you exit the setting mode. In this case, you will need to return the hands to their normal positions manually (page E-62).

About the Auto Light Switch

About the Auto Light Switch causes illumination to turn on, whenever you position your wrist as described below in any mode.

Moving the watch to a position that is parallel to the ground and then tilting it towards you more than 40 degrees causes illumination to turn on.



Warning!

- Always make sure you are in a safe place whenever you are reading the face of the watch using the auto light switch. Be especially careful when running or engaged in any other activity that can result in accident or injury. Also take care that sudden illumination by the auto light switch does
- injury. Also take care that sudden illumination by the auto light switch does not startle or distract others around you.

 When you are wearing the watch, make sure that its auto light switch is turned off before riding on a bicycle or operating a motorcycle or any other motor vehicle. Sudden and unintended operation of the auto light switch can create a distraction, which can result in a traffic accident and serious personal injury.

Note

This watch features a "LED", so the auto light switch operates only when available light is below a certain level. It does not illuminate the face under bright light.

To turn the auto light switch on and off



In the Timekeeping Mode, hold down ® for about three seconds to toggle the auto light switch on (indicator displayed in the right digital dial) and off (indicator not displayed).

- The auto light switch on indicator appears in all modes while the auto light switch is turned on.

 The auto light switch turns off automatically whenever battery power drops to Level 4 (page E-15).

Auto light switch on indicator

Illumination Precautions

- LED panel that provides illumination loses power after very long use.
 Illumination may be hard to see when viewed under direct sunlight.
- . Illumination turns off automatically whenever an alarm sounds.
- · Frequent use of illumination runs down the battery

- . Wearing the watch on the inside of your wrist, movement of your arm, or vibration wearing the watch of the inside of your wrist, movement or your arm, or vibration of your arm ach cause frequent activation of the auto light switch and illumination of the face. To avoid running down the battery, turn off the auto light switch whenever engaging in activities that might cause frequent illumination of the face.
 Note that wearing the watch under your sleeve while the auto light switch is turned on can cause frequent illumination of the face and can run down the battery.



- Illumination may not turn on if the face of the watch is more than 15 degrees above or below parallel. Make sure that the back of your hand is parallel to the ground.
- your hand is parallel to the ground. Illumination turns off after the preset illumination duration (page E-51), even if you keep the watch pointed towards your face. Static electricity or magnetic force can interfere with proper operation of the auto light switch. If illumination does not turn on, try moving the watch back to the starting position (parallel with the ground) and then tilt it back towards your face again. If this does not work, drop your arm all the way down so it hangs at your side, and then bring it back up again.

You may notice a very faint clicking sound coming from the watch when it is shaken back and forth. This sound is caused by mechanical operation of the auto light switch, and does not indicate a problem with the watch.

Hand Home Position Adjustment

Strong magnetism or impact can cause the hands of the watch to be off.

Home position adjustment is not necessary when the analog time and digital time are the same time in the Timekeeping Mode.

To adjust home positions manually

- In the Timekeeping Mode, hold down (A) and keep it depressed for about five seconds until H.SET appears in the right digital dial.
 The hour and minute hands should all move to 12 o'clock, which is their home position.

 - Though ADJ will appear in the right digital dial about two seconds after you hold. down (A), do not release the button yet. Keep it depressed until **H.SET** appears When **H.SET** appears in the right digital dial, release the (A) button. This will cause the hour and minute hands to move to 12 o'clock.

E-56 E-57

- . The watch will return to regular timekeeping automatically if you do not perform any operation for about two or three minutes. Any changes you have made to any operation in about two of infer himities. Any changes you have made to settings up to that point will be saved. If the hour and minute hands are all at 12 o'clock, which is their home position, jump to step 3.
- 2. Use (1) (+) and (8) (-) to adjust the hour and minute hand positions.
- See (F) and (F) to duple the floor and minute rain positions.

 Holding down either button will cause the hand to move at high speed. Once started, high-speed hand movement will continue even if you release the button.

 To stop high-speed hand movement, press any button.

 High-speed hand movement started with the (B) (+) button will stop automatically after 12 revolutions of the minute hand. If started with the (B) (-) button, it will stop after one revolution of the minute hand.
- 3. Press (A) to exit home position correction and return to regular timekeeping.

After performing home position adjustment, enter the Timekeeping Mode and check to make sure that the analog hands and the digital dial indicate the same time. If they do not, perform home position adjustment again.

F-58 F-59




Moving the Hands for Easy Viewing of the Digital Dials

You can use the procedure below to move the analog hands in order to better view

The analog hands will not move while battery power is low.

To move the hands to view a digital dial

Hold down © for about two seconds until **HAND** appears. Releasing © will cause the HANDS indicator to flash and the hands will move away from the digital dial.



F-60 F-61

To return the hands to their normal positions

Hold down © for about two seconds until HAND appears.

- The hands will also return to their normal positions if you do not perform any operation for about one hour.
- operation for about one hour.

 The hands also will move away from the digital dial automatically whenever you enter a setting mode in the Timekeeping Mode, Timer Mode, or Alarm Mode.

 Hold down © for about four seconds to return the hands to their normal positions and switch to the Timekeeping Mode.

Other Settings

The button operation tone sounds any time you press one of the watch's buttons. You can turn the button operation tone on or off as desired.

• Even if you turn off the button operation tone, the alarm, Hourly Time Signal, and

Countdown Timer Mode alarm all operate normally.

To turn the button operation tone on and off



- In the Timekeeping Mode, hold down (a) for about two seconds until ADJ appears in the right digital dial. When you release (b), the city code and city name will scroll across the right digital dial. This is the setting
 - Whenever you enter a setting mode, the analog hands will automatically move to positions that allow easier viewing of the digital dials.

E-63

- Use (i) to cycle through settings in the right digital dial until the current button operation tone (MUTE or KEY) is displayed.
 - See the sequence in step 2 of the procedure under "To change the current time and date settings" (page E-31) for information about how to scroll between
- 3. Press ① to toggle the button operation tone on (KEY)) and off (MUTE).
- 4. After all of the settings are the way you want, press (A) to exit the setting mode.
 - After all of the settings are the way you want, press (a) to exit the setting me Exiting a setting mode will normally cause the hands to return to regular timekeeping automatically. However, if you manually move the hands (page E-61) and then enter a setting mode, they will not return to regular timekeep automatically when you exit the setting mode. In this case, you will need to return the hands to their normal positions manually (page E-62).

• The mute indicator is displayed in all modes when the button operation tone is

To turn Power Saving on and off



- In the Timekeeping Mode, hold down (a) for about two seconds until ADJ appears in the right digital dial.
 When you release (b), the city code and city name will scroll across the right digital dial. This is the setting
- Whenever you enter a setting mode, the analog hands will automatically move to positions that allow easier viewing of the digital dials.
- Use © to cycle through the settings in the right digital dial unit the current power saving setting (PSON or PSOF) is displayed.
 See the sequence in step 2 of the procedure under "To change the current time and date settings" (page E-31) for information about how to scroll between
- 3. Press (D) to toggle Power Saving on (PSON) and off (PSOF).

E-64 E-65

- 4. After all of settings are the way you want, press (a) to exit the setting mode.
 Exiting a setting mode will normally cause the hands to return to regular timekeeping automatically. However, if you manually move the hands (page E-61) and then enter a setting mode, they will not return to regular timekeeping automatically when you exit the setting mode. In this case, you will need to return the hands to their normal positions manually (page E-62).

Troubleshooting

Time Setting

The current time setting is off by hours.

Your Home City setting may be wrong (page E-26). Check your Home City setting and correct it, if necessary.

■ The current time setting is off by one hour.
You may need to change your Home City's standard time/daylight saving time (DST) setting. Use the procedure under "To change the current time and date settings" (page E-31) to change the standard time/daylight saving time (DST) setting.

■ The hands are off.
This could indicate that the watch has been exposed to magnetism or strong impact, which has caused problems with proper hand alignment. Adjust the watch's hand home position alignment (page E-57).

■ The analog hands are not indicating the correct time.

If the HANDS indicator is displayed on the right digital dial, it means that the analog hands have been moved for easier viewing of the digital dials. Hold down © for about four seconds to return to the Timekeeping Mode.

■ The time for my World Time City is off in the World Time Mode.

This could be due to incorrect switching between standard time and daylight saving time. See "To specify standard time or daylight saving time (DST) for a city" (page E-37) for more information.

■ The watch does not resume operation after I expose it to light.

This can happen after the power level drops to Level 5 (page E-15). Continue exposing the watch to light until the battery power indicator shows **H** or **M**.

Specifications

Accuracy at normal temperature: ±15 seconds a month

Timekeeping: Hour, minutes, seconds, p.m. (PM), year, month, day, day of the week, alarm countdown

Time format: 12-hour and 24-hour

Calendar system: Full Auto-calendar pre-programmed from the year 2000 to 2099

Other: Home City code (can be assigned one of 48 city codes); Standard Time/Daylight Saving Time (summer time)

World Time: 48 cities (31 time zones)
Other: Daylight Saving Time/Standard Time

Stopwatch:

Measuring unit: 1/100 second Measuring capacity: 59' 59.99" Measuring modes: Elapsed time, split time, two finishes

F-68 F-69

Countdown Timer:

Measuring unit: 1 second
Countdown range: 100 minutes
Countdown start time setting range: 1 to 100 minutes (1-second increments)

Alarms: 5 Daily alarms; Hourly Time Signal


Illumination: LED; Selectable illumination duration

Illumination: LED; Selectable illumination duration
Other: Battery power indicator; Power Saving; Button operation tone on/off
Power Supply: Solar panel and one rechargeable battery
Approximate battery operating time: 8 months (from full charge to Level 4) under
the following conditions:

• Watch not exposed to light
• Internal timekeeping
• Display on 18 hours per day, sleep state 6 hours per day
• 1 illumination operation (1.5 seconds) per day
• 1 hand movement for easy viewing of the digital dials per day
Frequent use of illumination runs down the battery.

E-70









City Code Table

City Code	City	UTC Offset/ GMT Differential
PPG	Pago Pago	-11
HNL	Honolulu	-10
ANC	Anchorage	-9
YVR	Vancouver	-8
LAX	Los Angeles	-0
YEA	Edmonton	-7
DEN	Denver	-/
MEX	Mexico City	-6
CHI	Chicago	o
NYC	New York	-5
SCL	Santiago	_4
YHZ	Halifax	-4
YYT	St. Johns	-3.5
RIO	Rio De Janeiro	-3
FEN	Fernando De Noronha	-2

City Code	City	UTC Offset/ GMT Differential
RAI	Praia	-1
UTC		
LIS	Lisbon	0
LON	London	
MAD	Madrid	
PAR	Paris	
ROM	Rome	+1
BER	Berlin	
STO	Stockholm	
ATH	Athens	
CAI	Cairo	+2
JRS	Jerusalem	
MOW	Moscow	+3
JED	Jeddah	+3
THR	Tehran	+3.5

City Code	City	UTC Offset/ GMT Differentia
DXB	Dubai	+4
KBL	Kabul	+4.5
KHI	Karachi	+5
DEL	Delhi	+5.5
KTM	Kathmandu	+5.75
DAC	Dhaka	+6
RGN	Yangon	+6.5
BKK	Bangkok	+7
SIN	Singapore	
HKG	Hong Kong	+8
BJS	Beijing	+0
TPE	Taipei	
SEL	Seoul	+9
TYO	Tokyo	+9
ADL	Adelaide	+9.5

City Code	City	UTC Offset/ GMT Differential
GUM	Guam	+10
SYD	Sydney	+10
	Noumea	+11
WLG	Wellington	+12

Based on data as of December 2010.
 The rules governing global times (UTC offset and GMT differential) and summer time are determined by each individual country.

L-3

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com