User's Guide 5625 (MRG)

CASIO®

ENGLISH

Congratulations upon your selection of this CASIO watch

https://world.casio.com/manual/wat/



F-1

E-3

· Keep the watch's face exposed to light as much as possible (page E-5).

Important!

 For details about how to adjust the current time zone, time, and day settings, se "Timekeeping (Current Time and Day Adjustment)" (page E-6).

Features

Your watch provides you with the features and functions described below.

♦ Solar powered operation.....

The watch generates electrical power from sunlight and other types of light, and uses it to charge a battery that powers operation.

Timekeeping is kept accurate using information provided by receipt of a time calibration signal and by communication with a phone.

◆ Dual time...

You can view the current time in your current location and in one more time zone.

.....Page E-7

The stopwatch measures elapsed time up to 24 hours in one-second increments.

The timer counts down from a preset start time, and the watch sounds a tone when the countdown

The watch can be configured to sound a tone when the preset alarm time is reached.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by CASIO COMPUTER CO., LTD. is under license.

This product has a Mobile Link function that lets it communicate with a Bluetooth® capable phone to perform automatic time adjustment and other operations.

- This product complies with or has received approval under radio laws in various countries and geographic areas. Use of this product in an area where it does not conform to or where it has not been approved under applicable radio laws may be punishable under local laws. For details, visit https://world.casio.com/ce/BLF/.
 Use of this product inside of an aircraft is restricted by the aviation laws of each country. Be sure to
- obey instructions provided by flight personnel concerning use of devices such as this product.

Contents

Features Timekeeping (Current Time and Day Adjustment)... Mode Reference Guide... Using the Watch in a Medical Facility or Aircraft General Guide...... Time Calibration Signal Auto Receive..... E-12 Time Calibration Signal Manual Receive....
 Crown Operations and Configuring Settings
 E-14

 Home City (Time Zone) Setting
 E-14
 Dual Time City (Time Zone) Setting.. E-15 Configuring Time and Date Settings Manually E-16 Specifications E-17 **Charging the Watch**



- When you are not wearing the watch, leave it where its face (solar panel) is exposed to bright light for charging.
 To help ensure stable operation, expose the face of the watch to about a half day of direct sunlight each month to charge it.



While wearing the watch, take care so your sleeve does not block its face (solar panel) from light. Charging efficiency may be reduced if the face (solar panel) is blocked from light, even partially.

Caution

The case of the watch may become extremely hot when charging. Guard against burn injury.

Power Saving

- Leaving the watch in a dark location for about one hour between the hours of 9 p.m. and 6 a.m. will cause the second hand to stop at 12 o'clock.
- · Leaving the watch in a dark location for about one week will cause all hands to stop

Battery Alerts

Low Battery Second hand jumps every two seconds (Low Battery Alert).

 Dead Battery All hands stopped.

F-5

Timekeeping (Current Time and Day Adjustment)

- Timekeeping is kept accurate using information provided by a time calibration signal and by communication with a mobile phone.
 - Time calibration signals can be received using Auto Receive or Manual Receive (page E-11).
 To set the current time and day, normally use the procedure under "Time Calibration Signal Auto Receive" (page E-12).
 - For information about how to adjust time using a phone, refer to the Operation Guide available at the website below.

 https://world.casio.com/manual/wat/
 - https://word.casio.com/manual/wat/
 ** Time calibration signal auto receive is not performed while the watch is able to connect with a
 phone to adjust the watch time setting. Signal reception is performed whenever the watch is
 unable to connect with a phone for time adjustment for more than one day.

 If you are in an area where a time calibration signal cannot be received or if you cannot connect
 with a phone for some reason, adjust time and date settings manually (page E-16).

- In order to make it possible for the current time setting to be adjusted correctly based on time calibration signal reception, you need to specify the time zone where you are using the watch (pages E-14 and L-2).
- E-14 and L-2).


 If you feel that the current time and/or day indicator are not in the correct positions, you can adjust their alignment. For details, see the Operation Guide available at the CASIO website.

 Time calibration signal reception is normally possible in the areas below. Japan, China, North America, Europe
 For details, see the Operation Guide available at the CASIO website.

Mode Reference Guide

Each press of © cycles between modes as shown below.

Hold down © for at least one second to enter the Calendar Mode




. For details, refer to the Operation Guide available at the CASIO website. https://world.casio.com/manual/wat/


User's Guide 5625 (MRG)

CASIO

- Disable auto time adjustment whenever you are in a medical facility, and aircraft, in any other area where radio wave reception and connection with a phone are prohibited or restricted
- Disabling auto time adjustment disables time calibration signal auto receive and auto connection with
- Before using the crown, be sure to first read the "Crown Operations and Configuring Settings" (page
- In the Calendar Mode, press (B) once and then pull out the crown to the first click. The second hand will move to Y (YES) (auto receive enabled) or N (NO) (auto receive disabled). To disable auto time adjustment, rotate the crown to move the second hand to N (NO). To enable auto time adjustment, rotate the crown to move the second hand to Y (YES). After the setting is the way you want, push the crown back in to its normal position.




General Guide



* Hold down (B) for at least 2.5 seconds to establish a Bluetooth connection with a phone.

E-8 E-9



Timekeeping (Based on a Time Calibration Signal)

Appropriate Signal Reception Location (Time Calibration Signal)

 Keep the watch away from metal and position it so its 12 o'clock side is facing a window. Avoid moving the watch as much as possible and do not perform any watch operations while a signal receive operation is in



- Among or near buildings
- While riding in a vehicle
- Near household appliances, office machines, mobile phones, etc.

 On a construction site, in an airport, or any other location where radio wave interference occurs
- Near high-voltage lines
- In mountainous areas or behind a mountain

 Always check the time setting on the day there should be a switch

 between standard time and summer time (DST). If the setting is not

 correct (due to signal reception failure), turn DST on or off manually as required.



E-10 E-11

Time Calibration Signal Auto Receive

- Leave the watch in a location that is appropriate for time calibration signal reception between the hours of midnight and 5:00 a.m. See "Appropriate Signal Reception Location (Time Calibration Signal)" (page E-11).
 - The second hand will point to **R (RC)** while time calibration signal reception is in progress · Reception normally takes anywhere from about two to ten minutes, but it can take as long as

 - When the receive operation is successful, the time and day settings will be adjusted automatically. . You can disable auto receive if you want. See "Using the Watch in a Medical Facility or Aircraft" (page E-8).

Time Calibration Signal Manual Receive

If the watch is currently paired with a phone, perform the required watch operations to unpair them.
 For details, see the Operation Guide available at the CASIO website.
 https://world.casio.com/manual/wat/



- Hold down (B) for at least 0.5 seconds until the second hand moves to R (RC). If the second hand is a position other than R (RC), keep (B) depressed until it moves to R (RC).
- 2. Place the watch near a window
- The time setting will be adjusted automatically when a signal receive operation is successful.

 Calibration signal reception normally takes anywhere from about two
- to 10 minutes. It can take as long as 20 minutes
 - Best reception is in the middle of the night.

F-12 F-13

Crown Operations and Configuring Settings

. Before performing a crown operation, rotate it towards you to unlock (unscrew) it.


Important!

- In order to prevent loss of water resistance and damage due to impact, make sure that the crown is fully pushed in to its normal position after operating it.
 Operation details: Operation Guide available at the CASIO website. https://world.casio.com/manual/wat/

- 1. In the Calendar Mode, pull the crown out to the second click
 - Rotate the crown to move the second hand to the time zone you want to select.



- 1. In the Calendar Mode, pull the crown out to the first click
- Rotate the crown to move the second hand to the time zone whose date and time you want to view.




User's Guide 5625 (MRG)

CASIO®

Configuring Time and Date Settings Manually

Pull out the crown to the second click, hold down © for at least one second, and then perform the operations below to adjust the time and date settings.



 Operation details: Operation Guide available at the CASIO website https://world.casio.com/manual/wat/

Specifications

Accuracy at Normal Temperature: ±15 seconds a month

Timekeeping: Hour, minute (hands move at 5-second intervals), second; date, day of the week Calendar system: Full-auto calendar from 2000 to 2099

Others: Dual time (hour, minute, 24-hour timekeeping, 27 time zones, auto summer time setting, Home Time/Dual Time swapping)

ignal Receive Function.
Auto receive, manual receive
Auto transmitter selection (for JJY, MSF/DCF77)
Receivable call signs: JJY (40 kHz/60 kHz), BPC (68.5 kHz), WWVB (60 kHz), MSF (60 kHz),
DCF77 (77.5 kHz)

Stopwatch:
Measuring unit: 1 second
Measuring capacity: 23:59'59" (24 hours)

Countdown raine:
Countdown unit: 1 second
Countdown range: 24 hours
Setting unit: 1 minute
Time up: 10-second beeper

Alarm:

Setting units: Hour, minute Beeper: 10 seconds

E-17

Mobile Link Functions:

lobile Link Functions:
Auto Time Correction
Phone finder
Watch operation sounds the alert sound of the mobile phone.
World Time
Current time for approximately 300 cities selected for the watch
Home Time/World Time swapping
Auto summer time switching
Automatic switching hetween standard time and summer time

Auto summer time switching
Automatic switching between standard time and summer time
Timer Setting
Alarm Setting
Hand position correction
Data Communication Specifications
Bluetooth®
Erequency Band: 2400MHz-2480MHz

Bluetooth® Frequency Band: 2400MHz-2480MHz
Frequency Band: 2400MHz-2480MHz
Maximum Transmission: 0 dBm (1 mW)
Communication range: 2 meters max. (depends on environment)
Other: Power Saving, LED light (Super Illuminator, afterglow), Auto Correction of Hand Home Positions

Power Supply: Solar panel and 1 rechargeable battery

Battery Operating Time:

Conditions

Ordinions

Not exposed to light under the conditions below

Bluetooth connection time: 10 hours/day

Alarm: Once (10 seconds)/day

Illumination: Once (3 seconds)/day

· Second hand sleep: 6 hours/day

Note that battery operating time is reduced by illumination conditions and Bluetooth connection time.

Specifications are subject to change without notice.

В E-19









City (Time Zone) List

Time offset	Second Hand Position	Representative City	Receivable Transmitter
±0*	0	London, Dublin	
+1*	1	Paris, Rome	MSF, DCF77
+2*	2	Athens, Cairo	
+3	3	Jeddah, Moscow	-
+4	4	Dubai, Abu Dhabi	-
+5	5	Karachi	-
+6	6	Dhaka	-
+7	7	Bangkok, Jakarta	-
+8*	8	Hong Kong, Singapore	BPC
+9*	9	Tokyo, Seoul	JJY
+10	10	Sydney, Guam	-
+11	11	Noumea, Port Vila	-
+12	12	Wellington, Christchurch	-
+13	13	Nuku'alofa	-
+14	14	Kiritimati	-
-12	48	Baker Island	-
-11	49	Pago Pago	-
-10	50	Honolulu, Papeete	-

Time offset	Second Hand Position	Representative City	Receivable Transmitter
-9	51	Anchorage, Nome	-
-8*	52	Los Angeles, Vancouver	
-7*	53	Denver, Edmonton	
-6*	54	Chicago, Mexico City	WWVB
-5*	55	New York, Montreal	
-4*	56	Halifax, Caracas	
-3	57	Rio de Janeiro, Buenos Aries	-
-2	58	Fernando de Noronha	-
-1	59	Praia	_

- * Time zones where time calibration signal reception is possible.
- . Based on data as of July 2019.
- For details about city (time zone), and summer time settings, refer to the Operation Guide available at the CASIO website.

 https://world.casio.com/manual/wat/

L-2 L-3 Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com