

Color Scanner 3590C and Color Scanner 4500

Production color scanning. The clear choice from Kodak.



Kodak Digital Science Color Scanner 3590C and Color Scanner 4500 The Kodak Digital Science™ Color Scanner 3590C and Color Scanner 4500 break the barriers of price and performance for color production scanning. They scan at up to 85 pages per minute (ppm) (uniform letter size or A4, landscape) with all the reliability, ease of use, and affordability of the Scanner 3000 Series. They share an industry-leading feeder and paper path that save time and labor by virtually eliminating presorting, jams, and rescans. The feeder accepts and feeds batches of mixed paper sizes and weights. It's easy to add more pages to a stack during scanning for continuous feeding.

SCAN IT RIGHT THE FIRST TIME WITH COLOR.

Color capture enables the Scanner 3590C and Scanner 4500 to "see" the whole page. Virtually all the information on the page is captured: highlighting, variations in background densities and colors, handwritten annotations of every hue, routing stamps, etc. In many cases, color scanning file size is not much larger than equivalent black-and-white, so there's no

performance sacrifice for routing and storing color on your network.

DUAL-PURPOSE COLOR AND BITONAL OR FULL DUPLEX COLOR; PICK WHAT'S RIGHT FOR YOU.

The Color Scanner 3590C features bi-chromodal imaging, a Kodak innovation. It scans the fronts of documents in color and the backs in black and white. It can also be set to scan the fronts in black and white. In addition, the Color Scanner 3590C is designed to shift between color and black and white scanning "on the fly," making it ideal for batches with mixed documents.

The Color Scanner 4500 is available as a color-only simplex or duplex scanner for capturing both sides of documents in color. Pre-scan document imprinting is available on the Color Scanner 4500DP model to facilitate indexing, document tracking, and proof of scanning.

An innovative technology extends the use of color scanning into forms processing applications. Using ISIS or TWAIN drivers, dual stream (150 dpi color and 200 dpi bitonal images) output can be produced simultaneously. This allows for simplex and duplex color scanning for accurate viewing fidelity, plus optimum OCR/ICR recognition from bitonal scanning.

OPERATOR-FRIENDLY AND COMPATIBLE WITH SYSTEMS AND BUDGETS.

A single button is all you push to run either color scanner. On-board image processing maintains image quality automatically. Training is fast and simple. The scanner comes with an interactive CD, complete with video clips that instruct and help guide operators through all scanner procedures. So operator turnover isn't a problem.

Industry-standard interfaces and drivers bundled with the Color Scanner 3590C and Color Scanner 4500 enable them to support a wide range of applications. Best of all, they make color available at a very affordable price. User-replaceable parts, such as lamps and feeder rollers, help keep the cost of ownership low, too, by minimizing downtime and service calls. Plus, both color scanners are backed by worldwide service and support from Kodak (where available).

MOVE UP TO THE CLARITY OF COLOR WITH THE KODAK DIGITAL SCIENCE COLOR SCANNER 3590C AND COLOR SCANNER 4500.

Kodak Digital Science Color Scanner 3590C and Color Scanner 4500

FEATURES/BENEFITS

Duplex color scanning

Color Scanner 4500D: color capture extracts more of the critical information from both sides of documents, without any operator adjustment for clearer, easier-to-read images.

Bi-chromodal scanning

Color Scanner 3590C: captures color content from the fronts of documents; black-and-white data from the backs. Supports duplex black-and-white scanning.

Reliable, forgiving paper transport virtually eliminates time-wasting interruptions and document presorting to enhance throughput. Simple operation enables casual operators to be productive with

minimal training. Quiet operation is compatible with a front office environment.

Flexible feeding handles batches of mixed sizes and weights from onionskin to card stock to save labor; allows reloading while feeding for continuous scanning.

Automatic multi-feed detection

detects document overlaps to prevent scanning errors.

Document imprinting adds indexing and tracking information to the front side of documents prior to scanning (Color Scanner 4500DP only).

User-replaceable service items

reduce service calls and scanner downtime by allowing operators to swap rollers, lamps, and guides without special tools or training.

Warranty protects your productivity with service from Kodak.

Scanner CD support provides multilingual, online training and help for operators in an informative text/video format.

SPECIFICATIONS

Recommended daily volume:

from 1,000 to 10,000 pages (up to 20,000 images duplex)

Throughput speeds: Andscape letter size or AA)

(landscape, letter size of A4)		
Scanning Mode	Resolution	Speed
Color (3590C simplex;	100 dpi	85 ppm
4500 simplex and duplex)	150 dpi	57 ppm
Bi-tonal	200 dpi	85 ppm
(3590C only, simplex and duplex)	300 dpi	57 ppm
Bi-chromodal	100 dpi (front)	85 ppm
(3590C, color front, bi-tonal back)	200 dpi (back)	
	150 dpi (front)	57 ppm
	300 dpi (back)	

Source document input:

Minimum: 6.4 x 6.4 cm (2.5 x 2.5 in.) Maximum: 66.0 x 29.7 cm (26 x 11.7 in) Thickness: 0.038 to 0.760 mm (0.0015 to 0.0300 in.)

Weights: 50 to 200 g (13 to 110 lb.)

Color Scanner 3590C:

Feeder capacity: 150 pages standard (250-page upgrade optional) Output tray capacity: 250 pages (350-page optional upgrade)

Color Scanner 4500:

Feeder capacity: 250 pages standard Output tray capacity: 350 pages Color Scanner 3590C and 4500: Throat width: 30.4 cm (12 in.) Multi-feed detection: length and thickness

Color: 150 dpi CCD developed and manufactured by Kodak Black-and-white: 600 dpi CCD developed and manufactured by Kodak

Output:

Color: 100, 150 dpi, JPEG or uncompressed, and with the ISIS or TWAIN driver, 150 dpi color and 200 dpi bitonal simultaneously. 3590C only:

Black-and-white: 200 or 300 dpi, TIFF, CCITT Group 3-1D, 3-2D, 4 or uncompressed

Dimensions:

Height: 31.75 cm (12.5 in.) Width: 53.3 cm (21 in.) Depth: 70.0 cm (27.5 in.) Weight: 29 kg (64 lbs.)

Interface support:

SCSI

Bundled drivers:

TWAIN for color and black-and-white ISIS for color and black-and-white

Document imprinting (4500DP only):

Front side using standard ink-jet printer cartridges Up to 40 alpha-numeric and

special characters per page Static and dynamic fields (sequential increments to 9 places)

0° and 90° orientation

Two font sizes

Environmental factors:

Operating voltage range: 100 to 127 V AC, or 200 to 240 V AC, 50/60 Hz, single phase Operating temperature: 15 to 35°C (59 to 95°F)

Operating humidity: 15 to 76% (dry bulb) Altitude: up to 2,400 m (8,000 ft.) Acoustical characteristics: sound pressure (max.) 70 dBA Lwa sound pressure (max.) 64 dBA Lpa

APPROVALS

UL 1950, C-UL 950, EN 60950, CE Mark, FCC Part 15 Class A, Canada ICES-003 Class A, EN 55022 Class B, CISPR22 Class B, VCCI Class 1, C-Tick Mark, Taiwan CNS 13438 Class A

Warranty: (U.S. and Canada; in other countries contact your Authorized Reseller of Kodak Imaging Products for details.)

Standard: 90 day, on-site

Extended: 3 year, on-site option

Additional Service Options:

Post-warranty maintenance agreements are available. Installation and training services are available. Contact your Authorized Reseller of Kodak Imaging Products for details.

Made in U.S.A.:

Designed and manufactured by Kodak.









For manufacturing of imaging equipment.

EASTMAN KODAK COMPANY Document Imaging Rochester, NY 14650 1-800-243-8811

KODAK CANADA INC. Document Imaging Toronto, Ontario M6M 1V3 1-800-465-6325

KODAK (AUSTRALASIA) PTY. LTD. Document Imaging North Ryde NSW 2113 AUSTRALIA 61-2-9870-4222

KODAK (FAR EAST) LIMITED Document Imaging North Point, Hong Kong 07021 852-2654-9330

In other areas, contact the Kodak company serving your country or Eastman Kodak Company, Document Imaging, International Markets, Rochester, NY 14650, U.S.A.

For other areas outside the U.S.A., call +1-716-722-9287

Kodak, Digital Science, and the ds monogram are trademarks.

kodak.com/go/docimaging



Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com