



Invacare® Ranger II™ Power Wheelchair Rear-Wheel Drive



Yes, you can.™

Rear-wheel drive is the traditional configuration for power chairs. Rear-wheel drive chairs excel at delivering a stable ride over a wide range of terrain. The Invacare® Ranger II™ power chair, with its outstanding features, performance characteristics, and all-around good looks, stands out as the best rear-wheel drive choice available.

Highlights

- Exciting frame colors
- Quiet and efficient direct-drive system
- Choice of back heights from 16" - 20"
- Adjustable-angle back
- Telescoping front riggings
- Full switch option capability on Ranger II standard
- Adult height seat-to-floor frame and hemi height available
- 300 lb. weight capacity on Ranger II standard
- 250 lb. weight capacity on Ranger II basic



Styling

Up to now, this class of products was characterized by aesthetically old-fashioned, unappealing choices. By comparison, the beautiful styling of the Invacare® Ranger II™ power chair brings this product class to new visual heights.

Standard Features

- MKIV™-R11 control system
- Invacare® Virtual Service™
- Separate, easy-to-remove battery boxes
- 22NF battery size for 16," 18," and 20" wide adult and hemi seat models*
- UI battery size for 14" wide models*
- Closed-loop system to help maintain speed and direction, even downhill
- Automatic motor locks
- Dynamic (on-demand) braking with regeneration
- True free-wheeling with motor lock release
- Exclusive 8-amp dual-mode automatic battery charger
- In-line casters to improve indoor maneuverability

* Batteries not included.



Components disassemble for easy transport

Specifications

Dimensions	Adult	Hemi
Overall		
Height	35.25"-39.25"	33.25"-37.25"
Width open	21.75"-27.75" with MKIV joystick 20.5"-26.5" without MKIV joystick	23.75"-27.75" with MKIV joystick 20.5"-26.5" without MKIV joystick
Width closed	13.75" with MKIV joystick 13" without MKIV joystick	13.75" with MKIV joystick 13" without MKIV joystick
Length	36.5"-47.25"	36.5"-47.25"
Seat-to-Floor Height	20.25"	18.5"
Arm Height	9" fixed 9.4"-13.4" adjustable	9" fixed 9.4"-13.4" adjustable
Rear Wheel Size	12.5"x2.25"	12.5"-2.25"
Casters		
8"x1.75" Semi-pneumatic	standard	standard
8"x2" Pneumatic	optional	optional
Weight		
	169 lb. with 22NF batteries 94 lb. without batteries	176 lb. with 22NF batteries 101 lb. without batteries
Maximum Speed	6 mph Standard 3.9 Basic	6 mph Standard 3.9 Basic
Battery (not included)	22NF deep-cycle gel cell dual-mode automatic battery charger	22NF deep-cycle gel cell
Incline Capability	9° grade	9° grade
Shipping Weight	110 lb.-115 lb.	110 lb.-115 lb.
Ground Clearance	4"	4"
Full Turning Radius	33"	33"

All specifications are approximate.

Invacare Corporation
www.invacare.com

USA

One Invacare Way
Elyria, Ohio
44036-2125
(800) 333-6900

Canada

5970 Chedworth Way
Mississauga, Ontario
L5R 3T9 Canada
(800) 668-5324

Invacare is a registered trademark and Yes, you can., MKIV and Ranger II are trademarks of Invacare Corporation. Invacare Virtual Service is a servicemark of Invacare Corporation. Specifications are subject to change without notification.

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>