

Invacare® 3G Ranger X™ Power Wheelchair



Price List and Order Form

Effective July 1, 2008

For ease of ordering, contact Customer Service Toll Free at:

800-333-6900 Fax: 800-678-4682

To order Literature: 800-828-6282

www.invacare.com

Company Name _____ Account # _____

Phone _____ P.O. # _____ Date _____

Ship to Name & Address _____

Special Note

HCPCS codes are not intended to be, nor should be considered billing or legal advice. Providers are responsible for determining the appropriate billing codes when submitting claims to the Medicare Program and should consult an attorney or other advisor to discuss specific situations in further detail.

CHAIR TYPE

- 3GRX Ranger X Base & Seatw/MK6i™ (K0850) 8,000.00 ¹
- 3GRXBASE Ranger X Base Only w/MK6i 7,225.00 ¹
- 3GSEAT Seat Only 755.00 ²

Group 3 – K0850 Basic Package

- 3GRX Ranger X with MK6i
- 400 lb Weight Capacity
- 1431-3 14" X 3" Tires w/Foam Filled Inserts..... No Charge
- Heavy Duty 4 Pole Motors.....Standard
- 1228-3 8" X 2.25" Semi Pneumatic CastersStandard
- 28F Desk Length Fixed Height Arm.....Standard
- MK690 ControllerStandard
- 70NHD 70° Swingaway FootrestsStandard
- 8 Amp Off Board Battery Charger.....Standard
- 1515 Push Button Style Seat Positioning StrapStandard

TRANSPORT TIE-DOWN

- TRRO Transport Ready Option 300.00
- TRBKTS Wheelchair Transport Brackets..... 250.00

*Transport Tie Down

TRRO includes four factory-installed transport brackets and a wheelchair anchored pelvic belt. TRRO has been crash-tested in accordance with ANSI/RESNA WC Vol 1. Section 19 Frontal Impact Test requirements for wheelchairs with a 168 lb crash dummy, which corresponds to a person with a weight of 114 lbs to 209 lbs.

TRBKTS includes four factory-installed wheelchair transport brackets. TRBKTS has not been crash-tested in accordance with WC19. Use these transport brackets only to secure an unoccupied wheelchair during transport.

As of this date, the Department of Transportation has not approved any tie-down systems for transportation of a user while in a wheelchair, in a moving vehicle of any type. It is Invacare's position that users of wheelchairs should be transferred into appropriate seating in vehicles for transportation and use be made of the restraints made available by the auto industry. Invacare cannot and does not recommend any wheelchair transportation systems.

* Transport Tie-Down option is not retrofittable to existing models and is not field serviceable.

TRRO Features for 3G Ranger X

Features Required for TRRO	Optional Features for TRRO
<ul style="list-style-type: none"> • Storm Series Ranger X Base & Seat • 400 lb user weight limit • Short or Long Base Frame • Adj Rehab Seat with Adj Seat Tilt & Back Angle • Any Seat Width • Any Seat Depth • Low Seat-to-Floor Height • Sectional or Straight Rear Uprights • 18" - 24" ASBA Back Height • 90° or 95° Back Angle • Any Arm Type • 8" x 2.25" Semi Pneu. Casters • Rear Wheel Standard Location • 14" x 3" Tires with Foam Filled Inserts • Any Color Frame Finish • Black Nylon or Black Vinyl Uph. • Center Pivot Style Bracket • 60° Swingaway, 70° Swingaway or 70° Tapered Footrests 	<ul style="list-style-type: none"> • TrueTrack Upgrade • Fender • Flip-Up Composite Footplates, Aluminum Footplates-Deluxe or Adj Angle Flip Up Footplates • Calf Strap • Impact Guards • MK6i MPJ™+, PSR+ / PSF Joysticks • Left Hand Mounted Joystick • "T" Handle Flexible Joystick Ext • Straight Handle Flexible Joystick Ext • MK6i Programmer • Reinforced Back Upholstery • Group 24 Batteries
<p>Please note that all TRRO chairs are set at a 10° seat angle.</p>	

FOOTNOTES

¹ RX comes standard with 400 lb user weight capacity, 5 mph maximum speed, Heavy Duty 4 Pole Motor Package, SPJ+ J/S and MK 690 Controller. Base Only does not come w/ a seat positioning strap. Base only comes standard with MK690ACC Controller and SPJ+ w/ PSS J/S.

² When ordering a replacement seat and changing depth to 20" or deeper, order new arms.

NOTE: All specifications and dimensions are approximate.

For the most current pricing information go to www.invacare.com.

Download from www.Somartials.com. All Manuals Search And Download.

Invacare® 3G Ranger X™ Power Wheelchair Accessories and Options

SEAT SELECTION

USER WEIGHT LIMITS

- U400 User Weight <400 lb No Charge

FRAME TYPE

- SFS Short Base..... **Standard** ³
 LFS Long Base..... No Charge

ADJUSTABLE SEAT WIDTH RANGE

- 1620W 16" to 20" Seat Width Range No Charge
 2024W 20" to 24" Seat Width Range No Charge

FRAME WIDTH ⁴

- W16 16" Wide No Charge
 W17 17" Wide No Charge
 W18 18" Wide No Charge
 W19 19" Wide No Charge
 W20 20" Wide No Charge
 W21 21" Wide 329.00
 W22 22" Wide 329.00 ⁵
 W23 23" Wide 329.00 ⁵
 W24 24" Wide 329.00

VAN SEAT WIDTH ⁶

- VW18 18" Wide No Charge
 VW20 20" Wide 329.00
 VW22 22" Wide 329.00
 VW23 23" Wide 329.00
 VW24 24" Wide 469.00

DRIVE TYPE OPTION

- TRUTK TrueTrack Upgrade 1,899.00 ⁷

SEAT SELECTION

- ADJASBA Adj Rehab Seat w/Adj Seat Tilt & Back Angle No Charge ⁸
 VAN Van Style Captain Seat 100.00
 ADJRECL Manual Recline for Adjustable ASBA (E1226) .. 744.00
 CTS Contoura Seating 395.00 ⁹
 OMCU Omit Seat Cushion..... Less 20.00

ADJUSTABLE SEAT DEPTH RANGE

- 1619D 16" to 19" Seat Depth Range..... No Charge
 1922D 19" to 22" Seat Depth Range..... No Charge

FOOTNOTES

- ³ Not available on seat depths of 1922D (19" to 22" seat depth range).
⁴ Contoura™ Seating available in even widths 16" - 24".
⁵ The 23" & 24" seat widths are not available with low seat-to-floor.
⁶ Manual Reclining Back not available. Van Seat Depth set at the following:
 18 wide set @ 16" deep
 20 wide set @ 18" deep
 22 wide set @ 20" deep
⁷ TrueTrack driving technology, which enables Driver to track straighter regardless of the terrain, includes Monroe® Spring Suspension, <400 lb user weight limit and 7 mph maximum speed. **Must upgrade to an Expandable Controller System. Not compatible with SPJ+ joystick**
⁸ Full Length adjustable arms are standard on Van Style Seat.
⁹ Selected seat depth on Contoura assumes 1" of back cushion compression. For example: When choosing an 18" depth the measurement from the front of the back cushion to the front of the seat pan equals 17". The Contoura back cushion is 2" thick. Please see page 5 for seat size offerings.

SEAT DEPTH SETTING ¹⁰

- D16 Seat Depth 16" (Short Base)..... No Charge
 D17 Seat Depth 17" (Short Base)..... No Charge
 D18 Seat Depth 18" (Short Base)..... No Charge
 D19 Seat Depth 19" (Long Base)..... No Charge
 D20 Seat Depth 20" (Long Base)..... No Charge
 D21 Seat Depth 21" (Long Base) 529.00
 D22 Seat Depth 22" (Long Base)..... 529.00

SEAT-TO-FLOOR HEIGHT ¹¹

- LOW Seat-To-Floor – Low 17.5"..... No Charge
 MED Seat-To-Floor - Med 19.75" No Charge
 TALL Seat-To-Floor – Tall 21"..... No Charge

VAN SEAT STYLE ¹²

- SEMIR Semi-Recline..... **Standard**
 FULLR Full-Recline (E1226) 469.00

BACK SELECTION

ADJASBA BACK TYPE

- SECT Sectional Rear Uprights..... No Charge
 SRUP Straight Rear Uprights No Charge
 9720P No Push Handles (Straight Canes) 82.00
 L8661 Omit Rear Uprights..... Less 20.00

BACK HEIGHT RECLINER ¹³

- BHR18 Back Height 18"..... No Charge
 BHR20 Back Height 20"..... No Charge
 BHR22 Back Height 22"..... No Charge
 BHR24 Back Height 24"..... No Charge
 BHR26 Back Height 26"..... No Charge

BACK HEIGHT

ADJASBA

- BH12 Back Height 12"..... No Charge
 BH13 Back Height 13"..... No Charge
 BH14 Back Height 14"..... No Charge
 BH15 Back Height 15"..... No Charge
 BH16 Back Height 16"..... No Charge
 BH17 Back Height 17"..... No Charge
 BH18 Back Height 18"..... No Charge
 BH19 Back Height 19"..... No Charge
 BH20 Back Height 20"..... No Charge
 BH21 Back Height 21"..... No Charge
 BH22 Back Height 22"..... No Charge
 BH23 Back Height 23"..... No Charge
 BH24 Back Height 24"..... No Charge

CONTOURA

- TSBH25 Back Height 25"..... No Charge
 TSBH29.5 Back Height 29.5"..... No Charge

FOOTNOTES

- ¹⁰ Contoura Seating available in depths 16"-22".
¹¹ Based on 5° tilt and 16" seat depth on ASBA, add .25" for additional 2" of seat depth.
¹² Used only with Van style seat selection.
¹³ Used only with manual reclining seat selection.

NOTE: All specifications and dimensions are approximate.

For the most current pricing information go to www.invacare.com.
 Download from www.Somartials.com. All Manuals Search And Download.

Invacare® 3G Ranger X™ Power Wheelchair Accessories and Options

BACK ANGLE DEGREE

<input type="checkbox"/> 85BA	85°	No Charge
<input type="checkbox"/> 90BA	90°	No Charge
<input type="checkbox"/> 95BA	95°	No Charge
<input type="checkbox"/> 100BA	100°	No Charge
<input type="checkbox"/> 105BA	105°	No Charge

BACK ACCESSORIES

<input type="checkbox"/> L8601	Omit Back Upholstery	Less 10.00
<input type="checkbox"/> RBP	Reinforced Back Upholstery	No Charge

ARM SELECTION

ARM TYPE ¹⁴

<input type="checkbox"/> 18F	Full Length Fixed Hgt. Conv. Flip Up	No Charge
<input type="checkbox"/> 28F	Desk Length Fixed Hgt. Conv. Flip Up	Standard
<input type="checkbox"/> 19F	Full Length Adj Hgt. Conv. Flip Up (E0973)	230.00
<input type="checkbox"/> 29F	Desk Length Adj Hgt. Conv. Flip Up (E0973)	230.00

MK6i ELECTRONICS

MK6i ELECTRONIC CONTROLLERS

<input type="checkbox"/> MK690	90 Amp Controller	Standard	15
<input type="checkbox"/> MK6TT	True Track Controller	No Charge	

STANDARD DRIVER CONTROL

<input type="checkbox"/> SPJM6	SPJ+ Single Drive Joystick	Standard
--------------------------------	----------------------------	-----------------

BASE ONLY SPJ+ OPTIONS ¹⁶

<input type="checkbox"/> SPJAP	SPJ+ with Powered Seating Switch	Standard	17
<input type="checkbox"/> SPJAMP	SPJ+ w/Joystick Actuator Control (E2310)	1,300.00	18

EXPANDABLE CONTROLLER SYSTEMS

<input type="checkbox"/> PWH	Harness req. for Expandable Electronics (E2313)	350.00	19
<input type="checkbox"/> MPJM6U	MPJ+ Multiple Drive Joystick (E2377)	750.00	
<input type="checkbox"/> PSFM6	Personal Joystick, Inductive on Front	1,130.00	20
<input type="checkbox"/> PSRM6	Personal Joystick, Inductive on Rear	1,130.00	20
<input type="checkbox"/> PBOD	Push Button On/Off w/PB Drive Select	No Charge	21
<input type="checkbox"/> PBSS	Push Button On/Off w/Speed Select	No Charge	21,22
<input type="checkbox"/> OR	On/Off Mounted Right	No Charge	21
<input type="checkbox"/> OL	On/Off Mounted Left	No Charge	21
<input type="checkbox"/> ASLRDYM6	MK6i Display Only (No Driver Control) (E2377)	750.00	23

**FOR YOUR ASL DRIVE SYSTEM NEEDS
PLEASE REFER TO THE FOLLOWING:
ASL SINGLE INVOICE PRICE LIST FORM # 02-097.**

FOOTNOTES

- ¹⁴ All arms are flip up and detachable.
- ¹⁵ **Must upgrade to an Expandable Controller System. Not compatible with SPJ+ joysticks.**
- ¹⁶ Base Only Systems for Multiple Actuator Powered Seating Systems will require MPJ+, PSR+, PSF+, or MK6i Display & Alternative Driver Control.
- ¹⁷ Includes Eggswitch
- ¹⁸ Allows Actuator Operation through Driver Control. Includes Port for Attendant Switch.
- ¹⁹ Harness is required to interface joystick or MK6i display with expandable controllers. Option is located under Electronic Accessories in configurator.
- ²⁰ TOD-SS: Toggle On/Off-Drive Select, Speed Potentiometer Standard.
- ²¹ PSRM6 Only.
- ²² Drive Select through mode switch, or mode switch and Joystick Command.
- ²³ Display only, allows choice from order form.

ALTERNATE PROPORTIONAL CONTROL SYSTEMS

<input type="checkbox"/> 1500M6	Prop RIM Head Control w/MK6i Display (E2327)	2,875.00
<input type="checkbox"/> SMHD	Small Headrest	No Charge
<input type="checkbox"/> LGHD	Large Headrest	No Charge
<input type="checkbox"/> 1558MM6	Compact Joystick w/Display (E2373)	1,130.00

ALTERNATIVE DIGITAL CONTROL SYSTEMS

<input type="checkbox"/> SNPM6	Sip-N-Puff Digital Interface Box (E2325)	1,500.00	24
<input type="checkbox"/> 5018M6	Wafer Board & Digital Interface Box (E2322)	1,550.00	24
<input type="checkbox"/> 5020M6	Mini Tash Joystick & Digital Interface Box (E2321)	1,750.00	24

SIP-N-PUFF KIT

<input type="checkbox"/> PKG32666	Therafin® Sip-N-Puff Breath Tube Kit (E2326)	380.00
-----------------------------------	--	--------

ADDITIONAL CONTROL CHOICES

<input type="checkbox"/> 1558M6	Compact Joystick - Less Std Mount	770.00	
<input type="checkbox"/> 5018	Wafer Board	310.00	25
<input type="checkbox"/> 5020	Mini Tash Joystick	405.00	25
<input type="checkbox"/> PACM6	Prop Attendant Control w/quick release mount	850.00	25
<input type="checkbox"/> 1552M	Digital Attendant Control	850.00	25

JOYSTICK MOUNTING HARDWARE

<input type="checkbox"/> QLAM6	Quad Link Retract. Joystick Mnt MPJ+ (E1028)	279.00	26
<input type="checkbox"/> QLA	Quad Link Retract. Joystick Mnt SPJ+ (E1028)	279.00	26
<input type="checkbox"/> QLM6	Quad Link Retract. Joystick Mnt MPJ+ Van (E1028)	230.00	27
<input type="checkbox"/> QL	Quad Link Retract. Joystick Mnt SPJ+ Van (E1028)	230.00	27
<input type="checkbox"/> ARM250	Stealth Height Adjustable Joystick Mount (E1028)	210.00	
<input type="checkbox"/> LEFT	Left Handed Mounted Joystick	No Charge	
<input type="checkbox"/> RIMHW	RIM Hardware For 1500 (E1028)	279.00	
<input type="checkbox"/> PKG32669	Complete Bib Assembly (Tash/1558)	265.00	
<input type="checkbox"/> GATMPJ6	Gatlin Midline for MPJ+ (E1028)	600.00	
<input type="checkbox"/> GAT1812	Gatlin Midline for 1812 (E1028)	600.00	
<input type="checkbox"/> RCM	Rear Cane Mount for Compact Joystick	395.00	

ELECTRONIC ACCESSORIES

<input type="checkbox"/> 1813M6	MK6i Programmer w/Pro Memory Card	475.00	
<input type="checkbox"/> 1813SD	Pro Memory Card (USB Ready)	90.00	
<input type="checkbox"/> 1560	"T" Handle Flexible Joystick Ext. (E2323)	77.00	
<input type="checkbox"/> 1561	Straight Handle Flexible Joystick Ext. (E2323)	77.00	
<input type="checkbox"/> 1826	Chin Cup (E2324)	48.00	
<input type="checkbox"/> A24VPS	24V MK6 Auxiliary Power Source	200.00	
<input type="checkbox"/> AUX12M6	Auxiliary Module For 1 & 2	795.00	
<input type="checkbox"/> AUX34M6	Auxiliary Module For 3 & 4	795.00	
<input type="checkbox"/> MPY	Monoport "Y" Cable for MPJ+ or Display	15.00	28
<input type="checkbox"/> 2PB	Dual Push Button	147.00	29
<input type="checkbox"/> 2SW	Dual Toggle	172.00	29

ASL OPTIONAL ACCESSORIES

<input type="checkbox"/> EGSBLK	Egg Switch - Black	65.00	
<input type="checkbox"/> ASL304A	Light Wobble Switch w/611 Mount	320.00	30
<input type="checkbox"/> ASL202J	Fiber Optic Switch	610.00	30
<input type="checkbox"/> ASL208J	Adjustable Proximity Switch	550.00	30
<input type="checkbox"/> ASL504M6	Remote Emergency Stop Switch	1,185.00	30

FOOTNOTES

- ²⁴ Must also use either a Multiple Drive Joystick or MK6i Display.
- ²⁵ Requires SNPM6 Sip-N-Puff Interface Box.
- ²⁶ QLAM6 or QLA comes standard with ARM250.
- ²⁷ Only available with Van seating.
- ²⁸ For use with Expandable Controller Systems to provide additional switch site.
- ²⁹ Option to replace Mono Port "Y" cable when requiring two switch functions of the mode switch port on expandable controller systems. Not compatible with SPJ+ Joystick options.
- ³⁰ Must add MK6 Auxiliary Power Source.

Invacare® 3G Ranger X™ Power Wheelchair

Accessories and Options

FRAME AND UPHOLSTERY COLOR

FRAME FINISH

CONTEMPORARY

- 24P Wet Black No Charge
- 60P Silver Metallic No Charge
- 71P Silver Vein No Charge
- 105P Midnight Blue..... No Charge
- 115P Black Prism No Charge

TOO HOT

- 30P Sunny Yellow No Charge
- 61P Electric Red No Charge
- 119P Bubblegum Pink No Charge
- 120P Grape Madness No Charge

WAY COOL

- 62P Electric Blue No Charge
- 104P Electric Teal..... No Charge
- 121P Lolly Pop Blue..... No Charge
- 122P Cosmic Blue No Charge
- 125P Emerald Green..... No Charge
- 127P Grasshopper Green No Charge

UPHOLSTERY COLORS

- U240 Black Nylon Upholstery **Standard**
- U67 Black Vinyl..... No Charge
- GC Grey Cloth (Van Seat)..... No Charge
- GV Grey Vinyl (Van Seat)..... No Charge
- TV Tan Vinyl (Van Seat) No Charge

CASTER AND WHEEL SELECTIONS

CASTER OPTIONS

- 1228-3 8" X 2.25" Semi-Pneu Casters Lt Grey **Standard**
- 1251-3 8" X 2" Pneumatic Casters No Charge ³¹
- 1220-3 9" X 2.75" Pneumatic Casters No Charge ³¹
- 1465-3 9" X 2.75" Foam Filled Casters..... No Charge

CASTER SUSPENSION ³²

- 9213-6 Shock Fork For 6" Casters (E1016) 119.00 ³³
- 9213-8 Shock Fork For 8" Casters (E1016) 119.00

WHEEL OPTION

- 1430-3 14" X 3" Pneumatic Tires **Standard**
- 1431-3 14" X 3" Tires w/Foam Filled Inserts..... 250.00 ³⁴
- 1440 14" X 4" Pneumatic Tires 200.00 ³⁴
- 1441 14" X 4" Tires w/Foam Filled Inserts..... 320.00

FREE WHEEL HUB ³⁵

- FHUB Free Wheel Hub..... 125.00

FOOTNOTES

³¹ Not available with short base. Not available with Transport Tiedown options.
³² Not available with 9" casters.
³³ Not available with TRRO or TRBKTS. Contact Customer Service for available special.
³⁴ 14" x 4" wheels increase the overall width of the base by 2.5". Does not include Storm Series design wheel or fender. **Not available with (TRUTK) TrueTrack Package.**
³⁵ Will add .75" overall width. Not available with TrueTrack system. Does not include Storm Series design wheel or fender.

REAR WHEEL LOCATION

- RWF2 Rear Wheel Forward 2" No Charge ³⁶
- RWF1 Rear Wheel Forward 1" No Charge ³⁶
- RWS Rear Wheel Standard **Standard**

FENDER OPTION

- L8603 Omit Fender Less 50.00

POSITIONING STRAPS

SEAT POSITIONING STRAPS

- 1311BK Airline Buckle Seat Positioning Strap 50.00
- 1515 Auto Style Buckle Seat Positioning Strap **Standard**

CHEST POSITIONING STRAPS

- 7311BK Airline Buckle Chest Positioning Strap (E0960) ... 50.00
- 9515 Auto Style Chest Positioning Strap (E0960) 50.00
- 7321BK Hook & Loop Chest Positioning Strap (E0960)..... 40.00

MISC ACCESSORIES

MISCELLANEOUS ACCESSORIES

- 1303 Wheel Locks 45.00
- VAN02 O2 Holder - Van (E2208) 150.00
- SEATO2 Oxygen Holder (ASBA Seat Only) (E2208) 150.00
- 9205H-3 Suspension Shocks Heavy Duty **Standard**

BATTERY SELECTION

BATTERY BOXES

- GP24 Group 24 Battery Boxes No Charge

BATTERIES

- 24BATTERY 24 Gel Battery (On Chair) (E2363) 410.00

BATTERY CHARGER OPTION

- 110CHARGER 110 Volt Battery Charger No Charge
- LESTR Lester 8 AMP Battery Charger (E2367) 320.00
- L8900 Omit Battery Charger Less 80.00

HANGER BRACKET SELECTION

HANGER BRACKET TYPE

- ASB Center Pivot Style Bracket No Charge
- PSB Pin Style Bracket No Charge
- NHB No Hanger Bracket No Charge

FOOTNOTES

³⁶ This location changes the center-of-gravity and performance. Forward wheel position will make turning and climbing easier, but more prone to "wheely".

Invacare® 3G Ranger X™ Power Wheelchair Accessories and Options

FRONT RIGGING OPTIONS

FRONT RIGGING

CENTER PIVOT

- 60HD 60° Swingaway Footrests 13.5"-17.5" No Charge
- 70NHD 70° Swingaway Footrests 13.25"-17" **Standard**
- 70STAPER 70° Tapered Footrests 13"-17" No Charge
- AT5544 Elevating Legrests (E0990) 255.00

PIN STYLE

- PAS4A Smartleg® Art Legrests 17.25" - 21.5" (K0053) .. 320.00
- PW93 Swingaway Footrest 13.5" - 19" No Charge
- P904A Swingaway Elevating Legrests 16" - 19.75" (E0990) 255.00
- PAL4A Smartleg Art Legrests 17.25" - 21.5" (K0053) 320.00 ³⁷

POWER LEGS

- ELRPW Power ELR w/Articulation (pair) (E1010) 1,895.00 ³⁸

POWER LEGS CONTROL MODULE ³⁹

- 4WSB Four Way Switch Box No Charge
- S4WSB Multiple Actuator Interface Box (E2311) 2,600.00
 - FWT 4 Way Toggle No Charge
 - QPB 4 Push Buttons No Charge

For all systems with two or more actuators you must choose 4WSB at no charge or the S4WSB at an upcharge.

S4WSB Replaces the Four Way Switch Box and allows multiple actuator operation through the driver control.

FWT or QPB is required when choosing the 4WSB or S4WSB.

FOOTPLATE OPTIONS

- 1651 Flip-Up Composite Footplates No Charge
- 1350 Extra Large Aluminum Footplates No Charge
- 1450 Aluminum Footplates-Deluxe No Charge
- S1263 One Piece Wooden Footboard No Charge
- AT5543 Adjustable Angle Flip Up Footplates 165.00

FOOTREST/LEGREST ACCESSORIES

- 1337 Calf Strap (K0038) 27.00
- IMPACTG Impact Guards 51.00
- A9342 "H" Heel Strap (K0039) 51.00
- LPT2 Longer Pivot Slide Tube For 1350 83.00
- ALPT Longer Pivot And Slide Tube 84.00
- ALPT3 3" Extension For 90° Footrest 31.00
- ALPT4 Longer Pivot And Slide Tube 4" 84.00

FOOTNOTES

³⁷ For seat widths greater than or equal to 16".

³⁸ Not available with SPJ+ Joystick. Must pick 4WSB or S4WSB to operate power legs. Independent powered elevating articulating legrests with adjustable angle footplates. Extension range is 13"-20". Sold as pair.

³⁹ These options located in the Configurator under the MK6i Electronics Folder. Category Header is labeled Power Seating Accessories.

Invacare® 3G Ranger X™ Power Wheelchair Accessories and Options

SEATING & POSITIONING

**FOR YOUR SEATING NEEDS
PLEASE REFER TO THE FOLLOWING
REHAB SEATING & POSITIONING PRODUCTS
See Price List Form 07-027**

Chair Features and Options

- Independent Monroe® shock suspension for clinical and functional comfort
- 5 MPH maximum speed - standard
- Basic switch option capability on integrated seat (ADJASBA)
- Programmable performance to meet individuals needs
- 17.5" seat-to-floor on standard, 19.75" & 21" optional
- Seat location system allows for balanced weight distribution
- Continuous tilt seat 0° - 10°
- Dynamic anti tippers
- Rigid seat pan
- Convenient rear battery access
- Group 24 battery boxes
- Arms are flip back/removable
- Adjustable depth rigging attachment 2" {1" increments}
- Automatic dual mode battery charger (Lester brand)
- Compact size: 25" overall base width w/14" x 3" wheels
- Weight limit - Up to 400 lb
- Optional long base

Footrest Extension Range

	AT5043	AT5543	1651
60HD	N/A	12.25" – 16.5"	13.5" – 17.5"
70MFX	6.75" – 12.5"	4.5" – 10"	N/A
70NHD	N/A	10.75" – 15.75"	11.75" – 17"
70STAPER	N/A	12.5" – 16.5"	13.25" – 17.25"

Measured from Seat Pan to back of Footplate.

Contoura Seat Sizes

	D16	D17	D18	D19	D20	D21	D22
W16	X	X	X	X	X	*	*
W18	X	X	X	X	X	*	*
W20	X	X	X	X	X	X	X
W22	*	*	X	X	X	X	X
W24	*	*	X	X	X	X	X

*Not available with Contoura Seat Cushion.

Back Heights	25" or 29.5"
--------------	--------------

Ranger X Specifications

* Overall Width	25" 27"	w/14" x 3" Wheel w/14" x 4" Wheel
** Overall Length	29.5" 32.5"	Short Long
*** Seat-to-Floor	17.5" Standard 19.75" Optional 21" Optional	Low Medium Tall

Battery {Not Supplied} Group 24 deep cycle; gel/sealed

Weight Limit 400 lbs inclusive of add-on seat Systems and equipment

Weight w/o Batteries 153 lbs
Shipping Weight 266 lbs {18" x 18" seat and Group 24 Batteries}

* Measurement based on wheel based on wheel base. Seat width is width picked plus 7.5" for armrest and joystick.
** Measured from headtube to anti tipper.
*** Based on 5° tilt.

Note: All specifications and dimensions are approximate.

Weight Limit 400 Pounds

Invacare recommends all wheelchairs be fitted and programmed to the consumer under the guidance of a healthcare professional, knowledgeable of the particular limitations of the product.

Note: All weight limits are inclusive of add-on equipment and seat systems.

Memory Card – BASIC

- Standard with All Expandable Control Systems (MPJ+, PSR+, PSF+, MK6i Display).
- Used to Back Up/Restore Programmed Settings for Only One Chair.
- May be given to user or kept with provider's files for safe keeping.
- Does not Contain Advanced Diagnostics/Help Screens/File Structure.
- Not compatible with SPJ+ Joysticks.
- Memory Card – PROFESSIONAL
- Standard with ALL MK6i Programmers.
- Available also with USB Card Reader on Order Form.
- Contains Advanced Diagnostics, Help Screens, Software Updates, File Storage/Retrieval.
- Used to back up multiple chairs and programming settings.
- Intended for use by qualified providers only.
- Not compatible with SPJ+ Joysticks.



Invacare Corporation www.invacare.com

USA
One Invacare Way
Elyria, OH USA
44035-4190
800-333-6900

All rights reserved. Trademarks are identified by the symbols ™ and ®. All trademarks are owned by or licensed to Invacare Corporation unless otherwise noted. Products designated by ASL are Manufactured by Adaptive Switch Labs, Inc. Therafin is a registered trademark of W/R Medical Electronics Co. Monroe is a registered trademark of Tenneco Automotive, Inc. Specifications and prices are subject to change without notification.
©2008 Invacare Corporation

Form No. 01-006

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>