

he Invacare® Xterra™ GT™ power wheelchair has it all—unmatched styling, speed, maneuverability and power. It's the only choice for consumers who want to be noticed. And the GT's incredible power will help them lead, not follow. With the Xterra GT, your clients can finally get high-speed, center-wheel-drive performance in a package that screams excitement.





Shown with the new vinyl van seat.

FEATURES

- Hot new styling with a very durable 2" steel tube frame is designed for users who want to be active
- 16" aluminum machined wheels feature automotive styling and construction
- New high-power, 4-Pole motors provide 850 watts of power and a speed of 7.5 mph-generating enough power to make it possible for the GT to get over rougher terrain
- Transitions, thresholds and obstacles are no problem with the new SureStep™ suspension, which lifts the front wheels to elegantly handle the situation
- Center-wheel drive provides very intuitive driving, as positioning most
 of the weight over the drive wheels gives exceptional traction and permits
 a very tight turning radius of less than 20", for accessibility in tight spaces
- MKIV[™] electronics bring the whole package together with all the control, feel and options you've come to expect from Invacare

SureStep[™] Suspension

The Xterra™ GT™ was designed with a new approach to climbing, handling uneven terrain and making transitions.



SURE _ STEP

The frame is allowed to flex and pivot around a spring suspension.



The high torque of the new motors lifts the front wheels to facilitate the change in pitch.



Weight is transferred to the drive wheels, providing both traction and motor strength to elegantly pull the user and chair over the obstacle.



The six wheels of the GT remain in contact with the ground for maximum stability, safety and traction when negotiating uneven terrain.

Electronics



MKIV-RII 80-amp (standard)



MKIV-A (optional)

- The MKIV[™] controller is the foundation of the most advanced power chair driving system in the industry
- The MKIV provides a wealth of programming options to help virtually any user drive safely and confidently
- The MKIV-RII 80-amp controller is the newest member of the MKIV family. This controller has one drive and accommodates a joystick, while providing the current needed to handle the GT's performance
- The MKIV-A interfaces with an incredible range of driver inputs, including multiple-size joysticks, Touchpad technology, Peachtree proportional head control, Sip N' Puff controls and all ASL non-proportional driver controls
- Windows®-based MKIV one2one software provides invisible and intuitive programming by converting even the most advanced clinical and functional questions into driving programs

Battery Access



By releasing the latch under the seat, the GT seat frame pivots rearward, allowing access to the 22NF batteries.



The individual batteries can easily be lifted out of the base, using straps.

Accessories and Hardware

The GT is available with many options to customize the fit and function to your client's needs. These are just a few of those options in seating and rigging.



New low-profile cage rigging remains permanently attached to the frame at an 85° angle. This option slides into the tele-tubes of the ASBA seat and is retrofittable.



Available with a range of center pivot-style



The GT is a great solution for your pediatric needs, as it is available in junior seat frame sizes as small as 14" x 14".

7.5 mph

Specifications

Maximum speed

iviaximum speed	7.5 mpn		
Overall turning radius*	< 20"		
Dimensions			
Overall base width	25"		
Overall length**	36.5"		
With cage rigging	40"		
Seat-to-floor height	at 0° tilt	at 3° tilt	
Widths from 14" to 18"	17.1"	18"	
Widths from 19" to 20"	17.75"	18.75"	
Seat adjustability			
Width (1" increments)	14" to 20"		
Depth (1" increments)	14" to 20"	14" to 20"	
Back angle (5° increments)	80° to 115°	80° to 115°	
Drive wheels			
Pneumatic (standard)	16" x 3"	16" x 3"	
Foam-filled (optional)	16" x 3"	16" x 3"	
Front casters			
Semi-pneumatic	8" x 2"		
Rear casters			
Semi-pneumatic	6" x 2"		
Seat selection			
ASBA seat			
Van seat			
Semi or full recline			
Grey cloth			
Grey vinyl			
Tan vinyl			
Electronics			
MKIV-RII 80-amp	standard		
MKIV-A	optional		
Batteries***			
22NF			
Weight			
User capacity	250 lb.		
Shipping (without batteries)		179 lb.	
Shipping (with batteries)	257 lb.		
Warranty			
Gear motor	18 months		
Electronics	12 months		
Frame components	3 years [†]		
Meets requirements of HCPCS K0011 code.			



Invacare Corporation www.invacare.com

USA

One Invacare Way Elyria, Ohio 44035-4190 (800) 333-6900

Canada 570 Matheson Blvd. E., Unit 8 Mississauga, Ontario L4Z 4G4 Canada (800) 668-5324

Invacare is a registered trademark and Yes, you can., Xterra, GT, SureStep and MKIV are trademarks of Invacare Corporation. Windows is a registered trademark of Microsoft Corp. Specifications are subject to change without notification.

^{*} Measured with 16" seat depth and cage riggings.

** Measured from front head tube to trailing rear caster.

^{***} Not included. Sealed gel cell recommended.

¹ Except upholstered material, padded material and tires/wheels.

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com