INVACARE® Manual Wheelchair Series



Yes, you can:



Download from Www.Somanuals.com. All Manuals Search And Download.

Invacare® Manual Wheelchair Series

For 30 years, Invacare has set the standard in manual wheelchairs. That tradition continues today as Invacare constantly works to improve designs while maintaining the important characteristics that providers and end-users have come to expect from Invacare® wheelchairs: durability, interchangeability, and value. This commitment to quality and to meeting the needs of providers and consumers is reflected in these features:

- Durable, low-maintenance designs that meet RESNA standards for manual wheelchair performance.
- · A wide variety of ready-to-ship models in various configurations for quick delivery around the country.
- The ability to custom configure most of our wheelchairs to meet exact consumer needs.
- A full assortment of bariatric manual wheelchair solutions. In addition to our cornerstone products like the Tracer® IV
 and 9000 XDT wheelchairs, Invacare also introduced a bariatric transport chair and added a 1,000 lb. weight capacity option on the
 9000 Topaz™ chair.

In all, Invacare continues to be committed to meeting both the needs of our customers and consumers worldwide with our standard wheelchair products.



Invacare® Manual Wheelchair Dimensions Guide

| | | | MANUAL | | |
|------------------------------|-----------------------------------|--|-------------------------|--|---|
| | Transport | Transport Aluminum | Transport Heavy-Duty | Veranda™ | Tracer® EX2 |
| HCPCS code | n/a | n/a | n/a | K0001 | K0001, K0002 |
| Widths | 17", 19" | 17", 19" | 22" | 18" | 16", 18", 20" |
| Depths | 16" | 15.5", 16" | 18" | 16" | 16" |
| Overall widths | 19", 21" | 21.5", 23.5" | 28" | | 25.5", 27.25" (FF) 24.75 |
| | | | | (Rem. arms) | 24.5", 26.5", 28.5" |
| Overall depths | 27" | 24.25" | 36.5" | | 32" |
| Seat-to-floor | 19.5" | 19.5" | 19.25" | 19.5" (Rem./Perm.) 17 | 7.5", 19.5" |
| Overall weight | 24.5 lb., 25 lb. | 19 lb. | 41 lb. | 37 lb. | 36 lb. |
| Weight capacity | 250 lb. | 250 lb. | 400 lb. | 250 lb. | 250 lb. |
| | | LIG | HTWEIGHT | | |
| | Tracer® SX5 | Tracer® SX5 Recliner | 9000 SL | 9000 XT | 9000 XT Recliner |
| HCPCS code | K0003, K0006¹ | K0003 & E1226 | K0004 | K0004 | K0004 & E1226 |
| 101 00 0000 | 10000, 10000 | K0006 & E1226 | NOOU-T | NOOU-T | NOOUT & LIZZU |
| Widths | 14", 16", 18", 20", 22" | 14", 16", 18", | 16", 18", 20" | 14",15",16",17",18",19",20",22" | 14" 16" 18" 20" 22" |
| | 11,10,10,20,22 | 20", 22" | 10 , 10 , 20 | 1" increments | . 1 , 10 , 10 , 20 , 22 |
| Depths | 16" | 16" | 16", 18"² | 16", 17"², 18"² | 16", 17"², 18"² |
| Overall widths | seat width plus 8.5" | seat width plus 8.5" | seat width plus 7.5" | seat width plus 7.25" | seat width plus 7.5" |
| Overall depths | 32" | 32", 53.5" in recline | 30" | 30" | 36", 53.5" in recline |
| Seat-to-floor | 17.5", 19.5" | 17.5", 19.5" | 17.5", 19.5" | 17.5", 18.5", 19.5" | 17.5"³, 18.5"³, 19.5" |
| ocat to floor | 17.0 , 10.0 | 17.0 , 10.0 | 15.5"³, 16.5"³, 18.5"³ | 15.5", 16.5" | 17.0 , 10.0 , 10.0 |
| Overall weight | 34 lb. | 53 lb. | 33 lb. | 31 lb. | 50 lb. |
| Weight capacity | 250 lb., | 250 lb. | 250 lb. | 250 lb. | 250 lb. |
| vvoigne supusity | 300 lb. ⁵ | 300 lb. ⁵ | 200 15. | 200 15. | 200 15. |
| | 000 15. | | NO HEAVY DUTY | | |
| | Trocor® IV | | RIC HEAVY-DUTY | 900 | 900 Recliner |
| 10000 | Tracer® IV | 9000 XDT | 9000 Topaz™ | K0001 & K0006 | |
| HCPCS code | K0007 | K0007 | K0007 | KUUU1 & KUUU0 | K0001 & E1226 |
| A /: - + | 10" 20" 22" 24" | 10" 20" 22" | 20" 22" 24" | 14"-24" | K0006 & E1226 14"-24" |
| Vidths | 18", 20", 22", 24" | 16"-20", 22" | 20", 22", 24", | | |
| Dantha | 18", 20"² | (1" increments) 16"-20" (1" increments) | 26", 28", 30" | (1" increments) | (1" increments) 13"-22" (1" increments |
| Depths | , | | 18", 20" | 13"-22" (1" increments) | · |
| Overall depths | seat width plus 8.25" 33.5" | seat width plus 7.5" | seat width plus 7.5" | seat width plus 7.5" 32" | seat width plus 7.5" 32" |
| Overall depths | | | | 18" hemi, 20" adult | - |
| Seat-to-floor | 17.5", 19.5" | 17.5", 19.5", 21.5"4 | 15.5"³, 17.5", 19.5" | (19", 21", 22", 23", 24") ⁴ | 18" hemi, 20" adult (19", 21", 22", 23", 24")* |
| Overall weight | 42 lb. | 37 lb. | 85 lb. | differs per configuration | differs per configuration |
| Weight capacity | 350 lb. | 350 lb. | 700 lb. | 250 lb./275 lb. | 350 lb. |
| vveignt capacity | 450 lb. ³ | 330 lb. | 1000 lb. HDPG | 300 lb./350 lb. | 330 lb. |
| | | p | EDIATRIC | | |
| | 9000 Jymni™ | 9000 Jymni™ Recliner | | | |
| HCPCS code | E1236 | E1236 & E1226 | | (1.) 20" and 22" only. | |
| Widths | 10", 12", 14", 16" | 10", 12", 14", 16" | | (2.) By seat extension. | |
| Depths | 10", 12", 14" | 10", 12", 14" | | (3.) Available with different wheel and ca | aster packages. |
| Overall widths | seat width plus 7.5" | seat width plus 7.5" | | (4.) By frame modification. | _ |
| Overall depths | 27.5" | 27.5" | | (5.) 300 lb. weight capacity on 20" and 2 | 2" widths. |
| | 451 401 4712 | 15" 10" 17"3 | | | |
| Seat-to-floor | 15", 16", 17"³ | 15", 16", 17"³ | | | |
| Seat-to-floor Overall weight | 15", 16", 17" ³ 31 lb. | 40 lb. | | | |

Invacare® Transport Chair

Invacare® Transport

chair is designed for safe and efficient patient transport. The Transport chair has the added advantage of sharing interchangeable parts with the other chairs in the transport series. The Transport chair is compact and lightweight.

TRAN17FR and TRAN19FR Features

- Stylish, Silver Vein, powdercoated carbon steel frame
- Footrests are included with the chair and match frame finish
- Black nylon upholstery is flame retardant and bacteria resistant
- Full-length arms are padded for comfort
- Carry straps on seat allow for ease of folding and lifting
- Fold-down back makes transport and storage easy



Specifications

| Model numbers | TRAN17FR | TRAN19FR |
|-----------------------------|-------------------------------|-------------------------------|
| Chair dimensions | | |
| Seat width | 17" | 19" |
| Seat depth | 16" | 16" |
| Back height | 19" fold-down | 19" fold-down |
| Seat-to-floor height | 19" | 19" |
| Casters | | |
| | 8" | 8" |
| Front riggings | | |
| Swingaway footrest | 17"-21" knee-to-heel | 17"-21" knee-to-heel |
| Swingaway elevating legrest | 17.5"-21" knee-to-heel | 17.5"-21" knee-to-heel |
| Arm styles | | |
| | Permanent full-length, padded | Permanent full-length, padded |
| Overall dimensions | | |
| Overall width | 19" | 21" |
| Folded width | 7.25" | 7.75" |
| Overall depth w/o riggings | 27" | 27" |
| Overall height | 39" | 39" |
| Weight w/o riggings | 24.5 lb. | 25 lb. |
| Weight capacity | 250 lb. | 250 lb. |
| Limited warranty | 12 months | 12 months |
| | | |

Note: All specifications are approximate

Invacare® Lightweight Aluminum Transport



Invacare® Lightweight
Aluminum Transport
chairs are designed for
safety, ease and
comfortable patient
transport. The lightweight
frames weigh only 19 lb.
and incorporate a fold-down
back, making these chairs
easy to transport and store.

Features

- Black nylon upholstery is flame retardant and bacteria resistant
- Full-length arms are padded for comfort
- Carry straps on seat allow for ease of folding and lifting
- Footrest painted to match frame finish
- Fold-down back makes transport and storage easy
- Weighs 19 lb. (w/o riggings)

Folded Lightweight Aluminum Transport chair is compact for ease of transport and storage.



LTTB19FR Lightweight Aluminum Transport chair in blue.

Specifications

| Model numbers | ALR19HBFR ALB19HBFR | LTTB17FR | LTTR19FR LTTB19FR |
|----------------------------|------------------------|-----------|----------------------|
| Chair dimensions | | | |
| Seat width | 19" | 17" | 19" |
| Seat depth | 16" | 15.5" | 15.5" |
| Back height | 17.5" | 17.5" | 17.5" |
| Seat-to-floor height | 19.25" | 19.25" | 19.25" |
| Casters and wheels | | | |
| Casters | 8" | 8" | 8" |
| Wheels | 12" flat free | 8" | 8" |
| Front riggings | | | |
| Swingaway footrest | | | |
| Overall dimensions | | | |
| Overall width | 23.5" | 21.5" | 23.5" |
| Overall depth w/o riggings | 24.25" | 24.25" | 24.25" |
| Overall height | 37.5" | 36.5" | 36.5" |
| Weight w/o riggings | 19 lb. | 19 lb. | 19 lb. |
| Weight capacity | 250 lb. | 250 lb. | 250 lb. |
| Limited warranty | 13 months | 13 months | 13 months |
| A1 - A11 101 -1 | | | |

Note: All specifications are approximate

Invacare® Heavy-Duty Transport Chair

Invacare® Heavy-Duty
Transport chair is designed
for individuals requiring a
transport chair that can
support up to 400 lb. The
Heavy-Duty Transport chair is
available in a 22" seat width
and comes complete with
removable desk arms,
swingaway footrests and 12"
flat free rear wheels.

Features

- Removable padded desk arms
- Carbon steel frame with dual crossbraces
- Swingaway footrest with aluminum footplates
- Flame retardant black nylon upholstery





| <u> </u> | |
|----------------------------|---------------|
| Dimensions | TRHD22FR |
| Seat width | 22" |
| Seat depth | 18" |
| Back height | 20" |
| Seat-to-floor height | 19.5" |
| Casters and wheels | |
| Casters | 8" |
| Wheels | 12" flat free |
| Front riggings | |
| Swingaway footrest | |
| Overall dimensions | |
| Overall width open | 28" |
| Overall depth w/o riggings | 36.5" |
| Weight capacity | 400 lb. |
| Limited warranty | 13 months |









Large step-tube end cap.



Step-tube.

| Seat sizes | |
|---|----------------------------|
| Width | 18" |
| Depth | 16" |
| Seat-to-floor height | |
| Removable arm | 19.5" |
| Permanent arm | 19.5" |
| Back height | 18" |
| Casters and wheels | |
| Casters | 8" |
| Wheels | 24" |
| Front riggings | |
| Hemi swingaway footrest | 16.5" - 19.5" knee-to-heel |
| Hemi swingaway padded elevating legrest | 17.5" - 21" knee-to-heel |
| Arm styles | |
| Permanent full-length, fixed height arm | |
| Removable desk-length, fixed height arm | |
| Weight capacity | 250 lb. |
| Product weight | 37 lb. |
| Limited warranty | 1 year |

Invacare® Tracer® EX2 wheelchair sets the benchmark in manual wheelchairs. A true dual axle position allows for repositioning the 24" rear wheels and 8" casters for adult and hemi seat-to-floor heights. Offset permanent arms offer full seat width up to 20" with a permanent arm, hemi-spaced footrest and full range of accessories. Incorporating the design and technology of the Invacare 9000 series, the Tracer EX2 wheelchair has interchangeable components with the 9000 series chairs.



Features

- Durable, low-maintenance, triple chrome-plated, carbon steel frame is long-lasting
- Dual axle positions allow variation of seat-to-floor heights
- Offset permanent arms available in 16", 18" and 20" widths
- 14-gauge crossbraces add strength and durability
- Urethane rear tires mounted on "no flex" wheels offer superior performance

- Low-maintenance, dual-sealed precision bearings
- Heavy-duty inner liners keep seat and back from stretching
- Flame-retardant upholstery resists mildew and bacteria, as well as cold-crack and UV damage
- Upholstery is dual-embossed
- Meets RESNA standards for manual wheelchairs in product performance

Offset permanent arms allow for full seat width between arms.

Specifications

| <u> </u> | |
|--------------------------------|------------------------|
| Seat sizes | |
| Widths | 16", 18", 20" |
| Depths | 16" standard |
| Seat-to-floor heights | 17.5", 19.5" |
| Back height | 16" fixed |
| Casters and wheels | |
| Casters | 8" |
| Wheels | 24" |
| Front riggings | |
| Hemi swingaway footrest | 17"-21" knee-to-heel |
| Hemi swingaway padded | 17.5"-21" knee-to-heel |
| elevating legrest | |
| Articulating elevating legrest | 17"-25" knee-to-heel |

(Footplates available in aluminum or composite)

| Arm styles | |
|--------------------------------------|------------------------|
| Permanent full-length, padded | |
| Full-length fixed or adjustable heig | ht, padded, removable |
| Desk-length fixed or adjustable hei | ght, padded, removable |
| (All arms are conventional) | |
| Weight capacity | 250 lb. |
| Product weight (TREX2/WD86/28) | 36 lb. |
| Limited warranty | 5 years on frame and |

crossbraces



Invacare® Tracer® SX5 wheelchair's lightweight frame, weighing less than 36 pounds, makes this chair perfect for rental and long- or short-term use. This wheelchair offers multiple seat widths, arm styles, sectional back and seat-tofloor heights by utilizing the dual axle position frame base. The 20" and 22" widths include a semi-pneumatic caster to accommodate a weight capacity of 300 lb. Combining the design and technology of the Invacare 9000 series wheelchairs makes it possible to interchange components with the Tracer SX5 wheelchair.

Features

- Durable, low-maintenance, triple chrome-plated, carbon steel frame is long-lasting
- Dual axle positions allow variation of seat-to-floor heights
- 14-gauge crossbraces add strength and durability
- Urethane rear tires mounted on "no flex" wheels offer superior performance
- Sectional back available in 16" and 18" back heights
- Low-maintenance, dual-sealed precision bearings
- Heavy-duty inner liners keep seat and back from stretching
- Flame-retardant upholstery resists mildew and bacteria, as well as cold-crack and UV damage
- Meets RESNA standards for manual wheelchairs in product performance

Specifications

| Seat sizes | |
|---|-------------------------|
| Widths | 14", 16", 18", 20", 22" |
| Depths | 16" |
| Seat-to-floor heights | 17.5", 19.5" |
| Back heights | 16", 18" sectional |
| Casters and wheels | |
| Casters | 6", 8" |
| Wheels | 20", 22", 24" |
| Front Riggings | |
| Hemi swingaway footrest | 17"-21" knee-to-heel |
| Hemi swingaway padded elevating legrest | 17.5"-21" knee-to-heel |
| Articulating elevating legrest | 17"-25" knee-to-heel |

(Footplates available in aluminum or composite)

| Arm styles | | |
|----------------------------------|---|--|
| Full-length fixed height, padde | ed | |
| Desk-length fixed height, padded | | |
| Full-length adjustable height, | padded | |
| Desk-length adjustable height | t, padded | |
| (All arms are flip back non-ren | novable) | |
| Weight capacity | 250 lb. (300 lb. on 20" and 22" width) | |
| Product weight (TRSX5/WD86 | /28FB) 34 lb. | |
| Limited warranty | 5 years on frame | |
| | and crossbraces | |

Invacare® Tracer® SX5
Recliner wheelchair offers
the durability of a lightweight
manual wheelchair frame
with the added versatility and
comfort of a full reclining
back. The Tracer SX5 Recliner
wheelchair offers dynamic
recline range from 90° to
180°. This chair is available
with multiple seat widths,
arm styles, front riggings,
a full range of accessories
and a 300 lb. weight capacity
on 20" and 22" widths.

Features

- Dynamic range of recline from 90° to 180°
- Durable, low-maintenance, triple chrome-plated, carbon steel frame
- Urethane rear tires, mounted on "no flex" wheels, offer superior performance
- Low-maintenance, dual-sealed precision bearings
- Heavy-duty inner liners keep seat and back from stretching
- Flame-retardant upholstery resists mildew and bacteria, as well as cold-crack and UV damage
- · Upholstery is dual-embossed
- Meets RESNA standards for manual wheelchairs in product performance



Specifications

| - | |
|---|-----------------------------|
| Seat sizes | |
| Widths | 14", 16", 18", 20", 22" |
| Depths | 16" |
| Seat-to-floor heights | 17.5", 19.5" |
| Back height | 34" recliner (24" high back |
| | 10" removable headrest) |
| Casters and wheels | |
| Casters | 8" |
| Wheels | 20", 22", 24" |
| Front riggings | |
| Hemi swingaway footrest | 17"-20" knee-to-heel |
| Hemi swingaway padded elevating legrest | 17.5"-21" knee-to-heel |
| Articulating elevating legrest | 17"-25" knee-to-heel |

(Footplates available in aluminum or composite)

| Arm styles | | |
|--|----------------------------------|--|
| Full-length fixed height, padded, removable | | |
| Desk-length fixed height, padded, re | movable | |
| Full-length adjustable height, padded, removable | | |
| Desk-length adjustable height, padded, removable | | |
| (All arms are conventional and removable) | | |
| Weight capacity 250 lb. (300 lb. on 20' and 22" width) | | |
| Product weight (TRSX5/WD86/RC/28) | 53 lb. | |
| Limited warranty | 5 years on frame and crossbraces | |



Invacare® 9000 SL
wheelchair is the perfect
high-strength lightweight
rental product for those who
want quality and durability at
a moderate price. This lowmaintenance wheelchair
also has a full complement
of options and accessories.
Its contemporary design
and high-performance
frame make the 9000 SL
wheelchair a superior value.

Features

- Stylish, contemporary carbon steel frame is long-lasting
- Multiple frame color variations for customizing
- Dual axle positions allow variations of seat-to-floor heights
- Urethane rear tires mounted on "no flex" wheels offer superior performance
- Urethane casters for better ride and lighter weight
- Low-maintenance, dual-sealed precision bearings
- Heavy-duty inner liners keep seat and back from stretching
- Flame-retardant upholstery resists mildew and bacteria, as well as cold-crack and UV damage
- Space-saver arms reduce overall frame width without limiting seat width
- Meets RESNA standards for manual wheelchairs in product performance

Specifications

| Seat sizes | |
|--------------------------------|--------------------------|
| Widths | 16", 18", 20" |
| Depths | 16" standard, |
| (optional) | 18" by seat extension |
| Seat-to-floor heights | 17.5", 19.5" |
| | 15.5", 16.5", 18.5" with |
| | different wheel and |
| | caster packages |
| Back heights - adjustable | 15"-17" or 17"-19" |
| Casters and Wheels | |
| Casters | 6", 8" |
| Wheels | 20", 22", 24" |
| Front riggings | |
| Hemi swingaway footrest | 17"-21" knee-to-heel |
| Hemi swingaway padded | 17.5"-21" knee-to-heel |
| elevating legrest | |
| Articulating elevating legrest | 17"-25" knee-to-heel |
| | |

| Arm styles | |
|---|------------------|
| Full-length fixed height, padded | |
| Desk-length fixed height, padded | |
| Full-length adjustable height, padded | |
| Desk-length adjustable height, padded | |
| (All arm styles are space saver, flip back and non-removable) | |
| Weight capacity | 250 lb. |
| Product weight (9SL/WD86/88) | 33 lb. |
| Limited warranty | 5 years on frame |
| | and crossbraces |
| (Footplates available in aluminum or composite) | |

(Footplates available in aluminum or composite)
(Extra large footplates are also available)

Invacare® 9000 XT wheelchair is a high performance, low maintenance and low total lifetime cost product. The 9000 XT wheelchair is simply the most versatile lightweight wheelchair available from Invacare, boasting an extensive offering of frame styles, seat-to-floor heights, back styles, widths, depths, frame colors and a wide range of options and accessories. The 9000 XT wheelchair components are interchangeable with all other 9000 series and Tracer® series chairs.

Features

- Stylish, contemporary carbon steel frame with aluminum crossbraces
- Multiple frame color variations for customizing
- Dual axle positions allow variation of seat-to-floor heights
- Offset axle position allows adjustment of center-of-gravity to increase maneuverability or stability to meet each user's skill level
- Urethane rear tires mounted on "no flex" wheels offer superior performance
- Urethane casters for better ride and lighter weight
- Adjustable caster journal can be used with or without offset axle option (Refer to service manual for a complete list of seat-to-floor heights and angles that are reconfigurable only by the provider)
- Flame-retardant upholstery resists mildew and bacteria, as well as cold-crack and UV damage
- Meets RESNA standards for manual wheelchairs in product performance



The super-hemi (single-axle) seat-to-floor height is achieved with 22" rear wheels and 6" casters. A 13.5" seat-to-floor height is achieved with 20" rear wheels and 6" casters.



and adjustable angle caster will allow additional seat-to-floor heights and increase seating and positioning capabilities. Offset axle offers center-of-gravity adjustment which increases maneuverability and stability.

| Seat sizes | |
|------------------------|------------------------------------|
| Widths | 14", 15", 16", 17", 18", 19", 20", |
| | 22" adult to hemi frame |
| | 14", 15", 16", 17", 18" |
| | super-hemi frame |
| Depths | 16" standard frame |
| | 17", 18" by seat extensions, |
| | adult to hemi frame |
| | 16", 17" super-hemi frame |
| | (different frame) |
| Seat-to-floor heights* | 17.5", 18.5", 19.5" |
| | 15.5", 16.5" with different wheel |
| | and caster packages |
| | 13.5", 14.5" super-hemi |
| Back heights | 15" - 19" adjustable height |
| | Adjustable angle available as |
| | option (-5° to 20° adjustment)** |
| Casters and wheels | |
| Casters | 6", 8" |
| Wheels | 20", 22", 24" |

| Front riggings | |
|---|----------------------------------|
| Hemi swingaway footrest | 17"- 21" knee-to-heel |
| Hemi swingaway padded elevating legrest | 17.5"- 21" knee-to-heel |
| Super-hemi swingaway footrest | 11"- 17" knee-to-heel |
| Super-hemi swingaway padded elevating legrest | 11"- 17" knee-to-heel |
| Articulating elevating legrest | 17"- 25" knee-to-heel |
| (Footplates available in aluminum or composite) | |
| Arm styles | |
| Full-length fixed height, padded, | flip back, removable |
| Desk-length fixed height, padded | l, flip back, removable |
| Full-length adjustable height, pa | dded, flip back, removable |
| Desk-length adjustable height, padded, flip back, removable | |
| (All arm styles available conventional or space saver) | |
| Weight capacity | 250 lb. |
| Product weight (9XT/WD86/88) | 31 lb. |
| Limited warranty | 5 years on frame and crossbraces |

^{*}See service manual for additional seat-to-floor heights and seat angles available.

^{**}Seat angle adjustment of 0° and 6° that are reconfigurable only by the provider, can be found in the service manual.

Invacare® 9000 XT Recliner Wheelchair



Specifications

| peomoutions | |
|---|---|
| Seat sizes | |
| Widths | 14", 16", 18", 20", 22" |
| Depths | 16", 17", 18" |
| Seat-to-floor heights | 19.5" |
| | 17.5", 18.5" with rear |
| | wheel package |
| Back height | 34" recliner (24" high |
| | back, 10" removable |
| | headrest) |
| Casters and wheels | |
| Casters | 8" |
| Wheels | 20", 22", 24" |
| Front riggings | |
| Hemi swingaway footrest | 17"- 20" knee-to-heel |
| Hemi swingaway padded | 17.5"- 21" knee-to-heel |
| elevating legrest | |
| Hemi articulating elevating legrest | 17"- 25" knee-to-heel |
| Casters Wheels Front riggings Hemi swingaway footrest Hemi swingaway padded elevating legrest | 20", 22", 24" 17"- 20" knee-to-heel 17.5"- 21" knee-to-heel |

(Footplates available in aluminum or composite)

| Arm styles | |
|---|--|
| Full-length fixed height, padded | |
| Desk-length fixed height, padded | |
| Full-length adjustable height, padded | |
| Desk-length adjustable height, padded | |
| (All arms are conventional and removable) | |
| 250 lb. | |
| 50 lb. | |
| 5 years on frame and crossbraces | |
| | |

Invacare® 9000 XT Recliner wheelchair is the number one choice for individuals who demand a truly versatile, yet moderately priced, lightweight wheelchair. The 9000 XT Recliner wheelchair can be configured into an endless number of seat widths, depths and heights, and has multiple frame and upholstery options. Components and accessories are interchangeable with the other 9000 series chairs.

Features

- Stylish, contemporary carbon steel frame is long-lasting
- Dynamic recline range from 95° to 175°, +/- 5°
- Rear axle base moves, providing stable center-of-gravity in recline position
- Multiple frame color variations for customizing
- Multiple wheel offerings allow variation of seat-to-floor heights
- Urethane rear tires mounted on "no flex" wheels offer superior performance
- Urethane casters for better ride and lighter weight
- Low-maintenance, dual-sealed precision bearings
- Heavy-duty inner liners keep seat and back from stretching
- Flame-retardant upholstery resists mildew and bacteria, as well as cold-crack and UV damage
- Stocked with attendant (standard) or patient-operated wheel locks
- Meets RESNA standards for manual wheelchairs in product performance

Invacare® Tracer® IV wheelchair features superior durability, rollability and streamlined looks. It is designed for the active individual who needs the strength of a reinforced heavy-duty frame. Its many options include components interchangeable within the Tracer series. The Tracer IV wheelchair is long-lasting and low-maintenance.

Features

- Dual axle position allows variation of seat-to-floor heights
- Durable, low-maintenance, triple chrome-plated, carbon steel frame is long-lasting
- Reinforced frame includes gussetted sides, caster journals and dual crossbraces
- Corded urethane rear tires (350 lb.) and pneumatic flat free tires (450 lb.) mounted on "no flex" wheels offer superior performance
- Low-maintenance, dual-sealed precision bearings
- Heavy-duty inner liners keep seat and back from stretching
- Flame-retardant upholstery resists mildew and bacteria, as well as cold-crack and UV damage
- Upholstery is dual-embossed





Heavy-duty package increases weight capacity to 450 lb. and consists of heavy-duty composite wheels with pneumatic tires with flat-free inserts and semi-pneumatic casters.



| Seat sizes | |
|--|--------------------------|
| Widths | 18", 20", 22", 24" |
| Depths | 18" (standard), |
| | 20" (by seat extension) |
| Seat-to-floor heights | 17.5", 19.5" |
| Back height | 16" fixed |
| Casters and wheels | |
| Casters | 8" |
| Wheels | 24" |
| Front riggings | |
| Swingaway footrest | 17" - 21" knee-to-heel |
| Swingaway padded | 17.5" - 21" knee-to-heel |
| elevating legrest | |
| Articulating elevating legrest | 17" - 25" knee-to-heel |
| (Footplates available in aluminum and composite) | |
| | |

| Arm styles | |
|--|----------------------------------|
| Full-length fixed height, padded, removable | |
| Desk-length fixed height, padded, removable | |
| Full-length adjustable height, padded, removable | |
| Desk-length adjustable height, padded, removable | |
| (All arms are conventional) | |
| Weight capacity | 350 lb., 450 lb.* |
| Product weight (T4/WD28/28) | 42 lb. |
| Limited warranty | 5 years on frame and crossbraces |

^{*} Heavy-duty package only.



Specifications

| Seat sizes | |
|--------------------------------|--------------------------|
| Widths | 16", 17", 18", 19", 20", |
| | 22" tall to adult to |
| | hemi frame |
| Depths | 16", 17", 18", 19", 20" |
| Seat-to-floor heights | 17.5", 19.5", 21.5" |
| Back heights - adjustable | 15"-19" or 14"-18" |
| Casters and wheels | |
| Casters | 8" |
| Wheels | 24" |
| Front riggings | |
| Hemi swingaway footrest | 17"-21" knee-to-heel |
| Hemi swingaway padded | 17.5"-21" knee-to-heel |
| elevating legrest | |
| Super-hemi swingaway footrest | 11"-17" knee-to-heel |
| Super-hemi swingaway padded | 11"-17" knee-to-heel |
| elevating legrest | |
| Articulating elevating legrest | 17"-25" knee-to-heel |
| (Footplates available in alum | ninum or composite) |

and crossbraces

Full-length fixed height, padded, flip back, removable

Desk-length fixed height, padded, flip back, removable

Full-length adjustable height, padded, flip back, removable

Desk-length adjustable height, padded, flip back, removable

(All arm styles available conventional or space saver)

350 lb.

37 lb.

5 years on frame

Arm styles

Weight capacity

Limited warranty

Product weight (9XDT/WD08/28)

Invacare® 9000 XDT

wheelchair is designed for individuals who demand an extra wide, heavy-duty or tall chair with seat-to-floor heights ranging from hemi through tall. The high-performance 9000 XDT wheelchair provides a 350 lb. weight capacity and the components are interchangeable with the other 9000 series wheelchairs.

Features

- Durable, low-maintenance, carbon steel frame is long-lasting
- Tall frames are designed to accommodate taller individuals and provide a more comfortable ride
- Multiple frame color variations for customizing
- Triple-axle positions allow wide variation of seat-to-floor heights
- Urethane rear tires mounted on "no flex" wheels offer superior performance
- Urethane casters for better ride and lighter weight
- Low-maintenance, dual-sealed precision bearings
- Heavy-duty inner liners keep seat and back from stretching
- Flame-retardant upholstery resists mildew and bacteria, as well as cold-crack and UV damage



Invacare® 9000 Topaz™ Wheelchair

Invacare® 9000 Topaz™ wheelchair is designed specifically to suit the unique needs of bariatric patients. The Topaz wheelchair combines the strength and durability of a carbon steel frame with the comfort of heavy-duty front riggings and arms for proper positioning. With a variety of seat widths and depths, frame reinforcements that include gussetted sides, caster journals and dual heavy-duty crossbraces, this chair provides not only ease in maneuverability but proven stability.



Features

- Available in vinyl or nylon upholstery
- Durable low-maintenance, carbon steel frame is long-lasting
- Reinforced frame includes gussetted sides, caster journals and dual heavyduty crossbraces
- Multiple frame color variations available for customizing
- Heavy-duty front riggings provide proper positioning for feet with footrest and elevating legrest
- Heavy-duty arms designed to accommodate weight capacity and provide proper positioning
- Dual axle positions allow for quick and simple seat-to-floor height variations, 17.5" and 19.5"
- HDPG option for 1,000 lb. weight capacity
- Heavy-duty triple inner liners keep seat and back from stretching
- Flame-retardant upholstery resists mildew and bacteria, as well as cold-crack and UV damage



| 20", 22", 24", 26", 28", 30" | |
|------------------------------------|--|
| 18", 20" | |
| 17.5", 19.5" | |
| 15.5" with different | |
| wheel and caster packages | |
| 16"-18" | |
| | |
| 6", 8" | |
| 20", 24" | |
| | |
| | |
| Swingaway padded elevating legrest | |
| | |

| Arm styles | |
|---|------------------|
| Full-length fixed height, padded | |
| Desk-length fixed height, padded | |
| Full-length adjustable height, padded | |
| Desk-length adjustable height, padded | |
| (All arm styles available conventional and removable) | |
| Weight capacity | 700 lb. |
| HDPG option | 1, 000 lb. |
| Product weight (9TPZ/WD2818/28) | 85 lb. |
| Limited warranty | 3 years on frame |
| | and crossbraces |



Invacare® 900 Series wheelchair is designed to meet the physical needs of the most demanding consumer. This reinforced 900 wheelchair is strengthened in a number of ways, including additional supports, gussets and reinforcements, making it extremely durable and reliable. The 900 redefines the term "custom wheelchair." Each one is built to the exact specification of the consumer. The chair is available in multiple widths and depths, back styles, seat-to-floor heights and weight limits up to 350 lb., resulting in a chair that can accommodate almost any user.



Invacare® 900 wheelchair is no longer available in chrome.

Features

- Durable carbon steel frame finished in silver vein
- Multiple width and depth combinations can accommodate almost any consumer
- Gussetted frame option withstands heavy use
- Dual crossbrace option provides extra strength and rigidity
- Shock absorbing forks help the front-end handle rough terrain

| Seat sizes | |
|-----------------------|------------------------------|
| Widths | 14", 15", 16", 17", 18", |
| | 19", 20", 21", 22", 23", 24" |
| Depths | 13", 14", 15", 16", 17", |
| | 18", 19", 20", 21", 22" |
| Seat-to-floor heights | 18" hemi, 20" adult |
| | 19", 21", 22", 23", 24" |
| | by frame modification |
| Back heights | 14"-24" sectional back |
| | 14" -24" permanent |
| | fixed back height |
| | (1" increments) |
| Casters and wheels | |
| Casters | 8" |
| Wheels | 24" |
| | |

| Arm styles | |
|--|----------------------|
| Full-length fixed height, padded, removable | |
| Desk-length fixed height, padded, removable | |
| Full-length adjustable height, padded, removable | |
| Desk-length adjustable height, padded, removable | |
| (All arms are conventional or space-saver) | |
| Weight capacity | 250 lb., 275 lb., |
| (Dependent on custom configuration) | 300 lb., 350 lb. |
| Product weight | Dependent on custom |
| | configurations |
| Limited warranty | 5 years on frame and |
| | crossbraces |
| | |

Invacare® 900 Recliner wheelchair is custommade with multiple widths and depths. The 900 recliner, like the 900 wheelchair, leads the way in durability and reliability. Frame gussets and reinforcements allow this chair to meet the special needs of those individuals who need a reclining back wheelchair that accommodates a weight capacity of 350 lb.



Features

- Finished in silver vein
- Multiple width and depth combinations can accommodate almost any user
- Gussetted frame option withstands heavy use
- Dual crossbrace option provides extra strength and rigidity
- Shock absorbing forks help the front-end handle rough terrain



Specifications

| Seat sizes | |
|-----------------------|--|
| Widths | 14", 15", 16", 17", 18", 19", |
| | 20", 21", 22", 23", 24" |
| Depths | 13", 14", 15", 16", 17", 18", |
| | 19", 20", 21", 22" |
| Seat-to-floor heights | 18" hemi, 20" adult |
| | 19", 21", 22", 23", 24" by frame modification |
| Back heights | 32" reclining 22" high back and 10" removable headrest |
| Casters and wheels | |
| Casters | 8" |
| Wheels | 24" |
| | |

| Arm styles | |
|--|-----------------------------------|
| Full-length fixed height, padded, removable | |
| Desk-length fixed height, padded, removable | |
| Full-length adjustable height, padded, removable | |
| Desk-length adjustable height, padded, removable | |
| (All arms are conventional) | |
| Weight capacity 350 lb. | |
| Product weight | Dependent on custom configuration |
| Limited warranty | 5 years on frame and crossbraces |

Invacare Customer Service (800) 333-6900 www.invacare.com

Invacare® 9000 Jymni™ Wheelchair



Invacare® 9000 Jymni™
wheelchair offers your
growing list of pediatric
clients versatility,
functionality and
maneuverability. This chair
is specifically designed to
suit the needs of your
smaller clients and offers
features like a durable
carbon-steel frame and easy
adjustability.

Features

- Durable, carbon steel frame is long-lasting
- Stroller handles provide ergonomic positioning for caregiver and remove for ease in transporting
- Adjustable front riggings provide ideal positioning for pediatric clients
- Urethane rear tires mounted on "no flex" wheels offer superior performance
- Virtually no-maintenance, dual-sealed precision bearings
- Flame-retardant upholstery resists mildew and bacteria, as well as cold-crack and UV damage
- Dual-axle positions allow for quick and simple seat-tofloor height adjustments of 15" and 16"
- Seat width and depth options provide proper positioning
- Adjustable angle back easily changes from -5°to 20° in 5° increments
- Meets RESNA standards for manual wheelchairs in product performance

| Seat sizes | |
|---------------------------|--------------------------|
| Widths | 10", 12", 14", 16" |
| Depths | 10", 12", 14" |
| Seat-to-floor heights | 15", 16" |
| | 17" with different wheel |
| | and caster packages |
| Back heights - adjustable | 14" - 15" |
| Casters and wheels | |
| Casters | 6" |
| Wheels | 20", 22" |
| Front riggings | |
| 70° swingaway footrest | 7" - 11" knee-to-heel |
| 80° swingaway footrest | 11"-15" knee-to-heel |
| 90° swingaway footrest | 5" - 10" knee-to-heel |
| Elevating legrest | 7" - 14" or 11" - 15" |
| | knee-to-heel |

| ck, removable ack, removable lip back, removable | |
|---|--|
| | |
| lin hack removable | |
| np back, removable | |
| Desk-length adjustable height, padded, flip back, removable | |
| (All arm styles available conventional or space saver) | |
| 25 lb. | |
| 1 lb. | |
| years on frame | |
| nd crossbraces | |
| ֡ | |

Invacare® 9000 Jymni™ Recliner Wheelchair

Invacare® 9000 Jymni™ Recliner wheelchair

offers your growing list of pediatric clients versatility, functionality and maneuverability, with the added comfort of a reclining back. This chair is specifically designed to suit the needs of your smaller clients and provides features like a variety of width and depth options, a recline range of 95° to 160° and multiple frame color options.

Features

- Durable, carbon steel frame is longlasting
- Dynamic recline from 95° to 160°
- Stroller handles provide ergonomic positioning for caregiver and remove for ease in transporting
- Adjustable front riggings provide ideal positioning for pediatric clients
- Flame-retardant upholstery resists mildew and bacteria, as well as cold-crack and UV damage
- Seat width and depth options provide proper positioning
- Meets RESNA standards for manual wheelchairs in product performance



9000 Jymni Recliner allows for a dynamic recline range of 95° to 160°. Multiple frame color variations for customizing.



| Seat sizes | |
|------------------------|---|
| Widths | 10", 12", 14", 16" |
| Depths | 10", 12", 14" |
| Seat-to-floor heights | 15", 16" |
| | 17" with different wheel and caster packages |
| Back heights | 27" reclining |
| | 16" high back and 11" |
| | removable headrest |
| Casters and wheels | |
| Casters | 8" |
| Wheels | 24" |
| Front riggings | |
| 70° swingaway footrest | 7" - 11" knee-to-heel |
| 80° swingaway footrest | 11" - 15" knee-to-heel |
| 90° swingaway footrest | 5" - 10" knee-to-heel |
| Elevating legrest | 7" - 14" or 11" - 15" |
| | knee-to-heel |

| Arm styles | |
|--|----------------------|
| Full-length fixed height, padded, flip bac | k, removable |
| Desk-length fixed height, padded, flip ba | ack, removable |
| Full-length adjustable height, padded, fl | ip back, removable |
| Desk-length adjustable height, padded, | flip back, removable |
| (All arm styles available conventional) | |
| Weight capacity | 125 lb. |
| Product weight (9JYLT/WD42/28JY/R) | 40 lb. |
| Limited warranty | 5 years on |
| | frame and |
| | crossbraces |



Invacare® CLD (Cyclical Lever Drive) was designed for individuals to self-propel themselves with one arm, giving the opportunity to be more active, mobile and independent. With its front-caster steering mechanism, simple rowing motion design and adjustability in height and stroke length, the Invacare CLD is the answer to an easy-to-operate one-arm drive.

There are no service requirements for the CLD mechanism, although service requirements for the wheelchair apply. Kits available for provider installation. Right- or left-handed configuration. Provider installed kits for Tracer® EX2, Tracer® SX5 and 9000 SL. See 9000 XT price list 195-66 for availability.



Wheel lock position.



Wheel braking position.

Specifications

| Mechanism weight | 9.1 lb. |
|------------------------|---------------------|
| Added width to chair | 1.5" |
| Stroke length | 15"-16" |
| Grip height adjustment | 15"-18" |
| Mechanism color | Black/chrome |
| Installation | Right- or left-hand |
| Weight limit | 250 lb. |
| Limited warranty | 2 years |
| | |



Easy to disengage.



Folding ramps offer an economical alternative to the motorized lift, designed for ease of use and durability. They are ideal for both manual and power wheelchairs, as well as 3- or 4-wheel scooters. Plus, they are extremely lightweight for effortless transport.

Features

- Sturdy and dependable 600 lb. weight capacity
- Ideal for manual or power wheelchairs and 3- or 4-wheel scooters
- Convenient carrying handle is standard on all ramps
- Heavy-duty industrial Velcro® strap ensures ramp security during transportation
- Transports and stores like a suitcase
- High-traction tape on the surface is long-lasting and maintenance-free
- Stocked in Invacare's warehouse



Unique folding design makes ramps easy to carry.

Specifications

| <u> </u> | | |
|------------------|----------------------------|----------------------|
| | Model no. ICR630 | Model no. ICR330 |
| Size | 6' l x 30" w | 3' l x 30" w |
| Style | Multifold | Single fold |
| Folded size | 40.625" l x 16" w x 8.5" d | 36" l x 16" w x 4" d |
| Product weight | 28 lb. | 14 lb. |
| Weight capacity | 600 lb. | 600 lb. |
| Limited warranty | 1 year | 1 year |

Ramps are manufactured by Prairie View Industries and distributed by Invacare Corporation.



Front Rigging Non-removable Device 1820




Non-folding Device 1335 (14"-22" w) 1335XL (24"-30" w)



Axles

- 1. 1577QR Quick Release
- 2. 9357SH Super Low Amputee Attachment
- 3. 9357L Amputee Attachment
- 4. OFFAXL Off Axle



Overhead Anti-Theft Device 1514



Accessories

- 1. 1300 Utility Tray
- 2. 1209 Tire Pump
- 3. 1305L Crutch & Cane Carrier
- 4. 1100 Tool Kit
- 5. 1571 Fabric Clothing Protectors



Seat/Chest Positioning Straps

- 1. 1321BK/7321BK Hook and Loop
- 2. 1515 Auto Style Buckle
- 3. 1311BK/7311BK Airline Buckle



Anti-Tippers

- 1. 9758 Rear Anti-Tippers
- 2. 1360SH Super Low Adjustable
- 3. 1360A Adjustable Rear Anti-Tippers
- 4. 1360 Adjustable Rear Anti-Tippers
- 5. 2226 Front Anti-Tippers




IV/O₂ Holders

- 1. 1497 O₂ Holder Package Assembly
- 2. 1496 IV/O₂ Holder Package Assembly
- 3. 2218 IV Rod, Telescopic
- 4. 2219 IV Rod, Telescopic 1322SXR – IV Rod and Bracket




Upholstery

- 1. ImpactG Impact Guards
- 2. STC Stencil Back Upholstery
- 3. 1160 Seat Pouch
- 4. BP-02 Backpack (shown in Large 16" and Small 14"-16")



Upholstery

- 1. 9130 Solid Back Insert
- 2. 9662L Solid Seat Insert
- 3. 9120 Solid Seat Insert
- 4. 1608 Solid Back Insert



Tires

- 1. Urethane
- 2. Urethane High Profile
- Pneumatic Flat-Free
 All tires available in 20", 22" and 24" sizes. Available on all chairs.



Handrims

- 1. CHDRM Chrome-Plated
- 2. COM Composite
- 3. AHDRM Aluminum
- 4. 1512 Plastic Coated
- 5. 1225-8 8 Aluminum Vertical Projection Handrim Plastic Coated
- 6. 1225-12 12 Aluminum Vertical Projection Handrim Plastic Coated
- 7. 1224-8 8 Aluminum Oblique Projection Handrim Plastic Coated





9000 Topaz Arms

- 1. T18 Full-Length Fixed Height
- 2. T19 Full-Length Adjustable Height
- 3. T28 Desk-Length Fixed Height
- 4. T29 Desk-Length Adjustable Height Available on 9000 Topaz.




Lightweight Space Saver Arms

- 1. 79 Full-Length Adjustable Height
- 2. 78 Full-Length Fixed Height
- 3. 89 Desk-Length Adjustable Height
- 4. 88 Desk-Length Fixed Height




Conventional Arms

- 1. 18 Full-Length Fixed Height
- 2. 28 Desk-Length Fixed Height
- 3. 19 Full-Length Adjustable Height
- 4. 29 Desk-Length Adjustable Height



Casters

- 1. 1292 8"x1.25" Pneumatic
- 2. AT903 8"x1.25" Composite Urethane
- 3. 1255 8"x1" Solid Rubber
- AT902 6" Composite Urethane,
 3 Spoke
- 5. 1252 8" x1.25" Pneumatic
- 6. 1228 8" x 2" Semi-Pneumatic
- 7. 1687 6"x1" Dark grey comp. Urethane
- 8. 1259 6" x2" Semi-Pneumatic
- 9. 1290 8"x1" Solid Rubber, Charcoal
- 10. 4252 8" x1.25" Pneumatic with flat-fee inserts
- 11. 1492 8" x1.25" Pneumatic with flat-fee inserts



Wheel Locks

- 1. 9697R Pull to Lock Hill Holder
- 2. 9695 Hill Holder
- 3. A1567 Pull to Lock Clamp-on
- 4. 1721 High Push to Lock Clamp
- 5. 1329BK Toggle Wheel Lock Extension
- 9690 Pull to Lock 9000 XDT (not shown) 9691 – Push to Lock (Hemi) (not shown)



9000 Topaz Front Riggings

- 1. TZ33A Swingaway Footrest
- 2. TZ34A Swingaway Elevating Legrest



Footrests

- 1. T963A/C 60° Elevating Footrest Aluminum/Composite
- 2. T93HA/C/S Aluminum/ Composite



Footrests

- SH93F Superlow Extension Swingaway, Aluminum
- 2. H93M Hemi Minimum Swingaway, Aluminum
- 3. H93E Hemi Extension Swingaway, Aluminum
- 4. SH93ES Super Low Extension Swingaway, Aluminum



Legrests

- 1. AHS4A Hemi Smartleg® Articulating Legrest, Aluminum
- 2. T94HA/C Hemi Elevating Legrest Aluminum/Composite
- 3. SH904MS Superlow Elevating Legrest, Aluminum
- 4. AHL4A/C Hemi Articulating Legrest, Aluminum/Composite



Footplates

- 1. 1350 Extra Large Aluminum
- 2. AT5543 Adjustable Angle
- 3. C Composite
- 4. A Aluminum



Straps

- 1. 1346 Heel Loops
- 2. 1345 Toe Loops
- 3. 1600 BK Heel Loops with Ankle Straps
- 4. 9342 H Strap
- 5. 1337 Calf Strap
- 6. 1348 Legrest Panel

Invacare® Manual Wheelchair Series

For upholstery and frame color availability, please refer to the corresponding wheelchair price list.

| Upholstery Upholstery | |
|-----------------------|----------------------------------|
| | U60 - Marina blue vinyl |
| | U86 - Ruby vinyl |
| | U245 - Black sailcloth |
| | U67 - Black vinyl |
| | U88 - Camel vinyl |
| | U75 - Dove gray vinyl |
| | U550 - Midnight blue vinyl |
| | U85 - Dark blue vinyl |
| | U240 - Black nylon |





Yes, you can:

Invacare Corporation www.invacare.com

USA

One Invacare Way Elyria, Ohio 44035-4190 (800) 333-6900

Canada

570 Matheson Blvd. E. Unit 8 Mississauga, Ontario L4Z 4G4 Canada (800) 668-5324

© 2009 Invacare
Corporation All rights
reserved. Trademarks are
identified by the symbols ™
and ®. All trademarks are
owned by or licensed to
Invacare Corporation unless
otherwise noted.
Velcro is a registered trademark of Velcro Industries B.V.

Form No. 00-261 Rev. 08-09 Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com