

M210

DVD Micro Music System with Built-in Universal Dock for iPod



iSymphony™
Bringing Audio Back to LIVE™



www.mysisymphony.com

Features

- **400 Watts peak power, 100 Watts RMS output power**
- **5 ½ inch poly-cone woofers and 1 inch dome tweeters for full bass and detailed highs**
- **Built-in Universal Dock for iPod - Charges your iPod while docked**
- **Progressive Scan DVD Player with DVD/DVD±R/RW, CD/CD-R/RW, MP3, WMA and MPEG4 playback**
- **DVD Up-convert to 1080i**
- **USB compatible – play music from USB flash memory devices**
- **SD, MMC and Memory Stick card slots supporting music playback**
- **AM/FM Stereo with Digital Synthesized Tuner**
- **Dynamic Bass Boost System for rich, full bass and Equalizer with Classic, Rock, Pop and Jazz presets**
- **Encoding capabilities: WMA recording from CD, FM Stereo and AUX Input**
- **Removable dock adapters to fit iPod models - iPod touch, nano 3G, iPod classic, nano 2G, iPod 5G, nano 1G, iPod 4G and mini**
- **Remote control included**

Works with the following iPod models:



Manufactured and serviced by:
 iSymphony Holdings Enterprises
 7801 Hayvenhurst Avenue Van Nuys, CA 91406 USA
www.mysymphony.com

iPod is a registered trademark owned by Apple Inc. in the U.S and in other countries.
 Windows Media is either a registered trademark or trademark of Microsoft Corporation in the United States and/or other countries.
 Symphony, *Bringing audio back to live* and *Bringing audio back to life* are trademarks of iSymphony Holdings Enterprises, LLC.

Technical Specification

General	
Power Requirements	120V AC, 60 Hz
Power consumption	230W (operation) 4W (standby)
Amplifier section	
Power Output	50 Watts x 2
Tuner	
FM Tuning range	7.5 MHz to 108 MHz (100 KHz Step)
AM Tuning range	530 KHz to 1710 KHz (10 KHz Step)
Preset memory stations	FM 40 / AM 40
DVD player section	
Laser	Semiconductor
Signal-to-noise ratio	60 db (1 KHz, 0 dB)
Harmonic distortion	0.5% (1 KHz, 0 dB)
Wow and flutter	Immeasurable
Supported Discs	CD, CD-R, CD-RW, DVD, DVD-R, DVD+R, DVD-RW, DVD+RW, VCD, SVCD
Supported Audio Formats	PCM, MP3, WMA, Dolby Digital
Supported Video Formats	MPEG1, 2, 4, DVD, Windows Media Video
Card/USB Section	
Flash memory card support	SD/MMC/Memory Stick up to 2GB
USB Support	Flash Storage Device up to 2GB
Video Output	
Color System/Lines	NTSC/PAL interlaced and Progressive scan (480p/576p)
Progressive scan	1.0Vp-p (75 Ω load)
Composite Video Out	Y:1.0Vp-p (75 Ω load)
Component Video Out	Cr/Pb:0.7Vp-p (75 Ω load) Cb/Pb:0.7Vp-p (75 Ω load)
	Brightness signal: 1.0Vp-p (75 Ω load)
	Chrominance: 0.286Vp-p (75 Ω load)
S-Video Output	Brightness signal: 1.0Vp-p (75 Ω load)
	Chrominance: 0.286Vp-p (75 Ω load)
Audio Output	
Line Output Audio L/R	500 mv RMS
Optical digital output	Dolby Digital bitstream
Subwoofer Output	1V RMS (47k Ω) at 100 Hz
Speaker system	
Speakers	2 Way full range + 1 subwoofer + 2 tweeter
Impedance	4 ohms

Model #: M210

Product weight	26.24 lbs
Product dimensions	20.37"(L) x 13.06"(W) x 10.62"(H)
Master pack weight	27.12 lbs
Master pack dimensions	21.73"(L) x 16.57"(W) x 13.74"(H)
Product UPC	827396511305
Master box	
UPC	02827396511303
GTIN-14	40827396511303

iSymphony™
 Bringing Audio Back to LIVE™

www.mysymphony.com

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>