

Jensen AM/FM/CD Sirius Stereo Combo Package

MSR4050G AM/FM/CD Sirius Satellite Ready Stereo



- 160 Watts
- AM/FM/CD
- SIRIUS Satellite Radio Ready
- Front 1/8" stereo plug for an I-Pod or MP3 player
- Positive LCD Display
- Zero Memory Current Draw
- Wired Remote capable (MWR75 -MWR100)
- Wireless Remote Capable (MRF 27)

AMS602W Speakers:

Item	Model	Ship	Net
253117	CPM 405	11 lbs	\$199.95

Lowrance LMS-525C DF Sonar/GPS Chartplotter Combo

MSR4050G AM/FM/CD Sirius Satellite Ready Stereo



- 16-bit color SolarMax™ TFT
- 480 x 480 display resolution
- Dual-frequency 50/200 kHz
- Precision 12-parallel channel external GPS+WAAAS receiver
- Lowrance radar compatible
- LowranceNET® networking (NMEA 2000® certification pending)
- 5-pin Ethernet expansion port compatible for radar and satellite radio

Designed for salt water or downrigger tracking, this dual-frequency sonar/GPS chartplotter provides additional 50 kHz readings, in addition to a high-res 480 x 480 display on a 5" screen and many professional features.

Item	Model	Ship	Net
256890	123-36	2 lbs	\$646.99

LMS-520C Multifunction 5" Display Only

5" diagonal, 256-color, SolarMAX, TFT display for maximum visibility and widest viewing angles even in bright sunlight. The SolarMAX Color Display is a proprietary Lowrance color screen technology that uniquely produces maximum visibility with the widest viewing angles even in bright sunlight. Also enhances the rendering of exceptional display detail and definition. You must add this display to an existing system as a second station or add a transducer for sonar readings and an antenna for GPS. The unit will not work without a transducer and antenna!

- 480 x 480 pixel resolutions cold-cathode screen and keypad backlighting
- Requires high-speed, transom-mount 200 kHz Skimmer transducer with built-in temp sensor and up to 60° of fish detection coverage
- 2,400 watts peak-to-peak power, depths to 900 ft.*
- Compatible for NMEA 2000 networking/radar/satellite radio
- 5-pin Ethernet expansion port compatible for radar, video and satellite radio
- NMEA 2000 Connectivity: Designed compatibility for versatile performance data-sharing with all NMEA 2000 protocol networks and sensors.

Item	Model	Ship	M.A.P.
256939	123-41	6 lbs	\$599.00

*Actual depth capabilities depend on transducer configuration and installation, bottom composition and water conditions. All sonar units typically read deeper in fresh water than salt water.

Grundig G6 Aviator Radio

With the Grundig G6 Aviator at your side, you'll always have great listening options. Tune in to AM, FM, the VHF aircraft band or shortwave frequencies easily with direct keypad entry. Or, use the AUTO tuning feature to browse stations and stop on the next available frequency. You can also use "DS" tuning to get a taste of what's playing—stop on the next available frequency for five seconds at a time. This advanced dual conversion circuit also features the reception of S.S.B. (Single Side Band) signals. Use the international clock and wake-up alarms to keep you on schedule, wherever your travels take you. This radio comes with an AC adapter and earbuds. It can operate from two regular or NiCad AA cells (not supplied)

Item	Model	Ship	Net
252118	G6	2 lbs	\$89.99

Quantum AccuAire 750

OZONE AIR PURIFIER UP TO 750 SQ. FT.

Enhance the boating experience for owners, operators, and their passengers while effectively maintaining the environmental quality of all living spaces with the AccuAire™ 750. An operational compliment to the vessels with the BilgeBuster™ system(s) already installed. Utilizes patented Puri-Stat™ sensor technology that allows for fully automatic operation. The AccuAire™ produces ozone only while the built in sensor detects unwanted airborne contaminants, thus allowing for safe operation in all living spaces. Ideal for use in Salons, Cabins and Staterooms.



- Works in both Sensor and Manual mode
- Maintenance Free Ozone Plates
- Quiet Operation (40cfm fan)
- Fully Automatic
- Produces Negative Ions
- 6ft 12Vdc Car Adapter
- Works on both 12V DC and 110V AC
- Re-Usable, washable filters
- Made in USA

Item	Model	Ship	Net
900137	ALS-750	2 lbs	\$424.99

Aqua Signal Watertight Engine Room Light - 12 VDC FOR SPORT OR FISHING BOATS

- Handy dimensions offers optimized use on board: Workshops, engine rooms, stores, holds, passage ways, etc.
- Designed According to rules of maritime classification societies, additional VDE and IEC/EN.
- Meets requirements for SAE J1171 for ignition protection. Protection degree: IP67

Specifications:

- Housing: Zinc coated steel sheet, deep drawn, seamless
- Finish: Powder coated white RAL 9016 and enamelled up to 70 - 80 μm thickness
- Diffuser: Polycarbonate clear
- Electric: Flexible wiring, heat resistant up to 105°C (221 F)
- Cable entry: 1xM20x1.5 plastic for cable dia. 7-13 mm + 3 blind plug M20x1.5 plastic
- Lamp base: G5
- Light sources (not included): T16 fluorescent lamp 8W (Part No. 91024-1)
- Mounting: 2 mounting holes dia. 10 mm

Item	Model	Ship	Net
700993	10242-1 Watertight Engine room light	5 lbs	\$418.95
700994	91024-1 Fluorescent light - For use with 10242-1 Watertight Engine Room Light (uses 2 bulbs)	1 lbs	17.99

Wheelhouse Marketing Underwater Boat Accent Lights

- 12 high bright, energy efficient white LEDs, visible to 12' (depending on water clarity)
- Low current draw, 0.15 Amp per light, does not require power supplies or Ballasts, just hook to DC power
- Reverse polarity protection, the unit will not damage if hooked to reverse supply, just correct and turn back on
- The unit is so efficient that most of the energy is turned into light and not heat
- Operating Voltage: 12 to 36 Volts
- Operating Current: 120mA (typical) 150mA (max)
- Voltage ripple tolerance: 0.5 Volt (max)
- Thermal Cutoff, "OFF" threshold: 177 to 180 Deg F
- Thermal Cutoff, "ON" (recover) threshold: 165 to 168 Deg F
- Light Materials: ABS and Tempered Glass
- Housing Material: ABS or Bronze
- Cable length: 10 feet
- Maximum Hull Thickness: 2.5"
- Warranty: 1 year from date of purchase



NYLON HOUSING

Item	Model	Ship	Net
700372	WHM-LEDW-12-P (White LED)	2 lbs	\$159.99

	WHM-LEDB-12-P (Blue LED)		
	WHM-LEDG-12-P (Green LED)		

BRONZE HOUSING

700373	WHM-LEDW-12-B (White LED)	2 lbs	209.99
	WHM-LEDB-12-B (Blue LED)		
	WHM-LEDG-12-B (Green LED)		

AquaGard® Mooring Line Paint

- For mooring lines and anchor lines
- Prohibits algae, fungal growth & marine fouling organisms
- Simple application - just dunk it!
- UV protection
- Flexible
- Anti-abrasive coating prolongs mooring line life
- Waterbased
- Excellent adhesion to synthetic and natural fibers
- Long lasting
- Low VOC
- Low leach out



Item	Model	Ship	Net/2 Gallon
751324	51201	20 lbs	\$124.99

AquaGard® Flexabar® Buoy Coating

- For PVC & Inflatable Vinyl Buoys and floats
- Chemically bonds with the buoys for highest durability
- Colorfast & UV resistant
- Oil & gas resistant
- High visibility
- Superior adhesion- won't crack
- Commercially used and proven
- The choice of commercial fisherman worldwide
- Rugged durability



Please Specify Color: Green, Blue, Red, Orange or White

Item	Ship	Quart
751325	3 lbs	\$18.99

AquaGard® 190 Waterbased Primer

- For Aluminum or Wooden Surfaces
- Chemically bonds to aluminum
- Excellent resistance to corrosion and salt
- Improves adhesion of final coat
- Compatible with all other top coats
- Formulated for use with Alumi-Koat Antifouling Paint
- Exceeds VOC standards
- No toxic fumes
- Waterbased
- Cleans up with soap and water



Item	Model	Ship	Quart
751326	25009	3 lbs	\$24.99

Shockles Portable Solar Powered LED Light



The solar powered RailLight™ easily attaches to railings on boats, RVs, decks and much more. Are you looking for solar powered light you can mount anywhere? The tough, secure rail clamp will quickly fasten and unfasten to any rail without scratching the finish and you can adjust the angle and height to match your space and needs or use the larger transom clamp that attaches in either a horizontal or vertical position and will quickly secure the RailLight to any edge up to two inches thick. There's a so you can easily turn off the RailLight if you want total darkness.



- Made from coated stainless steel to resist corrosion and provide years of service
- Sturdy, lightweight and waterproof
- Solar panel is designed for many years of use
- Bright white LEDs will last for over 10,000 hours
- Charge up the RailLight outside during the day and use it inside your boat at night
- Easily attaches to railings from 3/4" to 1 1/4"
- Comes complete with two types of clamps:
 - Circular rail clamp that will easily clip onto any round rail
 - Larger transom clamp that attaches in either a horizontal or vertical position and will quickly secure the RailLight to any edge up to two inches thick
- Attaches in seconds; no wires, no batteries, no costly installation
- Small, weather-protected on/off switch

Item	Model	Ship	Net
700367	5201	1 lbs	\$26.95

Maretron Simnet to NMEA 2K Cable Adapter



The Simrad SimNet Product to NMEA 2000® Network Adapter Cable, manufactured by Simrad, is used to connect a Simrad SimNet product like the NMEA 2000®/NMEA 0183 Adapter (AT10) or CX NavStation Series products to an NMEA 2000® network. The cable is 0.5 meters in length and has a female SimNet connector on one end and a standard male NMEA 2000® Micro Series connector on the other end.



Item	Model	Ship	Net
256928	24005729	1 lbs	\$89.99

Taylor Made Products Rubber Spreader Boots



- Features:
- Made of soft, tough, white synthetic rubber
 - Protect rigging connections
 - Eliminate clumsy, temporary taping
 - Reduce drag
 - Resistant to weather, sea, temperature extremes and hard use
 - Reduce sail chafing & tearing
 - Molded in split form
 - Fit quickly and easily over the stay and spreader end

Item	Model	Description	Ship	Net
613670	960025	Fits over 1/2" - 1" Spreader	1 lbs	\$19.99
613671	960026	Fits over 1" - 2" Spreader	1 lbs	23.99
613672	960027	Fits over 2" - 2" Spreader	1 lbs	26.99

Watercounter™ Water Management System

- Allows you to:
- Accurately check the capacity of your tank.
 - Preset the capacity of your tank in the Digital Display
 - When you top off your tank and press the reset button, the tank's capacity is displayed.
 - As you use water the Digital Display counts down (by gallons) to zero.
 - A preset reserve can be established (if desired).
 - Track water usage from several tanks with only one gauge.



Watercounter™ comes to you with the Computerized Digital Display formatted to read from zero up when the reset button is pushed. This allows you to find out how much water you can draw from your tank. Once this is determined (by topping off and using the water until the tank is empty) you simply reset the digital display to count down and change the zero set point to whatever is the gallon capacity of your tank. Each time the tank is topped off and the reset button is pushed the display shows the capacity of your tank and counts down (as gallons are used) always showing exactly how many gallons of water you have.

Item	Model	Ship	Net
501237	WCI	3 lbs	\$285.00

SCADtech SensiStat Energy Saver Refrigeration Controller



Works with your 12 or 24-volt holding (aka holdover) plate refrigeration system and reduces your battery usage by:

1. Providing extremely precise thermal control thus reducing excess running of your refrigeration compressor
2. Automatically utilizing available "excess" power while your batteries are charging. This reduces the amount of battery energy used each day for refrigeration and saves you hours of battery charging time each week. This savings translates to real dollars as you will use less fuel for battery charging and reduce wear-and-tear on your engine or generator.

How it works:
A typical thermostat turns on your refrigeration compressor to freeze holding plates solid. The plates are then allowed to defrost to a temperature approximately 80 F higher before the compressor is turned on again and the plates are refrozen. The difference between the freezing temperature and the "defrosted" temperature is known as hysteresis or differential. This is the most energy efficient method and the more precise the control, the more efficient the system and the more likely your ice cream will remain solid. The SCADtech SensiStat refrigeration controller, with a resolution of 1/100 F provides unparalleled precision of control. What's more, the SensiStat comes with temperature sensors to allow you to monitor and display both the holding plate temperature and refrigeration box temperature.

Normal thermostats also do not take advantage of randomly available "free" power provided whenever your engine or generator are running and charging your batteries. Since batteries can only charge so fast, there is normally plenty of extra generation capacity available to run your refrigeration system "for free", that is using energy without depleting your batteries. When the SCADtech SensiStat refrigeration controller detects charging level voltages, it closes down the hysteresis to only 10 F and uses the available free power to "top-up" the freeze on your holding plates. For example, when you are motoring into an anchorage at the end of the day, The SensiStat will automatically run your refrigeration compressor while your engine is running and save you all the battery energy that would have been used later in the evening running the refrigeration compressor for the same amount of time directly off the batteries.

You can also tell the SCADtech SensiStat refrigeration controller to ignore extra power (such as while plugged in a dock) or to force a freezing of the holding plates for up to 60 minutes.

Additionally, the SCADtech SensiStat detects excess voltages which might damage your refrigeration system alerts you and does not over-ride the differential when excess voltages are present.

Finally, although the factory settings will work for most sailors, you can custom program the voltage threshold at which the SCADtech SensiStat overrides the differential. You can also set the holding plate freezing temperature, the normal and override differentials, the displayed temperature scale (Fahrenheit or Centigrade), and whether the holding plate or box temperature is displayed by default.

Item	Model	Ship	M.A.P.
400694	10020	1 lbs	\$298.95

Airis Play Inflatable Kayaks

The Airis™ Play is the perfect recreational inflatable kayak. The shorter length makes it easy to maneuver, whether you are exploring, or tackling whitewater. The bow keel and maximized rear skeg surface area deliver excellent tracking performance. Take Play exploring in coves, dive from it on a snorkeling adventure, or take it out in surf or river whitewater. Now you can take fun with you, wherever you go. AirPack™ backpack included! The Airis Play is incredibly lightweight, extremely stable and is quick to set-up so you'll be in the water in no time.

Features and components:

- Hi-Pressure AirWeb™ hull & floor (patent pending)
- Bow keel & rear skeg for excellent tracking
- Two molded carrying handles
- Two drain valves
- Repair kit

- AirPack™ deluxe portaging backpack
- Splash guard
- Four D-rings for attaching accessories
- Two cup holders
- Paddle sold separately

- Adjustable back rest
- Hi-Pressure air pump with gauge
- Storage bungee
- Bow bumper rail

Kayak 8' 0"

Style: Inflatable Sit On Top Kayak
 Length: 8' 0"
 Beam: 33"
 Weight: 15 Lbs
 Air Chambers: 2
 Person Capacity: 1
 Maximum Load: 225 Lbs
 Air Pressure: 6.5psi
 Stored Dimensions: 28" x 15" x 21"
 Factory Warranty: 2 year factory warranty



Item	Model	Ship	Net
454637	16425 Play 8	36 lbs	\$749.00

Kayak 9' 0"

Style: Inflatable Sit On Top Kayak
 Length: 9' 0"
 Beam: 33"
 Weight: 18 Lbs
 Air Chambers: 2
 Person Capacity: 1
 Maximum Load: 250 Lbs
 Air Pressure: 6.5psi
 Stored Dimensions: 28" x 15" x 21"
 Factory Warranty: 2 year factory warranty



Item	Model	Ship	Net
454638	16426 Play 9.5	37 lbs	\$849.00

Airis Sport Inflatable Kayaks

Loaded with features, the Airis™ Sport is a versatile kayak perfect for short expeditions or fun day trips. The long hull design combined with the rear skeg and bow keel, allow Sport to track straight making paddling easy. The bungee tie downs and integrated dry storage compartment are great for transporting gear while the rubber handles and lightweight hull make it the ideal kayak for portages. Whether you're exploring, fishing or on a quick paddle, the Airis Sport is sure to provide fun & adventure. AirPack™ backpack included!

The Airis Sport is ultra portable, super stable and simple to set-up. Kayaking has never been so easy. Available in two lengths for different sized riders. Sport is suitable for calm water and can be accessorized to fit your desired use.

Available in two lengths for different sized riders. Play is suitable for calm or whitewater and can be accessorized to fit your desired use.

Features and components:

- Hi-Pressure AirWeb™ hull & floor (patent pending)
- Bow keel & rear skeg for excellent tracking
- Four molded carrying handles
- Two drain valves
- Repair kit

- AirPack™ deluxe portaging backpack
- Splash guard
- Four D-rings for attaching accessories
- Two cup holders
- Two accessory attachment rails

- Adjustable back rest
- Hi-Pressure air pump with gauge
- Two storage bungees
- Bow bumper rail
- Paddle not included

Kayak 10' 0"

Style: Inflatable Sit On Top Kayak
 Length: 10' 0"
 Beam: 33"
 Weight: 20 Lbs
 Air Chambers: 2
 Person Capacity: 1
 Maximum Load: 250 Lbs
 Air Pressure: 6.5psi
 Stored Dimensions: 28" x 15" x 21"
 Factory Warranty: 2 year factory warranty



Item	Model	Ship	Net
454639	16427 Sport 10	38 lbs	\$1149.00

Kayak 11' 0"

Style: Inflatable Sit On Top Kayak
 Length: 11' 0"
 Beam: 33"
 Weight: 21 Lbs
 Air Chambers: 2
 Person Capacity: 1
 Maximum Load: 250 Lbs
 Air Pressure: 6.5psi
 Stored Dimensions: 28" x 15" x 21"
 Factory Warranty: 2 year factory warranty



Item	Model	Ship	Net
454640	16428 Sport 11	39 lbs	\$1249.00

Harken 57mm ESP Swivel Mastbase Block

Cruising ESP (Elegant Simple Products) is a line of hardware that complements our existing blocks in looks and function, but is simpler in design and construction. Sheaves feature axle bearings to handle high static loads, and are ideal for halyards or limited purchase systems on cruising boats.



- Sheave dia. (in): 2 1/4
- Length (in): 5 1/2
- Weight (oz): 7.7
- Clevis pin dia. (in): 5/16
- Max. line dia. (in): 5/8
- SWL (lb): 2500
- Breaking strength (lb): 5000
- Max. lockoff load (lb): 3/8
- Sheave dia. (mm): 57
- Length (mm): 140
- Weight (g): 218
- Clevis pin dia. (mm): 8
- Max. line dia. (mm): 16
- SWL (kg): 1135
- Breaking strength (kg): 2272
- Max. lockoff load (kg): 10

Item	Model	Ship	Net
604774	6059	1 lbs	\$56.99

Harken 75mm ESP Single/Swivel/Becket Block

Cruising ESP (Elegant Simple Products) is a line of hardware that complements our existing blocks in looks and function, but is simpler in design and construction. Sheaves feature axle bearings to handle high static loads, and are ideal for halyards or limited purchase systems on cruising boats. Use swivel blocks in winch-driven purchases of 4:1 or less. Shackles lock at 90-degree intervals or swivels freely. Perfect for vangs or mainsheet systems on cruising boats from 35 ft to 45 ft (10 to 14 m).

- Sheave dia. (in): 3
- Length (in): 7-1/4
- Weight (oz): 13
- Clevis pin dia. (in): 5/16
- Max. line dia. (in): 3/4
- SWL (lb): 3500
- Breaking strength (lb): 7000
- Sheave dia. (mm): 76.2
- Length (mm): 184.15
- Weight (g): 368.54
- Clevis pin dia. (mm): 8
- Max. line dia. (mm): 19
- SWL (kg): 1587
- Breaking strength (kg): 3175

Item	Model	Ship	Net
600845	6084	2 lbs	\$84.99

Harken 75mm ESP Fiddle Block

Cruising ESP (Elegant Simple Products) is a line of hardware that complements our existing blocks in looks and function, but is simpler in design and construction. Sheaves feature axle bearings to handle high static loads, and are ideal for halyards or limited purchase systems on cruising boats. Use fiddle blocks in winch-driven purchases of 4:1 or less. Shackles lock at 90-degree intervals or swivels freely. Perfect for vangs or mainsheet systems on cruising boats from 35 ft to 45 ft (10 to 14 m).



- Sheave dia. (in): 3 / 1 13/16
- Length (in): 8 3/8
- Weight (oz): 14.7
- Clevis pin dia. (in): 5/16
- Max. line dia. (in): 3/4
- SWL (lb): 3500
- Breaking strength (lb): 7000
- Sheave dia. (mm): 75 / 46
- Length (mm): 213
- Weight (g): 415
- Clevis pin dia. (mm): 8
- Max. line dia. (mm): 19
- SWL (kg): 1587
- Breaking strength (kg): 3175

Item	Model	Ship	Net
600839	6085	1 lbs	\$56.99

NEW PRODUCTS

PHONE 800-628-8225 • FAX 800-654-1616

Furuno NavNet Cables

Item	Model	Description	Ship	Net
257115	000-154-025	Navnet Power Cable Assembly, 3-Pin, 5M for Navnet 3D	2 lbs	\$72.99
257116	000-159-689	NavNet Display Adapter Cable, 6P(F) - RJ45(M), 0.5 Meters	1 lbs	36.99
257117	000-149-054	DVI-D Cable Assembly, 5M for Navnet 3D	2 lbs	83.99
257118	CBL-DVI-10M	DVI-D Cable Assembly, 10M for Navnet 3D	3 lbs	99.99
257119	000-166-945	Cable Assembly, 6M NMEA2000 DROP for Navnet 3D	3 lbs	52.99
257120	000-167-171	LAN Cable for NavNet 3D to PC, 3M, RJ45-RJ45 (2 Pair)	1 lbs	31.99
257121	000-167-175	LAN Cable for NavNet 3D, 2M, RJ45-RJ45 (4 Pair)	1 lbs	28.99
257122	000-167-176	LAN Cable for NavNet 3D, 5M, RJ45-RJ45 (4 Pair)	2 lbs	40.99
257123	000-167-177	LAN Cable for NavNet 3D, 10M, RJ45-RJ45 (4 Pair)	3 lbs	60.99
257124	000-167-962	NMEA2000 light cable, 1M, double-ended	1 lbs	24.99
257125	000-167-963	NMEA2000 light cable, 2M, double-ended	1 lbs	24.99
257126	000-167-964	NMEA2000 light cable, 6M, double-ended	3 lbs	28.99
257127	000-167-965	NMEA2000 light cable, 1M, single-ended	1 lbs	44.99
257128	000-167-966	NMEA2000 light cable, 2M, single-ended	1 lbs	20.99
257129	000-167-967	NMEA2000 light cable, 6M, single-ended	3 lbs	24.99
257130	000-010-913	Single Junction Box NMEA2000 for FI Series Navnet 3D	1 lbs	40.99
257131	RJ4-5CN-CRS	Crossover Coupler for RJ45 TO RJ45	1 lbs	16.99
257132	RJ4-5CN-STR	Straight Coupler for RJ45 TO RJ45	1 lbs	8.99
257133	HUB101	Dedicated Interswitch Hub for NavNet 3D	7 lbs	532.99
257134	000-157-995	Power Cable Assembly, Shielded, 5 Meters	2 lbs	75.99

Hosecoil Washdown Hose

- Polyurethane
- Light Weight - Easy to use
- Self Coiling - Easy to stow
- 85-90% Usable Length - Excellent extensibility
- Solid Brass/Stainless Steel Connectors - Improved flow rate and rust free use
- 360 Gallons per Hour Flow Rate



NEW!

Item	Model	Description	Ship	Net
755443	H415SW	15 feet, White	2 lbs	7.00

Hosecoil Adjustable Spray Nozzle

- Brass valve stem
- Soft fingertip control
- Variable flow adjuster
- Trigger guard
- Adjustable 9-pattern dial
- Stainless steel components
- Contoured rubber grip



NEW!

Item	Model	Ship	Net
755444	WN950U	2 lbs	9.00

Hosecoil Professional Series

Shut-Off Valve

- Fits standard washdown and garden hose fittings
- Swivel nut for proper alignment
- Brass fittings
- Rust proof
- Large knobs for easy on-off



NEW!

755445	WV510	1 lbs	3.00
--------	-------	-------	------

Hosecoil Professional Series Two-Way

Shut-Off Valve

- 2-Way splitter with shut-off for each side
- Fits standard washdown and garden hose fittings
- Swivel nut for proper alignment
- Brass fittings
- Rust proof
- Large knobs for easy on-off



NEW!

755446	WV520	1 lbs	4.50
--------	-------	-------	------

Seamate 1A Lite Wireless Navigational Transponder

Bridge the gap between your instruments and your laptop with this brilliant wireless connection between navigation instruments and computers.

- Connects standard computers with the vessels instruments like chart plotter, GPS, speed log, echo sounder or gyro
- Connect any instrument transmitting NMEA and AIS-data, RS232/RS422 via W-LAN
- Boat owners can now upgrade their standard computer into a mobile chart plotter
- The range of the box is about 70 meters
- Always transmitting when your instruments are switched ON, that means you are always connected
- Box size: 6.5" L x 3.3" W x 1.4" H



NEW!

Item	Model	Ship	Net
257077	18003	1 lbs	\$693.99

Offshore Deck Fill Gauges

Revolutionary new Fuel Deck Fill Gauge that has made a major contribution to safety and pollution prevention during refuelling operations.

- See the exact tank level at the point of filling
- Tank level is displayed on a blue LED display
- The LED varies in brightness to compensate for ambient light levels, brighter in sunlight and dimmer at night
- Prevents fuel spills during refueling
- 98% accuracy
- Operates under NMEA 2000
- Easy to install
- Cap has a recess for a standard opening key
- Heavy duty O-ring seal to keep water out of the tank
- Polished stainless steel
- Gauges attach to the existing resistive analogue gauges with a single wire. No other wiring is required
- For 1.5" filler pipe



NEW!

Item	Model	Ship	Net
300191	3210-D38 Diesel	5 lbs	\$292.99
300192	3210-G38 Gas	5 lbs	292.99

Offshore Multi Tank Display

The 3330 NMEA2000 MultiTank Display can show the tank levels of ALL the Fuel, Fresh Water, Grey Water, Black Water, Oil and Live Well tanks on a single graphical display. There can be multiple 3330 MultiTank Displays on a single network so the same information can be displayed in a multi station environment.

- Displays ALL the Fuel, Fresh Water, Grey Water, Black Water, Oil and Live Well Tanks tanks on a single display
- The unit can show 1, 2 or 4 tanks at a time as either gauges, bar graphs or in digital form
- Displays are very user friendly
- DIN standard 4.33" x 4.33" graphical display
- Draws less than 150mA from the network
- Comes complete with a full installation and operation manual, combined power and signal cable
- Takes power from the NMEA2000 network and requires no additional wiring.
- Displays Tank Level and remaining volume in Liters, US Gallons or Gallons
- Displays Tank Names
- Single or Multiple tanks displayed
- Can be used in a multistation environment
- Low and High Tank Level Alarms
- Rugged IP67 waterproof construction
- Single plug to NMEA 2000 bus



NEW!

Item	Model	Ship	Net
300193	3330	3 lbs	\$878.99

Offshore NMEA 2000

Fuel Level Sender

The 3271 NMEA2000 Fuel Level Sender provides an accurate fuel level to the NMEA2000 marine network and reports it's level in 1% increments.

- High Accuracy
- No moving parts to stick or fail
- Self Calibrating
- Stores Tank Name and Tank Shape data
- Tank depths from 250mm to 2 Metres
- Easy to install
- Standard 5 bolt mounting
- Detects water in fuel, protect your engine from expensive damage
- Robust Stainless Steel Construction
- Single plug to NMEA 2000 bus
- Displays remaining capacity in Liters, US Gallons or in Gallons
- Up to 16 Fuel Level Senders can be connected to a single network
- Sender number is simply selectable at installation by means of the small rotary switch
- Draws less than 50mA from the network
- Comes complete with a full installation/operation manual, tank gasket, and combined power/signal cable



NEW!

Item	Model	Ship	Net
300194	3271-1000	2 lbs	\$247.99



NEW! Ronstan 70 Series Ball Bearing Orbit Blocks

- Ultra Lightweight
- Low friction 2-stage Orbital ball bearing system
- Highest working load in its class
- Easily fitted and securely retained Dyneema Link head

Item	Model	Description	Sheave Dia	Rope Dia	Working Load	Max Breaking Load	Weight	Ship	M.A.P.
600870	RF75101	Single	2-3/4"	1/2"	1540	3830	4.5 oz	1 lbs	\$53.20
600871	RF75111	Single, becket	2-3/4"	1/2"	1540	3080	5.0 oz	1 lbs	61.00
600872	RF75151	Cheek	2-3/4"	1/2"	1540	3080	4.3 oz	1 lbs	52.04
600873	RF75211	Double, becket	2-3/4"	1/2"	2420	4840	9.7 oz	1 lbs	111.72

NEW! Ronstan 70 Series Ratchet Orbit Blocks

- Fully automatic, load sensing ratchet engagement
- Up to 25:1 holding power
- Easily fitted and securely retained Dyneema® Link head



Item	Model	Description	Sheave Dia	Rope Dia	Working Load	Max Breaking Load	Weight	Ship	M.A.P.
600874	RF76101	Single, Auto	2-3/4"	3/8"	660	2750	5.3 oz	1 lbs	75.96
600875	RF76111	Single, Bkt, Auto	2-3/4"	3/8"	660	2750	5.7 oz	1 lbs	83.96



NEW! Ronstan Ball Bearing & Ratchet Orbit Block Accessories

Item	Model	Description	Working Load	Max Breaking Load	Weight	Ship	M.A.P.
600876	RF2457	Stand Up Base	3080	1400	1.8 oz	1 lbs	8.76
600877	RF9006-12	Double Orbit Block Link				1 lbs	6.36
600878	RF70001	Retainer Clip Single 2 Pack				1 lbs	2.99
600879	RF70002	Retainer Clip Doubles 2 Pack				1 lbs	2.99

Taylor Made Inflatable Quick-Shade Top



- Accommodates boat widths up to 5'7" and lengths to 10'8"
- Supported by shock-corded fiberglass pole framework that breaks down for convenient storage
- Constructed from Hot Shot fabric that is lightweight, water and UV resistant
- After installation, the top sets up and attaches easily and comes down in minutes
- The large radius allows you to sit and operate the boat comfortably without crouching over and provides excellent headroom
- Comes with shade top, frame, marine grade hardware, storage bag and instructions

Item 454641 Model I20070G Ship 5 lbs Net \$109.99

Tectonic Recovery Mat

A non-woven polypropylene geotextile that separates and filters waste while allowing water to pass through. Ideal to catch contaminants under your boat while power washing, sanding, etc.

- Filters the copper, paint chips, biological growth, bottom sediment, wash water, and other contaminants
- Water passes through a synthetic fiber mesh system down to very fine filtration
- Recovery mats are typically placed under a boat before being blocked for winter storage. (Insures that the mats is in place for the spring bottom paint removal, sanding grinding, etc)
- The waste and droppings from these activities will then be captured by the mat and not contaminate the soil or waterway through run-off
- After use, the pad is disposed properly as solid waste

Item 751147 Model USF205NW Ship 8 lbs Net \$249.99



E52116 E52118 E52114 E52113 E52112

NEW! Raymarine Marine Shield Cleaners

The Marine Shield Professional Marine Finishing System is a high performance line of uniquely formulated cleaners, sealants and compounds that effectively clean, restore, and protect boats with minimal effort and maximum results.

MARINE ELECTRONICS SCREEN CLEANER

Keep your essential marine electronic displays clear and free of salt and smudges with our Marine Electronics Screen Cleaner. A unique molecular formula specifically designed to clean today's high tech sunlight viewable displays. Marine Shield is the only screen cleaner tested and approved by Raymarine for use on all Raymarine marine electronics displays.

- Contains no alcohol, detergents, or other harmful and abrasive ingredients.
- Non-streaking and non-smearing solution cleans all types of glass and coated surfaces
- The only screen cleaner tested and approved by Raymarine

Item	Model	Description	Size	Ship	M.A.P.
752628	E52116	Screen Cleaner	2 fl. oz.	1 lbs	14.99

CONCENTRATED BOAT WASH

Super concentrated boat wash formula for fiberglass, aluminum and painted surfaces

- Super concentrated economical formula
- Innovative formula suspends dirt particles so they are easily washed away
- Sheeting action helps prevent spotting
- Non Alkaline, pH balanced is safe to use on gel coats and waxed surfaces

752623	E52118	Boat Wash	22 fl. oz.	2 lbs	\$14.99
--------	--------	-----------	------------	-------	---------

RESTORATION COMPOUND

Fast acting medium abrasive compound for gel coats and painted surfaces

- Scratch, heavy swirl, and oxidation removal
- Medium abrasive compound for painted surfaces or gel coats
- Apply by hand or machine
- Easy on/off application

752624	E52114	Restoration Compound	22 fl. oz.	2 lbs	22.99
--------	--------	----------------------	------------	-------	-------

MARINE SEALANT

Advanced resin polymer formula for fiberglass, gel coats, aluminum and painted surfaces

- Provides a defensive shield against the harmful effects of salt water, acid rain, and ultra violet radiation
- Long lasting high gloss shine
- Advanced formulation can be applied in direct sunlight

752625	E52113	Marine Sealant	22 fl. oz.	2 lbs	29.99
--------	--------	----------------	------------	-------	-------

HEAVY DUTY CLEANER

Fast acting, powerful cleaning formulation - Aggressively tackles tough stains on virtually all surfaces

- Safe to clean fiberglass, sealed wood, vinyl, rubber, plastic, carpet, upholstery, canvas, metal fixtures and smooth leather
- Quickly penetrates to remove pollutants, black streaks, oils, stains, mineral deposits, salt spray, and stubborn grease and grime
- Unique formula tackles protein-based soils like blood, fish guts and vomit
- Safe to use on polished aluminum, virtually eliminates the staining and clouding caused by other spray cleaners
- Powerful detergent formulation quickly penetrates and breaks downs (demulsifies) oils on sealed and unsealed surfaces

Marine Shield Heavy Duty cleaner contains no harsh chemicals plus:

- NO phosphates
- NO butyl solvents
- NO corrosive caustics
- NO acids

752626	E52111	Heavy Duty Cleaner	64 fl. oz.	3 lbs	24.99
752627	E52112	Heavy Duty Spray	24 fl. oz.	2 lbs	14.99



NEW! Raymarine Cantilever Mounting Socket

Used to mount the fixed end of the tiller autopilot to a vertical surface such as a cockpit sidewall

Item 252120 Model D031 Ship 1 lbs Net \$59.99



NEW! Raymarine 10 Meter Radome Cable

For Raymarine C and E Series Radar.

Includes (1) right angle connector.

Item 257143 Model E55067 Ship 15 lbs Net \$179.99

NEW PRODUCTS

PHONE 800-628-8225 • FAX 800-654-1616



Maptech ChartKit Full Size Paper Chartbooks

INCLUDES COMPANION CD

22" x 17" spiral bound full-color reproductions of U.S. government and private charts. Companion CDs include "Offshore Navigator Lite" software. Click your mouse to create a waypoint. Click again, and a route is created. Distances, bearings and GPS positions are calculated and displayed instantly.

Item	Model	Region	Description	Ship	Net
805657	PAPR09-06	ChartKit Region 9	The Bahamas	4 lbs	\$141.99
805658	PAPR10-07	ChartKit Region 10	Southern Passages	3 lbs	104.99
805659	PAPR11-01	ChartKit Region 11	Leeward & Windward Islands	3 lbs	104.99



Maptech Waterproof Compact ChartKits

INCLUDES COMPANION CD

At half the size of the original ChartKit, each title covers approximately one-third the area of a full-size version. These titles are printed on tough, tear-resistant plastic pages that are also totally waterproof. All coastal U.S. titles include FREE Companion Charts for the region which may be downloaded to your PC.

Features include:

- Compact 12" x 17" size
- Pre-plotted courses and GPS waypoints for quick reference
- Digital charts & software for your PC for home planning & onboard navigation.

Item	Model	Region	Ship	Net
805660	CCK031-01	Narragansett Bay	2 lbs	\$64.99
805661	CCK041-01	Upper Chesapeake Bay	2 lbs	64.99
805662	CCK091-01	Northern Bahamas	2 lbs	64.99
805663	CCK111-01	Virgin Islands	2 lbs	64.99



Maptech Digital Charts

- High resolution Raster Nautical Charts (RNC's) reproduced from original UKHO and Mexico charts
- BSB4 format
- Maptech's Offshore Navigator Lite software for viewing, planning and printing

Minimum PC Requirements:

- Windows XP (Vista Compatibility on Chart Navigator & Chart Navigator Pro UK/IRL)
- DVD drive
- Video monitor resolution of 256 colors at 800x600 (or better)

- 1 GB of free disk space
- 32 MB of RAM
- Mouse or drawing equivalent

Item	Model	Region	Ship	Net
257078	DVDRCAMEX	Mexico & Central America	2 lbs	\$134.99



Chart Navigator Software

- Raster Nautical Charts (RNC's)
- Select Satellite photos
- Maptech's Offshore Navigator software
- Autopilot interface
- BSB4 Format
- Select Tides and Currents
- Real time GPS Tracking
- Chart & Route Printing

Minimum PC Requirements:

- Windows XP (Vista Compatibility on Chart Navigator & Chart Navigator Pro UK/IRL)
- DVD drive
- 1 GB of free disk space
- Mouse or drawing equivalent
- Video monitor resolution of 256 colors at 800x600 (or better)
- 32 MB of RAM

GPS:

- Industry-standard NMEA 0183 GPS
- Serial or USB connection cable

Autopilot

- Connected GPS (as above)
- Industry-standard NMEA 0183 Autopilot
- Serial data connection cable
- Autopilot interface is not required

Item	Model	Region	Ship	Net
257079	SWCNSCAMEX	Mexico & Central America	2 lbs	\$279.99



Maptech Chart Navigator Update

New chart data is available for Chart Navigator users who purchased software before January 1, 2008 (everything sold after that date includes these data updates).

- Updated NOAA Raster Charts (RNCs)
- New wide-coverage satellite imagery
- Updated Marine Facilities Database

Item	Model	Ship	Net
257081	SWCNAV2008DATA	2 lbs	\$94.99



Maptech Chart Navigator Pro Update

New chart data is available for Chart Navigator Pro users who purchased software before January 1, 2008 (everything sold after that date includes these data updates).

- Updated NOAA Raster Charts (RNCs)
- Updated NOAA Vector Charts (ENCs)
- Updated Army Corps of Engineers Vector charts (IENCs)
- New wide-coverage satellite imagery
- Updated Marine Facilities Database

Item	Model	Ship	Net
257082	SWCNP2008DATA	2 lbs	\$94.99



Maptech The Capn' Update

New chart data is available for The CAPN who purchased their software before January 1, 2008 (everything sold after that date includes these data updates).

- Updated NOAA Raster Charts (RNCs)
- Updated NOAA Vector Charts (ENCs)
- Updated Army Corps of Engineers Vector charts (IENCs)

Item	Model	Ship	Net
257083	SWCPTDATA-08	2 lbs	\$94.99

Forte Carbon Sprit Kit

Includes everything you need: an engineered carbon fiber sprit built to withstand loads and your choice of easy-to-mount deck hardware and sail attachment hardware. Created to retrofit boats 20 to 50 feet, the Sprit Kit makes fun downwind sailing affordable and simple.



Kit Includes:

- Carbon Fiber sprit painted with clear, two part polyurethane
- Harken for attaching the tack block approximately 4" from the outboard end
- Forward Saddle mount with mounting hardware
- Aft mount: your choice of: removable deck eye with pin or another saddle mount similar to the forward mount

Sprit Length ~ The sprit can be cut to length to fit your boat. To determine required length, note that sprits normally extend 24-30" beyond the bow and that one-third of the sprit length extends beyond the bow. For example, a sprit that extends 30" beyond the bow infers that at least 60" of the sprit be mounted on deck. If you want a retractable sprit, remember to pick a deck mounting location that accommodates the full sprit length.

Item	Model	Boat Size	Tube Size	Length	Ship	Net
600867	Sprit Kit Small	15' to 27'	2" ID	6' - 8'	10 lbs	1496.99
600868	Sprit Kit Medium	27' to 33'	2.75" ID	8' - 10'	12 lbs	1805.99
600869	Sprit Kit Large	33' to 40'	3.5" ID	8' - 12'	15 lbs	2256.99
600880	Sprit Kit XLarge	40' to 50'	4.5" ID or 5" ID	8' - 12'	15 lbs	3467.99

ATN Genoa Sleeve

Protects the furling sail without the sacrificial sun cover.

Features:

- It does not alter or weigh down the sail.
- No need to lower the sail to install the Sun Shield
- The ATN Sun Shield is hoisted with the spinnaker halyard.
- It will keep it tight even in a strong breeze.
- It will not flog to self destruction.
- It will protect the furling sail from the sun, weather and pollution



Item	Model	Color/Description	Ship	Net/Foot
600883	GS-50	Navy / Up to 50 feet	1 lbs	\$10.99
600884	GS-75	Navy / Up to 75 feet	1 lbs	13.99
600885	GS-100	Navy / Up to 100 feet	1 lbs	18.99
600886	GS100+	Navy / Over 100 feet	2 lbs	25.99

Starbrite Caulk Rite Tool

This patent tool is a must to make an even clean caulked joint. No more getting caulk over your fingers when you try to smooth out the just applied caulk. This will make any caulking joint look like a professional did the job.

- Great for applying a perfect bead of caulking
- Great for applying grout between tiles
- No mess
- No edge marks
- No waste
- Suitable for all types of sealant and caulking
- Easy to clean



Item	Model	Ship	Net
751162	92501	1 lbs	\$5.99

Starbrite Caulk-a-Way Tool

If you intend to do any caulking this is a tool that will make your life easier. Remove caulk - which can take hours - fast and easy with this patented tool.

- Remove caulking with ease, get caulk out of those hard to reach corners
- No scratching
- No chemicals
- Reusable and suitable for silicone, latex and acrylic



Item	Model	Ship	Net
751164	92401	1 lbs	5.99



Seasense X-2 Kayak Paddle with Lightweight Aluminum Shaft

Feathered blade design for a more efficient stroke. Two piece construction for easy storage and 3 position adjustments for ease of use. Drip guards and Foam rubber grips for comfort.

- Lightweight aluminum shaft
- Two-piece construction for easy storage
- Three-position adjustments
- Foam rubber grips for comfort

Item	Model	Shaft Color	Blade Color	Length	Ship	Net
453551	008682	Black Aluminum	Black	96"	4 lbs	\$39.99



RPI52
RPI53



GP1261
GP1062
GP2261
GP2062

Navpod Precut Displays

- Unique Watertight Silicone Seal - Keeps rain and spray off electrical connections on the back of electronics
- Tamperproof - Special fasteners and wrench are included that provide security and convenience to leave electronics onboard
- Concealed Wiring - No loose wires are exposed to corrosion and UV damage
- Clean Installation - The clean look of flush mounting. Mount your display where you can best see and reach it
- Mounting Hardware Included for Housings - Gaskets, Drill, Tap and Stainless Steel Screws

FOR 9.5" PEDESTAL GUARDS

Item	Model	Description	Ship	Net
257135	RP152	For Garmin 4008 & 4208	5 lbs	\$248.99
257136	RP153	For Garmin 5008 & 5208	5 lbs	248.99
257137	GP1261	For Garmin 4012 & 4212	8 lbs	377.99
257139	GP1062	For Garmin 5012 & 5212	8 lbs	360.99

FOR 12" PEDESTAL GUARDS

257138	GP2261	For Garmin 4012 & 4212	8 lbs	377.99
257140	GP2062	For Garmin 5012 & 5212	8 lbs	360.99



Navpod PowerPod Series 20/40

- Unique Watertight Silicone Seal - Keeps rain and spray off electrical connections on the back of electronics
- Tamperproof - Special fasteners and wrench are included that provide security and convenience to leave electronics onboard
- Concealed Wiring - No loose wires are exposed to corrosion and UV damage
- Clean Installation - The clean look of flush mounting. Mount your display where you can best see and reach it
- Mounting Hardware Included for Housings - Gaskets, Drill, Tap and Stainless Steel Screws

POWERPOD SERIES NAVPODS FEATURE:

- New Industrial Design with Style Enhancements - Built to complement the latest marine electronic products
- Double Seal for Improved Watertight Integrity - Outer silicone seal is complemented by an internal seal made of memory resistant urethane foam gasketing that keeps its shape and sealing ability with frequent opening and closing
- Polished Stainless Steel TamperProof Fasteners
 - Increased size and strength
 - New buttonhead style screws have deeper wrench recesses for better tightening power
 - UV stable polyurethane washers under each fastener improves sealing and holding power of fasteners
 - Longer 6" Tamperproof wrench for easier assembly
- 20/40 Base - 20 degrees tilt for on-dash mounting, 40 degrees for overhead mounting
- Super Strong Swivel Tube
- Extra Large Swivel Washer

Item	Model	Description	Ship	Net
257141	PP5603	For Garmin 4212 W/SWIVL	10 lbs	\$377.99
257142	PP5062	For Garmin 5012 & 5212	10 lbs	377.99

NEW PRODUCTS

PHONE 800-628-8225 • FAX 800-654-1616



NEW! **SPOT - The World's First Satellite Messenger**

With the SPOT Satellite Messenger, you and your loved ones have peace of mind knowing help is always within reach. SPOT is the only device of its kind, using the GPS satellite network to acquire its coordinates, and then sending its location with a link to Google Maps™ and a pre-programmed message via a commercial satellite network. Unlike Personal Locator Beacons, SPOT does more than just call for help. Tracking your progress, checking in with loved ones, and non-emergency assistance are also available, all at the push of a button. And because it uses 100% satellite technology, it works where cell phones won't.

- Floats in water - Waterproof to 1 meter for up to 30 minutes
- Small and Light - Approximate Weight: 7.37oz.
- Designed for maximum reliability - performs self-diagnostic tests at power on
- One-year warranty
- Low-Cost satellite service subscription required (\$99.00/yr along with other optional packages)
- Unlimited Alert 9-1-1 usage is included as part of the low-cost SPOT service plan.


Functional Specifications:

SPOT features four key functions that enable users to send messages to friends, family or emergency responders, based upon varying levels of need:

- Alert 9-1-1 - Dispatch emergency responders to your exact location
- Ask for Help - Request help from friends and family in your exact location
- Check In - Let contacts know where you are and that you're okay
- Track Progress - Send and save your location and allow contacts to track your progress using Google Maps™

Coverage - SPOT works around the world, including virtually all of North America, Europe and Australia, portions of South America, Northern Africa and Northeastern Asia, and hundreds or thousands of miles offshore of these areas. See coverage on findmespot.com for maps and current coverage. Includes 2 AA 1.5V lithium batteries.

Item 251213 Model SPOT-I Ship 2 lbs Net \$138.99



NEW! **Navionics Bahamas Special Edition Charts**

These "Special Edition" Charts comprise EXCLUSIVE 2007 survey data of the Bahamas, producing a level of detail and chart clarity never before seen in paper or electronic charts for Bahamas ports and passages. New Bahamas Special Edition Charts come in three versions: Gold+, Platinum and Platinum+.

GOLD+

Navionics Gold+ Charts include additional features for serious fishing and cruising such as an expanded wreck database, enhanced port services, and major coastal roads. And FREE Fish'N Chip high-definition fishing detail for US waters with purchase and mail-in coupon.

Item	Model	Description	Ship	Net
257331	CF/926G	Gold+ CF Card	1 lbs	\$119.99
257332	SD/926G	Gold+ SD Card	1 lbs	119.99

PLATINUM

Navionics Platinum Charts the first and most award-winning multi-dimensional charts for dedicated plotters, provide a whole new perspective on navigation from complete coast pilots and satellite photo overlay, to 3D view and panoramic photos of ports and marinas. And FREE Fish'N Chip high-definition fishing detail for US waters with purchase and mail-in coupon.

Item	Model	Description	Ship	Net
257333	CF/926P	Platinum CF Card	1 lbs	\$183.99
257334	SD/926P	Platinum SD Card	1 lbs	183.99

PLATINUM+

Navionics Platinum+ Charts the most advanced technology and best imaging available in multidimensional charts now provide georeferenced coast pilot, high resolution top-down photo overlay, full-view XGA panoramic pictures, improved 3D view, and FREE Fish'N chip high-definition fishing detail for US waters is INCLUDED on the same chip. Bahamas Special Edition Platinum+ includes 2 chips covering the SE coast and Bahamas.

Item	Model	Description	Ship	Net
257335	CF/906PP	Platinum+ CF Card	1 lbs	\$457.99
257336	SD/906PP	Platinum+ SD Card	1 lbs	457.99



NEW! **Briter Innovations Bay Underwater LED Light**

This light adds ambience to your boat and, for the fisherman, attracts fish.

- Powerful LED Underwater light
- Perfect for the small cruiser or trailer boat
- Surface mount design makes installation a snap
- No large holes... only one 1/4" hole to run the wire
- High quality Marine grade 316 stainless steel
- Adds ambience and attracts fish for the fishermen
- Measures 3.5" in Diameter by 5/8" high
- Fastens with 3 each 8 x 1" tapered screws
- Operates on input voltage between 10.5 - 14VDC
- Amperage draw of only .65A
- Light produces a high power 450 Lumens!

Diameter:	3-1/2"	Height:	5/8"	
Fastner Size:	8 x 1 Tapered	Voltage:	10.5 - 14V	
Amperage:	.65A	Lumens:	450	
Wire Length:	3M			
Item	Model	Color	Ship	Net
700463	BL-WH	White	2 lbs	\$315.99
700464	BL-BL	Blue	2 lbs	345.99
700464	BL-GR	Green	2 lbs	345.99
700468	BL-MKITSP	Surface Mount Kit for all Bay Lights allows for the wire to be run up the transom for no holes below the waterline installation. Black. 1 lbs 32.99		



NEW! **Briter Innovations Canyon Underwater LED Light**

This light is designed for the yacht size boat and adds ambience to your boat. For the fishermen, this light attracts fish with light emitting up to 100' off the boat.

- Light produces a high power 850 Lumens! That's 100' of light!
- Perfect for the large yacht, Sportfish, Center Console or cruiser
- Surface mount design makes installation a snap
- No large holes...only one 1/4" hole to run the wire
- High quality Marine grade 316 stainless steel for a lifetime of use
- Adds ambience to your yacht and attracts fish for the fishermen
- Measures 4-5/8" in Diameter by 1-1/16" high
- Fastens with 3 each 8 x 1" tapered screws
- Operates on input voltage between 10.5 - 30VDC
- Amperage draw of only 1.8 Amp
- Comes with 3 foot of wire, power regulator and a 3 amp fuse
- Available in ultra bright white, blue or green LED's

Diameter:	4-5/8"	Height:	1-1/16"	
Fastner Size:	8 x 1 Tapered	Voltage:	10.5-30V	
Amperage:	1.8 A	Lumens:	850	
Wire Length:	3M			
Item	Model	Color	Ship	Net
700466	CY-WH	White	2 lbs	\$589.99
700467	CY-BL	Blue	2 lbs	645.99
700467	CY-GR	Green	2 lbs	645.99
700469	CY-MKITSP	Surface Mount Kit for all Canyon Lights allows for the wire to be run up the transom for no holes below the waterline installation. Black. 1 lbs 36.99		

NEW! **Furuno NMEA 2000 DST-800SF Depth Sensor**

- Frequency: 235 kHz
- Minimum depth 1.6 Ft
- Power consumption 40mA
- NMEA 0183 interface
- Maximum depth 330 Ft
- Power 11.5-25V DC

Item 257084 Model DST-800SF Ship 2 lbs Net \$247.99

NEW! **Raymarine SeaTalk Backbone Extender**

T-Pieces and 5-Way connectors are used to create drops for spurs in the backbone. Use this backbone extender to join 2 backbone cables together. A terminator is required at each extreme end of the backbone. Use blanking plugs to protect any empty spur sockets from moisture and corrosion.

Item 256670 Model A06030 Ship 1 lbs Net \$15.00

NEW! **Simrad IS20 Wind Vane And Bracket IS20 SPARE WIND TRANSDUCER (CABLE NOT INCLUDED)**

The IS20 Wind Vane provides wind speed and wind direction via SimNet, so just like the depth sensor, you can connect it to any of the IS20 instruments regardless of location or function and enjoy system wide wind data.

Item 257112 Model 27118087 Ship 1 lbs Net \$364.99

NEW! **Garmin Flush Mount Kit**

Flush Mounting Kit for the Garmin 500-Series Chartplotters and Sounders. Kit includes template and screws.

Item 257113 Model 010-10447-05 Ship 1 lbs Net \$25.99



10108A



10060A



10202A



10276A



10182A



Performance Metals Premium Aluminum Sacrificial Anodes

Manufactured from Navalloy to a military specification MIL-A-24779(SH). Navalloy is a high performance alloy! It contains aluminum, 5% zinc and traces of indium, which ensures that it stays active.

- Navalloy is more active than zinc so it gives better protection.
- Navalloy anodes last up to 30% longer than zinc anodes.
- Navalloy anodes self-clean in freshwater.
- Zinc anodes form a coating that stops them working within a few months.
- Navalloy anodes are essential for Mercury sterndrives.
- Zinc will not provide the correct protection.
- Navalloy anodes are recommended for both salt and freshwater on Mercury sterndrives.
- Navalloy anodes are environmentally friendly.
- Navalloy anodes will reactivate after exposure to the atmosphere.
- You should not mix different types of anodes on the same bonding system.
- Do not use magnesium anodes in salt or brackish water - they will over-protect aluminum outdrives or hulls.

Patented Wear Indicator:

- Imbedded plastic indicator
- Appears in surface as anode corrodes
- Tells the boater when to change!
- No argument about need to replace
- US and PCT patents pending

Item	Model	Description	Ship	Net
755447	10108A	Mercury Alpha One Gen-One Kit	3 lbs	\$38.99
	Kit Contains:	Trim Tab Flat (00049A) 3/4" Streamlined Shaft (C0750A) x2 Cellulose Fiber Gasket	Gimbal Hsg Block (00045A) 7/16-14 x 1 3/4 S/S SHCS	
755448	1025A	Mercury Alpha 1 Gen 1 - Non Power Steer Kit	2 lbs	31.99
	Kit Contains:	Trim Tab (00044A) Gimbal Bolt Headnut (00052A) Gasket	Gimbal hsg. block (00045A) 7/16-14 x 1 3/4 S/S SHCS 2 Washers	
755449	10059A	Mercury Alpha One Gen 2 Kit	2 lbs	53.99
	Kit Contains:	Cavitation Plate (00041A) Trim Tab Flat (00049A) Bearing Carrier (00043A) 1/4 x 20 7/8 HH Screw x 2 10-32 x 5/8 HH Screw x 6	Drive Trim Cylinder (00042A) x 2 Gimbal Hsg Block (00045A) 7/16-14 x 1 3/4 S/S SHCS 1/4 Lockwasher x 2 #10 Lockwashers x 6	
755450	10060A	Mercury Bravo 1 Kit	2 lbs	44.99
	Kit Contains:	Cavitation Plate (00046A) Trim Tab Flat (00049A) 7/16-14 x 1 3/4 S/S SHCS 3/8 Lockwasher x2 #10 Lockwashers x6	Drive Trim Cylinder (00047A) x2 Bearing Carrier (00048) 3/8 x 16 x 1 HH Screw x2 10-32 x 5/8 HH Screw x6	
755451	10061A	Mercury Bravo 2 & 3 Kit	2 lbs	37.99
	Kit Contains:	Cavitation Plate (00046A) Trim Tab Flat (00047A) x2 3/8 x 16 x 1 HH Screw x2 10-32 x 5/8 HH Screw x4	Drive Trim Cylinder (00047A) x2 7/16-14 x 1 3/4 S/S SHCS 3/8 Lockwasher x2 #10 Lockwashers x4	
755452	10165A	Mercury Bravo 3 (2004) Kit	3 lbs	46.99
	Kit Contains:	Cavitation Plate (00046A) Trim Tab Flat (00268A) 7/16-14 x 1 1/4 S/S SHCS 3/8 Lockwasher x2 #10 Lockwashers x4 5/16 Plain washer	Trim Tab Flat (00049A) 7/16-14 x 1 3/4 S/S SHCS 3/8 x 16 x 1 HH Screw x2 10-32 x 5/8 HH Screw x4 5/16-18 x 1 1/2 HH Screw 5/16 Int Lockwasher	
755453	10195A	Mercury Bravo Prop Retrofit	2 lbs	52.99
755454	10202A	Mercury Verado Kit	2 lbs	40.99
	Kit Contains:	Trim Tab Flat (00049A) Outboard Power Trim (00052A) M6 x 1mm x 40mm S/S Bolt M6 x 1mm x 25mm S/S Bolt x4	Side Pocket Anode (00051A) x2 7/16-14 x 3/4 S/S SHCS M6 Nut 6mm Flat Washer x4	

Item	Model	Description	Ship	Net
755455	10274A	Volvo 280 Kit	2 lbs	27.99
	Kit Contains:	Anodic Bar (00111A) 5/16-18 x 7/8 S/S SHCS x2	Prop Ring V18 (00161A) 5/16-18 x 3/4 S/S SHCS x2	
755456	10275A	Volvo 280 Dual Prop Kit	2 lbs	27.99
	Kit Contains:	Anodic Bar (00111A) 5/16-18 x 7/8 S/S SHCS x2	Prop Ring Duo Prop (00116A) 5/16-18 x 1/2 S/S Flat Head x2	
755457	10276A	Volvo 290 Kit	3 lbs	27.99
	Kit Contains:	Anodic Bar (00112A) M8 1.25 x 25mm SS SHCS x2	Prop Ring V18 (00161A) 5/16-18 x 3/4 SS SHCS x2	
755458	10277A	Volvo 290 Dual Prop Kit	2 lbs	27.99
	Kit Contains:	Anodic Bar (00112A) M8 x 1.25 x 25mm S/S SHCS x2	Prop Ring Duo Prop (00116A) 5/16-18 x 1/2 SS Flat Head x2	
755459	10278A	Volvo SX Kit	3 lbs	44.99
	Kit Contains:	Gimbal Plate (00117A) 5/16-18 x 3/4 S/S HH Screw x2 5/16 Int. Lockwasher x2 1/4 Int. Lockwasher x2	Transom Plate (00162A) 5/16 Plain Washer x2 1/4-20 x 1/2 SS HH Screw x2	
755460	10276AE	Volvo 290 Kit EXP	3 lbs	39.99
	Kit Contains:	Anodic Bar (00112A) M8 x 1.25 x 25mm S/S SHCS x2	Prop Ring V18 (00161A) 5/16-18 x 3/4 S/S SHCS x2	
755461	10277AE	Volvo 290 Dual Prop PEXEP	2 lbs	39.99
	Kit Contains:	Anodic Bar (00112A) M8 x 1.25 x 25mm S/S SHCS x2	Prop Ring Duo Prop (00116A) 5/16/18 x 1/2 S/S Flat Head x2	
755462	10182A	Yamaha 200-250HP 4STK	2 lbs	30.99
	Kit Contains:	Trim Tab (00180A) M10-1.25 x 45mm S/S SHCS 6mm Flat Washer x4	Transom Anode (00127A) M6 x 1mm x 25mm S/S Bolt x4	
755463	10183A	Yamaha Outboard 150HP Kit	2 lbs	28.99
	Kit Contains:	Trim Tab (00125A) M10-1.25 x 45mm S/S SHCS 6mm Split Lockt Washer	Transom Anode (00127A) M6 1mm x 25mm S/S Bolt x4	
755464	10184A	Yamaha Outboard 150HP CROT	2 lbs	29.99
	Kit Contains:	Trim Tab (00181A) M10-1.25 x 45mm S/S SHCS 6mm Split Lockt Washer x4	Transom Anode (00127A) M6 x 1mm x 25mm S/S Bolt x4	



Collinite Liquid Fiberglass Boat Cleaner

Easily removes the following from fiberglass finishes:

- Dirt
- Film
- Oxidation
- Oil
- Grease
- Rust
- Exhaust stains

Restores the original color quickly without hard rubbing or buffing. Leaves a chemically clean surface to which Collinite waxes can bond perfectly. Increases long-lasting brilliance and performance of protective wax coating



Item 751155 Model 920 Ship 2 lbs Net \$8.99

NEW PRODUCTS

PHONE 800-628-8225 • FAX 800-654-1616

NEW! Ronstan ClearStart Sailing Watch

The Ronstan range of Clear Start sailing timers and watches cover an array of styles, sizes and functions which cater for all needs. With every aspect of race timing covered plus every-day watch modes, and without the clutter of confusing and unnecessary functions every sailor will find a Clear Start model to enhance their on water performance.



- Specialist Sailing Timer Functions
- Countdown repeat option
- Countdown and Up to show elapsed time for handicap races
- 5,4,1,0 ISAF start sequence pre-programmed with audible warning signals (can be silenced if preferred)
- 5 minute, 3 minute and multiples of 1 minute programs as well
- "Sync" button for instant synchronisation if a gun is missed
- Shock Resistant Construction
- ABS Case with integrated soft touch PU Strap
- Heavy-duty stainless steel buckle
- Prominent red start/stop button
- 26mm (1") round display size
- Large 10mm (3/8") digit height
- Electro-luminescent backlight feature
- Water resistant to 5 ATM (50m, 150ft)
- Calendar Function (date/month or month/date)
- Daily alarm function (for wake up calls etc)
- Chronograph/stop watch function

<u>Item</u>	<u>Model</u>	<u>Ship</u>	<u>Net</u>
153215	RF4031	1 lbs	\$58.99

NEW! Ronstan ClearStart Race Watch

The Ronstan range of Clear Start sailing timers and watches cover an array of styles, sizes and functions which cater for all needs. With every aspect of race timing covered plus every-day watch modes, and without the clutter of confusing and unnecessary functions every sailor will find a Clear Start model to enhance their on water performance.



- Specialist Sailing Timer Functions
- Countdown repeat option
- Countdown and Up to show elapsed time for handicap races
- 5,4,1,0 ISAF start sequence pre-programmed with audible warning signals (can be silenced if preferred)
- 5 minute, 3 minute and multiples of 1 minute programs as well
- "Sync" button for instant synchronisation if a gun is missed
- Shock Resistant Construction
- ABS and stainless steel case
- Removable (solid pin) soft touch PU strap
- Heavy-duty stainless steel buckle
- Prominent face mounted start/stop button
- 26mm (1") round display size
- Large 10mm (3/8") digit height
- Electro-luminescent backlight feature
- Water resistant to 5 ATM (50m, 150ft)
- Calendar function (date/month or month/date)
- Daily alarm function (for wake up calls etc)
- Chronograph/stop watch function

<u>Item</u>	<u>Model</u>	<u>Ship</u>	<u>Net</u>
153216	RF4032	1 lbs	\$76.99

NEW! Ronstan ClearStart Regatta Watch

The Ronstan range of Clear Start sailing timers and watches cover an array of styles, sizes and functions which cater for all needs. With every aspect of race timing covered plus every-day watch modes, and without the clutter of confusing and unnecessary functions every sailor will find a Clear Start model to enhance their on water performance.



- Specialist Sailing Timer Functions
- Countdown repeat option
- Countdown and Up to show elapsed time for handicap races
- 5,4,1,0 ISAF start sequence pre-programmed with audible warning signals (can be silenced if preferred)
- 5 minute, 3 minute and multiples of 1 minute programs as well
- "Sync" button for instant synchronisation if a gun is missed
- Shock Resistant Construction
- Rugged and fashionable polished stainless steel case
- Length adjustable, solid link stainless steel strap
- Tri-fold strap closure with security clip
- 26mm (1") round display size
- Large 10mm (3/8") digit height
- Electro-luminescent backlight feature
- Water resistant to 10 ATM (100m, 300ft)
- Calendar function (date/month or month/date)
- Daily alarm function (for wake up calls etc)
- Chronograph/stop watch function

<u>Item</u>	<u>Model</u>	<u>Ship</u>	<u>Net</u>
153217	RF4036	1 lbs	\$126.99

Kuuma Stow-N-Go Barbecue

AVAILABLE FOR A LIMITED TIME ONLY!

Same as the Stow 'N Go, with more features, at cheaper price! This barbecue is great for the boat, park or campground.

Features:

- Refillable LPG or disposable bottles
- 13000 BTU
- 145 sq. in. cooking surface
- 100% stainless construction
- Locking lid
- Fold away integral legs
- Removable grease tray
- Plastic Handle
- Food Tray
- Piezo Ignition



Item 400699	Model 83712	Ship 20 lbs	Net \$99.99
-------------	-------------	-------------	-------------

NEW! Kuuma Barbecue Replacement Parts

<u>Item</u>	<u>Model</u>	<u>Description</u>	<u>Ship</u>	<u>Net</u>
400661	82004	Sea Cook HP Regulator	1 lbs	\$17.99
400662	83957	Burner for Grill 83715 83730	1 lbs	29.99
400663	82007	Burner for Grill 83741 82000	1 lbs	17.99
400664	83959	7" X 13" Heat Plate for Grill 83730	1 lbs	21.99
400665	83908	9" X 17" Heat Plate for 83722 83790 837221	1 lbs	25.99
400666	16211	9" X 14" Heat Plate for Grill 83715	1 lbs	21.99
400667	82916	12" Diameter Heat Plate for Grill 83741	1 lbs	17.99
400668	171563	9.5" X 18.5" Heat Plate for Grill 83756	1 lbs	25.99
400669	83905	9" X 18" Cook Rack for 83722 83790 83720	1 lbs	19.99
400670	171504	11" X 19" Cook Rack for Grill 83735	1 lbs	25.99
400671	16213	9" X 14" Cook Rack for Grill 83715	1 lbs	19.99
400672	83955	7" X 13" Cook Rack for Grill 83730	1 lbs	17.99
400673	171505	10" X 19" Cook Rack for Grill 83756	1 lbs	25.99
400674	82912	13" Diameter Cook Rack for Grill 83741	1 lbs	17.99
400675	82003	Cook Rack for Grill 82000	1 lbs	17.99
400676	83906	18.75" Grease Tray for Grill 83722, Pre 2008	1 lbs	12.99
400677	80102	18" Grease Tray for 83722 83790 837221	1 lbs	12.99
400678	16410	11" x 11" Grease Tray for Grill 83735	1 lbs	15.99
400679	16221	15" Grease Tray for Grill 83715	1 lbs	12.99
400680	171515	4.5"X7" Grease Tray for Grill 83756	1 lbs	12.99
400681	82019	Sea Cook Mount 82000	1 lbs	21.99
400682	82918	Sea Chef Handle	1 lbs	8.99
400683	83784	Knob for Mounts	1 lbs	1.99
400684	15103	Spark Plug Wire for Grill	1 lbs	12.99
400685	83904	Piezo Igniter for Grills	1 lbs	12.99

NEW! Kuuma Water Heater Parts

<u>Item</u>	<u>Model</u>	<u>Description</u>	<u>Ship</u>	<u>Net</u>
400686	15214	Thermostat 120 or 220	1 lbs	\$27.99
400687	14121	Water Heater Element, 120V	1 lbs	27.99
400688	14122	Water Heater Element, 220V	1 lbs	27.99
400689	40002	Water Heater TCV Valve	1 lbs	34.99
400690	14456	High Temp Limiter, 120V	1 lbs	25.99
400691	14457	High Temp Limiter, 220V	1 lbs	25.99
400692	14154	Water Heater Nylon Drain Valve	1 lbs	17.99
400693	14133	Water Heater Temperature Relief Valve	1 lbs	25.99

Polyplanar Waterproof Full-Size Box Speakers

- Full size box speakers with a two-way vented port design offer full range response.
- 100 watt RMS maximum power input per speaker.
- 5-1/4" polypropylene main cone.
- Two way vented port design.
- Stainless Steel Grille stands up to harsh marine effects.
- Heavy Duty ABS Plastic enclosures.
- Includes gimbal mounts.

Item 253851

Model MA9060

Ship 11 lbs

Net \$144.99

NEW!



Polyplanar 5" Poly-Planar Titanium Waterproof Speakers

The MA-8505 is a 5" waterproof, ultra low magnetic field, 200 watt per pair speaker. Available in white or black color to compliment the exterior or interior of any yacht. These three way speaker are perfect for replacement or upgrade of existing speakers and the magnets will not interfere with navigation equipment.

Features:

- Colorfast plastic frame withstands UV rays
- Anti-magnetic design
- Waterproof construction throughout.
- Rugged powder coated aluminum grill.
- 3-way design with mylar tweeter and midrange
- Available in Black and White

Specifications

- Peak Power: 200 watts / pair
- Continuous Power: 50 W RMS / speaker
- Speaker Impedance: 4 ohm
- ASTM UV and Salt Spray Test: meets or exceeds 600hrs
- Weight (each): 11b 9oz
- Mounting Depth: 2.5" (64mm)
- Outside Grill: 6" (153mm)
- Cutout: 4.5" (115mm)

Item 256046

Model MA-8505

Ship 11 lbs

Net \$144.99

NEW!



Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>