

JET®

BUILT BETTER TO BUILD BETTER™

10" Bench Top Tablesaw



708315LSB




708315BTC

For a fast set-up and a quick cut, choose the new JET 10" Bench Top Tablesaw. Exclusive features include the Smooth Speed™ Belt Drive Transmission with Poly-V Belt, which eliminates vibration to the blade, and the Precision-Rule™ Measurement System for quick identification of cutting capacity. Keep wood supported through the cut by use of rapid extension wings and a rear outfeed support, standard on both models.

jettools.com

10" BENCH TOP TABLESAW



10" BENCH TOP TABLESAW

- Exclusive Design**
Constructed with steel corner posts for the toughest applications
- Smooth Speed™ Belt Drive Transmission with Poly-V belt**
Eliminates vibrations to the blade and extends life of motor, provides quieter operation and better transfer of power
- Precision-Rule™ Measurement System**
Provides quick identification of cutting capacity up to 24-1/2" (when wing is fully extended)
- Rapid Wing Extension**
Expands work surface up to 41" (with single extension) or 55" (with two extensions) for additional support
- Leg Stand with Steel Storage Shelf**
Converts table saw from benchtop to stationary (standard with 708315LSB)
- Precision Machined Miter Slots**
Provides direct control of miter gauge resulting in better cuts
- Dust Collection Adaptor Port**
Connects either 2-1/2" shop vacuum or 4" dust collection system (standard with 708315LSB)
- Dual Function Hand Wheel**
Raises and bevels blade for quick and accurate setup
- Rear Outfeed Support**
Provides outfeed support and also converts to a left side extension
- Contoured Side Handles**
Allows easy lifting and mobility of saw
- On-Board Storage**
Convenient storage for power cord, rip fence, miter gauge, saw blade and wrenches

STOCK NUMBER	708315BTC	708315LSB
Model	JBTS-10BT-3	JBTS-10LS-2
Rapid Wing Extensions	1	2
Leg Stand with Steel Storage Shelf	No	Yes
Dust Collection Adaptor Port	No	Yes
Motor	15 Amp, 120V	15 Amp, 120V
Blade Diameter (in.)	10	10
Arbor Diameter (in.)	5/8	5/8
Maximum Rip Cut Capacity (in.)	24-1/2	24-1/2
Maximum Cut Depth at 45° (in.)	2-1/2	2-1/2
Maximum Cut Depth at 90° (in.)	3	3
Maximum Width of Dado (in.)	1/2	1/2
Table Height from Surface/Ground (in.)	12	35
Table Size without Extension Wing(s) (L x W/in.)	18 x 33	18 x 33
Table Size with Extension Wing(s) (L x W/in.)	18 x 41	18 x 55
Overall Dimensions (W x D x H/in.)	33-1/2 x 18 x 14	39 x 18 x 35
Arbor Speed (RPM, no load)	5,000	5,000
Net Weight (lbs.)	52	79



Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>