#### 8310RT Tractor

#### **Equipment for Base Machine**

```
Low Fuel Warning Signal Engine RPM Indicator
ENGINE:
John Deere PowerTech Diesel
In-line 6-Cylinder Wet-Sleeve
                                                              Status Indicator for:
with High Pressure Common Rail (HPCR)
Fuel System and 24 Valve Head
9.0 L (549 Cu. In.) Displacement
310 Engine hp (228 kW) 97/68/EC @ Rated Speed
251 SAE PTO hp (187 kW) @ Rated Speed
Air to Air Intercooled
                                                                 MFWD
                                                                 Differential Lock
                                                                 Rear PTO Speed
                                                              CommandCenter Display Includes:
GreenStar 3 Application Capability
                                                                 Video Capability, with Tractor Function
                                                                   Activated Triggers
Automatic Shutdown System
Dry Type Air Cleaner with Safety Element
                                                                 AutoTrac and Swath Control Pro
                                                                   Activation Required
  and Dirt Aspiration System
Tilt Hood Enclosure
Right Hand Exhaust Extension and Stack
                                                                 Access Manager
                                                                 Universal Performance Monitor
VariCool Fan Drive System
Electric Fuel Shutoff
                                                              Display Functions Definable by Operator:
                                                                 % Slip
Engine Coolant Conditioner Additive Engine Coolant Recovery System
                                                                 Ground Speed
                                                                 PTO Speed
                                                                 Engine Hours
Hydraulic Settings
Dual Stage Fuel Filtration System with
  Fuel Water Separator with Sensor
Self-Priming and Bleeding Electronic
                                                                 Hitch Settings
Hitch Slip Command
Fuel Pump
758 L (200 U.S. Gal.) Fuel Tank Capacity
with Lockable Fuel Cap
                                                                 Productivity
                                                                 Efficiency
Top-loading Vertical Engine Oil Filter
Electronic Injection and Governor Control
                                                                 Area
                                                                 Adjustable PTO Modulation
                                                                 Implement Width
Field Cruise Control
                                                                 Service Hours
TRANSMISSION:
                                                                 Voltage
Powershift with Closed Loop Shift Logic
                                                                 Fuel Consumption Rate
  16 Forward/4 Reverse Speeds
                                                                 Temperatures
  Hydraulically-Engaged Wet-Disk Clutches
                                                                 Time of Day
  Park Lock
                                                                 Ambient Temperature
Neutral Safety Start System
                                                               Command Control System with
                                                                 Automatic Powershift
                                                                 Set and Adjust Time and Flow of
STEERING AND BRAKES:
                                                                 Individual Selective Control Valves
Electronic Speed Sensing Steering
Wet-Disk Hydraulic Power Brakes
                                                               iTEC End of Row Functions
                                                              Languages:
                                                                 For a complete list of languages,
HYDRAULICS:
                                                                 refer to the Ag Sales Manual
Pressure Flow Compensating Axial
  Piston Pump
63 cc Displacement Pump 166.6 lpm (44 gpm)
                                                               OPERATOR PROTECTIVE STRUCTURE:
                                                               Deluxe CommandView II Cab
  Pump Output
                                                                 Tilt/Telescoping Memory Steering Wheel
132 lpm (35 gpm) Flow @ One SCV
                                                                 Comfort Command Seat with
Air Suspension, Swivel
Four Electrohydraulic Remote Selective
  Control Valves with Push/Pull
  ISO Breakaway Couplers and
                                                                 Fore-Aft and Lateral Attenuation
  High Pressure Release Levers
                                                                 Lumbar Support
                                                                 Backrest Adjustment with
                                                                   Integrated CommandARM Controls
Independent 1000 RPM, 45 mm (1-3/4 In.)
                                                                 Adjustable Position CommandARM with
Neutral Start System
                                                                   Integrated CommandCenter Display
Seat-Activated PTO Warning
                                                                 Swing-out Rear Window (30 Degrees)
                                                                 Tinted Glass
ROCKSHAFT, HITCH AND DRAWBAR:
                                                                 Air Conditioner and Heater
Electrohydraulic Hitch with Transport
                                                                 Two Speed and Intermittent Front Wiper
  Lock and External Remote Control Switch
                                                                   and Rear Wiper
Dual Cylinder Rear Hitch,
                                                                 Front and Rear Windshield Washer
  8754 kg (15,200 Lbs.) Advertised Lift Capacity 12,610 kg (27801 Lb.) Maximum Lift Capacity
                                                                 Pull Down Front Sun Visor
                                                                 Rear Under Seat Storage
3-Point (Cat. 4N/3) Hitch with
                                                                 Folding Instructional Seat
  Convertible Quik-Coupler
                                                                 Left Hand Storage
Adjustable Swinging Drawbar
                                                                 Two Beverage Holders
Cat. 4 Drawbar with Clevis and
                                                                 Less Radio and Speakers
  50 mm (2 In.) Pin
                                                                 Includes wiring harness for
Secondary Implement Chain Support
                                                                   radio and speakers
Sway Blocks with Tapered Wedge Adjustment
                                                                 Inside Cab Mounted Rear View Mirror
Hitch Dampening
                                                                 Passive Noise Reduction System
Center Link Adjustment Handle
                                                                 Window Break
                                                               GreenStar Ready Wiring Harness
INSTRUMENTATION:
                                                                 with Implement Connector
Corner Post Digital Instrument Panel
                                                               Integrated Plug-In Connectors
  Includes:
                                                                 for GreenStar Display
  Engine Oil Pressure Gauge
                                                               Backlit Right Hand Console Controls
  Engine Coolant Temperature Gauge
                                                                 with Adjustable Brightness
```

Fuel Level Gauge with

#### 8310RT Tractor

#### Continued

ELECTRICAL:
Key Engine Shutoff
12V\* Electrical System
Two 925 CCA\*\* 12V Batteries
Two 12V Electrical Convenience Outlet
Two 12V Electrical 3-Pin Outlet
with Adapter
Battery Boost Terminal
200 Amp Alternator
SmartCircuit Current Load Monitoring
System with Fuse Panel
7-Terminal Rear Implement Electrical
Outlet Socket (ASAE)
GreenStar Ready Harness with Implement
Circuit Gateway and Integrated
GreenStar Display Plug-In
Connector (ISO 11783 Compatible)
Integrated ISO Radar Connector
Implement Connector
StarFire ITC or Radar Speed
Input Harness

Extremity, Brake, Turning, and Hazard Lights Programmable Egress Lighting

#### TRACKS:

Two 625 mm (25 In.) Width, 185 mm (7.3 In.)
Pitch Camoplast DURABUILT 3500 Tracks
1828 mm (72 In.) Track Spacing
1828-3048 mm (72-120 In.) Adjustability
3400 mm (138.9 In.) Axle Width

#### MISCELLANEOUS:

AutoTrac Ready Components SMV Emblem Horn PTO Master Shield Tool Box Operator's Manual

\*Manufacturer's Rating
\*\*Cold Cranking Amperes

#### LIGHTS:

Six Front Grill Mounted Lights Ten Cab Roof Mounted Lights Two Rear Fender Flood Lights

Service ADVISOR Data Port

## ATTACHMENT CODE IDENTIFIER D

DESCRIPTION

SUGGESTED LIST PRICE USD (\$)

#### Select One Code From Each Required Category

#### **BASE MACHINE**

EX-WORKS Waterloo, Iowa

7560RW 8310RT Tractor 286,164.00

#### **DESTINATION**

A Code must be chosen for each Tractor ordered.

#### **AFRICA**

0050 Tanzania
Requires Code 1885 JDLink Capable.

Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Fuel/Water Separator, Severe Duty Country Specific Base Equipment Includes:

Code 2059 Deluxe CommandView II Cab

Code 7200 Standard Lighting

#### ASIA

0072 China (People's Republic of China)

Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Fuel/Water Separator, Severe Duty

Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab

Code 7200 Standard Lighting

Same Price

Same Price

## 8310RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0078		DESTINATIONContinued   Israel   Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable.   Requires Code 8336 Stage IT4 / 3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting.	Same Price
0081		Kazakhstan Requires Code 1845 Less AutoTrac Activation, or Code 1846 AutoTrac SF 1 Activation, or Code 1874 AutoTrac SF2 Activation, Code 1887 JDLink Ultimate Promotion 1 Year Subscription or Code 1888 JDLink Promotion 3 Year Subscription. Requires Code 8334 Stage Stage 2 Compliant Engine. Requires Code 8306 Fuel/Water Separator, Severe Duty Country Specific Base Equipment Includes: Code 2059 Deluxe ommandView II Cab. Code 7203 Standard Lighting.	1,209.00
0096		Russia Requires Code 1835 Less StarFire 3000 Receiver and Code 1885 JDLink Capable. Requires Code 8334 Stage Stage 2 Compliant Engine. Requires Code 8306 Fuel/Water Separator, Severe Duty Country Specific Base Equipment Includes: Code 2059 Deluxe ommandView II Cab. Code 7203 Standard Lighting.	Same Price
0166		Ukraine Requires Code 1887 JDLink Ultimate Promotion 1 Year Subscription or Code 1888 JDLink Promotion 3 Year Subscription. Requires Code 8334 Stage Stage 2 Compliant Engine. Requires Code 8306 Fuel/Water Separator, Severe Duty Country Specific Base Equipment Includes: Code 2059 Deluxe ommandView II Cab. Code 7203 Standard Lighting.	1,209.00
0184		NORTH AMERICA Canada Requires Code 1887 JDLink Ultimate Promotion 1 Year Subscription or Code 1888 JDLink Ultimate Promotion 3 Year Subscription. Requires Code 8336 Stage IT4 / 3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting.	1,209.00
0193		Honduras Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Fuel/Water Separator, Severe Duty Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7200 Standard Lighting	Same Price
0195		Mexico Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Fuel/Water Separator, Severe Duty Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7200 Standard Lighting	Same Price

### 8310RT Tractor

Continued

	ATTACUMENT		SUGGESTED
CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	LIST PRICE USD (\$)
0202		DESTINATIONContinued United States Requires Code 1887 JDLink Ultimate Promotion 1 Year Subscription or Code 1888 JDLink Ultimate Promotion 3 Year Subscription. Requires Code 8336 Stage IT4 / 3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting.	1,209.00
0210		SOUTH AMERICA Argentina Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Fuel/Water Separator, Severe Duty Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7200 Standard Lighting	Same Price
0214		Columbia Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Fuel/Water Separator, Severe Duty Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7200 Standard Lighting	Same Price
		VALUE PACKAGE CONFIGURATION	
0500		No Package Order one Code from each box in the Price Pages.	In Base Price
0507		iPackage Includes Codes: 2059, 1826, 1837 or 1838, 1848 or 1849, 1887 or 1889 or 1888 or 1884, 7202, 2661 or 2662, 3341 or 3351 or 3361, 4048, 4322, 3260, and 8251. Available in the U.S., Canada, Australia, and New Zealand only.	-500.00
		OPERATOR STATION	
2050		CommandView II Cab Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest controls with Integrated CommandCenter Display. Folding Instructional Seat. Remote Radio Controls located on CommandARM. Front Windshield Washer and Wiper. SMV Emblem. Manual Temperature Controls located in cab roof. See Attachments Section for ordering information on additional field attachments.  Deluxe CommandView II Cab Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls located on CommandARM. Front and Rear Windshield Washer and Wiper. SMV Emblem.	-1,980.00 In Base Price
		SMV Emblem. Automatic Temperature Control with controls located on CommandARM. Front Pull Down Sun Shade. Right and Left Outside Mirrors (Manual Adjustment). Power Strip with Convenience Plug Adapter.	

#### 8310RT Tractor

Continued

SUGGESTED
ATTACHMENT LIST PRICE
CODE IDENTIFIER DESCRIPTION USD (\$)

#### **OPERATOR STATION ...Continued...**

Programmable Egress Lighting. Folding Instructional Seat.

See Attachments Section for ordering information on additional field attachments.

#### **DISPLAY**

When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display, ALL GreenStar applications must be run on the additional GreenStar Display. See Online Configurator and Ag Sales Manual for more information.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

1821 GS3 CommandCenter, 7" Color Display In Base Price

Includes Access Manager user lockout software.

With a Starfire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately.

Does not include a cornerpost bracket for mounting an additional GreenStar Display.

1823 Touchscreen GS3 CommandCenter 7" Color Display, Video Capable 1,260.00

Includes Access Manager user lockout software, and video capability.

With a Starfire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately.

One video camera input pre-wired in the cab. Connector located on the outside rear of the cab. Video software can be configured in the CommandCenter using Tractor function activated triggers. See Parts for available cameras.

Does not include a cornerpost bracket for mounting an additional GreenStar Display.

1825 GS3 CommandCenter 7" Color Display with GreenStar 3 2630 Display 6,086.00

Includes Access Manager user lockout software.
Includes GreenStar 3 2630 Display, harness, and A-post mounting bracket installed on

cornerpost.

Includes GreenStar 3 2630 Display Operator's manual with the language translation to match the Tractor Operator's manual language translation.

When a GreenStar 3 2630 Display is connected at the cornerpost, all GreenStar applications must be run on the GreenStar 3 2630 display. Warranty on GreenStar 3 2630 Display will be

must be run on the Greenstar's 2000 display. Warranty on Greenstar's 2000 Display will be handled by AMS and will carry normal AMS warranty terms.

Touchscreen GS3 CommandCenter 7" Color Display, Video Capable with GreenStar 3 2630 7,351.00

Display

1826

Includes Access Manager user lockout software, and video capability.
Includes GreenStar 3 2630 Display, harness, and A-post mounting bracket installed on

Includes GreenStar 3 2630 Display, harness, and A-post mounting bracket installed or cornerpost.

Includes GreenStar 3 2630 Display Operator's manual with the language translation to match the Tractor Operator's manual language translation.

The GS3 CommandCenter is pre-wired with one video input in the cab. Connector located on the outside rear of cab. Video software can be configured in the CommandCenter using Tractor function activated triggers. In addition, the GreenStar 3 2630 Display has the capability of one video input. Requires camera and harnessing for video capabilities. See Attachments for harnessing at GreenStar Harnesses in the AMS Price Pages and Ag Sales Manual for list of compatible cameras.

When a GreenStar 3 2630 Display is connected at the cornerpost, all GreenStar applications

#### 8310RT Tractor

Continued

ATTACHMENT CODE IDENTIFIER

#### **DESCRIPTION**

SUGGESTED LIST PRICE USD (\$)

#### **DISPLAY ...Continued...**

must be run on the GreenStar 3 2630 display. Warranty on GreenStar 3 2630 Display will be handled by AMS and will carry normal AMS warranty terms.

#### **RECEIVER**

StarFire 3000 Position Receivers can be ordered in two configurations:

-SF1 World Solution, a no-charge differential correction signal that provides non-row-crop accuracy.

-SF2 Ready, a subscription-based differential correction signal that provides +/- 2 inch pass-to-pass accuracy. SF2 subscription can be purchased at www.StellarSupport.com.
-RTK capability may be added to an SF2 Ready StarFire 3000 by adding a StarFire RTK radio, RTK radio cover, and RTK activation. Must have complete base station and vehicle kit for RTK. See Ag Sales Manual for configurations. In addition, each StarFire 3000 Receiver is capable of utilizing the free Wide Area Augmentation System (WAAS) signal.

GNSS serial port information (NMEA) is available through a StarFire 3000.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

1835 Less StarFire 3000 Receiver

In Base Price

Tractor includes deluxe receiver mounting bracket only.

When installing a StarFire Receiver with Original Shroud, order conversion bracket through parts or a Deluxe Shroud through AMS Attachments to retrofit an iTC Receiver.

1837 StarFire 3000 Receiver - SF1 with Deluxe Shroud

3,195.00

Tractor includes deluxe receiver mounting bracket only.

StarFire 3000 Receiver shipped inside the cab. Includes Receiver Operator's Manuals with the language translation to match the Tractor Operator's Manual language translation. Warranty on StarFire 3000 Receiver will be handled by AMS and will carry normal AMS warranty terms.

Ready for use with the StarFire SF1 or WAAS/EGNOS differential correction signal for non-row-crop accuracy. StarFire 3000 receiver can be upgraded to SF2 capabilities.

1838 StarFire 3000 Receiver - SF2 Ready with Deluxe Shroud

5,445.00

 ${\it Tractor\ includes\ deluxe\ receiver\ mounting\ bracket\ only}.$ 

StarFire 3000 Receiver shipped inside the cab. Includes Receiver Operator's Manuals with the language translation to match the Tractor Operator's Manual language translation.

Warranty on StarFire 3000 Receiver will be handled by AMS and will carry normal AMS warranty terms.

A StarFire 3000 SF2 Ready Receiver requires an SF2 subscription to obtain SF2 accuracy (+/-2" of accuracy pass to pass within 15 minutes, 95% of the time). The SF2 subscription is available at www.StellarSupport.com.

#### AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONS

Other activations sold separately and are available through the AMS prices pages. GS2 activations are not compatible with the GS3 CommandCenter or GreenStar 3 2630 Display. Purchase of a new GS3 activation or upgrading the GS2 activations is required.

When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display. All GreenStar applications must be run on the additional standalone GreenStar Display. See Online Configurator and Ag Sales Manual for more information.

Dealer/Distributor required to contact www.StellarSupport.com to activate AMS Software

## 8310RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONSContinued Activations, referencing the Tractor COMAR order number. Dealer/Distributor required to fully test AutoTrac and/or iTEC Pro functionality. Warranty on Activations will be handled by AMS and will carry normal AMS warranty terms.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1845		Less AutoTrac Activation - GS3	In Base Price
1846		AutoTrac SF1 Activation - GS3 Requires factory installed StarFire 3000 SF1 Receiver (Code 1837) for AutoTrac functionality. See Ag Sales Manual and AMS Price Pages for detailed information.	3,000.00
1847		AutoTrac SF2 Activation - GS3 Requires factory installed StarFire 3000 SF2 Receiver (Code 1838) for AutoTrac functionality. Also requires SF2 Subscription for SF2 functionality. Purchase separately at www.StellarSupport.com. For RTK usage, purchase RTK radio, activation, and base station sold separately. See Ag Sales Manual and AMS Price Pages for detailed information.	5,250.00
1848		AutoTrac SF1 Activation - GS3 with iTEC Pro Activation - GS3 Requires factory installed StarFire 3000 SF1 Receiver (Code 1837) and GreenStar 3 2630 Display (Code 1825 or 1826). This option requires all GreenStar applications to be run on the GreenStar 3 2630 Display. See Ag Sales Manual and AMS Price Pages for detailed information.	5,500.00
1849		AutoTrac SF2 Activation - GS3 with iTEC Pro Activation - GS3 Requires factory installed StarFire 3000 SF2 Receiver (Code 1838) and GreenStar 3 2630 Display (Code 1825 or 1826). This option requires all GreenStar applications to be run on the GreenStar 3 2630 Display. Also requires SF2 Subscription for SF2 functionality. Purchase separately at www.StellarSupport.com. For RTK usage, purchase RTK radio, activation, and base station sold separately. See Ag Sales Manual and AMS Price Pages for detailed information.	7,750.00
		MACHINE CONNECTIVITY	
		Machine connectivity functions require cellular coverage. Usage of the JDLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract, which describes John Deere's access and use of the data collected by the system.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1885		JDLink Capable Includes cab wiring harness only. Requires field kit installation, activation, and subscription for JDLink functionality.	Same Price
1886		JDLink Select Includes JDLink hardware: Integrated Cab Wiring Harness, Antenna, Modular Telematics Gateway (MTG) with Service ADVISOR Remote capability, and JDLink Select activation. Requires purchase of JDLink Select subscription sold separately. Features: Machine Hours, Machine Location, Curfew Alert, Geofence Alert, and maintenance profile. JDLink customer account must be created to access JDLink Select data. Upgrade to JDLink Ultimate requires purchase of JDLink Ultimate activation and JDLink Ultimate subscription (no hardware changes required).	1,000.00
1889		JDLink Ultimate	2,400.00

## 8310RT Tractor

Continued

CODE	ATTACHMEN	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
CODE	IDENTIFIER	MACHINE CONNECTIVITYContinued Includes JDLink hardware: Integrated Cab Wiring Harness, Antenna, Modular Telematics Gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation. Requires purchase of JDLink Ultimate subscription sold separately. In addition to JDLink Select features: Machine Utilization Information, Machine Reports, Machine Diagnostics. JDLink customer account must be created to access JDLink Ultimate data.	USD (\$)
1887		JDLink Ultimate Promotion - 1 Year Subscription Included Includes JDLink hardware: Integrated Cab Wiring Harness, Antenna, Modular Telematics Gateway (MTG) with Service ADVISOR Remote capability, JDLink Ultimate activation, and 1 year subscription to JDLink Ultimate service. In addition to JDLink Select features: Machine Utilization Information, Machine Reports, Machine Diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after first year of service for continued functionality.	No Charge
1888		JDLink Ultimate Promotion - 3 Year Subscription Included 3 year subscription includes: 1 year promotion plus 2 additional years of JDLink Ultimate data and Service ADVISOR Remote Capability.  Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and 3 year subscription to JDLink Ultimate service. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after third year of service for continued functionality.	1,200.00
1490		TRANSMISSION  16F/4R Speed Automatic PowerShift Transmission 24.5 mph (40 km/h)	In Base Price
1550		Infinitely Variable Transmission 24.5 mph (40 km/h) with Right Hand Reverse Control	12,083.00
7200		Standard Lighting Six Front Grill Mounted Lights: Two 65W low beam driving lights, two 65W high beam driving lights and two front corner facing halogen work lights. Ten Cab Roof Mounted Lights: Two rear and four side facing 65W flood lights and four corner facing amber lights. Two rear fender mounted flood lights and two rear turn signal and brake lights. Two folding extremity lights.	In Base Price
7201		Deluxe Lighting Includes Standard Lights plus two adjustable front roof 65W halogen floodlights, two front belt line work lights, and rotary beacon light.	789.00
7202		Premium HID Lighting Includes Deluxe Lighting, and additionally in the Front Grill Screen, two front corner HID lights replace two front halogen lights and one HID light and one 65W halogen flood light are added. Two rear fender lights are replaced with HID lights.	3,442.00
		RADIO	
2650		Less Radio and Speakers Includes wiring harness only for radio and speakers.	In Base Price
2660		Deluxe Radio Package	670.00

## 8310RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		RADIOContinued  AM/FM Stereo with Clock, Weatherband, Remote Controls, Auxiliary Input Jack located on front of Radio, Four Speakers and External Antenna.	
2661		Premium Radio Package with XM Radio For U.S. and Canada Markets only.  AM/FM Stereo with Premium Tuner, Clock, Weatherband, Compact Disc Player, Remote Controls, USB port on front of radio face, Auxiliary Input Jacks located in right hand storage console and on radio face, BlueTooth capable including microphone,Integrated BlueTooth Phone Book connection through CommandCenter,XM Satellite capable including Satellite Antenna (Subscription Required), Four Speakers, Subwoofer, and External Antenna. Volume, Speed Compensation, bass, and treble radio functions can be viewed and configured on the CommandCenter Display.	1,015.00
2662		Premium Radio Package For Non U.S. and Canada Markets only: AM/FM Stereo with Premium Tuner, Clock, Compact Disc Player, Remote Controls, Auxiliary Input Jack located in right hand storage console and on radio, BlueTooth capable including microphone, Integrated BlueTooth Phone Book connection through CommandCenter, Four Speakers, Subwoofer, and External Antenna.	912.00
		REMOTE SELECTIVE CONTROL VALVES	
3331		Three Remote Selective Control Valves with Push/Pull Breakaway Couplers and High Pressure Relief Levers  Requires Code 4000 Less 3-Point Hitch.	-1,820.00
3341		Four Remote Selective Control Valves with Push/Pull Breakaway Couplers and High Pressure Relief Levers	In Base Price
3351		Five Remote Selective Control Valves with Push/Pull Breakaway Couplers and High Pressure Relief Levers	1,876.00
3361		Six Remote Selective Control Valves with Push/Pull Breakaway Couplers and High Pressure Relief Levers Includes Auxiliary CommandArm Mounted SCV Controls. Only available on Model Year 2012 Tractors.	3,753.00
		REAR HITCH	
		Advertised Hitch Lift Capacity is the amount of force that is sustained through the entire range of lift, measured at 610 mm behind the hitch point. This is measured with the rear hitch centerlink connected to the upper hole. See Operators Manual for more information.	
		Maximum Lift Capacity is noted as well. This is the maximum force achieved during lift, directly at the hitch point.	
4000		Less 3-Point Hitch Requires Code 3331 Three Remote Selective Control Valves. Four and Five Remote Selective Control Valves - order field installed kits RE301321 (4 SCV's) or RE301501 (5 SCV's).	-5,922.00
4048		9702 kg (20,000 Lbs.) Capacity 3-Point Hitch (Cat 4N/3) with Sway Block and Cat 4N/3 Implement Quick Coupler 12,762 kg (28,136 lb) maximum lift capacity.	In Base Price
4038		6803 kg (15,000 Lbs.) Capacity Hitch (Cat. 4N/3) Capacity 3-Point Hitch (Cat 4N/3) with Sway Block and Cat 4N/3 Implement Quick Coupler 9572 kg (21,102 lb) Maximum Lift Capacity. Only available on Model Year 2012 Tractors.	-1,317.00

## 8310RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DRAWBAR	
4321		Category 4 Adjustable Swinging Drawbar with Clevis and 50 mm (2.0 ln.) Pin 2245 kg (4,950 Lb.) maximum vertical load.	In Base Price
4322		Category 4 Adjustable Swinging Drawbar with Clevis and 50 mm (2.0 ln.) Pin with Heavy Duty Support 4990 kg (11,000 Lb.) maximum vertical load.	556.00
		HYDRAULIC PUMP	
3240		63 cc Displacement Hydraulic Pump 166.6 lpm (44 gpm)	In Base Price
3260		85 cc Displacement Hydraulic Pump 227.1 lpm (60 gpm)	1,266.00
		TRACKS	
6800		400 mm (16 ln.) Width, 172 mm (6.8 ln.) Pitch Camoplast DURABUILT 3500 Tracks Narrow 381 mm (15 ln.) Midrollers.	-3,417.00
6801		400 mm (16 ln.) Width, 172 mm (6.8 ln.) Pitch Camoplast DURABUILT 5500 Tracks Narrow 381 mm (15 ln.) Midrollers.	533.00
6802		450 mm (18 ln.) Width, 170 mm (6.7 ln.) Pitch Camoplast DURABUILT 3500 Tracks Narrow 381 mm (15 ln.) Midrollers.	-3,417.00
6803		450 mm (18 In.) Width, 170 mm (6.7 In.) Pitch Camoplast DURABUILT 5500 Tracks Narrow 381 mm (15 In.) Midrollers.	1,264.00
6804		600 mm (24 ln.) Width, 185 mm (7.3 ln.) Pitch Camoplast DURABUILT 3500 Tracks Narrow 381 mm (15 ln.) Midrollers.	-1,917.00
6805		625 mm (25 In.) Width, 185 mm (7.3 In.) Pitch Camoplast DURABUILT 3500 Tracks Wide 600 mm (24 In.) Midrollers.  Code 8680 Wide Drive Wheel Option is highly recommended for increased track performance and track belt life with 625 mm (25 In.) or larger tracks.	In Base Price
6806		625 mm (25 In.) Width, 185 mm (7.3 In.) Pitch Camoplast DURABUILT 5500 Tracks Wide 600 mm (24 In.) Midrollers.  Code 8680 Wide Drive Wheel Option is highly recommended for increased track performance and track belt life with 625 mm (25 In.) or larger tracks.	3,602.00
6807		760 mm (30 ln.)Width, 185 mm (7.3 ln.) Pitch Camoplast DURABUILT 3500 Tracks Wide 600 mm (24 In.) Midrollers.  Code 8680 Wide Drive Wheel Option is highly recommended for increased track performance and track belt life with 625 mm (25 In.) or larger tracks.	8,698.00
6808		760 mm (30 In.) Width, 185 mm (7.3 In.) Pitch Camoplast DURABUILT 5500 Tracks Wide 600 mm (24 In.) Midrollers.  Code 8680 Wide Drive Wheel Option is highly recommended for increased track performance and track belt life with 625 mm (25 In.) or larger tracks.	9,440.00
		TRACK SPACING	
6840		1828 mm (72 In.) Spacing Capable of 1828 mm (72 In) to 3048 mm (120 In.) track spacing. Requires 400, 450, 600, or 625 mm (16, 18, 24, or 25 In.) Width Track Belts.	In Base Price
6841		1930 mm (76 ln.) Spacing Capable of 1828 mm (72 ln) to 3048 mm (120 ln.) track spacing.	Same Price

## 8310RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		TRACK SPACINGContinued Requires overwidth permit for 760 mm (30 In.) Width Track Belts.	
6842		2032 mm (80 ln.) Spacing Capable of 1828 mm (72 ln) to 3048 mm (120 ln.) track spacing. Requires overwidth permit with 625 and 760 mm (25 and 30 ln.) Width Track Belts.	Same Price
6843		2235 mm (88 ln.) Spacing Capable of 1828 mm (72 ln) to 3048 mm (120 ln.) track spacing. Requires overwidth permit.	Same Price
6844		Dealer Installed Wide Spacing Kit 4064 mm (160 In.)  Not required for tread spacing of 3048 mm (120 In.) or less.	13,578.00
		To achieve track spacing of up to 4064 mm (160 In.).  Capable of 2844 to 4064 mm (112 to 160 In.) track spacing.  Tractor will be shipped in 2032 mm (80 In.) configuration due to shipping width limitations with dealer installed kit to expand to 2844 to 4064 mm (112 to 160 In.) spacing.  Includes Extremity Warning Lights extension.  Axle width changes to 4400 mm (173.3 In.) with kit installed.  Durabelt 5500 Tracks highly recommended with 4064 mm (160 In.) spacing kit.	
		OPERATOR'S MANUAL AND LABELS	
0409		English Operator's Manual and Text Labels For Canada, Mexico and United States markets only. Includes base equipment CommandCenter languages of English, Italian, Spanish, Portuguese, German, Dutch, French, Swedish, Hungarian, Danish, Polish.	In Base Price
0437		Spanish Operator's Manual Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels. Includes base equipment CommandCenter languages of English, Italian, Spanish, Portuguese, German, Dutch, French, Swedish, Hungarian, Danish, Polish.	Same Price
0413		French Operator's Manual and Translated Text Labels For Canada, Mexico and United States markets only. Includes base equipment CommandCenter languages of English, Italian, Spanish, Portuguese, German, Dutch, French, Swedish, Hungarian, Danish, Polish.	Same Price
0426		Mandarin (Chinese)	Same Price
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8242		Operator Station and Electrical: Radar with Dual Beam Sensor	887.00
8210		Leather Trim Includes heated leather seat, leather instructional seat, leather wrapped steering wheel, and rear window decal.	1,623.00
8229		Outside Mirrors, Electrically Adjustable RH and LH Requires Deluxe Cab Code 2059. In lieu of Right and Left Hand Outside Mirrors (Manual Adjust).	957.00
8251		Antenna Mount and Wiring for Business Band Radio	127.00
8725		Rotary Beacon Light Requires Code 7200.	336.00

## 8310RT Tractor

Continued

CODE	ATTACHMENT	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued	
832G		Hydraulics: Auxiliary Hydraulic Connections Includes (2) motor return couplers, (1) flat face sump coupler, (1) power beyond pressure coupler and (1) load sense coupler. Suitable for use with most planting and seeding equipment.	840.00
8680		Chassis: Wide Drive Wheel Option Optional for 625 mm (25 In.) or Wider Belt Width Selections. Strongly recommended for maximum performance and track belt life. 610 mm (24 In.) Drive Wheel width in lieu of 381 mm (15 In.) Drive Wheel.	2,303.00
8220		Engine: Intelligent Power Management Provides up to an additional 35 engine hp for non-stationary rear PTO and transport applications (transport speeds above 15 km/h (9.3 mph)). See Ag Sales Manual for ground speed specification.	3,254.00
8300		Cold Weather Start Kit Factory Installation of Switch and Ether Aid Canister and 110V Block Heater.	136.00
8306		Fuel/Water Separator, Severe Duty In addition to water separator in base equipment.	556.00
8336		John Deere PowerTech PSX 9.0 L (549 cu. In.) 6 Cyl IT4 / Stage 3b Compliant Diesel Engine	Same Price
8334		John Deere PowerTech 9.0 L (549 cu. In.) 6 Cyl Stage 2 Compliant Diesel Engine Only available on Model Year 2012 Tractors.  Not available with the 8360RT.	-11,688.00
8955		Weights: Weight, Front Support - Less Weights Support Weighs 180 kg (390 Lb.).	501.00
8956		Weight, Front Support with Four Suitcase Weights	1,036.00
8957		Weight, Front Support with Eight Suitcase Weights	1,571.00
8958		Weight, Front Support with Twelve Suitcase Weights	2,106.00
8959		Weight, Front Support with Sixteen Suitcase Weights	2,641.00
8960		Weight, Front Support with Twenty-Two Suitcase Weights	3,361.00
8961		Weight, Ten Suitcase Weights on Rear Side of Front Support (Five per Side)  Use with Code 8960.	1,296.90
8985		Front Idler Starter Weight Package Front Idler Starter Weight Package includes: 4 - R311921 Starter Weights 36 Kg (80 Lb.). Total Package Weight 146 Kg (323 Lb.).	1,170.40

## 8310RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIRED	
9076		Gold Key Tours: Gold Key Experience Not compatible with Code 9075. This personal guided tour provides you with the unique opportunity to watch a similar machine to the one you are purchasing during its final stages of manufacturing. This tour will be scheduled in advance and can occur at your convenience during a 60 day window (30 days prior to or 30 days after your machine's expected warehouse date). For more information, visit www.deere.com/goldkey.	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
	RE58827	Electrical: 9-Pin Connector Implement Feedback Required for Electrohydraulic Implement Depth Control (EHDC).	See Parts
	RE324456	Battery Disconnect Switch, Tracks	See Parts
	RE322780	ISO Cab Implement CAN Bus Adapter	See Parts
	RE21519	Implement Switch with 10 Ft. Harness	See Parts
	AR245330	Mounting Kit for Radar with Dual Beam Sensor Requires Dual Beam Radar (RE249206).	See Parts
	RE278980	Radar with Dual Beam Sensor Requires mounting kit AR245330.	See Parts
	RE325025	iTEC 3/4 Switch Requires software download. Reference Installation instructions for additional information.	See Parts
	RE323008	Engine: Cold Weather Starting Package	See Parts
	RE227949	Engine Block Heater (110V)	See Parts
	RE524692	Engine Block Heater (220V)	See Parts
	RE339802	Fuel Filter Secondary In addition to water separator in base equipment.	See Parts
	RE339805	Fuel Filter Secondary, Stage 2	See Parts
	R177682	Hitch and Drawbar: Center Link Bracket Retains the center link when not in use.	See Parts
	AR211154	Drawbar Heavy Duty Support for use with Cat. 4 Drawbar (11,000 Lb. Vertical Load Capacity) Requires Cat. 4 Drawbar. Increases vertical load capacity to 11,000 Lb. (4990 kg.). Cat. 4 Drawbar is not compatible with PTO Codes 2418 or 2420 or with field installed 1-3/8 540 rpm PTO.	See Parts

## 8310RT Tractor

Continued

			SUGGESTED
CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	LIST PRICE USD (\$)
	AR211153	ATTACHMENTS FOR FIELD CONVERSIONContinued Drawbar, Cat. 4 with 2 In. Pin and Heavy Duty Support (11,000 Lb. Vertical Load Capacity) Cat. 4 Drawbar is not compatible with PTO Codes 3820 or 3821 or with field installed 1-3/8 540 rpm PTO.	See Parts
	RE180668	Rear Hitch Quik-Coupler (Convertible Cat. 3/3N)	See Parts
	AR216079	Rear Hitch Quik-Coupler (Convertible Cat. 4N/3)	See Parts
	RE327558	Hydraulics: 4th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R301759) Software download to activate function - See Parts. Compatible with 8R above SN 053100 and 8RT above SN 907100.	See Parts
	RE343865	4th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R301759) Software download to activate function - See Parts. Compatible with 8R before SN 053101, 8RT before SN 907101.	See Parts
	RE327559	5th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R301760) Software download to activate function - See Parts. Compatible with 8R above SN 053100 and 8RT above SN 907100.	See Parts
	RE343866	5th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R301760) Software download to activate function - See Parts. Compatible with 8R before SN 053101, 8RT before SN 907101.	See Parts
	RE327560	6th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R334695) Software download to activate function - See Parts. Compatible with 8R above SN 053100 and 8RT above SN 907100.	See Parts
	RE222721	Auxiliary Sump Coupler Kit (Flush Face Coupler Style) Required to connect Tractor sump to case drains on Seeding Equipment.	See Parts
	RE290999	Hitch Auxiliary Raise Kit	See Parts
	RE344103	Hydraulic Motor Return Coupler Kit, Tracks	See Parts
	AR114664	Hydraulic Motor Return, Multiple/Auxiliary Hitch Coupler/ Sump Return Kit For use with Hydraulic Motor Returns, Hitch Valve with Lift Assist Wheels or Motor Drains/Sump Returns or grapple valve.	See Parts
	RE323507	Hydraulic Trailer Brake Kit	See Parts

## 8310RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE325287	ATTACHMENTS FOR FIELD CONVERSIONContinued Hydraulic Trailer Brake Kit, Tracks	See Parts
	RE221284	Low Stand-By Pressure Control Kit  Prevents main pump activation during engine start up in certain hydraulic configurations using power beyond.	See Parts
	RE301658	Power Beyond Coupler Kit	See Parts
	RE344102	Power Beyond Coupler Kit, Tracks	See Parts
	RE308937	<b>Lighting:</b> Auxiliary Driving / Loader Light Kit Includes headlights, wiring harness, brackets and mounting hardware.	See Parts
	RE269641	Lights, Field Vision Xenon HID Rear Fender Light Requires (2) for conversion.	See Parts
	RE298933	Lights, Two Roof-Mounted 65W Halogen Front Flood Lights	See Parts
	RE325694	Rotary Beacon Light Kit	See Parts
	RE164261 AR273271	Miscellaneous: Track Tension Hose Kit  Wide Track Conversion Kit  Allows 112 In. to 160 In. tread spacing.	See Parts See Parts
	RE67015	Operator Environment: 3-Way Convenience Adapter for Power Strip	See Parts
	RE317435	Accessory Mounting Bracket Provides mounting location for additional monitors.	See Parts
	RE269615	Antenna Mount and Wiring for Business Band Radio	See Parts
	RE275532	Ash Tray Fits in existing cup holder.	See Parts
	RE67014	Cigar-Style Adapter for Power Strip	See Parts
	RE323406	External Mirrors, Electrically Adjustable RH and LH Conversion Kit For converting dual manual external mirrors to dual electric mirrors. Will use existing mounting brackets and telescoping arms.	See Parts
	RE68495	Power Strip with Six Outlets	See Parts
	RE328345	Radio, Deere/Delco AM/FM Stereo with Clock, Weatherband, Four Speakers and Antenna	See Parts
	RE298965	Radio, Sub Woofer Kit Includes sub woofer, rear upholstery, and grille screen.	See Parts
	RE298942	Seat Belt Kit	See Parts

## 8310RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE67013	ATTACHMENTS FOR FIELD CONVERSIONContinued Standard Connector with 1m (3-Foot) Cable for Power Strip	See Parts
	RE261504	Sun Shade, Front Pull Down	See Parts
	RE324993	Touchscreen GS3 CommandCenter 7" Color Display, Video Capable	See Parts
	RE337750	Windshield Wiper with Washer, Rear	See Parts
	RE331560	SCV Parts: Paddle Pot Pod, Common Parts Only compatible on Tractors with CommandARM. Order single paddle potentiometer separately. See instructions RE331562 for more information. Compatible on 8R above SN 053100 and 8RT above SN 907100.	See Parts
	RE331559	Single Paddle Potentiometer  Order decals and levers separately.  See instructions RE331561 for more information.	See Parts
	RE298885	Software Downloads: Intelligent Power Management Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305729	Language Group for CommandCenter - English, Croatian, Serbian, Slovenian, German Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305727	Language Group for CommandCenter - English, Danish, Swedish, Finish, Norwegian Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305726	Language Group for CommandCenter - English, Estonian, Latvian, Lithuanian, Polish, Russian Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305725	Language Group for CommandCenter - English, French, Dutch, Icelandic, German Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305730	Language Group for CommandCenter - English, Greek, Turkish Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE308728	Language Group for CommandCenter - English, Hungarian, Czech, Slovak, Romanian, Bulgarian Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts

## 8310RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE305731	ATTACHMENTS FOR FIELD CONVERSIONContinued Language Group for CommandCenter - English, Italian, Spanish, Portuguese, German, Dutch, French, Swedish, Hungarian, Danish, Polish Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE224298	<b>Transmission:</b> Transmission Backup Alarm Requires R298895 Bracket and (2) 19M7788 Cap Screws for installation. See Parts.	See Parts
	RE323009	Transmission Hydraulic Oil Heater (110 Volts)	See Parts
	RE323010	Transmission Hydraulic Oil Heater (220 Volts)	See Parts
	AL71345	Vandal Protection: Door Locks - Custom Key	See Parts
	R311921	<b>Weights:</b> Weight, Front Idler Starter - 79 lbs. (36 kg) Order attaching hardware through Parts (6) 19M8288 Cap Screws and (6) 24M7243 Washers, one set per each weight.	See Parts
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One	See Parts
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	See Parts
	R242154	Weight, Front Support, 390 Lb. (180 kg) Requires (6) 19M9141 Cap Screws and (6) 24M7242 Washers for installation - See Parts. Holds up to 22 Quick-Tatch Weights.	See Parts

# 8310RT Tractor Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

#### 8335RT Tractor

#### **Equipment for Base Machine**

```
Low Fuel Warning Signal Engine RPM Indicator
ENGINE:
John Deere PowerTech Diesel
In-line 6-Cylinder Wet-Sleeve
                                                              Status Indicator for:
with High Pressure Common Rail (HPCR)
Fuel System and 24 Valve Head
9.0 L (549 Cu. In.) Displacement
335 Engine hp (246 kW) 97/68/EC @ Rated Speed
273 SAE PTO hp (203 kW) @ Rated Speed
Air to Air Intercooled
                                                                 MFWD
                                                                 Differential Lock
                                                                 Rear PTO Speed
                                                               Command Center Display Includes:
                                                               GreenStar 3 Application Capability
                                                                 Video Capability, with Tractor Function
                                                                   Activated Triggers
Automatic Shutdown System
Dry Type Air Cleaner with Safety Element
                                                                 AutoTrac and Swath Control Pro
                                                                   Activation Required
  and Dirt Aspiration System
Tilt Hood Enclosure
                                                                 Access Manager
Right Hand Exhaust Extension and Stack
                                                                 Universal Performance Monitor
VariCool Fan Drive System
Electric Fuel Shutoff
                                                                 Display Functions Definable by Operator:
                                                                    % Slip
Engine Coolant Conditioner Additive Engine Coolant Recovery System
                                                                   Ground Speed
                                                                   PTO Speed
Dual Stage Fuel Filtration System with
                                                                   Engine Hours
Hydraulic Settings
  Fuel Water Separator with Sensor
                                                                   Hitch Settings
Hitch Slip Command
Self-Priming and Bleeding Electronic
  Fuel Pump
758 L (200 U.S. Gal) Fuel Tank Capacity
with Lockable Fuel Cap
                                                                   Productivity
                                                                   Efficiency
Top-loading Vertical Engine Oil Filter Electronic Injection and Governor Control
                                                                   Area
                                                                   Adjustable PTO Modulation
                                                                   Implement Width
Field Cruise Control
                                                                   Service Hours
TRANSMISSION:
                                                                   Voltage
Powershift with Closed Loop Shift Logic
                                                                   Fuel Consumption Rate
   16 Forward/4 Reverse Speeds
                                                                   Temperatures
  Hydraulically-Engaged Wet-Disk Clutches
                                                                   Time of Day
                                                              Ambient Temperature
Command Control System with:
  Park Lock
Neutral Safety Start System
                                                                 Automatic Powershift
                                                                 Set and Adjust Time and Flow of
STEERING AND BRAKES:
                                                                   Individual Selective Control Valves
Electronic Speed Sensing Steering
Wet-Disk Hydraulic Power Brakes
                                                               iTEC End of Row Functions
                                                               Languages:
                                                                 For a complete list of languages,
HYDRAULICS:
                                                              refer to the Ag Sales Manual OPERATOR PROTECTIVE STRUCTURE:
Pressure Flow Compensating Axial
  Piston Pump
63 cc Displacement Pump 166.6 lpm (44 gpm)
                                                              Deluxe CommandView II Cab
  Pump Output
                                                                 Tilt/Telescoping Memory Steering Wheel
 132 lpm (35 gpm) Flow @ One SCV
                                                                 Comfort Command Seat with
Four Electrohydraulic Remote Selective
                                                                   Air Suspension, Swivel
  Control Valves with Push/Pull
                                                                   Fore-Aft Lateral Attenuation,
   ISO Breakaway Couplers and
                                                                   Lumbar Support,
  High Pressure Release Levers
                                                                   Backrest Adjustment with
                                                                   Integrated CommandARM Controls
                                                                 Adjustable Position CommandARM with
Independent 1000 RPM, 45 mm (1-3/4 In.)
                                                                   Integrated CommandCenter Display
Neutral Start System
                                                                 Swing-Out Rear Window (30 Degrees)
Seat-Activated PTO Warning
                                                                 Tinted Glass
                                                                 Air Conditioner and Heater
ROCKSHAFT, HITCH AND DRAWBAR:
                                                                 Two Speed Intermittent Front Wiper
Electrohydraulic Hitch with Transport
                                                                   and Rear Wiper
  Lock and External Remote Control Switch
                                                                 Front and Rear Windshield Washer
Dual Cylinder Rear Hitch,
                                                                 Pull Down Front Sun Visor
  8754 kg (15,200 Lbs.) Advertised Lift Capacity 12,610 kg (27,801 lb) Maximum Lift Capacity 3-Point (Cat. 4N/3) Hitch with
                                                                 Rear Under Seat Storage
                                                                 Folding Instructional Seat
                                                                 Left Hand Storage
   Convertible Quik-Coupler
                                                                 Two Beverage Holders
Adjustable Swinging Drawbar
                                                                 Less Radio and Speakers
Cat. 4 Drawbar with Clevis and
                                                                 Includes wiring harness for
 50 mm (2 In.) Pin
                                                                   radio and speakers
Secondary Implement Chain Support
                                                                 Inside Cab Mounted Rearview Mirror
Sway Blocks with Tapered Wedge Adjustment
                                                                 Passive Noise Reduction System
Hitch Dampening
                                                                 Window Break
Center Link Adjustment Handle
                                                               GreenStar Ready Wiring Harness
                                                                 with Implement Connector
INSTRUMENTATION:
                                                               Integrated Plug-In Connectors
Corner Post Digital Instrument Panel
                                                                 for GreenStar Display
                                                              Backlit Right Hand Console Controls
   Includes:
   Engine Oil Pressure Gauge
                                                                 with Adjustable Brightness
  Engine Coolant Temperature Gauge
  Fuel Level Gauge with
                                                              ELECTRICAL:
```

#### 8335RT Tractor

#### Continued

Key Engine Shutoff 12V\* Electrical System Two 925 CCA\*\* 12V Batteries Two 12V Electrical Convenience Outlet
Two 12V Electrical 3-Pin Outlet with Adapter Battery Boost Terminal 200 Amp Alternator  ${\tt SmartC\bar{i}rcuit\ Current\ Load\ Monitoring}$ System with Fuse Panel 7-Terminal Rear Implement Electrical Outlet Socket (ASAE) GreenStar Ready Harness with Implement Circuit Gateway and Integrated
GreenStar Display Plug-In
Connector (ISO 11783 Compatible)
Integrated ISO Radar Connector Implement Connector StarFire ITC or Radar Speed Input Harness Service ADVISOR Data Port LIGHTS: Six Front Grill Mounted Lights Ten Cab Roof Mounted Lights Two Rear Fender Flood Lights Extremity, Brake, Turning, and Hazard

Lights
Programmable Egress Lighting

TRACKS:

Two 625 mm (25 In.) Width, 185 mm (7.3 In.)
Pitch Camoplast DURABUILT 3500 Tracks
1828 mm (72 In.) Track Spacing
1828-3048 mm (72-120 In.) Adjustability
3400 mm In. (138.9) Axle Width
Operator's Manual

MISCELLANEOUS:

AutoTrac Ready Components SMV Emblem Horn PTO Master Shield Tool Box Operator's Manual \*Manufacturer's Rating \*\*Cold Cranking Amperes

ATTACHMENT
CODE IDENTIFIER DESCRIPTION

SUGGESTED LIST PRICE USD (\$)

#### Select One Code From Each Required Category

#### **BASE MACHINE**

EX-WORKS Waterloo, Iowa

7570RW 8335RT Tractor 302,061.00

#### **DESTINATION**

A Code must be chosen for each Tractor ordered.

AFRICA

0050 Tanzania Same Price

ASIA

0072 China (People's Republic of China) Same Price

Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Fuel/Water Separator, Severe Duty Country Specific Base Equipment Includes:

Country Specific Base Equipment Includes
Code 2059 Deluxe CommandView II Cab

Code 7200 Standard Lighting

## 8335RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0078		DESTINATIONContinued   Israel   Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable.   Requires Code 8336 Stage IT4 / 3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting.	Same Price
0081		Kazakhstan Requires Code 1845 Less AutoTrac Activation, or Code 1846 AutoTrac SF 1 Activation, or Code 1874 AutoTrac SF2 Activation, Code 1887 JDLink Ultimate Promotion 1 Year Subscription or Code 1888 JDLink Promotion 3 Year Subscription. Requires Code 8334 Stage Stage 2 Compliant Engine. Requires Code 8306 Fuel/Water Separator, Severe Duty Country Specific Base Equipment Includes: Code 2059 Deluxe ommandView II Cab. Code 7203 Standard Lighting.	1,209.00
0096		Russia Requires Code 1835 Less StarFire 3000 Receiver and Code 1885 JDLink Capable. Requires Code 8334 Stage Stage 2 Compliant Engine. Requires Code 8306 Fuel/Water Separator, Severe Duty Country Specific Base Equipment Includes: Code 2059 Deluxe ommandView II Cab. Code 7203 Standard Lighting.	Same Price
0166		Ukraine Requires Code 1887 JDLink Ultimate Promotion 1 Year Subscription or Code 1888 JDLink Promotion 3 Year Subscription. Requires Code 8334 Stage Stage 2 Compliant Engine. Requires Code 8306 Fuel/Water Separator, Severe Duty Country Specific Base Equipment Includes: Code 2059 Deluxe ommandView II Cab. Code 7203 Standard Lighting.	1,209.00
0184		NORTH AMERICA Canada Requires Code 1887 JDLink Ultimate Promotion 1 Year Subscription or Code 1888 JDLink Ultimate Promotion 3 Year Subscription. Requires Code 8336 Stage IT4 / 3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting.	1,209.00
0193		Honduras Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Fuel/Water Separator, Severe Duty Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7200 Standard Lighting	Same Price
0195		Mexico Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Fuel/Water Separator, Severe Duty Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7200 Standard Lighting	Same Price

## 8335RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0202		DESTINATIONContinued United States Requires Code 1887 JDLink Ultimate Promotion 1 Year Subscription or Code 1888 JDLink Ultimate Promotion 3 Year Subscription. Requires Code 8336 Stage IT4 / 3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting.	1,209.00
0210		SOUTH AMERICA Argentina Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Fuel/Water Separator, Severe Duty Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7200 Standard Lighting	Same Price
0214		Columbia Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Fuel/Water Separator, Severe Duty Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7200 Standard Lighting	Same Price
		VALUE PACKAGE CONFIGURATION	
0500		No Package Order one Code from each box in the Price Pages.	In Base Price
0507		iPackage Includes Codes: 2059, 1826, 1837 or 1838, 1848 or 1849, 1887 or 1889 or 1888 or 1884, 7202, 2661 or 2662, 3341 or 3351 or 3361, 4048, 4322, 3260, and 8251. Available in the U.S., Canada, Australia, and New Zealand only.	-500.00
		OPERATOR STATION	
2050		CommandView II Cab Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest controls with Integrated CommandCenter Display. Folding Instructional Seat. Remote Radio Controls located on CommandARM. Front Windshield Washer and Wiper. SMV Emblem. Manual Temperature Controls located in cab roof. See Attachments Section for ordering information on additional field attachments.  Deluxe CommandView II Cab Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls located on CommandARM. Front and Rear Windshield Washer and Wiper. SMV Emblem.	-1,980.00 In Base Price
		Automatic Temperature Control with controls located on CommandARM. Front Pull Down Sun Shade. Right and Left Outside Mirrors (Manual Adjustment). Power Strip with Convenience Plug Adapter.	

#### 8335RT Tractor

Continued

SUGGESTED
ATTACHMENT LIST PRICE
CODE IDENTIFIER DESCRIPTION USD (\$)

#### **OPERATOR STATION ...Continued...**

Programmable Egress Lighting. Folding Instructional Seat.

See Attachments Section for ordering information on additional field attachments.

#### **DISPLAY**

When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display, ALL GreenStar applications must be run on the additional GreenStar Display. See Online Configurator and Ag Sales Manual for more information.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

1821 GS3 CommandCenter, 7" Color Display In Base Price

Includes Access Manager user lockout software.

With a Starfire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately.

Does not include a cornerpost bracket for mounting an additional GreenStar Display.

1823 Touchscreen GS3 CommandCenter 7" Color Display, Video Capable 1,260.00

Includes Access Manager user lockout software, and video capability.

With a Starfire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately.

One video camera input pre-wired in the cab. Connector located on the outside rear of the cab. Video software can be configured in the CommandCenter using Tractor function activated triggers. See Parts for available cameras.

Does not include a cornerpost bracket for mounting an additional GreenStar Display.

1825 GS3 CommandCenter 7" Color Display with GreenStar 3 2630 Display 6,086.00

Includes Access Manager user lockout software.

Includes GreenStar 3 2630 Display, harness, and A-post mounting bracket installed on cornerpost.

Includes GreenStar 3 2630 Display Operator's manual with the language translation to match the Tractor Operator's manual language translation.

When a GreenStar 3 2630 Display is connected at the cornerpost, all GreenStar applications must be run on the GreenStar 3 2630 display. Warranty on GreenStar 3 2630 Display will be handled by AMS and will carry normal AMS warranty terms.

1826 Touchscreen GS3 CommandCenter 7" Color Display, Video Capable with GreenStar 3 2630 7,351.00

Display

Includes Access Manager user lockout software, and video capability.

Includes GreenStar 3 2630 Display, harness, and A-post mounting bracket installed on cornerpost.

Includes GreenStar 3 2630 Display Operator's manual with the language translation to match the Tractor Operator's manual language translation.

The GS3 CommandCenter is pre-wired with one video input in the cab. Connector located on the outside rear of cab. Video software can be configured in the CommandCenter using Tractor function activated triggers. In addition, the GreenStar 3 2630 Display has the capability of one video input. Requires camera and harnessing for video capabilities. See Attachments for harnessing at GreenStar Harnesses in the AMS Price Pages and Ag Sales Manual for list of compatible cameras.

When a GreenStar 3 2630 Display is connected at the cornerpost, all GreenStar applications

#### 8335RT Tractor

Continued

**ATTACHMENT** CODE **IDENTIFIER** 

**DESCRIPTION** 

SUGGESTED LIST PRICE USD (\$)

#### **DISPLAY ...Continued...**

must be run on the GreenStar 3 2630 display. Warranty on GreenStar 3 2630 Display will be handled by AMS and will carry normal AMS warranty terms.

#### **RECEIVER**

StarFire 3000 Position Receivers can be ordered in two configurations:

-SF1 World Solution, a no-charge differential correction signal that provides non-row-crop

-SF2 Ready, a subscription-based differential correction signal that provides +/- 2 inch pass-to-pass accuracy. SF2 subscription can be purchased at www.StellarSupport.com. -RTK capability may be added to an SF2 Ready StarFire 3000 by adding a StarFire RTK radio, RTK radio cover, and RTK activation. Must have complete base station and vehicle kit for RTK. See Ag Sales Manual for configurations. In addition, each StarFire 3000 Receiver is capable of utilizing the free Wide Area Augmentation System (WAAS) signal.

GNSS serial port information (NMEA) is available through a StarFire 3000.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

1835 Less StarFire 3000 Receiver In Base Price

Tractor includes deluxe receiver mounting bracket only.

When installing a StarFire Receiver with Original Shroud, order conversion bracket through parts or a Deluxe Shroud through AMS Attachments to retrofit an iTC Receiver.

StarFire 3000 Receiver - SF1 with Deluxe Shroud 1837

3,195.00

Tractor includes deluxe receiver mounting bracket only.

StarFire 3000 Receiver shipped inside the cab. Includes Receiver Operator's Manuals with the language translation to match the Tractor Operator's Manual language translation. Warranty on StarFire 3000 Receiver will be handled by AMS and will carry normal AMS warranty terms.

Ready for use with the StarFire SF1 or WAAS/EGNOS differential correction signal for non-row-crop accuracy. StarFire 3000 receiver can be upgraded to SF2 capabilities.

StarFire 3000 Receiver - SF2 Ready with Deluxe Shroud 1838

5,445.00

Tractor includes deluxe receiver mounting bracket only.

StarFire 3000 Receiver shipped inside the cab. Includes Receiver Operator's Manuals with the language translation to match the Tractor Operator's Manual language translation. Warranty on StarFire 3000 Receiver will be handled by AMS and will carry normal AMS warranty terms.

A StarFire 3000 SF2 Ready Receiver requires an SF2 subscription to obtain SF2 accuracy (+/-2" of accuracy pass to pass within 15 minutes, 95% of the time). The SF2 subscription is available at www.StellarSupport.com.

#### AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONS

Other activations sold separately and are available through the AMS prices pages. GS2 activations are not compatible with the GS3 CommandCenter or GreenStar 3 2630 Display. Purchase of a new GS3 activation or upgrading the GS2 activations is required.

When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display. All GreenStar applications must be run on the additional standalone GreenStar Display. See Online Configurator and Ag Sales Manual for more information.

Dealer/Distributor required to contact www.StellarSupport.com to activate AMS Software

## 8335RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	- DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONSContinued Activations, referencing the Tractor COMAR order number. Dealer/Distributor required to	.,
		fully test AutoTrac and/or iTEC Pro functionality. Warranty on Activations will be handled by AMS and will carry normal AMS warranty terms.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1845		Less AutoTrac Activation - GS3	In Base Price
1846		AutoTrac SF1 Activation - GS3 Requires factory installed StarFire 3000 SF1 Receiver (Code 1837) for AutoTrac functionality. See Ag Sales Manual and AMS Price Pages for detailed information.	3,000.00
1847		AutoTrac SF2 Activation - GS3 Requires factory installed StarFire 3000 SF2 Receiver (Code 1838) for AutoTrac functionality. Also requires SF2 Subscription for SF2 functionality. Purchase separately at www.StellarSupport.com. For RTK usage, purchase RTK radio, activation, and base station sold separately. See Ag Sales Manual and AMS Price Pages for detailed information.	5,250.00
1848		AutoTrac SF1 Activation - GS3 with iTEC Pro Activation - GS3 Requires factory installed StarFire 3000 SF1 Receiver (Code 1837) and GreenStar 3 2630 Display (Code 1825 or 1826). This option requires all GreenStar applications to be run on the GreenStar 3 2630 Display.  See Ag Sales Manual and AMS Price Pages for detailed information.	5,500.00
1849		AutoTrac SF2 Activation - GS3 with iTEC Pro Activation - GS3 Requires factory installed StarFire 3000 SF2 Receiver (Code 1838) and GreenStar 3 2630 Display (Code 1825 or 1826). This option requires all GreenStar applications to be run on the GreenStar 3 2630 Display. Also requires SF2 Subscription for SF2 functionality. Purchase separately at www.StellarSupport.com. For RTK usage, purchase RTK radio, activation, and base station sold separately. See Ag Sales Manual and AMS Price Pages for detailed information.	7,750.00
		MACHINE CONNECTIVITY	
		Machine connectivity functions require cellular coverage. Usage of the JDLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract, which describes John Deere's access and use of the data collected by the system.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1885		JDLink Capable Includes cab wiring harness only. Requires field kit installation, activation, and subscription for JDLink functionality.	Same Price
1886		JDLink Select Includes JDLink hardware: Integrated Cab Wiring Harness, Antenna, Modular Telematics Gateway (MTG) with Service ADVISOR Remote capability, and JDLink Select activation. Requires purchase of JDLink Select subscription sold separately. Features: Machine Hours, Machine Location, Curfew Alert, Geofence Alert, and maintenance profile. JDLink customer account must be created to access JDLink Select data. Upgrade to JDLink Ultimate requires purchase of JDLink Ultimate activation and JDLink	1,000.00
1889		Ultimate subscription (no hardware changes required).  JDLink Ultimate	2,400.00

## 8335RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		MACHINE CONNECTIVITYContinued Includes JDLink hardware: Integrated Cab Wiring Harness, Antenna, Modular Telematics Gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation. Requires purchase of JDLink Ultimate subscription sold separately. In addition to JDLink Select features: Machine Utilization Information, Machine Reports, Machine Diagnostics. JDLink customer account must be created to access JDLink Ultimate data.	
1887		JDLink Ultimate Promotion - 1 Year Subscription Included Includes JDLink hardware: Integrated Cab Wiring Harness, Antenna, Modular Telematics Gateway (MTG) with Service ADVISOR Remote capability, JDLink Ultimate activation, and 1 year subscription to JDLink Ultimate service. In addition to JDLink Select features: Machine Utilization Information, Machine Reports, Machine Diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after first year of service for continued functionality.	No Charge
1888		JDLink Ultimate Promotion - 3 Year Subscription Included 3 year subscription includes: 1 year promotion plus 2 additional years of JDLink Ultimate data and Service ADVISOR Remote Capability.  Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and 3 year subscription to JDLink Ultimate service. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after third year of service for continued functionality.	1,200.00
1490		TRANSMISSION  16F/4R Speed Automatic PowerShift Transmission 24.5 mph (40 km/h)	In Base Price
1550		Infinitely Variable Transmission 24.5 mph (40 km/h) with Right Hand Reverse Control	12,083.00
7200		Standard Lighting Six Front Grill Mounted Lights: Two 65W low beam driving lights, two 65W high beam driving lights and two front corner facing halogen work lights. Ten Cab Roof Mounted Lights: Two rear and four side facing 65W flood lights and four corner facing amber lights. Two rear fender mounted flood lights and two rear turn signal and brake lights. Two folding extremity lights.	In Base Price
7201		Deluxe Lighting Includes Standard Lights plus two adjustable front roof 65W halogen floodlights, two front belt line work lights, and rotary beacon light.	789.00
7202		Premium HID Lighting Includes Deluxe Lighting, and additionally in the Front Grill Screen, two front corner HID lights replace two front halogen lights and one HID light and one 65W halogen flood light are added. Two rear fender lights are replaced with HID lights.	3,442.00
		RADIO	
2650		Less Radio and Speakers Includes wiring harness only for radio and speakers.	In Base Price
2660		Deluxe Radio Package	670.00

## 8335RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		RADIOContinued  AM/FM Stereo with Clock, Weatherband, Remote Controls, Auxiliary Input Jack located on front of Radio, Four Speakers and External Antenna.	
2661		Premium Radio Package with XM Radio For U.S. and Canada Markets only.  AM/FM Stereo with Premium Tuner, Clock, Weatherband, Compact Disc Player, Remote Controls, USB port on front of radio face, Auxiliary Input Jacks located in right hand storage console and on radio face, BlueTooth capable including microphone,Integrated BlueTooth Phone Book connection through CommandCenter,XM Satellite capable including Satellite Antenna (Subscription Required), Four Speakers, Subwoofer, and External Antenna. Volume, Speed Compensation, bass, and treble radio functions can be viewed and configured on the CommandCenter Display.	1,015.00
2662		Premium Radio Package For Non U.S. and Canada Markets only: AM/FM Stereo with Premium Tuner, Clock, Compact Disc Player, Remote Controls, Auxiliary Input Jack located in right hand storage console and on radio, BlueTooth capable including microphone, Integrated BlueTooth Phone Book connection through CommandCenter, Four Speakers, Subwoofer, and External Antenna.	912.00
		REMOTE SELECTIVE CONTROL VALVES	
3331		Three Remote Selective Control Valves with Push/Pull Breakaway Couplers and High Pressure Relief Levers  Requires Code 4000 Less 3-Point Hitch.	-1,820.00
3341		Four Remote Selective Control Valves with Push/Pull Breakaway Couplers and High Pressure Relief Levers	In Base Price
3351		Five Remote Selective Control Valves with Push/Pull Breakaway Couplers and High Pressure Relief Levers	1,876.00
3361		Six Remote Selective Control Valves with Push/Pull Breakaway Couplers and High Pressure Relief Levers Includes Auxiliary CommandArm Mounted SCV Controls. Only available on Model Year 2012 Tractors.	3,753.00
		REAR HITCH	
		Advertised Hitch Lift Capacity is the amount of force that is sustained through the entire range of lift, measured at 610 mm behind the hitch point. This is measured with the rear hitch centerlink connected to the upper hole. See Operators Manual for more information.	
		Maximum Lift Capacity is noted as well. This is the maximum force achieved during lift, directly at the hitch point.	
4000		Less 3-Point Hitch Requires Code 3331 Three Remote Selective Control Valves. Four and Five Remote Selective Control Valves - order field installed kits RE301321 (4 SCV's) or RE301501 (5 SCV's).	-5,922.00
4048		9702 kg (20,000 Lbs.) Capacity 3-Point Hitch (Cat 4N/3) with Sway Block and Cat 4N/3 Implement Quick Coupler 12,762 kg (28,136 lb) maximum lift capacity.	In Base Price
4038		6803 kg (15,000 Lbs.) Capacity Hitch (Cat. 4N/3) Capacity 3-Point Hitch (Cat 4N/3) with Sway Block and Cat 4N/3 Implement Quick Coupler 9572 kg (21,102 lb) Maximum Lift Capacity.  Only available on Model Year 2012 Tractors.	-1,317.00

## 8335RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DRAWBAR	
4321		Category 4 Adjustable Swinging Drawbar with Clevis and 50 mm (2.0 ln.) Pin 2245 kg (4,950 Lb.) maximum vertical load.	In Base Price
4322		Category 4 Adjustable Swinging Drawbar with Clevis and 50 mm (2.0 ln.) Pin with Heavy Duty Support 4990 kg (11,000 Lb.) maximum vertical load.	556.00
		HYDRAULIC PUMP	
3240		63 cc Displacement Hydraulic Pump 166.6 lpm (44 gpm)	In Base Price
3260		85 cc Displacement Hydraulic Pump 227.1 lpm (60 gpm)	1,266.00
		TRACKS	
6800		400 mm (16 ln.) Width, 172 mm (6.8 ln.) Pitch Camoplast DURABUILT 3500 Tracks Narrow 381 mm (15 ln.) Midrollers.	-3,417.00
6801		400 mm (16 ln.) Width, 172 mm (6.8 ln.) Pitch Camoplast DURABUILT 5500 Tracks Narrow 381 mm (15 ln.) Midrollers.	533.00
6802		450 mm (18 ln.) Width, 170 mm (6.7 ln.) Pitch Camoplast DURABUILT 3500 Tracks Narrow 381 mm (15 ln.) Midrollers.	-3,417.00
6803		450 mm (18 In.) Width, 170 mm (6.7 In.) Pitch Camoplast DURABUILT 5500 Tracks Narrow 381 mm (15 In.) Midrollers.	1,264.00
6804		600 mm (24 ln.) Width, 185 mm (7.3 ln.) Pitch Camoplast DURABUILT 3500 Tracks Narrow 381 mm (15 ln.) Midrollers.	-1,917.00
6805		625 mm (25 In.) Width, 185 mm (7.3 In.) Pitch Camoplast DURABUILT 3500 Tracks Wide 600 mm (24 In.) Midrollers.  Code 8680 Wide Drive Wheel Option is highly recommended for increased track performance and track belt life with 625 mm (25 In.) or larger tracks.	In Base Price
6806		625 mm (25 In.) Width, 185 mm (7.3 In.) Pitch Camoplast DURABUILT 5500 Tracks Wide 600 mm (24 In.) Midrollers.  Code 8680 Wide Drive Wheel Option is highly recommended for increased track performance and track belt life with 625 mm (25 In.) or larger tracks.	3,602.00
6807		760 mm (30 ln.)Width, 185 mm (7.3 ln.) Pitch Camoplast DURABUILT 3500 Tracks Wide 600 mm (24 In.) Midrollers.  Code 8680 Wide Drive Wheel Option is highly recommended for increased track performance and track belt life with 625 mm (25 In.) or larger tracks.	8,698.00
6808		760 mm (30 In.) Width, 185 mm (7.3 In.) Pitch Camoplast DURABUILT 5500 Tracks Wide 600 mm (24 In.) Midrollers.  Code 8680 Wide Drive Wheel Option is highly recommended for increased track performance and track belt life with 625 mm (25 In.) or larger tracks.	9,440.00
		TRACK SPACING	
6840		1828 mm (72 In.) Spacing Capable of 1828 mm (72 In) to 3048 mm (120 In.) track spacing. Requires 400, 450, 600, or 625 mm (16, 18, 24, or 25 In.) Width Track Belts.	In Base Price
6841		1930 mm (76 ln.) Spacing Capable of 1828 mm (72 ln) to 3048 mm (120 ln.) track spacing.	Same Price

## 8335RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		TRACK SPACINGContinued Requires overwidth permit for 760 mm (30 In.) Width Track Belts.	
6842		2032 mm (80 ln.) Spacing Capable of 1828 mm (72 ln) to 3048 mm (120 ln.) track spacing. Requires overwidth permit with 625 and 760 mm (25 and 30 ln.) Width Track Belts.	Same Price
6843		2235 mm (88 In.) Spacing Capable of 1828 mm (72 In) to 3048 mm (120 In.) track spacing. Requires overwidth permit.	Same Price
6844		Dealer Installed Wide Spacing Kit 4064 mm (160 In.)  Not required for tread spacing of 3048 mm (120 In.) or less.	13,578.00
		To achieve track spacing of up to 4064 mm (160 In.).  Capable of 2844 to 4064 mm (112 to 160 In.) track spacing.  Tractor will be shipped in 2032 mm (80 In.) configuration due to shipping width limitations with dealer installed kit to expand to 2844 to 4064 mm (112 to 160 In.) spacing.  Includes Extremity Warning Lights extension.  Axle width changes to 4400 mm (173.3 In.) with kit installed.  Durabelt 5500 Tracks highly recommended with 4064 mm (160 In.) spacing kit.	
		OPERATOR'S MANUAL AND LABELS	
0409		English Operator's Manual and Text Labels For Canada, Mexico and United States markets only. Includes base equipment CommandCenter languages of English, Italian, Spanish, Portuguese, German, Dutch, French, Swedish, Hungarian, Danish, Polish.	In Base Price
0437		Spanish Operator's Manual Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels. Includes base equipment CommandCenter languages of English, Italian, Spanish, Portuguese, German, Dutch, French, Swedish, Hungarian, Danish, Polish.	Same Price
0413		French Operator's Manual and Translated Text Labels For Canada, Mexico and United States markets only. Includes base equipment CommandCenter languages of English, Italian, Spanish, Portuguese, German, Dutch, French, Swedish, Hungarian, Danish, Polish.	Same Price
0426		Mandarin (Chinese)	Same Price
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8242		Operator Station and Electrical: Radar with Dual Beam Sensor	887.00
8210		Leather Trim Includes heated leather seat, leather instructional seat, leather wrapped steering wheel, and rear window decal.	1,623.00
8229		Outside Mirrors, Electrically Adjustable RH and LH Requires Deluxe Cab Code 2059. In lieu of Right and Left Hand Outside Mirrors (Manual Adjust).	957.00
8251		Antenna Mount and Wiring for Business Band Radio	127.00
8725		Rotary Beacon Light Requires Code 7200.	336.00

## 8335RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued	
832G		Hydraulics: Auxiliary Hydraulic Connections Includes (2) motor return couplers, (1) flat face sump coupler, (1) power beyond pressure coupler and (1) load sense coupler. Suitable for use with most planting and seeding equipment.	840.00
8680		Chassis: Wide Drive Wheel Option Optional for 625 mm (25 In.) or Wider Belt Width Selections. Strongly recommended for maximum performance and track belt life. 610 mm (24 In.) Drive Wheel width in lieu of 381 mm (15 In.) Drive Wheel.	2,303.00
8220		Engine: Intelligent Power Management Provides up to an additional 35 engine hp for non-stationary rear PTO and transport applications (transport speeds above 15 km/h (9.3 mph)). See Ag Sales Manual for ground speed specification.	3,254.00
8300		Cold Weather Start Kit Factory Installation of Switch and Ether Aid Canister and 110V Block Heater.	136.00
8306		Fuel/Water Separator, Severe Duty In addition to water separator in base equipment.	556.00
8336		John Deere PowerTech PSX 9.0 L (549 cu. In.) 6 Cyl IT4 / Stage 3b Compliant Diesel Engine	Same Price
8334		John Deere PowerTech 9.0 L (549 cu. In.) 6 Cyl Stage 2 Compliant Diesel Engine Only available on Model Year 2012 Tractors.  Not available with the 8360RT.	-11,688.00
8955		Weights: Weight, Front Support - Less Weights Support Weighs 180 kg (390 Lb.).	501.00
8956		Weight, Front Support with Four Suitcase Weights	1,036.00
8957		Weight, Front Support with Eight Suitcase Weights	1,571.00
8958		Weight, Front Support with Twelve Suitcase Weights	2,106.00
8959		Weight, Front Support with Sixteen Suitcase Weights	2,641.00
8960		Weight, Front Support with Twenty-Two Suitcase Weights	3,361.00
8961		Weight, Ten Suitcase Weights on Rear Side of Front Support (Five per Side)  Use with Code 8960.	1,296.90
8985		Front Idler Starter Weight Package Front Idler Starter Weight Package includes: 4 - R311921 Starter Weights 36 Kg (80 Lb.). Total Package Weight 146 Kg (323 Lb.).	1,170.40

## 8335RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIRED	
9076		Gold Key Tours: Gold Key Experience Not compatible with Code 9075. This personal guided tour provides you with the unique opportunity to watch a similar machine to the one you are purchasing during its final stages of manufacturing. This tour will be scheduled in advance and can occur at your convenience during a 60 day window (30 days prior to or 30 days after your machine's expected warehouse date). For more information, visit www.deere.com/goldkey.	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
	RE58827	Electrical: 9-Pin Connector Implement Feedback Required for Electrohydraulic Implement Depth Control (EHDC).	See Parts
	RE324456	Battery Disconnect Switch, Tracks	See Parts
	RE322780	ISO Cab Implement CAN Bus Adapter	See Parts
	RE21519	Implement Switch with 10 Ft. Harness	See Parts
	AR245330	Mounting Kit for Radar with Dual Beam Sensor Requires Dual Beam Radar (RE249206).	See Parts
	RE278980	Radar with Dual Beam Sensor Requires mounting kit AR245330.	See Parts
	RE325025	iTEC 3/4 Switch Requires software download. Reference Installation instructions for additional information.	See Parts
	RE323008	Engine: Cold Weather Starting Package	See Parts
	RE227949	Engine Block Heater (110V)	See Parts
	RE524692	Engine Block Heater (220V)	See Parts
	RE339802	Fuel Filter Secondary In addition to water separator in base equipment.	See Parts
	RE339805	Fuel Filter Secondary, Stage 2	See Parts
	R177682	Hitch and Drawbar: Center Link Bracket Retains the center link when not in use.	See Parts
	AR211154	Drawbar Heavy Duty Support for use with Cat. 4 Drawbar (11,000 Lb. Vertical Load Capacity) Requires Cat. 4 Drawbar. Increases vertical load capacity to 11,000 Lb. (4990 kg.). Cat. 4 Drawbar is not compatible with PTO Codes 2418 or 2420 or with field installed 1-3/8 540 rpm PTO.	See Parts

## 8335RT Tractor

Continued

	ATTAQUMENT		SUGGESTED
CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	LIST PRICE USD (\$)
	AR211153	ATTACHMENTS FOR FIELD CONVERSIONContinued  Drawbar, Cat. 4 with 2 In. Pin and Heavy Duty Support (11,000 Lb. Vertical Load Capacity)  Cat. 4 Drawbar is not compatible with PTO Codes 3820 or 3821 or with field installed 1-3/8 540 rpm PTO.	See Parts
	AR216079	Rear Hitch Quik-Coupler (Convertible Cat. 4N/3)	See Parts
	RE327558	Hydraulics: 4th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R301759) Software download to activate function - See Parts. Compatible with 8R above SN 053100 and 8RT above SN 907100.	See Parts
	RE343865	4th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R301759) Software download to activate function - See Parts. Compatible with 8R before SN 053101, 8RT before SN 907101.	See Parts
	RE327559	5th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R301760) Software download to activate function - See Parts. Compatible with 8R above SN 053100 and 8RT above SN 907100.	See Parts
	RE343866	5th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R301760) Software download to activate function - See Parts. Compatible with 8R before SN 053101, 8RT before SN 907101.	See Parts
	RE327560	6th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers  For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation.  Requires (R334695) Software download to activate function - See Parts.  Compatible with 8R above SN 053100 and 8RT above SN 907100.	See Parts
	RE222721	Auxiliary Sump Coupler Kit (Flush Face Coupler Style) Required to connect Tractor sump to case drains on Seeding Equipment.	See Parts
	RE290999	Hitch Auxiliary Raise Kit	See Parts
	RE344103	Hydraulic Motor Return Coupler Kit, Tracks	See Parts
	AR114664	Hydraulic Motor Return, Multiple/Auxiliary Hitch Coupler/ Sump Return Kit For use with Hydraulic Motor Returns, Hitch Valve with Lift Assist Wheels or Motor Drains/Sump Returns or grapple valve.	See Parts
	RE323507	Hydraulic Trailer Brake Kit	See Parts
	RE325287	Hydraulic Trailer Brake Kit, Tracks	See Parts

## 8335RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE221284	ATTACHMENTS FOR FIELD CONVERSIONContinued Low Stand-By Pressure Control Kit Prevents main pump activation during engine start up in certain hydraulic configurations using power beyond.	See Parts
	RE301658	Power Beyond Coupler Kit	See Parts
	RE344102	Power Beyond Coupler Kit, Tracks	See Parts
	RE308937	<b>Lighting:</b> Auxiliary Driving / Loader Light Kit Includes headlights, wiring harness, brackets and mounting hardware.	See Parts
	RE269641	Lights, Field Vision Xenon HID Rear Fender Light Requires (2) for conversion.	See Parts
	RE298933	Lights, Two Roof-Mounted 65W Halogen Front Flood Lights	See Parts
	RE325694	Rotary Beacon Light Kit	See Parts
		Miscellaneous:	
	RE164261	Track Tension Hose Kit	See Parts
	AR273271	Wide Track Conversion Kit Allows 112 In. to 160 In. tread spacing.	See Parts
	RE67015	Operator Environment: 3-Way Convenience Adapter for Power Strip	See Parts
	RE317435	Accessory Mounting Bracket Provides mounting location for additional monitors.	See Parts
	RE269615	Antenna Mount and Wiring for Business Band Radio	See Parts
	RE275532	Ash Tray Fits in existing cup holder.	See Parts
	RE67014	Cigar-Style Adapter for Power Strip	See Parts
	RE323406	External Mirrors, Electrically Adjustable RH and LH Conversion Kit For converting dual manual external mirrors to dual electric mirrors. Will use existing mounting brackets and telescoping arms.	See Parts
	RE68495	Power Strip with Six Outlets	See Parts
	RE328345	Radio, Deere/Delco AM/FM Stereo with Clock, Weatherband, Four Speakers and Antenna	See Parts
	RE298965	Radio, Sub Woofer Kit Includes sub woofer, rear upholstery, and grille screen.	See Parts
	RE298942	Seat Belt Kit	See Parts
	RE67013	Standard Connector with 1m (3-Foot) Cable for Power Strip	See Parts

## 8335RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE261504	ATTACHMENTS FOR FIELD CONVERSIONContinued Sun Shade, Front Pull Down	See Parts
	RE324993	Touchscreen GS3 CommandCenter 7" Color Display, Video Capable	See Parts
	RE337750	Windshield Wiper with Washer, Rear	See Parts
	RE331560	SCV Parts: Paddle Pot Pod, Common Parts Only compatible on Tractors with CommandARM. Order single paddle potentiometer separately. See instructions RE331562 for more information. Compatible on 8R above SN 053100 and 8RT above SN 907100.	See Parts
	RE331559	Single Paddle Potentiometer  Order decals and levers separately.  See instructions RE331561 for more information.	See Parts
	RE298885	Software Downloads: Intelligent Power Management Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305729	Language Group for CommandCenter - English, Croatian, Serbian, Slovenian, German Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305727	Language Group for CommandCenter - English, Danish, Swedish, Finish, Norwegian Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305726	Language Group for CommandCenter - English, Estonian, Latvian, Lithuanian, Polish, Russian Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305725	Language Group for CommandCenter - English, French, Dutch, Icelandic, German Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305730	Language Group for CommandCenter - English, Greek, Turkish Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE308728	Language Group for CommandCenter - English, Hungarian, Czech, Slovak, Romanian, Bulgarian Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts

### 8335RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE305731	ATTACHMENTS FOR FIELD CONVERSIONContinued Language Group for CommandCenter - English, Italian, Spanish, Portuguese, German, Dutch, French, Swedish, Hungarian, Danish, Polish Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE224298	<b>Transmission:</b> Transmission Backup Alarm Requires R298895 Bracket and (2) 19M7788 Cap Screws for installation. See Parts.	See Parts
	RE323009	Transmission Hydraulic Oil Heater (110 Volts)	See Parts
	RE323010	Transmission Hydraulic Oil Heater (220 Volts)	See Parts
	AL71345	Vandal Protection: Door Locks - Custom Key	See Parts
	R311921	Weights: Weight, Front Idler Starter - 79 lbs. (36 kg) Order attaching hardware through Parts (6) 19M8288 Cap Screws and (6) 24M7243 Washers, one set per each weight.	See Parts
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One	See Parts
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	See Parts
	R242154	Weight, Front Support, 390 Lb. (180 kg) Requires (6) 19M9141 Cap Screws and (6) 24M7242 Washers for installation - See Parts. Holds up to 22 Quick-Tatch Weights.	See Parts

# 8335RT Tractor Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

### 8360RT Tractor

### **Equipment for Base Machine**

ENGINE:	MFWD
John Deere PowerTech Diesel	Differential Lock
In-line 6-Cylinder Wet-Sleeve	Rear PTO Speed
with High Pressure Common Rail (HPCR)	Command Center Display Includes:
Fuel System and 24 Valve Head	GreenStar 3 Application Capability
9.0 L (549 Cu. In.) Displacement	Video Capability, with Tractor Function
360 Engine hp (265 kW) 97/68/EC @ Rated Speed	Activated Triggers
295 SAE PTO hp (220 kW) @ Rated Speed	AutoTrac and Swath Control Pro
Air to Air Intercooled	Activation Required
Automatic Shutdown System	Access Manager
Dry Type Air Cleaner with Safety Element	Universal Performance Monitor
and Dirt Aspiration System	Display Functions Definable by Operator:
Tilt Hood Enclosure	% Slip
Right Hand Exhaust Extension and Stack	Ground Speed
VariCool Fan Drive System Electric Fuel Shutoff	PTO Speed Engine Hours
Engine Coolant Conditioner Additive	Hydraulic Settings
Engine Coolant Recovery System	Hitch Settings
Dual Stage Fuel Filtration System with	Hitch Slip Command
Fuel Water Separator with Sensor	Productivity
Self-Priming and Bleeding Electronic	Efficiency
Fuel Pump	Area
758 L (200 U.S. Gal) Fuel Tank Capacity	Adjustable PTO Modulation
with Lockable Fuel Cap	Implement Width
Top-loading Vertical Engine Oil Filter	Service Hours
Electronic Injection and Governor Control	Voltage
Field Cruise Control	Fuel Consumption Rate
TRANSMISSION:	Temperatures
Infinitely Variable with Right Hand Controls	Time of Day
2 Control Ranges Forward/One Reverse	Ambient Temperature
Electronically-Engaged	Command Control System with:
Traction Clutch	Set and Adjust Time and Flow of
AutoClutch	Individual Selective Control Valves
Power Zero	iTEC End of Row Functions
Electrohydraulic Engaged Park Brake	Languages:
Neutral Safety Start System	For a complete list of languages,
STEERING AND BRAKES:	refer to the Ag Sales Manual
Electronic Speed Sensing Steering	OPERATOR PROTECTIVE STRUCTURE:
Wet-Disk Hydraulic Power Brakes	Deluxe CommandView II Cab
HYDRAULICS:	Tilt/Telescoping Memory Steering Wheel
Pressure Flow Compensating Axial	Comfort Command Seat with
Piston Pump	Air Suspension, Swivel
63 cc Displacement Pump 166.6 lpm (44 gpm)	Fore-Aft Lateral Attenuation,
Pump Output	Lumbar Support,
132 lpm (35 gpm) Flow @ One SCV Four Electrohydraulic Remote Selective	Backrest Adjustment with Integrated CommandARM Controls
Control Valves with Push/Pull	Adjustable Position CommandARM with
ISO Breakaway Couplers and	Integrated CommandCenter Display
High Pressure Release Levers	Swing-Out Rear Window (30 Degrees)
PTO:	Tinted Glass
Independent 1000 RPM, 45 mm (1-3/4 In.)	Air Conditioner and Heater
Neutral Start System	Two Speed Intermittent Front Wiper
Seat-Activated PTO Warning	and Rear Wiper
ROCKSHAFT, HITCH AND DRAWBAR:	Front and Rear Windshield Washer
Electrohydraulic Hitch with Transport	Pull Down Front Sun Visor
Lock and External Remote Control Switch	Rear Under Seat Storage
Dual Cylinder Rear Hitch,	Folding Instructional Seat
8754 kg (15,200 Lbs.) Advertised Lift Capacity	Left Hand Storage
12,610 kg (27,801 lb) Maximum Lift Capacity	Two Beverage Holders
3-Point (Cat. 4N/3) Hitch with	Less Radio and Speakers
Convertible Quik-Coupler	Includes wiring harness
Adjustable Swinging Drawbar	for radio and speakers
Cat. 4 Drawbar with Clevis and	Inside Cab Mounted Rear View Mirror
50 mm (2 In.) Pin	Passive Noise Reduction System
Secondary Implement Chain Support	Window Break
Sway Blocks with Tapered Wedge Adjustment	GreenStar Ready Wiring Harness
Hitch Dampening	with Implement Connector
Center Link Adjustment Handle	Integrated Plug-In Connectors
INSTRUMENTATION:	for GreenStar Display
Corner Post Digital Instrument Panel Includes:	Backlit Right Hand Console Controls
	with Adjustable Brightness ELECTRICAL:
Engine Oil Pressure Gauge Engine Coolant Temperature Gauge	Key Engine Shutoff
Fuel Level Gauge with	12V* Electrical System
Low Fuel Warning Signal	Two 925 CCA** 12V Batteries
Engine RPM Indicator	Two 12V Electrical Convenience Outlet
Status Indicator for:	Two 12V Electrical 3-Pin Outlet

#### 8360RT Tractor

#### Continued

with Adapter Battery Boost Terminal 200 Amp Alternator SmartCircuit Current Load Monitoring System with Fuse Panel 7-Terminal Rear Implement Electrical Outlet Socket (ASAE) GreenStar Ready Harness with Implement Circuit Gateway and Integrated GreenStar Display Plug-In Connector (ISO 11783 Compatible) Integrated ISO Radar Connector Implement Connector StarFire ITC or Radar Speed Input Harness Service ADVISOR Data Port LIGHTS: Six Front Grill Mounted Lights Ten Cab Roof Mounted Lights Two Rear Fender Flood Lights Extremity, Brake, Turning, and Hazard Lights Programmable Egress Lighting

TRACKS: Two 625 mm (25 In.) Width, 185 mm (7.3 In.) Pitch Camplast DURABUILT 3500 Tracks 1828 mm (72 In.) Track Spacing 1828-3048 mm (72-120 In.) Adjustability 3400 mm In. (138.9) Axle WidthOperator's Manual MISCELLANEOUS: AutoTrac Ready Components SMV Emblem Horn PTO Master Shield Tool Box Operator's Manual \*Manufacturer's Rating \*\*Cold Cranking Amperes

**ATTACHMENT** CODE DESCRIPTION **IDENTIFIER** 

**SUGGESTED** LIST PRICE USD (\$)

Same Price

#### Select One Code From Each Required Category

#### **BASE MACHINE**

EX-WORKS Waterloo, Iowa

7580RW 8360RT Tractor 330.159.00

#### DESTINATION

A Code must be chosen for each Tractor ordered.

**ASIA** 0078 Israel

Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter,

Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885

JDLink Capable.

Requires Code 8336 Stage IT4/3b Compliant Engine.

Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab.

Code 7200 Standard Lighting.

**NORTH AMERICA** 0184

1,209.00 Canada

Requires Code 1887 JDLink Ultimate Promotion 1 Year Subscription or Code 1888 JDLink

Ultimate Promotion 3 Year Subscription.

Requires Code 8336 Stage IT4 / 3b Compliant Engine.

Country Specific Base Equipment Includes:

Code 2059 Deluxe CommandView II Cab.

Code 7200 Standard Lighting.

### 8360RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0202		DESTINATIONContinued United States Requires Code 1887 JDLink Ultimate Promotion 1 Year Subscription or Code 1888 JDLink Ultimate Promotion 3 Year Subscription. Requires Code 8336 Stage IT4 / 3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting.	1,209.00
		VALUE PACKAGE CONFIGURATION	
0500		No Package Order one Code from each box in the Price Pages.	In Base Price
0507		iPackage Includes Codes: 2059, 1826, 1837 or 1838, 1848 or 1849, 1887 or 1889 or 1888 or 1884, 7202, 2661 or 2662, 3341 or 3351 or 3361, 4048, 4322, 3260, and 8251. Available in the U.S., Canada, Australia, and New Zealand only.	-500.00
		OPERATOR STATION	
2050		CommandView II Cab Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest controls with Integrated CommandCenter Display. Folding Instructional Seat. Remote Radio Controls located on CommandARM. Front Windshield Washer and Wiper. SMV Emblem. Manual Temperature Controls located in cab roof. See Attachments Section for ordering information on additional field attachments.	-1,980.00
2059		Deluxe CommandView II Cab Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls located on CommandARM. Front and Rear Windshield Washer and Wiper. SMV Emblem. Automatic Temperature Control with controls located on CommandARM. Front Pull Down Sun Shade. Right and Left Outside Mirrors (Manual Adjustment). Power Strip with Convenience Plug Adapter. Programmable Egress Lighting. Folding Instructional Seat. See Attachments Section for ordering information on additional field attachments.	In Base Price
		DISPLAY  When using the GS3 CommandCenter as the only GreenStar display GS3 CommandCenter is	

When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display, ALL GreenStar applications must be run on the additional GreenStar Display. See Online Configurator and Ag Sales Manual for more information.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

1821 GS3 CommandCenter, 7" Color Display

Includes Access Manager user lockout software.

In Base Price

#### 8360RT Tractor

Continued

SUGGESTED LIST PRICE USD (\$)		ATTACHMENTIDENTIFIER	CODE
	<b>DISPLAY</b> Continued  With a Starfire Receiver installed, the display is capable of operating manual guidance.  AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately.		
	Does not include a cornerpost bracket for mounting an additional GreenStar Display.		
1,260.00	Touchscreen GS3 CommandCenter 7" Color Display, Video Capable Includes Access Manager user lockout software, and video capability. With a Starfire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately.  One video camera input pre-wired in the cab. Connector located on the outside rear of the cab. Video software can be configured in the CommandCenter using Tractor function activated triggers. See Parts for available cameras.		1823
	Does not include a cornerpost bracket for mounting an additional GreenStar Display.		
6,086.00	GS3 CommandCenter 7" Color Display with GreenStar 3 2630 Display Includes Access Manager user lockout software. Includes GreenStar 3 2630 Display, harness, and A-post mounting bracket installed on cornerpost.		1825
	Includes GreenStar 3 2630 Display Operator's manual with the language translation to match the Tractor Operator's manual language translation.		
	When a GreenStar 3 2630 Display is connected at the cornerpost, all GreenStar applications must be run on the GreenStar 3 2630 display. Warranty on GreenStar 3 2630 Display will be handled by AMS and will carry normal AMS warranty terms.		
7,351.00	Touchscreen GS3 CommandCenter 7" Color Display, Video Capable with GreenStar 3 2630 Display Includes Access Manager user lockout software, and video capability. Includes GreenStar 3 2630 Display, harness, and A-post mounting bracket installed on cornerpost.		1826
	Includes GreenStar 3 2630 Display Operator's manual with the language translation to match the Tractor Operator's manual language translation.		
	The GS3 CommandCenter is pre-wired with one video input in the cab. Connector located on the outside rear of cab. Video software can be configured in the CommandCenter using Tractor function activated triggers. In addition, the GreenStar 3 2630 Display has the capability of one video input. Requires camera and harnessing for video capabilities. See Attachments for harnessing at GreenStar Harnesses in the AMS Price Pages and Ag Sales Manual for list of compatible cameras.		
	When a GreenStar 3 2630 Display is connected at the cornerpost, all GreenStar applications must be run on the GreenStar 3 2630 display. Warranty on GreenStar 3 2630 Display will be handled by AMS and will carry normal AMS warranty terms.		

#### **RECEIVER**

StarFire 3000 Position Receivers can be ordered in two configurations:

-SF1 World Solution, a no-charge differential correction signal that provides non-row-crop accuracy.

actualcy.
-SF2 Ready, a subscription-based differential correction signal that provides +/- 2 inch pass-to-pass accuracy. SF2 subscription can be purchased at www.StellarSupport.com.
-RTK capability may be added to an SF2 Ready StarFire 3000 by adding a StarFire RTK radio, RTK radio cover, and RTK activation. Must have complete base station and vehicle kit for RTK. See Ag Sales Manual for configurations. In addition, each StarFire 3000 Receiver is capable of utilizing the free Wide Area Augmentation System (WAAS) signal.

GNSS serial port information (NMEA) is available through a StarFire 3000.

#### 8360RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>RECEIVER</b> Continued  Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1835		Less StarFire 3000 Receiver Tractor includes deluxe receiver mounting bracket only.  When installing a StarFire Receiver with Original Shroud, order conversion bracket through	In Base Price
1837		StarFire 3000 Receiver - SF1 with Deluxe Shroud Tractor includes deluxe receiver mounting bracket only. StarFire 3000 Receiver shipped inside the cab. Includes Receiver Operator's Manuals with the language translation to match the Tractor Operator's Manual language translation.	3,195.00
		Warranty on StarFire 3000 Receiver will be handled by AMS and will carry normal AMS warranty terms.  Ready for use with the StarFire SF1 or WAAS/EGNOS differential correction signal for non-row-crop accuracy. StarFire 3000 receiver can be upgraded to SF2 capabilities.	
1838		StarFire 3000 Receiver - SF2 Ready with Deluxe Shroud Tractor includes deluxe receiver mounting bracket only. StarFire 3000 Receiver shipped inside the cab. Includes Receiver Operator's Manuals with the language translation to match the Tractor Operator's Manual language translation. Warranty on StarFire 3000 Receiver will be handled by AMS and will carry normal AMS warranty terms.	5,445.00
		A StarFire 3000 SF2 Ready Receiver requires an SF2 subscription to obtain SF2 accuracy (+/-2" of accuracy pass to pass within 15 minutes, 95% of the time). The SF2 subscription is available at www.StellarSupport.com.	
		AC MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONS	

#### AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONS

Other activations sold separately and are available through the AMS prices pages. GS2 activations are not compatible with the GS3 CommandCenter or GreenStar 3 2630 Display. Purchase of a new GS3 activation or upgrading the GS2 activations is required.

When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display. All GreenStar applications must be run on the additional standalone GreenStar Display. See Online Configurator and Ag Sales Manual for more information.

Dealer/Distributor required to contact www.StellarSupport.com to activate AMS Software Activations, referencing the Tractor COMAR order number. Dealer/Distributor required to fully test AutoTrac and/or iTEC Pro functionality. Warranty on Activations will be handled by AMS and will carry normal AMS warranty terms.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

Less AutoTrac Activation - GS3 1845 In Base Price AutoTrac SF1 Activation - GS3 3,000.00 1846 Requires factory installed StarFire 3000 SF1 Receiver (Code 1837) for AutoTrac functionality. See Ag Sales Manual and AMS Price Pages for detailed information. 1847 AutoTrac SF2 Activation - GS3 5,250.00 Requires factory installed StarFire 3000 SF2 Receiver (Code 1838) for AutoTrac functionality.

Also requires SF2 Subscription for SF2 functionality. Purchase separately at www.StellarSupport.com.

For RTK usage, purchase RTK radio, activation, and base station sold separately.

### 8360RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONSContinued  See Ag Sales Manual and AMS Price Pages for detailed information.	
1848		AutoTrac SF1 Activation - GS3 with iTEC Pro Activation - GS3 Requires factory installed StarFire 3000 SF1 Receiver (Code 1837) and GreenStar 3 2630 Display (Code 1825 or 1826). This option requires all GreenStar applications to be run on the GreenStar 3 2630 Display. See Ag Sales Manual and AMS Price Pages for detailed information.	5,500.00
1849		AutoTrac SF2 Activation - GS3 with iTEC Pro Activation - GS3 Requires factory installed StarFire 3000 SF2 Receiver (Code 1838) and GreenStar 3 2630 Display (Code 1825 or 1826). This option requires all GreenStar applications to be run on the GreenStar 3 2630 Display. Also requires SF2 Subscription for SF2 functionality. Purchase separately at www.StellarSupport.com. For RTK usage, purchase RTK radio, activation, and base station sold separately. See Ag Sales Manual and AMS Price Pages for detailed information.	7,750.00
		MACHINE CONNECTIVITY	
		Machine connectivity functions require cellular coverage.  Usage of the JDLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract, which describes John Deere's access and use of the data collected by the system.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1885		JDLink Capable Includes cab wiring harness only. Requires field kit installation, activation, and subscription for JDLink functionality.	Same Price
1886		JDLink Select Includes JDLink hardware: Integrated Cab Wiring Harness, Antenna, Modular Telematics Gateway (MTG) with Service ADVISOR Remote capability, and JDLink Select activation. Requires purchase of JDLink Select subscription sold separately. Features: Machine Hours, Machine Location, Curfew Alert, Geofence Alert, and maintenance profile. JDLink customer account must be created to access JDLink Select data. Upgrade to JDLink Ultimate requires purchase of JDLink Ultimate activation and JDLink Ultimate subscription (no hardware changes required).	1,000.00
1889		JDLink Ultimate Includes JDLink hardware: Integrated Cab Wiring Harness, Antenna, Modular Telematics Gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation. Requires purchase of JDLink Ultimate subscription sold separately. In addition to JDLink Select features: Machine Utilization Information, Machine Reports, Machine Diagnostics. JDLink customer account must be created to access JDLink Ultimate data.	2,400.00
1887		JDLink Ultimate Promotion - 1 Year Subscription Included Includes JDLink hardware: Integrated Cab Wiring Harness, Antenna, Modular Telematics Gateway (MTG) with Service ADVISOR Remote capability, JDLink Ultimate activation, and 1 year subscription to JDLink Ultimate service. In addition to JDLink Select features: Machine Utilization Information, Machine Reports, Machine Diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after first year of service for continued functionality.	No Charge
1888		JDLink Ultimate Promotion - 3 Year Subscription Included 3 year subscription includes: 1 year promotion plus 2 additional years of JDLink Ultimate	1,200.00

### 8360RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		MACHINE CONNECTIVITYContinued data and Service ADVISOR Remote Capability.	
		Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and 3 year subscription to JDLink Ultimate service.  In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics.  JDLink customer account must be created to access JDLink Ultimate data.  Annual subscription renewal required after third year of service for continued functionality.	
		TRANSMISSION	
1550		Infinitely Variable Transmission 24.5 mph (40 km/h) with Right Hand Reverse Control	In Base Price
		LIGHTS	
7200		Standard Lighting Six Front Grill Mounted Lights: Two 65W low beam driving lights, two 65W high beam driving lights and two front corner facing halogen work lights.  Ten Cab Roof Mounted Lights: Two rear and four side facing 65W flood lights and four corner facing amber lights.  Two rear fender mounted flood lights and two rear turn signal and brake lights.  Two folding extremity lights.	In Base Price
7201		Deluxe Lighting Includes Standard Lights plus two adjustable front roof 65W halogen floodlights, two front belt line work lights, and rotary beacon light.	789.00
7202		Premium HID Lighting Includes Deluxe Lighting, and additionally in the Front Grill Screen, two front corner HID lights replace two front halogen lights and one HID light and one 65W halogen flood light are added. Two rear fender lights are replaced with HID lights.	3,442.00
		RADIO	_
2650		Less Radio and Speakers Includes wiring harness only for radio and speakers.	In Base Price
2660		Deluxe Radio Package AM/FM Stereo with Clock, Weatherband, Remote Controls, Auxiliary Input Jack located on front of Radio, Four Speakers and External Antenna.	670.00
2661		Premium Radio Package with XM Radio For U.S. and Canada Markets only.  AM/FM Stereo with Premium Tuner, Clock, Weatherband, Compact Disc Player, Remote Controls, USB port on front of radio face, Auxiliary Input Jacks located in right hand storage console and on radio face, BlueTooth capable including microphone,Integrated BlueTooth Phone Book connection through CommandCenter,XM Satellite capable including Satellite Antenna (Subscription Required), Four Speakers, Subwoofer, and External Antenna.  Volume, Speed Compensation, bass, and treble radio functions can be viewed and configured on the CommandCenter Display.	1,015.00
2662		Premium Radio Package For Non U.S. and Canada Markets only: AM/FM Stereo with Premium Tuner, Clock, Compact Disc Player, Remote Controls, Auxiliary Input Jack located in right hand storage console and on radio, BlueTooth capable including microphone, Integrated BlueTooth Phone Book connection through CommandCenter, Four Speakers, Subwoofer, and External Antenna.	912.00

### 8360RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REMOTE SELECTIVE CONTROL VALVES	
3331		Three Remote Selective Control Valves with Push/Pull Breakaway Couplers and High Pressure Relief Levers  Requires Code 4000 Less 3-Point Hitch.	-1,820.00
3341		Four Remote Selective Control Valves with Push/Pull Breakaway Couplers and High Pressure Relief Levers	In Base Price
3351		Five Remote Selective Control Valves with Push/Pull Breakaway Couplers and High Pressure Relief Levers	1,876.00
3361		Six Remote Selective Control Valves with Push/Pull Breakaway Couplers and High Pressure Relief Levers Includes Auxiliary CommandArm Mounted SCV Controls.  Only available on Model Year 2012 Tractors.	3,753.00
		REAR HITCH	
		Advertised Hitch Lift Capacity is the amount of force that is sustained through the entire range of lift, measured at 610 mm behind the hitch point. This is measured with the rear hitch centerlink connected to the upper hole. See Operators Manual for more information.	
		Maximum Lift Capacity is noted as well. This is the maximum force achieved during lift, directly at the hitch point.	
4000		Less 3-Point Hitch Requires Code 3331 Three Remote Selective Control Valves. Four and Five Remote Selective Control Valves - order field installed kits RE301321 (4 SCV's) or RE301501 (5 SCV's).	-5,922.00
4048		9702 kg (20,000 Lbs.) Capacity 3-Point Hitch (Cat 4N/3) with Sway Block and Cat 4N/3 Implement Quick Coupler 12,762 kg (28,136 lb) maximum lift capacity.	In Base Price
4038		6803 kg (15,000 Lbs.) Capacity Hitch (Cat. 4N/3) Capacity 3-Point Hitch (Cat 4N/3) with Sway Block and Cat 4N/3 Implement Quick Coupler 9572 kg (21,102 lb) Maximum Lift Capacity. Only available on Model Year 2012 Tractors.	-1,317.00
		DRAWBAR	
4321		Category 4 Adjustable Swinging Drawbar with Clevis and 50 mm (2.0 ln.) Pin 2245 kg (4,950 Lb.) maximum vertical load.	In Base Price
4322		Category 4 Adjustable Swinging Drawbar with Clevis and 50 mm (2.0 ln.) Pin with Heavy Duty Support 4990 kg (11,000 Lb.) maximum vertical load.	556.00
		HYDRAULIC PUMP	
3240		63 cc Displacement Hydraulic Pump 166.6 lpm (44 gpm)	In Base Price
3260		85 cc Displacement Hydraulic Pump 227.1 lpm (60 gpm)	1,266.00
		TRACKS	
6800		400 mm (16 ln.) Width, 172 mm (6.8 ln.) Pitch Camoplast DURABUILT 3500 Tracks Narrow 381 mm (15 ln.) Midrollers.	-3,417.00

### 8360RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		TRACKSContinued	
6801		400 mm (16 In.) Width, 172 mm (6.8 In.) Pitch Camoplast DURABUILT 5500 Tracks Narrow 381 mm (15 In.) Midrollers.	533.00
6802		450 mm (18 ln.) Width, 170 mm (6.7 ln.) Pitch Camoplast DURABUILT 3500 Tracks Narrow 381 mm (15 ln.) Midrollers.	-3,417.00
6803		450 mm (18 In.) Width, 170 mm (6.7 In.) Pitch Camoplast DURABUILT 5500 Tracks Narrow 381 mm (15 In.) Midrollers.	1,264.00
6804		600 mm (24 ln.) Width, 185 mm (7.3 ln.) Pitch Camoplast DURABUILT 3500 Tracks Narrow 381 mm (15 ln.) Midrollers.	-1,917.00
6805		625 mm (25 ln.) Width, 185 mm (7.3 ln.) Pitch Camoplast DURABUILT 3500 Tracks Wide 600 mm (24 In.) Midrollers.  Code 8680 Wide Drive Wheel Option is highly recommended for increased track performance and track belt life with 625 mm (25 In.) or larger tracks.	In Base Price
6806		625 mm (25 ln.) Width, 185 mm (7.3 ln.) Pitch Camoplast DURABUILT 5500 Tracks Wide 600 mm (24 ln.) Midrollers.  Code 8680 Wide Drive Wheel Option is highly recommended for increased track performance and track belt life with 625 mm (25 ln.) or larger tracks.	3,602.00
6807		760 mm (30 In.)Width, 185 mm (7.3 In.) Pitch Camoplast DURABUILT 3500 Tracks Wide 600 mm (24 In.) Midrollers.  Code 8680 Wide Drive Wheel Option is highly recommended for increased track performance and track belt life with 625 mm (25 In.) or larger tracks.	8,698.00
6808		760 mm (30 ln.) Width, 185 mm (7.3 ln.) Pitch Camoplast DURABUILT 5500 Tracks Wide 600 mm (24 ln.) Midrollers.  Code 8680 Wide Drive Wheel Option is highly recommended for increased track performance and track belt life with 625 mm (25 ln.) or larger tracks.	9,440.00
		TRACK SPACING	
6840		1828 mm (72 In.) Spacing Capable of 1828 mm (72 In) to 3048 mm (120 In.) track spacing. Requires 400, 450, 600, or 625 mm (16, 18, 24, or 25 In.) Width Track Belts.	In Base Price
6841		1930 mm (76 In.) Spacing Capable of 1828 mm (72 In) to 3048 mm (120 In.) track spacing. Requires overwidth permit for 760 mm (30 In.) Width Track Belts.	Same Price
6842		2032 mm (80 In.) Spacing Capable of 1828 mm (72 In) to 3048 mm (120 In.) track spacing. Requires overwidth permit with 625 and 760 mm (25 and 30 In.) Width Track Belts.	Same Price
6843		2235 mm (88 In.) Spacing Capable of 1828 mm (72 In) to 3048 mm (120 In.) track spacing. Requires overwidth permit.	Same Price
6844		Dealer Installed Wide Spacing Kit 4064 mm (160 In.)  Not required for tread spacing of 3048 mm (120 In.) or less.	13,578.00
		To achieve track spacing of up to 4064 mm (160 In.).  Capable of 2844 to 4064 mm (112 to 160 In.) track spacing.  Tractor will be shipped in 2032 mm (80 In.) configuration due to shipping width limitations with dealer installed kit to expand to 2844 to 4064 mm (112 to 160 In.) spacing.  Includes Extremity Warning Lights extension.  Axle width changes to 4400 mm (173.3 In.) with kit installed.	

### 8360RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		TRACK SPACINGContinued  Durabelt 5500 Tracks highly recommended with 4064 mm (160 In.) spacing kit.	
		OPERATOR'S MANUAL AND LABELS	
0409		English Operator's Manual and Text Labels For Canada, Mexico and United States markets only. Includes base equipment CommandCenter languages of English, Italian, Spanish, Portuguese, German, Dutch, French, Swedish, Hungarian, Danish, Polish.	In Base Price
0437		Spanish Operator's Manual Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels. Includes base equipment CommandCenter languages of English, Italian, Spanish, Portuguese, German, Dutch, French, Swedish, Hungarian, Danish, Polish.	Same Price
0413		French Operator's Manual and Translated Text Labels For Canada, Mexico and United States markets only. Includes base equipment CommandCenter languages of English, Italian, Spanish, Portuguese, German, Dutch, French, Swedish, Hungarian, Danish, Polish.	Same Price
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8242		Operator Station and Electrical: Radar with Dual Beam Sensor	887.00
8210		Leather Trim Includes heated leather seat, leather instructional seat, leather wrapped steering wheel, and rear window decal.	1,623.00
8229		Outside Mirrors, Electrically Adjustable RH and LH Requires Deluxe Cab Code 2059. In lieu of Right and Left Hand Outside Mirrors (Manual Adjust).	957.00
8251		Antenna Mount and Wiring for Business Band Radio	127.00
8725		Rotary Beacon Light Requires Code 7200.	336.00
832G		Hydraulics: Auxiliary Hydraulic Connections Includes (2) motor return couplers, (1) flat face sump coupler, (1) power beyond pressure coupler and (1) load sense coupler. Suitable for use with most planting and seeding equipment.	840.00
8680		Chassis: Wide Drive Wheel Option Optional for 625 mm (25 In.) or Wider Belt Width Selections. Strongly recommended for maximum performance and track belt life. 610 mm (24 In.) Drive Wheel width in lieu of 381 mm (15 In.) Drive Wheel.	2,303.00

### 8360RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued	
8220		Engine: Intelligent Power Management Provides up to an additional 35 engine hp for non-stationary rear PTO and transport applications (transport speeds above 15 km/h (9.3 mph)). See Ag Sales Manual for ground speed specification.	3,254.00
8300		Cold Weather Start Kit Factory Installation of Switch and Ether Aid Canister and 110V Block Heater.	136.00
8306		Fuel/Water Separator, Severe Duty In addition to water separator in base equipment.	556.00
8336		John Deere PowerTech PSX 9.0 L (549 cu. In.) 6 Cyl IT4 / Stage 3b Compliant Diesel Engine	Same Price
8955		Weights: Weight, Front Support - Less Weights Support Weighs 180 kg (390 Lb.).	501.00
8956		Weight, Front Support with Four Suitcase Weights	1,036.00
8957		Weight, Front Support with Eight Suitcase Weights	1,571.00
8958		Weight, Front Support with Twelve Suitcase Weights	2,106.00
8959		Weight, Front Support with Sixteen Suitcase Weights	2,641.00
8960		Weight, Front Support with Twenty-Two Suitcase Weights	3,361.00
8961		Weight, Ten Suitcase Weights on Rear Side of Front Support (Five per Side)  Use with Code 8960.	1,296.90
8985		Front Idler Starter Weight Package Front Idler Starter Weight Package includes: 4 - R311921 Starter Weights 36 Kg (80 Lb.). Total Package Weight 146 Kg (323 Lb.).	1,170.40
		ATTACHMENTS - ORDER AS DESIRED	
9076		Gold Key Tours: Gold Key Experience Not compatible with Code 9075. This personal guided tour provides you with the unique opportunity to watch a similar machine to the one you are purchasing during its final stages of manufacturing. This tour will be scheduled in advance and can occur at your convenience during a 60 day window (30 days prior to or 30 days after your machine's expected warehouse date). For more information, visit www.deere.com/goldkey.	No Charge

### ATTACHMENTS FOR FIELD CONVERSION

### 8360RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	RE58827	Electrical: 9-Pin Connector Implement Feedback Required for Electrohydraulic Implement Depth Control (EHDC).	See Parts
	RE324456	Battery Disconnect Switch, Tracks	See Parts
	RE322780	ISO Cab Implement CAN Bus Adapter	See Parts
	RE21519	Implement Switch with 10 Ft. Harness	See Parts
	AR245330	Mounting Kit for Radar with Dual Beam Sensor Requires Dual Beam Radar (RE249206).	See Parts
	RE278980	Radar with Dual Beam Sensor Requires mounting kit AR245330.	See Parts
	RE325025	iTEC 3/4 Switch Requires software download. Reference Installation instructions for additional information.	See Parts
	RE323008	Engine: Cold Weather Starting Package	See Parts
	RE227949	Engine Block Heater (110V)	See Parts
	RE524692	Engine Block Heater (220V)	See Parts
	RE339802	Fuel Filter Secondary In addition to water separator in base equipment.	See Parts
	RE339805	Fuel Filter Secondary, Stage 2	See Parts
	R177682	Hitch and Drawbar: Center Link Bracket Retains the center link when not in use.	See Parts
	AR211154	Drawbar Heavy Duty Support for use with Cat. 4 Drawbar (11,000 Lb. Vertical Load Capacity) Requires Cat. 4 Drawbar. Increases vertical load capacity to 11,000 Lb. (4990 kg.). Cat. 4 Drawbar is not compatible with PTO Codes 2418 or 2420 or with field installed 1-3/8 540 rpm PTO.	See Parts
	AR211153	Drawbar, Cat. 4 with 2 In. Pin and Heavy Duty Support (11,000 Lb. Vertical Load Capacity)  Cat. 4 Drawbar is not compatible with PTO Codes 3820 or 3821 or with field installed 1-3/8 540 rpm PTO.	See Parts
	AR216079	Rear Hitch Quik-Coupler (Convertible Cat. 4N/3)	See Parts

### 8360RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	RE327558	Hydraulics: 4th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R301759) Software download to activate function - See Parts. Compatible with 8R above SN 053100 and 8RT above SN 907100.	See Parts
	RE343865	4th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R301759) Software download to activate function - See Parts. Compatible with 8R before SN 053101, 8RT before SN 907101.	See Parts
	RE327559	5th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R301760) Software download to activate function - See Parts. Compatible with 8R above SN 053100 and 8RT above SN 907100.	See Parts
	RE343866	5th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R301760) Software download to activate function - See Parts. Compatible with 8R before SN 053101, 8RT before SN 907101.	See Parts
	RE327560	6th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R334695) Software download to activate function - See Parts. Compatible with 8R above SN 053100 and 8RT above SN 907100.	See Parts
	RE222721	Auxiliary Sump Coupler Kit (Flush Face Coupler Style) Required to connect Tractor sump to case drains on Seeding Equipment.	See Parts
	RE290999	Hitch Auxiliary Raise Kit	See Parts
	RE344103	Hydraulic Motor Return Coupler Kit, Tracks	See Parts
	AR114664	Hydraulic Motor Return, Multiple/Auxiliary Hitch Coupler/ Sump Return Kit For use with Hydraulic Motor Returns, Hitch Valve with Lift Assist Wheels or Motor Drains/Sump Returns or grapple valve.	See Parts
	RE323507	Hydraulic Trailer Brake Kit	See Parts
	RE325287	Hydraulic Trailer Brake Kit, Tracks	See Parts
	RE221284	Low Stand-By Pressure Control Kit  Prevents main pump activation during engine start up in certain hydraulic configurations using power beyond.	See Parts
	RE301658	Power Beyond Coupler Kit	See Parts
	RE344102	Power Beyond Coupler Kit, Tracks	See Parts

### 8360RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	RE308937	<b>Lighting:</b> Auxiliary Driving / Loader Light Kit Includes headlights, wiring harness, brackets and mounting hardware.	See Parts
	RE269641	Lights, Field Vision Xenon HID Rear Fender Light Requires (2) for conversion.	See Parts
	RE298933	Lights, Two Roof-Mounted 65W Halogen Front Flood Lights	See Parts
	RE325694	Rotary Beacon Light Kit	See Parts
	RE164261	Miscellaneous: Track Tension Hose Kit	See Parts
	AR273271	Wide Track Conversion Kit Allows 112 In. to 160 In. tread spacing.	See Parts
	RE67015	Operator Environment: 3-Way Convenience Adapter for Power Strip	See Parts
	RE317435	Accessory Mounting Bracket Provides mounting location for additional monitors.	See Parts
	RE269615	Antenna Mount and Wiring for Business Band Radio	See Parts
	RE275532	Ash Tray Fits in existing cup holder.	See Parts
	RE67014	Cigar-Style Adapter for Power Strip	See Parts
	RE323406	External Mirrors, Electrically Adjustable RH and LH Conversion Kit For converting dual manual external mirrors to dual electric mirrors. Will use existing mounting brackets and telescoping arms.	See Parts
	RE68495	Power Strip with Six Outlets	See Parts
	RE328345	Radio, Deere/Delco AM/FM Stereo with Clock, Weatherband, Four Speakers and Antenna	See Parts
	RE298965	Radio, Sub Woofer Kit Includes sub woofer, rear upholstery, and grille screen.	See Parts
	RE298942	Seat Belt Kit	See Parts
	RE67013	Standard Connector with 1m (3-Foot) Cable for Power Strip	See Parts
	RE261504	Sun Shade, Front Pull Down	See Parts
	RE324993	Touchscreen GS3 CommandCenter 7" Color Display, Video Capable	See Parts
	RE337750	Windshield Wiper with Washer, Rear	See Parts

### 8360RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	RE331560	SCV Parts: Paddle Pot Pod, Common Parts Only compatible on Tractors with CommandARM. Order single paddle potentiometer separately. See instructions RE331562 for more information. Compatible on 8R above SN 053100 and 8RT above SN 907100.	See Parts
	RE331559	Single Paddle Potentiometer Order decals and levers separately. See instructions RE331561 for more information.	See Parts
	RE298885	Software Downloads: Intelligent Power Management Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305729	Language Group for CommandCenter - English, Croatian, Serbian, Slovenian, German Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305727	Language Group for CommandCenter - English, Danish, Swedish, Finish, Norwegian Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305726	Language Group for CommandCenter - English, Estonian, Latvian, Lithuanian, Polish, Russian Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305725	Language Group for CommandCenter - English, French, Dutch, Icelandic, German Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305730	Language Group for CommandCenter - English, Greek, Turkish Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE308728	Language Group for CommandCenter - English, Hungarian, Czech, Slovak, Romanian, Bulgarian Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305731	Language Group for CommandCenter - English, Italian, Spanish, Portuguese, German, Dutch, French, Swedish, Hungarian, Danish, Polish Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts

### 8360RT Tractor

0005	ATTACHMENT IDENTIFIER	DEGODIDATION	SUGGESTED LIST PRICE
CODE	IDENTIFIER	DESCRIPTION	USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	RE224298	<b>Transmission:</b> Transmission Backup Alarm Requires R298895 Bracket and (2) 19M7788 Cap Screws for installation. See Parts.	See Parts
	RE323009	Transmission Hydraulic Oil Heater (110 Volts)	See Parts
	RE323010	Transmission Hydraulic Oil Heater (220 Volts)	See Parts
	AL71345	Vandal Protection: Door Locks - Custom Key	See Parts
	R311921	<b>Weights:</b> Weight, Front Idler Starter - 79 lbs. (36 kg) Order attaching hardware through Parts (6) 19M8288 Cap Screws and (6) 24M7243 Washers, one set per each weight.	See Parts
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One	See Parts
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	See Parts
	R242154	Weight, Front Support, 390 Lb. (180 kg) Requires (6) 19M9141 Cap Screws and (6) 24M7242 Washers for installation - See Parts. Holds up to 22 Quick-Tatch Weights.	See Parts

### 9460RT Tractor

### **Equipment for Base Machine**

ENGINE:	
6-Cylinder Turbocharged John Deere PowerTech	INSTRUMENTATION
Diesel Engine with Electronic	Digital Instrument Panel includes
Unit Injection	Engine Oil Pressure Gauge
Air to Air Aftercooled	Engine Coolant Temperature Gauge
13.5L (824 Cu. In.) Displacement	Fuel Level Gauge
325 kW (442 Hp) Engine Power Level ECE-R24 @ Rated	% Slip
Engine Speed	Ground Speed
338 kW (460 Hp) Engine Power Level 97/68EC @ Rated	PTO Speed
Engine Speed	System Voltage
Dry Type Air Cleaner with Safety Element,	Engine Hours
Airstack and Aspirator Ether Starting Aid	Service Hours with On-Board
<u> </u>	Vehicle Monitor System
Engine Coolant Heater 110V or 220V Vertical Engine Oil Filter	ELECTRICAL:
Dual Filter Fuel System	Key Shutoff
B2 Biodiesel Fuel from the Factory	12V Electrical System
bz broareser racr from ene raccory	Three 925 CCA Capacity 12V Batteries
TRANSMISSION:	200 Amp Alternator
18 Speed Powershift with Efficiency Manager	One Electrical 3-Pin
18 Forward/6 Reverse Speeds	12V Convenience Outlet
Hydraulic Wet Clutch	Ground Terminals Behind Console
STEERING AND BRAKES:	7 - Terminal Rear Implement Electrical
Hydrostatic Differential Steering	Outlet Socket
Tilt/Telescoping Steering Wheel	Battery Boost Terminal
Wet Disk, Hydraulic Power Brakes	GreenStar Ready Harness
Spring-Applied, Hydraulically Released	with Implement Connector
Park Brake	AutoTrac Ready Steering Control Unit,
Secondary Handbrake (Region II only)	Factory Installed
	T TOYING .
HYDRAULICS:	LIGHTS:
Pressure Flow Compensating	Front Hood Lights (Eight Total)
Axial Piston Pump	Two HB3 65W Low Road Headlights
182 lpm (48 gpm) Pump Output Flow @ One SCV - 140 lpm (37 gpm)	Two HB3 65W High Road Headlights
Four EH Remote Cylinder Controls	with Hand Operated Dimmer Switch Two 65W Adjustable Corner Work Lights
with ISO Couplers	One 65W Adjustable Center Work Light
Steering Pump - 100 cc	One 65W Adjustable Center Spot Light
beccing ramp 100 cc	Four 65W Rear Fender Mounted
PTO:	Pedestal Mounted Work Lights
Less PTO	Cab Roof Lights
2000 110	Two 65W Adjustable Front Flood Lights
HITCH AND DRAWBAR:	Four 65W Fixed Side Flood Lights (2 per side)
Cat. 4 Wide Swing Drawbar with Rollers	Two 65W Fixed Rear Flood Lights
Drawbar Clevis and Pin	Four 65W Fixed Corner Flood Lights (Region II
Secondary Chain Support	only)
Less Hitch	Four Corner Amber Flashing Warning Lights
	with Turn Signal Control (Not Region II)
COMMANDVIEW CAB:	Two Rear Fender Tail/Brake/Turn lights
Roll Over Protective Structure	EU Front and Rear Extremity Position Lighting Ki
Air Conditioner and Heater	(Region II Only)
One Interior Rear View Mirror	Road Transport Extremity Lights (Not Region II)
Electrically Adjustable Mirrors, RH and LH	Rotary Beacon Light
Command Center Color Display	
Comfort Command Seat with	TRACKS:
Air Suspension	762 mm (30 In.) Wide, 208 mm (8.2 In.) Pitch
Swivel	Camoplast DURABUILT 3500 Tracks Tracks
Fore-Aft and Lateral Attenuation	2692 mm (106 In.) Track Spacing
Armrest Controls Lumbar Support	Two Piece Midrollers
Backrest Adjustment	VEHICLE:
Tinted Glass	SMV Emblem (if required)
Two-Speed Front Wiper with	Electric Horn
Variable Speed Delay	Toolbox
Swing-Out Rear Window	Rear Storage Box (except with PTO and Wide Swing
Three Monitor Ready Locations	Drawbar options)
Two Convenience 12V Outlets	1287 L (340 U.S. Gallon) Fuel Tank Capacity
AM/FM Radio Mounting Bracket	Flexible Lower Step
with Wiring Harness	
Field Cruise	
Left Hand Storage	
iTEC (Intelligent Total Equipment Control)	
Implement Management System	
and Hitch Slip Command	

### 9460RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		EX-WORKS Waterloo, Iowa	
03K0RW		9460RT Tractor	367,362.00
		DESTINATION	
		A Code must be chosen for each Tractor ordered.	
0002		Africa Angola Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine Requires Code 8306 - Severe Duty Fuel/Water Separator Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab	Same Price
		Code 7201 Deluxe Lighting	
0003		Benin Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0004		Botswana Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine Requires Code 8306 - Severe Duty Fuel/Water Separator Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0005		Burkina Faso Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 UNiverse Conceptor	Same Price

Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting

Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator.

JDLink Capable

### 9460RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0006		DESTINATIONContinued Burundi Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0007		Cameroon Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine Requires Code 8306 - Severe Duty Fuel/Water Separator Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0008		Cape Verde Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0009		Central Africa Republic Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0011		Chad Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0012		Comoros Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price

### 9460RT Tractor

#### Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0013		DESTINATIONContinued Congo Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0014		Democratic Republic of Congo Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting.	Same Price
0015		Djibouti Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0016		Egypt Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine Requires Code 8306 - Severe Duty Fuel/Water Separator Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0017		Equatoria Guinea Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0018		Eritrea Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price

### 9460RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0019		DESTINATIONContinued Ethiopia Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting.	Same Price
0020		Gabon Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0021		Gambia Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0022		Ghana Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine Requires Code 8306 - Severe Duty Fuel/Water Separator Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0023		Guinea Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0024		Guinea-Bissau Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price

### 9460RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0025		DESTINATIONContinued  Ivory Coast  Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885  JDLink Capable  Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0026		Kenya Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine Requires Code 8306 - Severe Duty Fuel/Water Separator Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0028		Liberia Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0029		Libya Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0030		Madagascar Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0031		Malawi Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine Requires Code 8306 - Severe Duty Fuel/Water Separator Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price

### 9460RT Tractor

#### Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0032		DESTINATIONContinued Mali Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0033		Mauritania Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0034		Mauritius Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0036		Mozambique Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine Requires Code 8306 - Severe Duty Fuel/Water Separator Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0038		Niger Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0039		Nigeria Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine Requires Code 8306 - Severe Duty Fuel/Water Separator Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0040		Rwanda Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine Requires Code 8306 - Severe Duty Fuel/Water Separator Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price

### 9460RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0041		DESTINATIONContinued Sao Tome and Principe Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0043		Senegal Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0044		Seychelles Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0045		Sierra Leone Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0046		Somolia Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0049		Swaziland Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine Requires Code 8306 - Severe Duty Fuel/Water Separator Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price

### 9460RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0050		DESTINATIONContinued Tanzania Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0051		Togo Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0053		Uganda Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine Requires Code 8306 - Severe Duty Fuel/Water Separator Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0055		Zimbabwe Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine Requires Code 8306 - Severe Duty Fuel/Water Separator Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0072		Asia China (People's Republic of China) Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0094		Philippines Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting.	Same Price

### 9460RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0098		DESTINATIONContinued Saudi Arabia Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0184		North America Canada Requires code 1887 JDLink Ultimate Promotion - 1 Year Subscription or Code 1888 JDLink Ultimate Promotion - 3 Year Subscription. Requires Code 8340 - Stage iT4/3b Compliant Engine Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	1,209.00
0185		Costa Rica Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty FuelWater Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0193		Honduras Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0195		Mexico Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe commandView II Cab. Code 7201 Deluxe Lighting.	Same Price
0202		United States Requires code 1887 JDLink Ultimate Promotion - 1 Year Subscription or Code 1888 JDLink Ultimate Promotion - 3 Year Subscription. Requires Code 8340 - Stage iT4/3b Compliant Engine Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	1,209.00
0210		South America Argentina Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price

### 9460RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0211		DESTINATIONContinued Bolivia Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0212		Brazil Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Requires Code 8782 - Back Up Alarm. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0214		Colombia Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0219		Suriname Requires Code 1821 GS3 CommandCenter or Code 1823 touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
		VALUE PACKAGE CONFIGURATIONS	
0500		No Package	In Base Price
0533		Standard Value Package Includes Codes 2050, 2650, 3241, 3341 or 3351, and 7200.	-1,150.00
0535		Deluxe Value Package Includes Codes 2059, 2660, 3241, 3341 or 3351, and 7201.	-1,725.00
0537		Deluxe Value Package with Hi-Flow Hydraulics Includes Codes 2059, 2660, 3270, 3352 and 7201.	-1,725.00
0539		Premium Value Package with Hi-Flow Hydraulics Includes Codes 2059, 1823 or 1826, 2661 or 2662, 3270, 3352 and 7202.	-2,000.00
		OPERATOR STATION	
2050		CommandView II Cab Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls located on the Control Switch Module (CSM). Front Windshield Washer and Wiper. Manual Temperature Controls Located in Cab Roof.	-2,009.00

#### 9460RT Tractor

Continued

SUGGESTED **ATTACHMENT** LIST PRICE **DESCRIPTION** CODE **IDENTIFIER** USD (\$) OPERATOR STATION ... Continued... Folding Instructional Seat. No Mirrors. See Attachments Section for ordering information on Additional Field Attachments. 2059 Deluxe CommandView II Cab In Base Price Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Remote Radio Controls Located on Control Switch Module (CSM). Front and Rear Windshield Wiper and Washer. Automatic Temperature Control with controls located on CSM. Front Pull Down Sun Shade. Right and Left Outside Manually Adjustable Mirrors. Power Strip with Convenience Plug Adapter. Programmable Egress Lighting. Folding Instructional Seat.

#### **DISPLAY**

When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display, ALL GreenStar applications must be run on the additional GreenStar Display. See Online Configurator and Ag Sales Manual for more information.

See Attachments Section for ordering information on Additional Field Attachments.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

1821 GS3 CommandCenter, 7" Color Display In Base Price

Includes GreenStar Parallel Tracking and Access Manager. Capable of operating AutoTrac and Swath Control Pro. Access Manager is password protection on display functions. AutoTrac activation can be ordered with the Tractor.

Swath Control Pro activation must be ordered through AMS Price Pages.

Does not include a cornerpost bracket for mounting an additional GreenStar Display.

1823 GS3 Touchscreen Command Center, 7" Color Display, Video Capable 1,260.00

Includes GreenStar Parallel Tracking, Access Manager and Video Capability. Capable of operating AutoTrac and Swath Control Pro.

Capable of operating AutoTrac and Swall Country Tro.

Access Manager is password protection on display functions.

One video input and tractor function activated triggers.

AutoTrac activation can be ordered with the tractor.

Swath Control Pro activation must be ordered through AMS Price Pages.

Does not include a cornerpost bracket for mounting an additional GreenStar Display.

1825 GS3 CommandCenter, 7" Color Display with GreenStar 3 2630 Display 5,895.00

Includes GreenStar Parallel Tracking and Access Manager. Capable of operating AutoTrac and Swath Control Pro. Access Manager is password protection on display functions. AutoTrac activation can be ordered with the tractor.

Swath Control Pro activation must be ordered through AMS Price Pages.

GreenStar 3 2630 display and harness installed on the A-Post display bracket.

Warranty on GreenStar 3 2630 Display will be handled by AMS and will carry normal AMS

warranty items.

1826 GS3 Touchscreen CommandCenter, 7" Color Display, Video Capable with GreenStar 3 7,160.00

2630 Display

Includes GreenStar Parallel Tracking, Access Manager and Video Capability.

Capable of operating AutoTrac and Swath Control Pro.

#### 9460RT Tractor

Continued

SUGGESTED
ATTACHMENT LIST PRICE
CODE IDENTIFIER DESCRIPTION USD (\$)

#### **DISPLAY ...Continued...**

Access Manager is password protection on display functions.

One video input and tractor function activated triggers.

AutoTrac activation can be ordered with the tractor.

Swath Control Pro activation must be ordered through AMS Price Pages.

GreenStar 3 2630 display and harness installed on the A-Post display bracket.

Warranty on GreenStar 3 2630 Display will be handled by AMS and will carry normal AMS warranty terms.

#### **RECEIVER**

StarFire 3000 Position Receivers can be ordered in two configurations:
-SF1 World Solution, a no-charge differential correction signal that provides non-row-crop

-SF2 Ready, a subscription-based differential correction signal that provides +/- 4 inch pass-to-pass accuracy. SF2 subscription can be purchased at www.StellarSupport.com. -RTK capability may be added to an SF2 Ready StarFire 3000 by adding a StarFire RTK radio, RTK radio cover, and RTK activation.

Must have complete base station and vehicle kit for RTK. See Ag Sales Manual for configurations.

In addition, each StarFire 3000 Receiver is capable of utilizing the free Wide Area Augmentation System (WAAS) signal.

GNSS serial port information (NMEA) is available through a StarFire 3000.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

1835 Less StarFire 3000 Position Receiver In Base Price

Includes deluxe receiver mounting bracket only.

When installing a StarFire Receiver with Original Shroud, order conversion bracket through parts or a Deluxe Shroud through AMS Attachments to retrofit an iTC Receiver.

1837 StarFire 3000 Position Receiver - SF1 with Deluxe Shroud 3,195.00

Tractor includes deluxe receiver mounting bracket only.

StarFire 3000 Receiver shipped inside the cab. Includes Receiver Operator's Manuals with the language translation to match the Tractor Operator's Manual language translation.

Warranty on StarFire 3000 Receiver will be handled by AMS and will carry normal AMS

warranty terms.

Ready for use with the StarFire SF1 or WAAS/EGNOS differential correction signal for non-row-crop accuracy. StarFire 3000 Receiver can be upgraded to SF2 capabilities.

1838 StarFire 3000 Position Receiver - SF2 Ready with Deluxe Shroud 5,445.00

\*\*Tractor includes deluxe receiver mounting bracket only.\*\*

5,445.00

StarFire 3000 Receiver shipped inside the cab. Includes Receiver Operator's Manuals with the language translation to match the Tractor Operator's Manual language translation. Warranty on StarFire 3000 Receiver will be handled by AMS and will carry normal AMS warranty terms.

A StarFire 3000 SF2 Ready Receiver requires an SF2 subscription to obtain SF2 accuracy (+/-4" of accuracy pass to pass within 15 minutes, 95% of the time). The SF2 subscription is available at www.StellarSupport.com.

#### AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONS

Other activations sold separately and are available through the AMS prices pages. GS2 activations are not compatible with the GS3 CommandCenter or GreenStar 3 2630 Display. Purchase of a new GS3 activation or upgrading the GS2 activations is required.

When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is

### 9460RT Tractor

Continued

CODE	ATTACHMENTIDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONSContinued capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display. All GreenStar applications must be run on the additional standalone GreenStar Display. See Online Configurator and Ag Sales Manual for more information.  Dealer/Distributor required to contact www.StellarSupport.com to activate AMS Software	
		Activations, referencing the Tractor COMAR order number. Dealer/Distributor required to fully test AutoTrac and/or iTEC Pro functionality. Warranty on Activations will be handled by AMS and will carry normal AMS warranty terms.  Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1845		Less AutoTrac Activation	In Base Price
1846		AutoTrac SF1 Activation - GS3 Requires factory installed StarFire 3000 SF1 Receiver (Code 1837) for AutoTrac functionality. See Ag Sales Manual and AMS Price Pages for detailed information.	3,000.00
1847		AutoTrac SF2 Activation - GS3 Requires factory installed StarFire 3000 SF2 Receiver (Code 1838) for AutoTrac functionality. Also requires a SF2 Subscription for SF2 functionality. Purchased separately at www.StellarSupport.com. For RTK usage, purchase RTK radio, activation and base station sold separately. See Ag Sales Manual and AMS Price Pages for detailed information.	5,250.00
1848		AutoTrac SF1 Activation - GS3 with iTEC Pro Activation - GS3 Requires factory installed StarFire 3000 SF1 Receiver (Code 1837) and GreenStar 3 2630 Display (Code 1825 or 1826). This option requires all GreenStar applications to be run on the GreenStar 3 2630 Display. See Ag Sales Manual and AMS Price Pages for detailed information.	5,500.00
1849		AutoTrac SF2 Activation - GS3 with iTEC Pro Activation - GS3 Requires factory installed StarFire 3000 SF2 Receiver (Code 1838) and GreenStar 3 2630 Display (Code 1825 or 1826). This option requires all GreenStar applications to be run on the GreenStar 3 2630 Display. Also requires SF2 Subscription for SF2 functionality. Purchased separately at www.StellarSupport.com. For RTK usage, purchase RTK radio, activation and base station sold separately. See Ag Sales Manual and AMS Price Pages for detailed information.	7,750.00
		MACHINE CONNECTIVITY	
		Machine connectivity functions require cellular coverage. Usage of the JDLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract, which describes John Deere's access and use of the data collected by the system.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1885		JDLink Capable Includes cab wiring harness only. Requires field kit installation, activation, and subscription for JDLink functionality.	In Base Price
1886		JDLink Select Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Select activation.	1,000.00

### 9460RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		MACHINE CONNECTIVITYContinued Requires purchase of JDLink Select subscription sold separately. Features: machine hours, machine location, curfew alert, geofence alert, and maintenance profile. JDLink customer account must be created to access JDLink Select data. Upgrade to JDLink Ultimate requires purchase of JDLink Ultimate activation and JDLink Ultimate subscription (no hardware changes required).	
1889		JDLink Ultimate Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation. Requires purchase of JDLink Ultimate subscription sold separately. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data.	2,400.00
1887		JDLink Ultimate Promotion - 1 Year Subscription Included Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and 1 year subscription to JDLink Ultimate service. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after first year of service for continued functionality.	No Charge
1888		JDLink Ultimate Promotion - 3 Year Subscription Included 3 year subscription includes: 1 year promotion plus 2 additional years of JDLink Ultimate data and Service ADVISOR Remote Capability.  Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and 3 year subscription to JDLink Ultimate service. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after third year of service for continued functionality.	1,200.00
		TRANSMISSION	
1492		18 Speed Powershift, 18 F/6R Speeds with Efficiency Manager	In Base Price
7200		Standard Lighting Eight Front Grill Mounted Lights: Two 65W low beam driving lights, two 65W high beam driving lights, two front corner facing halogen work lights and two center facing halogen work lights.  Ten Cab Roof Mounted Lights: Two rear and four side facing 65W flood lights and four corner facing amber lights.  Four rear fender mounted flood lights and two rear Tail/Brake/Turn Lights.  Road Transport Extremity Lights.	-762.00
7201		Deluxe Lighting Includes Standard lighting plus 2 adjustable front roof 65W halogen floodlights and a rotary beacon light.	In Base Price
7202		Premium HID Lighting Includes Deluxe Lighting, and in the grill, two front corner HID lights replace two front halogen lights and one HID light replaces a center halogen flood light. Two of the rear fender lights are replaced with HID lights.	3,442.00

### 9460RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		RADIO	
2650		Less Radio, Less Speakers Includes wiring harness only for radio and speakers, no radio and no speakers.	In Base Price
2660		Deluxe Radio Package AM/FM Stereo with Clock, Weatherband, Remote Controls, Auxiliary Input Jack Located on Front of Radio, Four Speakers and External Antenna.	670.00
2661		Premium Radio Package with XM Radio  AM/FM Stereo with Premium Tuner, Clock, Weatherband, Compact Disc Player, Remote  Controls, USB port on front of radio face, Auxiliary Input Jacks located in right hand storage console and on radio face, BlueTooth capable including microphone, Integrated BlueTooth Phone Book connection through CommandCenter,XM Satellite capable including Satellite Antenna (Subscription Required), Four Speakers, Subwoofer, and External Antenna.  Volume, Speed Compensation, bass, and treble radio functions can be viewed and configured on the CommandCenter Display.  For U.S. and Canada only.	1,015.00
2662		Premium Radio Package For Non U.S. and Canada Markets only: AM/FM Stereo with Premium Tuner, Clock, Compact Disc Player, Remote Controls, Auxiliary Input Jack located in right hand storage console and on radio, BlueTooth capable including microphone, Integrated BlueTooth Phone Book connection through CommandCenter, Four Speakers, Subwoofer, and External Antenna.	912.00
		Not for US or Canada.	
		REAR POWER TAKE OFF	
3800		Less Rear PTO	In Base Price
3810		1000-rpm PTO with 1 3/4-In. Shaft Not compatible with Rear Storage Box.	14,340.00
		REAR HITCH	
		Advertised Hitch Lift Capacity is the amount of force that is sustained through the entire range of lift, measured at 610 mm behind the hitch point. This is measured with the rear hitch centerlink connected to the upper hole. See Operators Manual for more information.	
4000		Less Rear Hitch	In Base Price
4050		Electric-Hydraulic 3-Point Hitch with Draft Sensing and Cat. 4N/3 Adjustable Quik Coupler 6940 kg (15,300 Lb.) Lift Capacity Not compatible with wide Swing drawbar Code 4328 or 4329. Includes Heavy-Duty Drawbar Support. Maximum number of SCV's with a Hitch is five.	19,924.00
4051		Electric-Hydraulic 3-Point Hitch with Draft Sensing and Cat. 4/4N, Adjustable Quik Coupler; 6940 kg (15,300 Lb.) Lift Capacity Not compatible with wide Swing drawbar Code 4328 or 4329. Includes Heavy-Duty Drawbar Support.  Maximum number of SCV's with a Hitch is five.	20,789.00
4052		Electric-Hydraulic 3-Point Hitch with Draft Sensing and Cat. 4N/3 Adjustable Quik Coupler; 9072 kg (20,000 Lb.) Lift Capacity Not compatible with wide Swing drawbar Code 4328 or 4329. Includes Heavy-Duty Drawbar Support. Maximum number of SCV's with a Hitch is five.	22,393.00
4053		Electric-Hydraulic 3-Point Hitch with Draft Sensing and Cat. 4/4N,	23,259.00

### 9460RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR HITCHContinued Adjustable Quik Coupler; 9072 kg (20,000 Lb.) Lift Capacity Not compatible with wide Swing drawbar Code 4328 or 4329. Includes Heavy-Duty Drawbar Support. Maximum number of SCV's with a Hitch is five.	
		DRAWBAR	
4326		Cat. 4 Drawbar with Drawbar Support, Hammerstrap and Pin (non-swinging) Required for heavy drawbar applications such as DB Planters. See Ag Sales Manual for complete load capacity and compatibility information.	-2,237.00
4327		Cat. 5 Drawbar with Drawbar Support, Hammerstrap and Pin (non-swinging)  Required for heavy drawbar applications such as DB Planters.  See Ag Sales Manual for complete load capacity and compatibility information.	167.00
4328		Cat. 4 Wide Swing Drawbar on Rollers Not compatible with 3-Point hitch Code 4050, 4051, 4052, 4053. Not compatible with Rear Storage Box. See Ag Sales Manual for complete load capacity and compatibility information as the Wide Swing Drawbar does not have the load bearing capacity available for certain applications such as DB Planters.	In Base Price
4329		Cat. 5 Heavy-Duty Wide Swing Drawbar on Rollers Not compatible with 3-Point hitch Code 4050, 4051, 4052, 4053. Not compatible with Rear Storage Box. See Ag Sales Manual for complete load capacity and compatibility information.	2,566.00
		HYDRAULIC PUMP	
3241		Standard Hydraulic System, 182 lpm (48 gpm)  Provides up to 140 lpm (37gpm) flow @ one SCV.  Requires Code 3341 or Code 3351 - Rear Remote SCVs.  Refer to the Ag Sales Manual for Implement compatibility.	In Base Price
3270		Hi-Flow Hydraulic System, 295 lpm (78 gpm)  Provides up to 170 lpm (45 gpm) flow @ one SCV.  Requires Code 3352 Five Deluxe SCV's.  Refer to the Ag Sales Manual for Implement compatibility.  SCVs 1-3 supplied by one pump, SCVs 4&5 supplied by secondary pump.	5,885.00
		HYDRAULIC STEERING PUMP	
7500		Steering Pump - 100cc Recommended in traditional Ag applications with flat terrain. Standard Equipment on all Ag Track Tractors.	In Base Price
7501		Heavy Duty Steering Pump - 130cc Recommended for hillside applications.	2,720.00
		HYDRAULIC SELECTIVE CONTROL VALVES (SCVs)	
3341		Four Deluxe Electric-Hydraulic Rear Remote Selective Control Valves (Standard Hydraulic System)  TouchSet Hydraulic Controls.  Push/Pull Breakaway Couplers.  High Pressure Relief Levers.	In Base Price

### 9460RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		HYDRAULIC SELECTIVE CONTROL VALVES (SCVs)Continued Requires Code 3241 - 182 lpm Hydraulic Pump. Refer to the Ag Sales Manual for Implement compatibility.	
3351		Five Deluxe Electric-Hydraulic Rear Remote Selective Control Valves (Standard Hydraulic System)  TouchSet Hydraulic Controls.  Push/Pull Breakaway Couplers.  High Pressure Relief Levers.  Requires Code 3241 - 182 lpm Hydraulic Pump.  Refer to the Ag Sales Manual for Implement compatibility.	1,350.00
3352		Five Deluxe Electro-Hydraulic Rear Remote Selective Control Valves (Hi-flow Hydraulic System)  TouchSet Hydraulic Controls.  Push/Pull Breakaway Couplers.  High Pressure Relief Levers.  Requires Code 3270 - 295 lpm Hydraulic Pump.  Refer to the Ag Sales Manual for Implement compatibility.	1,350.00
		TRACKS	
6820		762 mm (30 In.) Width, 208 mm (8.2 In.) Pitch Camoplast DURABUILT 3500 Tracks	In Base Price
6825		914 mm (36 ln.) Width, 208 mm (8.2 ln.) Pitch Camoplast DURABUILT 3500 Tracks	7,561.00
6821		762 mm (30 In.) Width, 208 mm (8.2 In.) Pitch Camoplast DURABUILT 5500 Tracks	7,274.00
6826		914 mm (36 In.) Width, 208 mm (8.2 In.) Pitch Camoplast DURABUILT 5500 Tracks	10,910.00
		OPERATOR'S MANUAL AND LABELS	
		A Code must be chosen for each Tractor ordered.	
0401		Arabic	Same Price
0426		Mandarin (Chinese)	Same Price
0409		English Operator's Manual Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	In Base Price
0413		French Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0430		Portuguese Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0433		Russian Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0437		Spanish Operator's Manual Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price

### 9460RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8210		Operator Station and Electrical: Leather Trim Package For CommandView II, Deluxe CommandView II, and Premium CommandView II cabs. Includes heated leather seat, leather instructional set, leather wrapped steering wheel and rear window decal.	1,646.00
8229		External Mirrors, Electrically Adjustable RH and LH Must order Code 2059. Not compatible with Code 2050. Region IV (United States, Canada, Costa Rica, Australia and New Zealand) only.	540.00
8242		Radar with Dual Beam Sensor	900.00
8251		Antenna Mount and Wiring for Business Band Radio	129.00
8725		Rotary Beacon Light Requires Code 7200 Standard Lighting.	347.00
832F		Hydraulics: Motor Seal Drain Kit Required with all Rear Hitch Codes 4050, 4051, 4052, 4053.	628.00
8756		Hydraulic Trailer Brake Valve	1,006.00
8782		Electrical & Lights Back Up Alarm	363.00
8306		Engine: Fuel/Water Separator, Severe Duty	564.00
8338		John Deere PowerTech 13.5 L (824 cu.in.) 6 Cyl Stage 2 Compliant Diesel Engine	-16,883.00
8340		John Deere PowerTech PSX 13.5 L (824 cu. in. ) 6 Cyl. iT4 / Stage 3b Compliant Diesel	Same Price
		Ballast: Please refer to Ag Sales Manual when ordering weights.	
8955		Front Weight Support - 304 kg (670 Lb.) (Holds up to 26-R127764)	1,125.00
8962		Front Weight Support with 20 Weights	3,818.00
8964		Front Weight Support with 26 Weights	5,168.00
8995		Two Track Frame Weight Brackets - One Per Side Weights must be field installed due to shipping width limitations.	555.00
8985		Front Idler Starter Ballast Package Front Idler Starter Weight Package Includes: 4 - R311921 Starter Weights 36 Kg (80 lb) each. Total Package Weight; 146 Kg (320 lb).	1,351.00

### 9460RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8986		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Front Idler Weights Ballast Package Requires Code 8985 Front Idler Starter Ballast Package. This includes 8 weights; 4 - 75 Kg (165 lb) and 4 - 205 Kg (450 lb) weights. Total Package Weight; 1120 Kg (2640 lb)	2,906.00
		ATTACHMENTS - ORDER AS DESIRED	
9076		Customer Gold Key Program: Gold Key Experience Tour This personal guided tour provides you with the unique opportunity to watch a similar machine to the one you are purchasing during its final stages of manufacturing. This tour will be scheduled in advance and can occur at your convenience during a 60 day window (30 days prior to or 30 days after your machine's expected warehouse date). For more information, visit www.deere.com/goldkey.	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
	RE343324	Electrical: Battery Disconnect Kit	See Parts
	RE322780	ISO Cab Implement CAN Bus Adapter	See Parts
	RE269398	Mounting Kit - Dual Beam Radar Sensor for Tracks The Mounting Kit does not include Dual Beam Radar Sensor. If Dual Beam Radar Sensor is needed, order Dual Beam Radar Sensor (RE278980, RE278984, RE278986 or RE278982).	See Parts
	RE278980	Radar with Dual Beam Sensor	See Parts
	RE278984	Radar with Dual Beam Sensor	See Parts
	RE278986	Radar with Dual Beam Sensor - AU	See Parts
	RE278982	Radar, Dual Beam Sensor	See Parts
	RE325025	iTEC 3/4 Switch Requires software download. Reference Installation instructions for additional information.	See Parts
	RE326214	Engine: Fuel/Water Separator Kit, Severe Duty - Tracks	See Parts
	RE259709	Hitch and Drawbar: Bottom Roller Kit for Tracks Wide Swing Drawbar	See Parts
	RE270268	Cat. 4/4N Quik Coupler Kit	See Parts
	RE270270	Cat. 4N/3 Quik Coupler Kit	See Parts
	RE310971	Cat. 5 High Capacity Wide Swing Drawbar Support Kit Ability to achieve 12,000 lbs. vertical load capacity.	See Parts

### 9460RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE278847	ATTACHMENTS FOR FIELD CONVERSIONContinued Cat. 5 to Cat. 4 Drawbar Conversion Kit Converts Cat. 5 Drawbar for use with Cat. 4 Implements.	See Parts
	RE266011	Drawbar Reinforcement Kit for Cat. 4 Drawbar for Track Tractors Factory Equipped with a Hitch or a Heavy Duty Drawbar Support Ability to achieve 11,000 lbs Vertical Load Capacity.	See Parts
	RE311349	Electro-Hydraulic 3 Point Hitch with Draft Sensing for Track Tractors For Tractors equipped with a Factory Installed HD drawbar support. Additional parts are required - see installation instructions. Also requires Cat. 4N/3 Quik Coupler (RE270270), or 4/4N Quik Coupler (RE270268). Also required hitch cylinders to achieve 15,300 lb or 20,000 lb lift capacity. 15,300 lb hitch uses 1 x AHC10487 and 1 x AHC10488 cylinders. 20,000 lb hitch uses 2 x AHC10045. Requires Software download (R306826) to activate function.	See Parts
	RE310798	Hydraulics: 3/4 In. Selective Control Valve Coupler Kit (Hi-Flow only)	See Parts
	RE303735	5th Remote Selective Control Valve (for Standard flow Hydraulics)	See Parts
		Requires Software download to activate function - See Parts.	
	RE310796	6th Remote Selective Control Valve for AG High Flow Hydraulic Systems Not compatible with a factory or field installed 3 Pt. Hitch. Requires factory installed 5th SCV. Requires Software download to activate function - See Parts.	See Parts
	RE303736	6th Remote Selective Control Valve for Standard Flow Hydraulic Systems Not compatible with a factory or field installed 3 Pt. Hitch. Requires factory or field installed 5th SCV. Requires Software download to activate function - See Parts.	See Parts
	RE293259	Hitch Auxiliary Raise Kit For use with hitch valve with lift assist wheels. Compatible with all 9R Series Wheel and Track Tractors.	See Parts
	RE310822	Hydraulic Trailer Brake Kit for Tracks  Provides single line connection to hydraulic braking systems.  Works with or without power beyond couplers.	See Parts
	RE337241	Kit, Accumulator	See Parts
	RE299261	Motor Seal Drain Kit	See Parts
	RE293262	Power Beyond Coupler Kit  Compatible with all Standard Flow Hydraulic Systems and Ag High Flow Hydraulic Systems.  1 or 2 pcs required for Ag High Flow Systems.  Compatible with all Standard Flow Hydraulic Systems.	See Parts
	RE330435	Lighting: Auxiliary Lighting Kit	See Parts
	RE334623	Rotary Beacon Light Kit Switch is on CSM.	See Parts

#### 9460RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	RE311211	Miscellaneous: Tow Cable Kit - Track Tractors	See Parts
	RE67685	Operator Environment: 9-Pin Connector for Implement Feedback Required for TouchSet Depth Control.	See Parts
	RE317435	Accessory Mounting Bracket	See Parts
	RE269615	Antenna Mount and Wiring for Business Band Radio	See Parts
	RE273380	Back Up Alarm Kit	See Parts
	RE328345	Radio, Deere/Delco AM/FM Stereo with Clock, Weatherband, Four Speakers and Antenna	See Parts
	RE298965	Radio, Sub Woofer Kit Includes sub woofer, rear upholstery, and grille screen.	See Parts
	RE298942	Seat Belt Kit	See Parts
	RE337750	Windshield Wiper with Washer, Rear	See Parts
	RE304680	PTO: Field Installation Kit, PTO, Track All PTO mounting hardware and shielding is contained in kit.	See Parts
	AL71345	Vandal Protection: Door Locks - Custom Key	See Parts
	AR268522	Weights: Front Idler Weights Mounting	See Parts
	RE309127	Front Weight Bracket Allows attachment of up to 26 Quick-Tatch weights.	See Parts
	RE341174	One (LH) Narrow Profile Track Frame Weight Bracket (Holds (12) R127764 Weights - order separately)  Also order: (8) 19M7892; (8) 24M7344; (4) 19M7952; (4) 19M7642  Reference Installation Instruction # RE342883  Not compatible with R2 style suitcase weights.	See Parts
	RE341175	One (RH) Narrow Profile Track Frame Weight Bracket (Holds (12) R127764 Weights - order separately)  Also order: (8) 19M7892; (8) 24M7344; (4) 19M7952; (4) 19M7642  Reference Installation Instruction # RE342883  Not compatible with R2 style suitcase weights.	See Parts
	R199010	One Track Frame Weight Bracket (Order two. Holds 16 R127764 Weights each side)  Also order 8- Cap Screws (19M8639) and 8- Washers (24M7242).  Side Frame Weight Supports require Extremity Warning Lights (available through Parts).	See Parts

### 9460RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE286201	ATTACHMENTS FOR FIELD CONVERSIONContinued Two Track Frame Weight Supports and Extremity Lighting Kit	See Parts
	R311921	Weight, Front Idler Starter - 79 lbs. (36 kg)	See Parts
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One	See Parts
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	See Parts

# 9460RT Tractor Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

#### 9510RT Tractor

#### **Equipment for Base Machine**

ENGINE: 6-Cylinder Turbocharged John Deere PowerTech Diesel Engine with Electronic Unit Injection Air to Air Aftercooled 13.5L (824 Cu. In.) Displacement 360 kW (490 Hp) Engine Power Level ECE-R24 @ Rated Engine Speed 375 kW (510 Hp) Engine Power Level 97/68EC @ Rated Engine Speed Dry Type Air Cleaner with Safety Element, Airstack and Aspirator Ether Starting Aid Engine Coolant Heater 110V or 220V Vertical Engine Oil Filter Dual Filter Fuel System B2 Biodiesel Fuel from the Factory  TRANSMISSION: 18 Forward/6 Reverse Speeds Hydraulic Wet Clutch  STEERING AND BRAKES: Hydrostatic Differential Steering Tilt/Telescoping Steering Wheel Wet Disk, Hydraulic Power Brakes Spring-Applied, Hydraulically Released Park Brake Secondary Handbrake (Region II only)  HYDRAULICS: Pressure Flow Compensating Axial Piston Pump 182   pm (48 gpm) Pump Output Flow @ One SCV - 140   pm (37 gpm) Four EH Remote Cylinder Controls with ISO Couplers Steering Pump - 100 cc PTO: Less PTO  HITCH AND DRAWBAR: Cat. 5 Wide Swing Drawbar with Rollers Drawbar Clevis and Pin Secondary Chain Support Less Hitch  COMMANDVIEW CAB: Roll Over Protective Structure Air Conditioner and Heater One Interior Rear View Mirror Electrically Adjustable Mirrors, RH and LH Command Center Color Display	INSTRUMENTATION: Digital Instrument Panel includes Engine Oil Pressure Gauge Engine Coolant Temperature Gauge Fuel Level Gauge % Slip Ground Speed PTO Speed System Voltage Engine Hours Service Hours with On-Board Vehicle Monitor System  ELECTRICAL: Key Shutoff 12V Electrical System Three 925 CCA Capacity 12V Batteries 200 Amp Alternator One Electrical 3-Pin 12V Convenience Outlet Ground Terminals Behind Console 7 - Terminal Rear Implement Electrical Outlet Socket Battery Boost Terminal GreenStar Ready Harness with Implement Connector AutoTrac Ready Steering Control Unit, Factory Installed  LIGHTS: Front Hood Lights (Eight Total) Two HB3 65W Low Road Headlights with Hand Operated Dimmer Switch Two 65W Adjustable Center Work Lights One 65W Adjustable Center Work Light One 65W Adjustable Center Work Light Four 65W Rear Fender Mounted Pedestal Mounted Work Lights Cab Roof Lights Four 65W Fixed Side Flood Lights (2 per side) Two 65W Fixed Rear Flood Lights Four 65W Fixed Rear Flood Lights Four 65W Fixed Rear Flood Lights Four 65W Fixed Corner Flood Lights Four Corner Amber Flashing Warning Lights with Turn Signal Control (Not Region II) FU Front and Rear Extremity Lights (Not Region II) FU Front and Rear Extremity Dights (Not Region II) FU Front and Rear Extremity Position Lighting Kit (Region II only) Rotary Beacon Light
Roll Over Protective Structure Air Conditioner and Heater One Interior Rear View Mirror	Two Rear Fender Tail/Brake/Turn lights Road Transport Extremity Lights (Not Region II) EU Front and Rear Extremity Position Lighting Kit
Command Center Color Display Comfort Command Seat with Air Suspension Swivel Fore-Aft and Lateral Attenuation Armrest Controls Lumbar Support	TRACKS: 762 mm (30 In.) Wide, 208 mm (8.2 In.) Pitch Camoplast DURABUILT 3500 Tracks 2692 mm (106 In.) Track Spacing Two Piece Midrollers
Backrest Adjustment Tinted Glass Two-Speed Front Wiper with Variable Speed Delay Swing-Out Rear Window Three Monitor Ready Locations Two Convenience 12V Outlets AM/FM Radio Mounting Bracket with Wiring Harness Field Cruise Left Hand Storage	VEHICLE: SMV Emblem (if required) Electric Horn Toolbox Rear Storage Box (except with PTO and Wide Swing Drawbar options) 1287 L (340 U.S. Gallon) Fuel Tank Capacity Flexible Lower Step
iTEC (Intelligent Total Equipment Control) Implement Management System and Hitch Slip Command	

#### 9510RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		Select One Code From Each Required Category	]
		BASE MACHINE  EX-WORKS Waterloo, Iowa	

393,032.00

**DESTINATION** 

9510RT Tractor

03N0RW

A Code must be chosen for each Tractor ordered.

Africa

0002 Angola Same Price

Requires Code 1885 JDLink Capable

Requires Code 8338 - Stage 2 Compliant Engine Requires Code 8306 - Severe Duty Fuel/Water Separator Country Specific Base Equipment includes:

Code 2059 Deluxe CommandView II Cab

Code 7201 Deluxe Lighting

0003 Benin Same Price

Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885

JDLink Capable

Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator.

Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab

Code 7201 Deluxe Lighting

0004 Botswana Same Price

Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine Requires Code 8306 - Severe Duty Fuel/Water Separator

Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab

Code 7201 Deluxe Lighting

0005 Burkina Faso Same Price

Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885

JDLink Capable

Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator.

Country Specific Base Equipment includes:

Code 2059 Deluxe CommandView II Cab

Code 7201 Deluxe Lighting

### 9510RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0006		DESTINATIONContinued Burundi Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0007		Cameroon Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine Requires Code 8306 - Severe Duty Fuel/Water Separator Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0008		Cape Verde Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0009		Central Africa Republic Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0011		Chad Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0012		Comoros Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price

### 9510RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0013		DESTINATIONContinued Congo Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0014		Democratic Republic of Congo Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting.	Same Price
0015		Djibouti Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0016		Egypt Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine Requires Code 8306 - Severe Duty Fuel/Water Separator Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0017		Equatoria Guinea Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0018		Eritrea Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price

### 9510RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0019		DESTINATIONContinued Ethiopia Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting.	Same Price
0020		Gabon Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0021		Gambia Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0022		Ghana Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine Requires Code 8306 - Severe Duty Fuel/Water Separator Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0023		Guinea Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0024		Guinea-Bissau Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price

### 9510RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0025		DESTINATIONContinued  Ivory Coast  Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885  JDLink Capable  Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0026		Kenya Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine Requires Code 8306 - Severe Duty Fuel/Water Separator Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0028		Liberia Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0029		Libya Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0030		Madagascar Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0031		Malawi Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine Requires Code 8306 - Severe Duty Fuel/Water Separator Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price

### 9510RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0032		DESTINATIONContinued  Mali  Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable  Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0033		Mauritania Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0034		Mauritius Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0036		Mozambique Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine Requires Code 8306 - Severe Duty Fuel/Water Separator Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0038		Niger Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0039		Nigeria Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine Requires Code 8306 - Severe Duty Fuel/Water Separator Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0040		Rwanda Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine Requires Code 8306 - Severe Duty Fuel/Water Separator Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price

### 9510RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0041		DESTINATIONContinued Sao Tome and Principe Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0043		Senegal Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0044		Seychelles Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0045		Sierra Leone Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0046		Somolia Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0049		Swaziland Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine Requires Code 8306 - Severe Duty Fuel/Water Separator Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price

### 9510RT Tractor

CODE	ATTACHMENT IDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0050		DESTINATIONContinued Tanzania Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0051		Togo Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0053		Uganda Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine Requires Code 8306 - Severe Duty Fuel/Water Separator Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0055		Zimbabwe Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine Requires Code 8306 - Severe Duty Fuel/Water Separator Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0072		Asia China (People's Republic of China) Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0094		Philippines Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting.	Same Price

### 9510RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0098		DESTINATIONContinued Saudi Arabia Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0184		North America Canada Requires code 1887 JDLink Ultimate Promotion - 1 Year Subscription or Code 1888 JDLink Ultimate Promotion - 3 Year Subscription. Requires Code 8340 - Stage iT4/3b Compliant Engine Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	1,209.00
0185		Costa Rica Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0193		Honduras Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0195		Mexico Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe commandView II Cab. Code 7201 Deluxe Lighting.	Same Price
0202		United States Requires code 1887 JDLink Ultimate Promotion - 1 Year Subscription or Code 1888 JDLink Ultimate Promotion - 3 Year Subscription. Requires Code 8340 - Stage iT4/3b Compliant Engine Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	1,209.00
0210		South America Argentina Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price

### 9510RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0211		DESTINATIONContinued Bolivia Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0212		Brazil Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Requires Code 8782 - Back Up Alarm. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0214		Colombia Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0219		Suriname Requires Code 1821 GS3 CommandCenter or Code 1823 touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
		VALUE PACKAGE CONFIGURATIONS	
0500		No Package	In Base Price
0533		Standard Value Package Includes Codes 2050, 2650, 3241, 3341 or 3351, and 7200.	-1,150.00
0535		Deluxe Value Package Includes Codes 2059, 2660, 3241, 3341 or 3351, and 7201.	-1,725.00
0537		Deluxe Value Package with Hi-Flow Hydraulics <i>Includes Codes 2059, 2660, 3270, 3352 and 7201.</i>	-1,725.00
0539		Premium Value Package with Hi-Flow Hydraulics Includes Codes 2059, 1823 or 1826, 2661 or 2662, 3270, 3352 and 7202.	-2,000.00
		OPERATOR STATION	
2050		CommandView II Cab Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls located on the Control Switch Module (CSM). Front Windshield Washer and Wiper. Manual Temperature Controls Located in Cab Roof.	-2,009.00

#### 9510RT Tractor

Continued

ATTACHMENT LIST PRICE LIST PRICE USD (\$)

OPERATOR STATION ...Continued...

Folding Instructional Seat.
No Mirrors.

See Attachments Section for ordering information on Additional Field Attachments.

2059 Deluxe CommandView II Cab In Base Price
Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support.

Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter

Display.

Remote Radio Controls Located on Control Switch Module (CSM).

Front and Rear Windshield Wiper and Washer.

Automatic Temperature Control with controls located on CSM.

Front Pull Down Sun Shade.

Right and Left Outside Manually Adjustable Mirrors.

Power Strip with Convenience Plug Adapter.

Programmable Egress Lighting. Folding Instructional Seat.

See Attachments Section for ordering information on Additional Field Attachments.

#### **DISPLAY**

When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display, ALL GreenStar applications must be run on the additional GreenStar Display. See Online Configurator and Ag Sales Manual for more information.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

1821 GS3 CommandCenter, 7" Color Display In Base Price

Includes GreenStar Parallel Tracking and Access Manager. Capable of operating AutoTrac and Swath Control Pro. Access Manager is password protection on display functions. AutoTrac activation can be ordered with the Tractor.

Swath Control Pro activation must be ordered through AMS Price Pages.

Does not include a cornerpost bracket for mounting an additional GreenStar Display.

1823 GS3 Touchscreen Command Center, 7" Color Display, Video Capable 1,260.00

Includes GreenStar Parallel Tracking, Access Manager and Video Capability. Capable of operating AutoTrac and Swath Control Pro. Access Manager is password protection on display functions. One video input and tractor function activated triggers.

AutoTrac activation can be ordered with the tractor.

Swath Control Pro activation must be ordered through AMS Price Pages.

Does not include a cornerpost bracket for mounting an additional GreenStar Display.

1825 GS3 CommandCenter, 7" Color Display with GreenStar 3 2630 Display 5,895.00

Includes GreenStar Parallel Tracking and Access Manager. Capable of operating AutoTrac and Swath Control Pro. Access Manager is password protection on display functions.

AutoTrac activation can be ordered with the tractor.

Swath Control Pro activation must be ordered through AMS Price Pages.

GreenStar 3 2630 display and harness installed on the A-Post display bracket.

Warranty on GreenStar 3 2630 Display will be handled by AMS and will carry normal AMS

warranty items.

1826 GS3 Touchscreen CommandCenter, 7" Color Display, Video Capable with GreenStar 3 7,160.00

2630 Display

Includes GreenStar Parallel Tracking, Access Manager and Video Capability.

Capable of operating AutoTrac and Swath Control Pro.

#### 9510RT Tractor

Continued

SUGGESTED
ATTACHMENT LIST PRICE
CODE IDENTIFIER DESCRIPTION USD (\$)

#### **DISPLAY ...Continued...**

Access Manager is password protection on display functions.

One video input and tractor function activated triggers.

AutoTrac activation can be ordered with the tractor.

Swath Control Pro activation must be ordered through AMS Price Pages.

GreenStar 3 2630 display and harness installed on the A-Post display bracket.

Warranty on GreenStar 3 2630 Display will be handled by AMS and will carry normal AMS warranty terms.

#### **RECEIVER**

StarFire 3000 Position Receivers can be ordered in two configurations: -SF1 World Solution, a no-charge differential correction signal that provides non-row-crop accuracy.

-SF2 Ready, a subscription-based differential correction signal that provides +/- 4 inch pass-to-pass accuracy. SF2 subscription can be purchased at www.StellarSupport.com. -RTK capability may be added to an SF2 Ready StarFire 3000 by adding a StarFire RTK radio, RTK radio cover, and RTK activation.

Must have complete base station and vehicle kit for RTK. See Ag Sales Manual for configurations.

In addition, each StarFire 3000 Receiver is capable of utilizing the free Wide Area Augmentation System (WAAS) signal.

GNSS serial port information (NMEA) is available through a StarFire 3000.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

1835 Less StarFire 3000 Position Receiver In Base Price

Includes deluxe receiver mounting bracket only.

When installing a StarFire Receiver with Original Shroud, order conversion bracket through parts or a Deluxe Shroud through AMS Attachments to retrofit an iTC Receiver.

1837 StarFire 3000 Position Receiver - SF1 with Deluxe Shroud 3,195.00

Tractor includes deluxe receiver mounting bracket only.
StarFire 3000 Receiver shipped inside the cab. Includes Receiver Operator's Manuals with the language translation to match the Tractor Operator's Manual language translation.
Warranty on StarFire 3000 Receiver will be handled by AMS and will carry normal AMS warranty terms.

Ready for use with the StarFire SF1 or WAAS/EGNOS differential correction signal for non-row-crop accuracy. StarFire 3000 Receiver can be upgraded to SF2 capabilities.

1838 StarFire 3000 Position Receiver - SF2 Ready with Deluxe Shroud 5.445.00

Tractor includes deluxe receiver mounting bracket only.

StarFire 3000 Receiver shipped inside the cab. Includes Receiver Operator's Manuals with the language translation to match the Tractor Operator's Manual language translation. Warranty on StarFire 3000 Receiver will be handled by AMS and will carry normal AMS warranty terms.

A StarFire 3000 SF2 Ready Receiver requires an SF2 subscription to obtain SF2 accuracy (+/-4" of accuracy pass to pass within 15 minutes, 95% of the time). The SF2 subscription is available at www.StellarSupport.com.

#### AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONS

Other activations sold separately and are available through the AMS prices pages. GS2 activations are not compatible with the GS3 CommandCenter or GreenStar 3 2630 Display. Purchase of a new GS3 activation or upgrading the GS2 activations is required.

When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is

#### 9510RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONS	
		Continued capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display. All GreenStar applications must be run on the additional standalone GreenStar Display. See Online Configurator and Ag Sales Manual for more information.	
		Dealer/Distributor required to contact www.StellarSupport.com to activate AMS Software Activations, referencing the Tractor COMAR order number. Dealer/Distributor required to fully test AutoTrac and/or iTEC Pro functionality. Warranty on Activations will be handled by AMS and will carry normal AMS warranty terms.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1845		Less AutoTrac Activation	In Base Price
1846		AutoTrac SF1 Activation - GS3 Requires factory installed StarFire 3000 SF1 Receiver (Code 1837) for AutoTrac functionality. See Ag Sales Manual and AMS Price Pages for detailed information.	3,000.00
1847		AutoTrac SF2 Activation - GS3 Requires factory installed StarFire 3000 SF2 Receiver (Code 1838) for AutoTrac functionality. Also requires a SF2 Subscription for SF2 functionality. Purchased separately at	5,250.00
		www.StellarSupport.com.  For RTK usage, purchase RTK radio, activation and base station sold separately.  See Ag Sales Manual and AMS Price Pages for detailed information.	
1848		AutoTrac SF1 Activation - GS3 with iTEC Pro Activation - GS3 Requires factory installed StarFire 3000 SF1 Receiver (Code 1837) and GreenStar 3 2630 Display (Code 1825 or 1826).	5,500.00
		This option requires all GreenStar applications to be run on the GreenStar 3 2630 Display. See Ag Sales Manual and AMS Price Pages for detailed information.	
1849		AutoTrac SF2 Activation - GS3 with iTEC Pro Activation - GS3 Requires factory installed StarFire 3000 SF2 Receiver (Code 1838) and GreenStar 3 2630 Display (Code 1825 or 1826). This option requires all GreenStar applications to be run on the GreenStar 3 2630 Display. Also requires SF2 Subscription for SF2 functionality. Purchased separately at www.StellarSupport.com.	7,750.00
		For RTK usage, purchase RTK radio, activation and base station sold separately.  See Ag Sales Manual and AMS Price Pages for detailed information.	
		MACHINE CONNECTIVITY	
		Machine connectivity functions require cellular coverage. Usage of the JDLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract, which describes John Deere's access and use of the data collected by the system.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1885		JDLink Capable Includes cab wiring harness only. Requires field kit installation, activation, and subscription for JDLink functionality.	In Base Price
1886		JDLink Select Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Select activation.	1,000.00

### 9510RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		MACHINE CONNECTIVITYContinued Requires purchase of JDLink Select subscription sold separately. Features: machine hours, machine location, curfew alert, geofence alert, and maintenance profile. JDLink customer account must be created to access JDLink Select data. Upgrade to JDLink Ultimate requires purchase of JDLink Ultimate activation and JDLink Ultimate subscription (no hardware changes required).	
1889		JDLink Ultimate Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation. Requires purchase of JDLink Ultimate subscription sold separately. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data.	2,400.00
1887		JDLink Ultimate Promotion - 1 Year Subscription Included Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and 1 year subscription to JDLink Ultimate service. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after first year of service for continued functionality.	No Charge
1888		JDLink Ultimate Promotion - 3 Year Subscription Included 3 year subscription includes: 1 year promotion plus 2 additional years of JDLink Ultimate data and Service ADVISOR Remote Capability.  Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and 3 year subscription to JDLink Ultimate service. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after third year of service for continued functionality.	1,200.00
		TRANSMISSION	
1492		18 Speed Powershift, 18 F/6R Speeds with Efficiency Manager	In Base Price
7200		Standard Lighting Eight Front Grill Mounted Lights: Two 65W low beam driving lights, two 65W high beam driving lights, two front corner facing halogen work lights and two center facing halogen work lights.  Ten Cab Roof Mounted Lights: Two rear and four side facing 65W flood lights and four corner facing amber lights.  Four rear fender mounted flood lights and two rear Tail/Brake/Turn Lights.  Road Transport Extremity Lights.	-762.00
7201		Deluxe Lighting Includes Standard lighting plus 2 adjustable front roof 65W halogen floodlights and a rotary beacon light.	In Base Price
7202		Premium HID Lighting Includes Deluxe Lighting, and in the grill, two front corner HID lights replace two front halogen lights and one HID light replaces a center halogen flood light. Two of the rear fender lights are replaced with HID lights.	3,442.00

#### 9510RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		RADIO	
2650		Less Radio, Less Speakers Includes wiring harness only for radio and speakers, no radio and no speakers.	In Base Price
2660		Deluxe Radio Package AM/FM Stereo with Clock, Weatherband, Remote Controls, Auxiliary Input Jack Located on Front of Radio, Four Speakers and External Antenna.	670.00
2661		Premium Radio Package with XM Radio  AM/FM Stereo with Premium Tuner, Clock, Weatherband, Compact Disc Player, Remote  Controls, USB port on front of radio face, Auxiliary Input Jacks located in right hand storage console and on radio face, BlueTooth capable including microphone, Integrated BlueTooth  Phone Book connection through CommandCenter,XM Satellite capable including Satellite  Antenna (Subscription Required), Four Speakers, Subwoofer, and External Antenna.  Volume, Speed Compensation, bass, and treble radio functions can be viewed and configured on the CommandCenter Display.  For U.S. and Canada only.	1,015.00
2662		Premium Radio Package For Non U.S. and Canada Markets only: AM/FM Stereo with Premium Tuner, Clock, Compact Disc Player, Remote Controls, Auxiliary Input Jack located in right hand storage console and on radio, BlueTooth capable including microphone, Integrated BlueTooth Phone Book connection through CommandCenter, Four Speakers, Subwoofer, and External Antenna.	912.00
		Not for US or Canada.	
		REAR POWER TAKE OFF	
3800		Less Rear PTO	In Base Price
3810		1000-rpm PTO with 1 3/4-In. Shaft Not compatible with Rear Storage Box.	14,340.00
		REAR HITCH	
		Advertised Hitch Lift Capacity is the amount of force that is sustained through the entire range of lift, measured at 610 mm behind the hitch point. This is measured with the rear hitch centerlink connected to the upper hole. See Operators Manual for more information.	
4000		Less Rear Hitch	In Base Price
4051		Electric-Hydraulic 3-Point Hitch with Draft Sensing and Cat. 4/4N, Adjustable Quik Coupler; 6940 kg (15,300 Lb.) Lift Capacity Not compatible with wide Swing drawbar Code 4328 or 4329. Includes Heavy-Duty Drawbar Support.  Maximum number of SCV's with a Hitch is five.	20,789.00
4053		Electric-Hydraulic 3-Point Hitch with Draft Sensing and Cat. 4/4N, Adjustable Quik Coupler; 9072 kg (20,000 Lb.) Lift Capacity Not compatible with wide Swing drawbar Code 4328 or 4329. Includes Heavy-Duty Drawbar Support.  Maximum number of SCV's with a Hitch is five.	23,259.00
		DRAWBAR	
4327		Cat. 5 Drawbar with Drawbar Support, Hammerstrap and Pin (non-swinging)  Required for heavy drawbar applications such as DB Planters.  See An Sales Manual for complete load capacity and compatibility information	167.00

03 August 2012 US & Canada 2-Tractors-08200- 16

See Ag Sales Manual for complete load capacity and compatibility information.

### 9510RT Tractor

Continued

0	TRACKS  762 mm (30 ln.) Width, 208 mm (8.2 ln.) Pitch Camoplast DURABUILT 3500 Tracks	In Base Price
	Requires Code 3270 - 295 lpm Hydraulic Pump. Refer to the Ag Sales Manual for Implement compatibility.	
	Push/Pull Breakaway Couplers. High Pressure Relief Levers.	
	(Hi-flow Hydraulic System) TouchSet Hydraulic Controls.	,
2	Five Deluxe Electro-Hydraulic Rear Remote Selective Control Valves	1,350.00
	Requires Code 3241 - 182 lpm Hydraulic Pump. Refer to the Ag Sales Manual for Implement compatibility.	
	High Pressure Relief Levers.	
	TouchSet Hydraulic Controls. Push/Pull Breakaway Couplers.	
1	Five Deluxe Electric-Hydraulic Rear Remote Selective Control Valves (Standard Hydraulic System)	1,350.00
	Requires Code 3241 - 182 lpm Hydraulic Pump. Refer to the Ag Sales Manual for Implement compatibility.	
	Push/Pull Breakaway Couplers. High Pressure Relief Levers.	
	TouchSet Hydraulic Controls.	
1	Four Deluxe Electric-Hydraulic Rear Remote Selective Control Valves (Standard Hydraulic System)	In Base Price
	HYDRAULIC SELECTIVE CONTROL VALVES (SCVs)	
	песопиненией јог писѕие аррисинонѕ.	
1	Heavy Duty Steering Pump - 130cc Recommended for hillside applications.	2,720.00
	Recommended in traditional Ag applications with flat terrain. Standard Equipment on all Ag Track Tractors.	
0	Steering Pump - 100cc	In Base Price
	HYDRAULIC STEERING PUMP	
	SCVs 1-3 supplied by one pump, SCVs 4&5 supplied by secondary pump.	
	Requires Code 3352 Five Deluxe SCV's. Refer to the Ag Sales Manual for Implement compatibility.	
0	Hi-Flow Hydraulic System, 295 lpm (78 gpm)  Provides up to 170 lpm (45 gpm) flow @ one SCV.	5,885.00
	Requires Code 3341 or Code 3351 - Rear Remote SCVs. Refer to the Ag Sales Manual for Implement compatibility.	
1	Standard Hydraulic System, 182 lpm (48 gpm)  Provides up to 140 lpm (37gpm) flow @ one SCV.	In Base Price
	HYDRAULIC PUMP	
	Not compatible with Rear Storage Box.  See Ag Sales Manual for complete load capacity and compatibility information.	
9	Cat. 5 Heavy-Duty Wide Swing Drawbar on Rollers  Not compatible with 3-Point hitch Code 4050, 4051, 4052, 4053.	In Base Price
	DRAWBARContinued	
DE IDENTIFIER	DESCRIPTION  DRAWBARContinued	USD (\$)

#### 9510RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION TRACKSContinued	SUGGESTED LIST PRICE USD (\$)
6825		914 mm (36 In.) Width, 208 mm (8.2 In.) Pitch Camoplast DURABUILT 3500 Tracks	7,561.00
6821		762 mm (30 In.) Width, 208 mm (8.2 In.) Pitch Camoplast DURABUILT 5500 Tracks	7,274.00
6826		914 mm (36 In.) Width, 208 mm (8.2 In.) Pitch Camoplast DURABUILT 5500 Tracks	10,910.00
		OPERATOR'S MANUAL AND LABELS	
		A Code must be chosen for each Tractor ordered.	
0401		Arabic	Same Price
0426		Mandarin (Chinese)	Same Price
0409		English Operator's Manual Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	In Base Price
0413		French Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0430		Portuguese Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0433		Russian Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0437		Spanish Operator's Manual Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8210		Operator Station and Electrical: Leather Trim Package For CommandView II, Deluxe CommandView II, and Premium CommandView II cabs. Includes heated leather seat, leather instructional set, leather wrapped steering wheel and rear window decal.	1,646.00
8229		External Mirrors, Electrically Adjustable RH and LH Must order Code 2059. Not compatible with Code 2050. Region IV (United States, Canada, Costa Rica, Australia and New Zealand) only.	540.00
8242		Radar with Dual Beam Sensor	900.00
8251		Antenna Mount and Wiring for Business Band Radio	129.00
8725		Rotary Beacon Light Requires Code 7200 Standard Lighting.	347.00

#### 9510RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued	
832F		Hydraulics: Motor Seal Drain Kit Required with all Rear Hitch Codes 4050, 4051, 4052, 4053.	628.00
8756		Hydraulic Trailer Brake Valve	1,006.00
8782		Electrical & Lights Back Up Alarm	363.00
8306		Engine: Fuel/Water Separator, Severe Duty	564.00
8338		John Deere PowerTech 13.5 L (824 cu.in.) 6 Cyl Stage 2 Compliant Diesel Engine	-16,883.00
8340		John Deere PowerTech PSX 13.5 L (824 cu. in. ) 6 Cyl. iT4 / Stage 3b Compliant Diesel	Same Price
		Ballast: Please refer to Ag Sales Manual when ordering weights.	
8955		Front Weight Support - 304 kg (670 Lb.) (Holds up to 26-R127764)	1,125.00
8962		Front Weight Support with 20 Weights	3,818.00
8964		Front Weight Support with 26 Weights	5,168.00
8995		Two Track Frame Weight Brackets - One Per Side Weights must be field installed due to shipping width limitations.	555.00
8985		Front Idler Starter Ballast Package Front Idler Starter Weight Package Includes: 4 - R311921 Starter Weights 36 Kg (80 lb) each. Total Package Weight; 146 Kg (320 lb).	1,351.00
8986		Front Idler Weights Ballast Package Requires Code 8985 Front Idler Starter Ballast Package. This includes 8 weights; 4 - 75 Kg (165 lb) and 4 - 205 Kg (450 lb) weights. Total Package Weight; 1120 Kg (2640 lb)	2,906.00
		ATTACHMENTS - ORDER AS DESIRED	
9076		Customer Gold Key Program: Gold Key Experience Tour This personal guided tour provides you with the unique opportunity to watch a similar machine to the one you are purchasing during its final stages of manufacturing. This tour will be scheduled in advance and can occur at your convenience during a 60 day window (30 days prior to or 30 days after your machine's expected warehouse date). For more information, visit www.deere.com/goldkey.	No Charge

#### ATTACHMENTS FOR FIELD CONVERSION

### 9510RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	RE343324	Electrical: Battery Disconnect Kit	See Parts
	RE322780	ISO Cab Implement CAN Bus Adapter	See Parts
	RE269398	Mounting Kit - Dual Beam Radar Sensor for Tracks The Mounting Kit does not include Dual Beam Radar Sensor. If Dual Beam Radar Sensor is needed, order Dual Beam Radar Sensor (RE278980, RE278984, RE278986 or RE278982).	See Parts
	RE278980	Radar with Dual Beam Sensor	See Parts
	RE278984	Radar with Dual Beam Sensor	See Parts
	RE278986	Radar with Dual Beam Sensor - AU	See Parts
	RE278982	Radar, Dual Beam Sensor	See Parts
	RE325025	iTEC 3/4 Switch Requires software download. Reference Installation instructions for additional information.	See Parts
	RE326214	Engine: Fuel/Water Separator Kit, Severe Duty - Tracks	See Parts
	RE259709	Hitch and Drawbar: Bottom Roller Kit for Tracks Wide Swing Drawbar	See Parts
	RE270268	Cat. 4/4N Quik Coupler Kit	See Parts
	RE270270	Cat. 4N/3 Quik Coupler Kit	See Parts
	RE310971	Cat. 5 High Capacity Wide Swing Drawbar Support Kit Ability to achieve 12,000 lbs. vertical load capacity.	See Parts
	RE278847	Cat. 5 to Cat. 4 Drawbar Conversion Kit  Converts Cat. 5 Drawbar for use with Cat. 4 Implements.	See Parts
	RE266011	Drawbar Reinforcement Kit for Cat. 4 Drawbar for Track Tractors Factory Equipped with a Hitch or a Heavy Duty Drawbar Support Ability to achieve 11,000 lbs Vertical Load Capacity.	See Parts
	RE311349	Electro-Hydraulic 3 Point Hitch with Draft Sensing for Track Tractors For Tractors equipped with a Factory Installed HD drawbar support. Additional parts are required - see installation instructions. Also requires Cat. 4N/3 Quik Coupler (RE270270), or 4/4N Quik Coupler (RE270268). Also required hitch cylinders to achieve 15,300 lb or 20,000 lb lift capacity. 15,300 lb hitch uses 1 x AHC10487 and 1 x AHC10488 cylinders. 20,000 lb hitch uses 2 x AHC10045. Requires Software download (R306826) to activate function.	See Parts
	RE310798	Hydraulics: 3/4 In. Selective Control Valve Coupler Kit (Hi-Flow only)	See Parts

#### 9510RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE303735	ATTACHMENTS FOR FIELD CONVERSIONContinued 5th Remote Selective Control Valve (for Standard flow Hydraulics) Requires Software download to activate function - See Parts.	See Parts
	RE310796	6th Remote Selective Control Valve for AG High Flow Hydraulic Systems Not compatible with a factory or field installed 3 Pt. Hitch. Requires factory installed 5th SCV. Requires Software download to activate function - See Parts.	See Parts
	RE303736	6th Remote Selective Control Valve for Standard Flow Hydraulic Systems Not compatible with a factory or field installed 3 Pt. Hitch. Requires factory or field installed 5th SCV. Requires Software download to activate function - See Parts.	See Parts
	RE293259	Hitch Auxiliary Raise Kit For use with hitch valve with lift assist wheels. Compatible with all 9R Series Wheel and Track Tractors.	See Parts
	RE310822	Hydraulic Trailer Brake Kit for Tracks  Provides single line connection to hydraulic braking systems.  Works with or without power beyond couplers.	See Parts
	RE337241	Kit, Accumulator	See Parts
	RE299261	Motor Seal Drain Kit	See Parts
	RE293262	Power Beyond Coupler Kit Compatible with all Standard Flow Hydraulic Systems and Ag High Flow Hydraulic Systems. 1 or 2 pcs required for Ag High Flow Systems. Compatible with all Standard Flow Hydraulic Systems.	See Parts
	RE330435	Lighting: Auxiliary Lighting Kit	See Parts
	RE334623	Rotary Beacon Light Kit Switch is on CSM.	See Parts
	RE311211	Miscellaneous: Tow Cable Kit - Track Tractors	See Parts
	RE67685	Operator Environment: 9-Pin Connector for Implement Feedback Required for TouchSet Depth Control.	See Parts
	RE317435	Accessory Mounting Bracket	See Parts
	RE269615	Antenna Mount and Wiring for Business Band Radio	See Parts
	RE273380	Back Up Alarm Kit	See Parts
	RE328345	Radio, Deere/Delco AM/FM Stereo with Clock, Weatherband, Four Speakers and Antenna	See Parts
	RE298965	Radio, Sub Woofer Kit Includes sub woofer, rear upholstery, and grille screen.	See Parts

### 9510RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE298942	ATTACHMENTS FOR FIELD CONVERSIONContinued Seat Belt Kit	See Parts
	RE337750	Windshield Wiper with Washer, Rear	See Parts
	RE304680	PTO: Field Installation Kit, PTO, Track All PTO mounting hardware and shielding is contained in kit.	See Parts
	AL71345	Vandal Protection: Door Locks - Custom Key	See Parts
	AR268522	Weights: Front Idler Weights Mounting	See Parts
	RE309127	Front Weight Bracket Allows attachment of up to 26 Quick-Tatch weights.	See Parts
	RE341174	One (LH) Narrow Profile Track Frame Weight Bracket (Holds (12) R127764 Weights - order separately) Also order: (8) 19M7892; (8) 24M7344; (4) 19M7952; (4) 19M7642 Reference Installation Instruction # RE342883 Not compatible with R2 style suitcase weights.	See Parts
	RE341175	One (RH) Narrow Profile Track Frame Weight Bracket (Holds (12) R127764 Weights - order separately)  Also order: (8) 19M7892; (8) 24M7344; (4) 19M7952; (4) 19M7642  Reference Installation Instruction # RE342883  Not compatible with R2 style suitcase weights.	See Parts
	R199010	One Track Frame Weight Bracket (Order two. Holds 16 R127764 Weights each side) Also order 8- Cap Screws (19M8639) and 8- Washers (24M7242). Side Frame Weight Supports require Extremity Warning Lights (available through Parts).	See Parts
	RE286201	Two Track Frame Weight Supports and Extremity Lighting Kit	See Parts
	R311921	Weight, Front Idler Starter - 79 lbs. (36 kg)	See Parts
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One	See Parts
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	See Parts

#### 9560RT Tractor

#### **Equipment for Base Machine**

```
ENGINE:
6-Cylinder Turbocharged John Deere PowerTech
                                                               INSTRUMENTATION:
                                                              Digital Instrument Panel includes
  Diesel Engine with Electronic
Unit Injection
Air to Air Aftercooled
13.5L (824 Cu. In.) Displacement
395 kW (538 Hp) Engine Power Level ECE-R24 @ Rated
                                                                 Engine Oil Pressure Gauge
                                                                 Engine Coolant Temperature Gauge
                                                                 Fuel Level Gauge
                                                                 % Slip
                                                                 Ground Speed
Engine Speed
412 kW (560 Hp) Engine Power Level 97/68EC @ Rated
                                                                 PTO Speed
                                                                 System Voltage
Engine Speed
Dry Type Air Cleaner with Safety Element,
                                                                 Engine Hours
                                                                 Service Hours with On-Board
  Airstack and Aspirator
Ether Starting Aid
Engine Coolant Heater 110V or 220V
                                                                   Vehicle Monitor System
Vertical Engine Oil Filter
Dual Filter Fuel System
                                                              ELECTRICAL:
                                                              Key Shutoff
                                                              12V Electrical System
Three 925 CCA Capacity 12V Batteries
B2 Biodiesel Fuel from the Factory
                                                              200 Amp Alternator
One Electrical 3-Pin
TRANSMISSION:
18 Speed Powershift with Efficiency Manager
18 Forward/6 Reverse Speeds Hydraulic Wet Clutch
                                                                 12V Convenience Outlet
                                                                 Ground Terminals Behind Console
                                                               7 - Terminal Ream Implement Electrical
STEERING AND BRAKES:
                                                                 Outlet Socket
                                                              Battery Boost Terminal
GreenStar Ready Harness
Hydrostatic Differential Steering
Tilt/Telescoping Steering Wheel
Wet Disk, Hydraulic Power Brakes
Spring-Applied, Hydraulically Released
                                                              with Implement Connector
AutoTrac Ready Steering Control Unit,
  Park Brake
                                                                 Factory Installed
Secondary Handbrake
                                                              LIGHTS:
HYDRAULICS:
                                                              Front Hood Lights (Eight Total)
                                                                 Two HB3 65W Low Road Headlights
Two HB3 65W High Road Headlights
Pressure Flow Compensating
  Axial Piston Pump
182 lpm (48 gpm) Pump Output
Flow @ One SCV - 140 lpm (37 gpm)
                                                                   with Hand Operated Dimmer Switch
                                                                 Two 65W Adjustable Corner Work Lights
Four EH Remote Cylinder Controls
                                                                 One 65W Adjustable Center Work Light
  with ISO Couplers
                                                                 One 65W Adjustable Center Spot Light
Steering Pump - 100 cc
                                                               Four 65W Rear Fender Mounted
                                                                 Pedestal Mounted Work Lights
PTO:
Less PTO
                                                               Cab Roof Lights
                                                                 Two 65W Adjustable Front Flood Lights
HITCH AND DRAWBAR:
                                                                 Four 65W Fixed Side Flood Lights (2 per side)
                                                                 Two 65W Fixed Rear Flood Lights
Cat. 5 Wide Swing Drawbar with Rollers
Drawbar Clevis and Pin
                                                                 Four 65W Fixed Corner Flood Lights (Region II
Secondary Chain Support
                                                                 only)
Less Hitch
                                                               Four Corner Amber Flashing Warning Lights
                                                              with Turn Signal Control (Not for Region II)
Two Rear Fender Tail/Brake/Turn lights
COMMANDVIEW CAB:
Roll Over Protective Structure
                                                               Road Transport Extremity Lights (Not Region II)
Air Conditioner and Heater
                                                               EU Front and Rear Extremity Position Lighting Kit
One Interior Rear View Mirror
                                                               (Region II Only)
Electrically Adjustable Mirrors, RH and LH
Command Center Color Display
                                                               762 mm (30 In.) Wide, 208 mm (8.2 In.) Pitch
Camoplast DURABUILT 3500 Tracks
Comfort Command Seat with
  Air Suspension
  Swivel
                                                               2692 mm (106 In.) Track Spacing
  Fore-Aft and Lateral Attenuation
                                                              Two Piece Midrollers
  Armrest Controls
  Lumbar Support
                                                              VEHICLE:
  Backrest Adjustment
                                                              SMV Emblem (if required)
Tinted Glass
                                                               Electric Horn
Two-Speed Front Wiper with
                                                               Toolbox
  Variable Speed Delay
                                                              Rear Storage Box (except with PTO and Wide Swing
Swing-Out Rear Window
Three Monitor Ready Locations
Two Convenience 12V Outlets
                                                              Drawbar options)
                                                              1287 L (340 U.S. Gallon) Fuel Tank Capacity
                                                              Flexible Lower Step
AM/FM Radio Mounting Bracket
  with Wiring Harness
Field Cruise
Left Hand Storage
iTEC (Intelligent Total Equipment Control)
```

Implement Management System and Hitch Slip Command

#### 9560RT Tractor

Continued

SUGGESTED **ATTACHMENT** LIST PRICE **USD (\$)** CODE **IDENTIFIER** DESCRIPTION

Select One Code From Each Required Category

**BASE MACHINE** 

EX-WORKS Waterloo, Iowa

03Q0RW 9560RT Tractor 416,175.00

DESTINATION

A Code must be chosen for each Tractor ordered.

Africa

0002 Same Price Angola

Requires Code 1885 JDLink Capable

Requires Code 8338 - Stage 2 Compliant Engine Requires Code 8306 - Severe Duty Fuel/Water Separator

Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab

Code 7201 Deluxe Lighting

0003 Same Price

Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885

JDLink Capable

Requires Code 8338 - Stage 2 Compliant Engine.

Requires Code 8306 - Severe Duty Fuel/Water Separator.

Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab

Code 7201 Deluxe Lighting

0004 Same Price Botswana

Requires Code 1885 JDLink Capable

Requires Code 8338 - Stage 2 Compliant Engine Requires Code 8306 - Severe Duty Fuel/Water Separator

Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab

Code 7201 Deluxe Lighting

0005 Burkina Faso Same Price

Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885

JDLink Capable

Requires Code 8338 - Stage 2 Compliant Engine.

Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes:

Code 2059 Deluxe CommandView II Cab

Code 7201 Deluxe Lighting

### 9560RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0006		DESTINATIONContinued Burundi Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0007		Cameroon Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine Requires Code 8306 - Severe Duty Fuel/Water Separator Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0008		Cape Verde Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0009		Central Africa Republic Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0011		Chad Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0012		Comoros Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price

### 9560RT Tractor

#### Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0013		DESTINATIONContinued Congo Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0014		Democratic Republic of Congo Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting.	Same Price
0015		Djibouti Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0016		Egypt Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine Requires Code 8306 - Severe Duty Fuel/Water Separator Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0017		Equatoria Guinea Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0018		Eritrea Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price

### 9560RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0019		DESTINATIONContinued Ethiopia Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting.	Same Price
0020		Gabon Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0021		Gambia Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0022		Ghana Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine Requires Code 8306 - Severe Duty Fuel/Water Separator Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0023		Guinea Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0024		Guinea-Bissau Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price

### 9560RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0025		DESTINATIONContinued  Ivory Coast  Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable  Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0026		Kenya Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine Requires Code 8306 - Severe Duty Fuel/Water Separator Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0028		Liberia Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0029		Libya Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0030		Madagascar Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0031		Malawi Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine Requires Code 8306 - Severe Duty Fuel/Water Separator Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price

### 9560RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0032		DESTINATIONContinued Mali Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0033		Mauritania Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0034		Mauritius Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0036		Mozambique Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine Requires Code 8306 - Severe Duty Fuel/Water Separator Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0038		Niger Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0039		Nigeria Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine Requires Code 8306 - Severe Duty Fuel/Water Separator Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0040		Rwanda Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine Requires Code 8306 - Severe Duty Fuel/Water Separator Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price

### 9560RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0041		DESTINATIONContinued Sao Tome and Principe Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0043		Senegal Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0044		Seychelles Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0045		Sierra Leone Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0046		Somolia Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0049		Swaziland Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine Requires Code 8306 - Severe Duty Fuel/Water Separator Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price

### 9560RT Tractor

CODE	ATTACHMENT IDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0050		DESTINATIONContinued Tanzania Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0051		Togo Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0053		Uganda Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine Requires Code 8306 - Severe Duty Fuel/Water Separator Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0055		Zimbabwe Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine Requires Code 8306 - Severe Duty Fuel/Water Separator Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0072		Asia China (People's Republic of China) Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0094		Philippines Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting.	Same Price

### 9560RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0098		DESTINATIONContinued Saudi Arabia Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0184		North America Canada Requires code 1887 JDLink Ultimate Promotion - 1 Year Subscription or Code 1888 JDLink Ultimate Promotion - 3 Year Subscription. Requires Code 8340 - Stage iT4/3b Compliant Engine Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	1,209.00
0185		Costa Rica Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0193		Honduras Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0195		Mexico Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe commandView II Cab. Code 7201 Deluxe Lighting.	Same Price
0202		United States Requires code 1887 JDLink Ultimate Promotion - 1 Year Subscription or Code 1888 JDLink Ultimate Promotion - 3 Year Subscription. Requires Code 8340 - Stage iT4/3b Compliant Engine Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	1,209.00
0210		South America Argentina Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price

#### 9560RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0211		DESTINATIONContinued Bolivia Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0212		Brazil Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Requires Code 8782 - Back Up Alarm. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0214		Colombia Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0219		Suriname Requires Code 1821 GS3 CommandCenter or Code 1823 touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
		VALUE PACKAGE CONFIGURATIONS	
0500		No Package	In Base Price
0533		Standard Value Package Includes Codes 2050, 2650, 3241, 3341 or 3351, and 7200.	-1,150.00
0535		Deluxe Value Package Includes Codes 2059, 2660, 3241, 3341 or 3351, and 7201.	-1,725.00
0537		Deluxe Value Package with Hi-Flow Hydraulics <i>Includes Codes 2059</i> , 2660, 3270, 3352 and 7201.	-1,725.00
0539		Premium Value Package with Hi-Flow Hydraulics Includes Codes 2059, 1823 or 1826, 2661 or 2662, 3270, 3352 and 7202.	-2,000.00
		OPERATOR STATION	
2050		CommandView II Cab Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls located on the Control Switch Module (CSM). Front Windshield Washer and Wiper. Manual Temperature Controls Located in Cab Roof.	-2,009.00

#### 9560RT Tractor

Continued

SUGGESTED **ATTACHMENT** LIST PRICE **DESCRIPTION** CODE **IDENTIFIER** USD (\$) OPERATOR STATION ... Continued... Folding Instructional Seat. No Mirrors. See Attachments Section for ordering information on Additional Field Attachments. 2059 Deluxe CommandView II Cab In Base Price Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Remote Radio Controls Located on Control Switch Module (CSM). Front and Rear Windshield Wiper and Washer. Automatic Temperature Control with controls located on CSM. Front Pull Down Sun Shade. Right and Left Outside Manually Adjustable Mirrors. Power Strip with Convenience Plug Adapter. Programmable Egress Lighting. Folding Instructional Seat.

#### **DISPLAY**

When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display, ALL GreenStar applications must be run on the additional GreenStar Display. See Online Configurator and Ag Sales Manual for more information.

See Attachments Section for ordering information on Additional Field Attachments.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

1821 GS3 CommandCenter, 7" Color Display In Base Price

Includes GreenStar Parallel Tracking and Access Manager. Capable of operating AutoTrac and Swath Control Pro. Access Manager is password protection on display functions. AutoTrac activation can be ordered with the Tractor.

Swath Control Pro activation must be ordered through AMS Price Pages.

Does not include a cornerpost bracket for mounting an additional GreenStar Display.

1823 GS3 Touchscreen Command Center, 7" Color Display, Video Capable 1,260.00

Includes GreenStar Parallel Tracking, Access Manager and Video Capability. Capable of operating AutoTrac and Swath Control Pro.

Access Manager is password protection on display functions. One video input and tractor function activated triggers. AutoTrac activation can be ordered with the tractor.

Swath Control Pro activation must be ordered through AMS Price Pages.

Does not include a cornerpost bracket for mounting an additional GreenStar Display.

1825 GS3 CommandCenter, 7" Color Display with GreenStar 3 2630 Display 5,895.00

Includes GreenStar Parallel Tracking and Access Manager. Capable of operating AutoTrac and Swath Control Pro. Access Manager is password protection on display functions. AutoTrac activation can be ordered with the tractor.

Swath Control Pro activation must be ordered through AMS Price Pages.

GreenStar 3 2630 display and harness installed on the A-Post display bracket.

Warranty on GreenStar 3 2630 Display will be handled by AMS and will carry normal AMS

warranty items.

1826 GS3 Touchscreen CommandCenter, 7" Color Display, Video Capable with GreenStar 3 7,160.00

2630 Display

Includes GreenStar Parallel Tracking, Access Manager and Video Capability.

Capable of operating AutoTrac and Swath Control Pro.

#### 9560RT Tractor

Continued

SUGGESTED
ATTACHMENT LIST PRICE
CODE IDENTIFIER DESCRIPTION USD (\$)

#### DISPLAY ...Continued...

Access Manager is password protection on display functions.

One video input and tractor function activated triggers.

AutoTrac activation can be ordered with the tractor.

Swath Control Pro activation must be ordered through AMS Price Pages.

GreenStar 3 2630 display and harness installed on the A-Post display bracket.

Warranty on GreenStar 3 2630 Display will be handled by AMS and will carry normal AMS warranty terms.

#### **RECEIVER**

StarFire 3000 Position Receivers can be ordered in two configurations: -SF1 World Solution, a no-charge differential correction signal that provides non-row-crop accuracy.

-SF2 Ready, a subscription-based differential correction signal that provides +/- 4 inch pass-to-pass accuracy. SF2 subscription can be purchased at www.StellarSupport.com. -RTK capability may be added to an SF2 Ready StarFire 3000 by adding a StarFire RTK radio, RTK radio cover, and RTK activation.

Must have complete base station and vehicle kit for RTK. See Ag Sales Manual for configurations.

In addition, each StarFire 3000 Receiver is capable of utilizing the free Wide Area Augmentation System (WAAS) signal.

GNSS serial port information (NMEA) is available through a StarFire 3000.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

1835 Less StarFire 3000 Position Receiver In Base Price

Includes deluxe receiver mounting bracket only.

When installing a StarFire Receiver with Original Shroud, order conversion bracket through parts or a Deluxe Shroud through AMS Attachments to retrofit an iTC Receiver.

1837 StarFire 3000 Position Receiver - SF1 with Deluxe Shroud 3,195.00

Tractor includes deluxe receiver mounting bracket only.

StarFire 3000 Receiver shipped inside the cab. Includes Receiver Operator's Manuals with the language translation to match the Tractor Operator's Manual language translation.

language translation to match the Tractor Operator's Manual language translation. Warranty on StarFire 3000 Receiver will be handled by AMS and will carry normal AMS warranty terms.

Ready for use with the StarFire SF1 or WAAS/EGNOS differential correction signal for non-row-crop accuracy. StarFire 3000 Receiver can be upgraded to SF2 capabilities.

1838 StarFire 3000 Position Receiver - SF2 Ready with Deluxe Shroud 5.445.00

Tractor includes deluxe receiver mounting bracket only.

StarFire 3000 Receiver shipped inside the cab. Includes Receiver Operator's Manuals with the language translation to match the Tractor Operator's Manual language translation. Warranty on StarFire 3000 Receiver will be handled by AMS and will carry normal AMS warranty terms.

A StarFire 3000 SF2 Ready Receiver requires an SF2 subscription to obtain SF2 accuracy (+/-4" of accuracy pass to pass within 15 minutes, 95% of the time). The SF2 subscription is available at www.StellarSupport.com.

#### AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONS

Other activations sold separately and are available through the AMS prices pages. GS2 activations are not compatible with the GS3 CommandCenter or GreenStar 3 2630 Display. Purchase of a new GS3 activation or upgrading the GS2 activations is required.

When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is

#### 9560RT Tractor

Continued

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONSContinued capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display. All GreenStar applications must be run on the additional standalone GreenStar Display. See Online Configurator and Ag Sales Manual for more information.  Dealer/Distributor required to contact www.StellarSupport.com to activate AMS Software	
		Activations, referencing the Tractor COMAR order number. Dealer/Distributor required to fully test AutoTrac and/or iTEC Pro functionality. Warranty on Activations will be handled by AMS and will carry normal AMS warranty terms.  Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1845		Less AutoTrac Activation	In Base Price
1846		AutoTrac SF1 Activation - GS3 Requires factory installed StarFire 3000 SF1 Receiver (Code 1837) for AutoTrac functionality. See Ag Sales Manual and AMS Price Pages for detailed information.	3,000.00
1847		AutoTrac SF2 Activation - GS3 Requires factory installed StarFire 3000 SF2 Receiver (Code 1838) for AutoTrac functionality. Also requires a SF2 Subscription for SF2 functionality. Purchased separately at www.StellarSupport.com. For RTK usage, purchase RTK radio, activation and base station sold separately. See Ag Sales Manual and AMS Price Pages for detailed information.	5,250.00
1848		AutoTrac SF1 Activation - GS3 with iTEC Pro Activation - GS3 Requires factory installed StarFire 3000 SF1 Receiver (Code 1837) and GreenStar 3 2630 Display (Code 1825 or 1826). This option requires all GreenStar applications to be run on the GreenStar 3 2630 Display. See Ag Sales Manual and AMS Price Pages for detailed information.	5,500.00
1849		AutoTrac SF2 Activation - GS3 with iTEC Pro Activation - GS3 Requires factory installed StarFire 3000 SF2 Receiver (Code 1838) and GreenStar 3 2630 Display (Code 1825 or 1826). This option requires all GreenStar applications to be run on the GreenStar 3 2630 Display. Also requires SF2 Subscription for SF2 functionality. Purchased separately at www.StellarSupport.com. For RTK usage, purchase RTK radio, activation and base station sold separately. See Ag Sales Manual and AMS Price Pages for detailed information.	7,750.00
		MACHINE CONNECTIVITY	
		Machine connectivity functions require cellular coverage. Usage of the JDLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract, which describes John Deere's access and use of the data collected by the system.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1885		JDLink Capable Includes cab wiring harness only. Requires field kit installation, activation, and subscription for JDLink functionality.	In Base Price
1886		JDLink Select Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Select activation.	1,000.00

#### 9560RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		MACHINE CONNECTIVITYContinued  Requires purchase of JDLink Select subscription sold separately. Features: machine hours, machine location, curfew alert, geofence alert, and maintenance profile.  JDLink customer account must be created to access JDLink Select data.  Upgrade to JDLink Ultimate requires purchase of JDLink Ultimate activation and JDLink Ultimate subscription (no hardware changes required).	
1889		JDLink Ultimate Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation. Requires purchase of JDLink Ultimate subscription sold separately. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data.	2,400.00
1887		JDLink Ultimate Promotion - 1 Year Subscription Included Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and 1 year subscription to JDLink Ultimate service. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after first year of service for continued functionality.	No Charge
1888		JDLink Ultimate Promotion - 3 Year Subscription Included 3 year subscription includes: 1 year promotion plus 2 additional years of JDLink Ultimate data and Service ADVISOR Remote Capability.  Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and 3 year subscription to JDLink Ultimate service.  In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics.  JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after third year of service for continued functionality.	1,200.00
		TRANSMISSION	
1492		18 Speed Powershift, 18 F/6R Speeds with Efficiency Manager	In Base Price
7200		Standard Lighting Eight Front Grill Mounted Lights: Two 65W low beam driving lights, two 65W high beam driving lights, two front corner facing halogen work lights and two center facing halogen work lights.  Ten Cab Roof Mounted Lights: Two rear and four side facing 65W flood lights and four corner facing amber lights.  Four rear fender mounted flood lights and two rear Tail/Brake/Turn Lights.  Road Transport Extremity Lights.	-762.00
7201		Deluxe Lighting Includes Standard lighting plus 2 adjustable front roof 65W halogen floodlights and a rotary beacon light.	In Base Price
7202		Premium HID Lighting Includes Deluxe Lighting, and in the grill, two front corner HID lights replace two front halogen lights and one HID light replaces a center halogen flood light. Two of the rear fender lights are replaced with HID lights.	3,442.00

#### 9560RT Tractor

Continued

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		RADIO	
2650		Less Radio, Less Speakers Includes wiring harness only for radio and speakers, no radio and no speakers.	In Base Price
2660		Deluxe Radio Package AM/FM Stereo with Clock, Weatherband, Remote Controls, Auxiliary Input Jack Located on Front of Radio, Four Speakers and External Antenna.	670.00
2661		Premium Radio Package with XM Radio AM/FM Stereo with Premium Tuner, Clock, Weatherband, Compact Disc Player, Remote Controls, USB port on front of radio face, Auxiliary Input Jacks located in right hand storage console and on radio face, BlueTooth capable including microphone, Integrated BlueTooth Phone Book connection through CommandCenter,XM Satellite capable including Satellite Antenna (Subscription Required), Four Speakers, Subwoofer, and External Antenna. Volume, Speed Compensation, bass, and treble radio functions can be viewed and configured on the CommandCenter Display. For U.S. and Canada only.	1,015.00
2662		Premium Radio Package For Non U.S. and Canada Markets only: AM/FM Stereo with Premium Tuner, Clock, Compact Disc Player, Remote Controls, Auxiliary Input Jack located in right hand storage console and on radio, BlueTooth capable including microphone, Integrated BlueTooth Phone Book connection through CommandCenter, Four Speakers, Subwoofer, and External Antenna.	912.00
		Not for US or Canada.	
		REAR POWER TAKE OFF	
3800		Less Rear PTO	In Base Price
3810		1000-rpm PTO with 1 3/4-In. Shaft Not compatible with Rear Storage Box.	14,340.00
		REAR HITCH	
		Advertised Hitch Lift Capacity is the amount of force that is sustained through the entire range of lift, measured at 610 mm behind the hitch point. This is measured with the rear hitch centerlink connected to the upper hole. See Operators Manual for more information.	
4000		Less Rear Hitch	In Base Price
4051		Electric-Hydraulic 3-Point Hitch with Draft Sensing and Cat. 4/4N, Adjustable Quik Coupler; 6940 kg (15,300 Lb.) Lift Capacity Not compatible with wide Swing drawbar Code 4328 or 4329. Includes Heavy-Duty Drawbar Support.  Maximum number of SCV's with a Hitch is five.	20,789.00
4053		Electric-Hydraulic 3-Point Hitch with Draft Sensing and Cat. 4/4N, Adjustable Quik Coupler; 9072 kg (20,000 Lb.) Lift Capacity Not compatible with wide Swing drawbar Code 4328 or 4329. Includes Heavy-Duty Drawbar Support.  Maximum number of SCV's with a Hitch is five.	23,259.00
		DRAWBAR	
4327		Cat. 5 Drawbar with Drawbar Support, Hammerstrap and Pin (non-swinging)  Required for heavy drawbar applications such as DB Planters.  See An Sales Manual for complete load capacity and compatibility information	167.00

03 August 2012 US & Canada 2-Tractors-08300- 16

See Ag Sales Manual for complete load capacity and compatibility information.

#### 9560RT Tractor

Continued

0	TRACKS  762 mm (30 ln.) Width, 208 mm (8.2 ln.) Pitch Camoplast DURABUILT 3500 Tracks	In Base Price
	Requires Code 3270 - 295 lpm Hydraulic Pump. Refer to the Ag Sales Manual for Implement compatibility.	
	Push/Pull Breakaway Couplers. High Pressure Relief Levers.	
	(Hi-flow Hydraulic System) TouchSet Hydraulic Controls.	,
2	Five Deluxe Electro-Hydraulic Rear Remote Selective Control Valves	1,350.00
	Requires Code 3241 - 182 lpm Hydraulic Pump. Refer to the Ag Sales Manual for Implement compatibility.	
	High Pressure Relief Levers.	
	TouchSet Hydraulic Controls. Push/Pull Breakaway Couplers.	
1	Five Deluxe Electric-Hydraulic Rear Remote Selective Control Valves (Standard Hydraulic System)	1,350.00
	Requires Code 3241 - 182 lpm Hydraulic Pump. Refer to the Ag Sales Manual for Implement compatibility.	
	Push/Pull Breakaway Couplers. High Pressure Relief Levers.	
	TouchSet Hydraulic Controls.	
1	Four Deluxe Electric-Hydraulic Rear Remote Selective Control Valves (Standard Hydraulic System)	In Base Price
	HYDRAULIC SELECTIVE CONTROL VALVES (SCVs)	
	песопиненией јог писѕие аррисинонѕ.	
1	Heavy Duty Steering Pump - 130cc Recommended for hillside applications.	2,720.00
	Recommended in traditional Ag applications with flat terrain. Standard Equipment on all Ag Track Tractors.	
0	Steering Pump - 100cc	In Base Price
	HYDRAULIC STEERING PUMP	
	SCVs 1-3 supplied by one pump, SCVs 4&5 supplied by secondary pump.	
	Requires Code 3352 Five Deluxe SCV's. Refer to the Ag Sales Manual for Implement compatibility.	
0	Hi-Flow Hydraulic System, 295 lpm (78 gpm)  Provides up to 170 lpm (45 gpm) flow @ one SCV.	5,885.00
	Requires Code 3341 or Code 3351 - Rear Remote SCVs. Refer to the Ag Sales Manual for Implement compatibility.	
1	Standard Hydraulic System, 182 lpm (48 gpm)  Provides up to 140 lpm (37gpm) flow @ one SCV.	In Base Price
	HYDRAULIC PUMP	
	Not compatible with Rear Storage Box.  See Ag Sales Manual for complete load capacity and compatibility information.	
9	Cat. 5 Heavy-Duty Wide Swing Drawbar on Rollers  Not compatible with 3-Point hitch Code 4050, 4051, 4052, 4053.	In Base Price
	DRAWBARContinued	
DE IDENTIFIER	DESCRIPTION  DRAWBARContinued	USD (\$)

#### 9560RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		TRACKSContinued	
6825		914 mm (36 In.) Width, 208 mm (8.2 In.) Pitch Camoplast DURABUILT 3500 Tracks	7,561.00
6821		762 mm (30 ln.) Width, 208 mm (8.2 ln.) Pitch Camoplast DURABUILT 5500 Tracks	7,274.00
6826		914 mm (36 In.) Width, 208 mm (8.2 In.) Pitch Camoplast DURABUILT 5500 Tracks	10,910.00
		OPERATOR'S MANUAL AND LABELS	
		A Code must be chosen for each Tractor ordered.	
0401		Arabic	Same Price
0426		Mandarin (Chinese)	Same Price
0409		English Operator's Manual Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	In Base Price
0413		French Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0430		Portuguese Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0433		Russian Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0437		Spanish Operator's Manual Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8210		Operator Station and Electrical: Leather Trim Package For CommandView II, Deluxe CommandView II, and Premium CommandView II cabs. Includes heated leather seat, leather instructional set, leather wrapped steering wheel and rear window decal.	1,646.00
8229		External Mirrors, Electrically Adjustable RH and LH Must order Code 2059. Not compatible with Code 2050. Region IV (United States, Canada, Costa Rica, Australia and New Zealand) only.	540.00
8242		Radar with Dual Beam Sensor	900.00
8251		Antenna Mount and Wiring for Business Band Radio	129.00
8725		Rotary Beacon Light Requires Code 7200 Standard Lighting.	347.00

#### 9560RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued	
832F		Hydraulics: Motor Seal Drain Kit Required with all Rear Hitch Codes 4050, 4051, 4052, 4053.	628.00
8756		Hydraulic Trailer Brake Valve	1,006.00
8782		Electrical & Lights Back Up Alarm	363.00
8306		Engine: Fuel/Water Separator, Severe Duty	564.00
8338		John Deere PowerTech 13.5 L (824 cu.in.) 6 Cyl Stage 2 Compliant Diesel Engine	-16,883.00
8340		John Deere PowerTech PSX 13.5 L (824 cu. in. ) 6 Cyl. iT4 / Stage 3b Compliant Diesel	Same Price
		Ballast: Please refer to Ag Sales Manual when ordering weights.	
8955		Front Weight Support - 304 kg (670 Lb.) (Holds up to 26-R127764)	1,125.00
8962		Front Weight Support with 20 Weights	3,818.00
8964		Front Weight Support with 26 Weights	5,168.00
8995		Two Track Frame Weight Brackets - One Per Side Weights must be field installed due to shipping width limitations.	555.00
8985		Front Idler Starter Ballast Package Front Idler Starter Weight Package Includes: 4 - R311921 Starter Weights 36 Kg (80 lb) each. Total Package Weight; 146 Kg (320 lb).	1,351.00
8986		Front Idler Weights Ballast Package Requires Code 8985 Front Idler Starter Ballast Package. This includes 8 weights; 4 - 75 Kg (165 lb) and 4 - 205 Kg (450 lb) weights. Total Package Weight; 1120 Kg (2640 lb)	2,906.00
		ATTACHMENTS - ORDER AS DESIRED	
9076		Customer Gold Key Program: Gold Key Experience Tour This personal guided tour provides you with the unique opportunity to watch a similar machine to the one you are purchasing during its final stages of manufacturing. This tour will be scheduled in advance and can occur at your convenience during a 60 day window (30 days prior to or 30 days after your machine's expected warehouse date). For more information, visit www.deere.com/goldkey.	No Charge

#### ATTACHMENTS FOR FIELD CONVERSION

#### 9560RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	RE343324	Electrical: Battery Disconnect Kit	See Parts
	RE322780	ISO Cab Implement CAN Bus Adapter	See Parts
	RE269398	Mounting Kit - Dual Beam Radar Sensor for Tracks The Mounting Kit does not include Dual Beam Radar Sensor. If Dual Beam Radar Sensor is needed, order Dual Beam Radar Sensor (RE278980, RE278984, RE278986 or RE278982).	See Parts
	RE278980	Radar with Dual Beam Sensor	See Parts
	RE278984	Radar with Dual Beam Sensor	See Parts
	RE278986	Radar with Dual Beam Sensor - AU	See Parts
	RE278982	Radar, Dual Beam Sensor	See Parts
	RE325025	iTEC 3/4 Switch Requires software download. Reference Installation instructions for additional information.	See Parts
	RE326214	Engine: Fuel/Water Separator Kit, Severe Duty - Tracks	See Parts
	RE259709	Hitch and Drawbar: Bottom Roller Kit for Tracks Wide Swing Drawbar	See Parts
	RE270268	Cat. 4/4N Quik Coupler Kit	See Parts
	RE270270	Cat. 4N/3 Quik Coupler Kit	See Parts
	RE310971	Cat. 5 High Capacity Wide Swing Drawbar Support Kit Ability to achieve 12,000 lbs. vertical load capacity.	See Parts
	RE278847	Cat. 5 to Cat. 4 Drawbar Conversion Kit  Converts Cat. 5 Drawbar for use with Cat. 4 Implements.	See Parts
	RE266011	Drawbar Reinforcement Kit for Cat. 4 Drawbar for Track Tractors Factory Equipped with a Hitch or a Heavy Duty Drawbar Support Ability to achieve 11,000 lbs Vertical Load Capacity.	See Parts
	RE311349	Electro-Hydraulic 3 Point Hitch with Draft Sensing for Track Tractors For Tractors equipped with a Factory Installed HD drawbar support. Additional parts are required - see installation instructions. Also requires Cat. 4N/3 Quik Coupler (RE270270), or 4/4N Quik Coupler (RE270268). Also required hitch cylinders to achieve 15,300 lb or 20,000 lb lift capacity. 15,300 lb hitch uses 1 x AHC10487 and 1 x AHC10488 cylinders. 20,000 lb hitch uses 2 x AHC10045. Requires Software download (R306826) to activate function.	See Parts
	RE310798	Hydraulics: 3/4 In. Selective Control Valve Coupler Kit (Hi-Flow only)	See Parts

#### 9560RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE303735	ATTACHMENTS FOR FIELD CONVERSIONContinued 5th Remote Selective Control Valve (for Standard flow Hydraulics) Requires Software download to activate function - See Parts.	See Parts
	RE310796	6th Remote Selective Control Valve for AG High Flow Hydraulic Systems Not compatible with a factory or field installed 3 Pt. Hitch. Requires factory installed 5th SCV. Requires Software download to activate function - See Parts.	See Parts
	RE303736	6th Remote Selective Control Valve for Standard Flow Hydraulic Systems Not compatible with a factory or field installed 3 Pt. Hitch. Requires factory or field installed 5th SCV. Requires Software download to activate function - See Parts.	See Parts
	RE293259	Hitch Auxiliary Raise Kit For use with hitch valve with lift assist wheels. Compatible with all 9R Series Wheel and Track Tractors.	See Parts
	RE310822	Hydraulic Trailer Brake Kit for Tracks  Provides single line connection to hydraulic braking systems.  Works with or without power beyond couplers.	See Parts
	RE337241	Kit, Accumulator	See Parts
	RE299261	Motor Seal Drain Kit	See Parts
	RE293262	Power Beyond Coupler Kit Compatible with all Standard Flow Hydraulic Systems and Ag High Flow Hydraulic Systems. 1 or 2 pcs required for Ag High Flow Systems. Compatible with all Standard Flow Hydraulic Systems.	See Parts
	RE330435	Lighting: Auxiliary Lighting Kit	See Parts
	RE334623	Rotary Beacon Light Kit Switch is on CSM.	See Parts
	RE311211	Miscellaneous: Tow Cable Kit - Track Tractors	See Parts
	RE67685	Operator Environment: 9-Pin Connector for Implement Feedback Required for TouchSet Depth Control.	See Parts
	RE317435	Accessory Mounting Bracket	See Parts
	RE269615	Antenna Mount and Wiring for Business Band Radio	See Parts
	RE273380	Back Up Alarm Kit	See Parts
	RE328345	Radio, Deere/Delco AM/FM Stereo with Clock, Weatherband, Four Speakers and Antenna	See Parts
	RE298965	Radio, Sub Woofer Kit Includes sub woofer, rear upholstery, and grille screen.	See Parts

#### 9560RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE298942	ATTACHMENTS FOR FIELD CONVERSIONContinued Seat Belt Kit	See Parts
	RE337750	Windshield Wiper with Washer, Rear	See Parts
	RE304680	PTO: Field Installation Kit, PTO, Track All PTO mounting hardware and shielding is contained in kit.	See Parts
	AL71345	Vandal Protection: Door Locks - Custom Key	See Parts
	AR268522	Weights: Front Idler Weights Mounting	See Parts
	RE309127	Front Weight Bracket Allows attachment of up to 26 Quick-Tatch weights.	See Parts
	RE341174	One (LH) Narrow Profile Track Frame Weight Bracket (Holds (12) R127764 Weights - order separately) Also order: (8) 19M7892; (8) 24M7344; (4) 19M7952; (4) 19M7642 Reference Installation Instruction # RE342883 Not compatible with R2 style suitcase weights.	See Parts
	RE341175	One (RH) Narrow Profile Track Frame Weight Bracket (Holds (12) R127764 Weights - order separately)  Also order: (8) 19M7892; (8) 24M7344; (4) 19M7952; (4) 19M7642  Reference Installation Instruction # RE342883  Not compatible with R2 style suitcase weights.	See Parts
	R199010	One Track Frame Weight Bracket (Order two. Holds 16 R127764 Weights each side)  Also order 8- Cap Screws (19M8639) and 8- Washers (24M7242).  Side Frame Weight Supports require Extremity Warning Lights (available through Parts).	See Parts
	RE286201	Two Track Frame Weight Supports and Extremity Lighting Kit	See Parts
	R311921	Weight, Front Idler Starter - 79 lbs. (36 kg)	See Parts
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One	See Parts
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	See Parts

#### 9460RT Scraper Tractor

**Equipment for Base Machine** 

```
ENGINE:
                                                               Digital Instrument Panel includes
6-Cylinder Turbocharged John Deere
                                                                 Engine Oil Pressure Gauge
  Diesel Engine with Electronic
                                                                 Engine Coolant Temperature Gauge
Unit Injection
Air to Air Aftercooled
13.5L (824 Cu. In.) Displacement
325 kW (422 Hp) Engine Power Level ECE-R24 @ Rated
                                                                 Fuel Level Gauge
                                                                 % Slip
                                                                 Ground Speed
                                                                 PTO Speed
                                                                 System Voltage
Engine Speed
338 kW (460 Hp) Engine Power Level 97/68EC @ Rated
                                                                 Engine Hours
                                                                 Service Hours with On-Board
Engine Speed
Dry Type Air Cleaner with Safety Element,
Airstack and Aspirator
                                                                    Vehicle Monitor System
Ether Starting Aid
Engine Coolant Heater 110V or 220V
                                                               ELECTRICAL:
                                                               Key Shutoff
12V Electrical System
Three 925 CCA Capacity,
Vertical Engine Oil Filter
Dual Filter Fuel System
B2 Biodiesel Fuel from the Factory
                                                                 12V Batteries
                                                               200 Amp Alternator
TRANSMISSION:
                                                               One Electrical 3-Pin
18 Speed Powershift with Efficiency Manager
                                                                 12V Convenience Outlet
18 Forward/6 Reverse Speeds Hydraulic Wet Clutch
                                                                 Ground Terminals Behind Console
                                                               7-Terminal Rear Implement Electrical
                                                                 Outlet Socket
STEERING AND BRAKES:
                                                               Battery Boost Terminal
                                                               GreenStar Ready Harness
Hydrostatic Differential Steering
Tilt/Telescoping Steering Wheel
                                                                 with Implement Connector
Wet Disk, Hydraulic Power Brakes
Spring-Applied, Hydraulically Released
                                                               LIGHTS:
  Park Brake
                                                               Front Hood Lights (Eight Total)
HYDRAULICS:
                                                                 Two HB3 65W Low Road HeadLights
                                                                 Two HB3 65W High Road HeadLights
Pressure Flow Compensating
                                                                   with Hand Operated Dimmer Switch
  Axial Piston Pump
284 lpm (75 gpm) Pump Output
Flow @ one SCV - 170 lpm (45 gpm)
                                                                 Two 65W Adjustable Corner Work Lights
                                                                 One 65W Adjustable Center Work Light
Four EH Remote Cylinder Controls with
                                                                 One 65W Adjustable Center Spot Light
                                                               Four 65W Rear Fender Mounted
  ISO Couplers
Steering Pump - 130 cc
                                                                 Pedestal Mounted Work Lights
                                                               Cab Roof Lights
PTO:
                                                                 Two 65W Adjustable Front Flood Lights
                                                                 Four 65W Fixed Side Flood Lights (2 per side)
Less PTO
                                                                 Two 65W Fixed Rear Flood Lights
HITCH AND DRAWBAR:
                                                                 Four 65W Fixed Corner Flood Lights (Region II
Less Hitch
                                                                 only)
                                                               Four Corner Amber Flashing Warning Lights
with Turn Signal Control (Not Region II)
Two Rear Fender Tail/Brake/Turn lights
Heavy Duty Short Drawbar Support
  Less Drawbar
                                                               Road Transport Extremity Lights (Not Region II) EU Front and Rear Extremity Position Lighting Kit
COMMANDVIEW CAB:
Roll Over Protective Structure (ROPS)
Falling Object Protection Structure (Level 1 FOPS)
                                                               (Region II only)
Air Conditioner and Heater
                                                               Rotary Beacon Light
One Interior Rear View Mirror
Comfort Command Seat with
  Air Suspension
                                                               762 mm (30 In.) Width, 208 mm (8.2 In.) Pitch
                                                               Camoplast DURABUILT 5500 Scraper Tracks
  Swivel
  Fore-Aft and Lateral Attenuation
                                                               2692 mm (106 In.) Track Spacing
  Armrest Controls
                                                               Two Piece Midrollers
  Lumbar Support
  Backrest Adjustment
                                                               VEHICLE:
Tinted Glass
                                                               SMV Emblem (if required)
Two-Speed Front Wiper with
                                                               Electric Horn
  Variable Speed Delay
                                                               Toolbox
                                                               1287 L (340 U.S. Gallons)
Fuel Tank Capacity
Swing-Out Rear Window
Three Monitor Ready Locations
Two Convenience 12V Outlets
                                                               Flexible Lower Step
AM/FM Radio Mounting Bracket
                                                               Back Up Alarm
  with Wiring Harness
                                                               Tow Cable
Field Cruise
Left Hand Storage
iTEC (Intelligent Total Equipment Control)
Implement Management System
```

INSTRUMENTATION:

#### 9460RT Scraper Tractor

Continued

SUGGESTED **ATTACHMENT** LIST PRICE **USD (\$)** CODE **IDENTIFIER** DESCRIPTION

Select One Code From Each Required Category

**BASE MACHINE** 

EX-WORKS Waterloo, Iowa

03L0RW 9460RT Scraper Tractor 398,582.00

DESTINATION

A Code must be chosen for each Tractor ordered.

Africa

0007 Same Price Cameroon

> Requires Code 1885 JD Link Capable. Requires Code 8338 - Stage 2 Compliant Engine.

Requires Code 8306 - Severe Duty Fuel/Water Separator.

Country Specific Base Equipment includes:

Code 2059 Deluxe CommandView II Cab

Code 7201 Deluxe Lighting

0013 Same Price Congo

Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885

JDLink Capable

Requires Code 8338 - Stage 2 Compliant Engine.

Requires Code 8306 - Severe Duty Fuel/Water Separator.

Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab

Code 7201 Deluxe Lighting.

0014 Democratic Republic of Congo Same Price

Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885

JD Link Capable.

Requires Code 8338 - Stage 2 Compliant Engine.

Requires Code 8306 - Severe Duty Fuel/Water Separator.

Country Specific Base Equipment includes:

Code 2059 Deluxe CommandView II Cab

Code 7201 Deluxe Lighting

0016 Same Price

Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885

JD Link Capable.

Requires Code 8338 - Stage 2 Compliant Engine.

Requires Code 8306 - Severe Duty Fuel/Water Separator.

Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab

Code 7201 Deluxe Lighting

## 9460RT Scraper Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0019		DESTINATIONContinued Ethiopia Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting.	Same Price
0029		Libya Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JD Link Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0043		Senegal Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JD Link Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0050		Tanzania Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine Requires Code 8306 - Severe Duty Fuel/Water Separator Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting.	Same Price
0072		Asia China (People's Republic of China) Requires Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0094		Philippines Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting.	Same Price

## 9460RT Scraper Tractor Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0098		DESTINATIONContinued Saudi Arabia Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0184		North America Canada Requires code 1887 JDLink Ultimate Promotion - 1 Year Subscription or Code 1888 JDLink Ultimate Promotion - 3 Year Subscription. Requires Code 8340 - Stage iT4/3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	1,209.00
0185		Costa Rica Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting	Same Price
0193		Honduras Requires Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting.	Same Price
0195		Mexico Requires Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting.	Same Price
0202		United States Requires Code 1887 JDLink Ultimate Promotion - 1 Year Subscription or Code 1888 JDLink Ultimate Promotion - 3 Year Subscription. Requires Code 8340 - Stage iT4/3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	1,209.00
0210		South America Argentina Requires Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price

## 9460RT Scraper Tractor

Continued

CODE	ATTACHMENT	- DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0211		DESTINATIONContinued  Bolivia  Requires Code 1885 JDLink Capable.  Requires Code 8338 - Stage 2 Compliant Engine.  Requires Code 8306 - Severe Duty Fuel/Water Separator.  Country Specific Base Equipment Includes:  Code 2059 Deluxe CommandView II Cab  Code 7201 Deluxe Lighting	Same Price
0212		Brazil Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0214		Colombia Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0219		Suriname Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
		VALUE PACKAGE CONFIGURATIONS	
0500		No Package	In Base Price
0525		Deluxe Scraper Value Package with Hi-Flow Hydraulics Includes Codes: 2059, 2660, 3272, 3342 or 3361, 7201.	-1,725.00
0526		Premium Scraper Package with Hi-Flow Hydraulics Includes Codes: 1823, 2059,2661 or 2662, 3272, 3342 or 3361, 7202.	-2,000.00
		DISPLAY	
		When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display, ALL GreenStar applications must be run on the additional GreenStar Display. See Online Configurator and Ag Sales Manual for more information.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1821		GS3 CommandCenter 7" Color Display Includes Access Manager user lockout software. AMS Activations must be ordered through AMS Price Pages. Does not include a cornerpost bracket for mounting an additional GreenStar Display.	In Base Price

## 9460RT Scraper Tractor

Continued

		Continueu	
CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
1823		DISPLAYContinued GS3 Touchscreen Command Center, 7" Color Display, Video Ready Includes Access Manager user lockout software. One video input and tractor function activated triggers. AMS Activations must be ordered through AMS Price Pages. Does not include a cornerpost bracket for mounting an additional GreenStar Display.	1,260.00
		RECEIVER	
		StarFire 3000 Position Receivers can be ordered in two configurations: -SF1 A no-charge differential correction signal that provides non-row-crop accuracySF2 Ready, a subscription-based differential correction signal that provides +/- 4 inch pass-to-pass accuracy. SF2 subscription can be purchased at www.StellarSupport.comRTK capability may be added to an SF2 Ready StarFire 3000 by adding a StarFire RTK radio, RTK radio cover, and RTK activation.	
		Must have complete base station and vehicle kit for RTK. See Ag Sales Manual for configurations. In addition, each StarFire 3000 Receiver is capable of utilizing the free Wide Are Augmentation System (WAAS) signal.	
		GNSS serial port information (NMEA) is available through a StarFire 3000.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1835		Less StarFire 3000 Position Receiver Includes Deluxe receiver mounting bracket only. When installing a StarFire Receiver with Original Shroud, order conversion bracket through parts or a Deluxe Shroud through AMS Attachments to retrofit an iTC Receiver.	In Base Price
		AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONS	
		Other activations sold separately and are available through the AMS prices pages. GS2 activations are not compatible with the GS3 CommandCenter or GreenStar 3 2630 Display. Purchase of a new GS3 activation or upgrading the GS2 activations is required.	
		When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display. All GreenStar applications must be run on the additional standalone GreenStar Display. See Online Configurator and Ag Sales Manual for more information.	
		Dealer/Distributor required to contact www.StellarSupport.com to activate AMS Software Activations, referencing the Tractor COMAR order number. Dealer/Distributor required to fully test AutoTrac and/or iTEC Pro functionality. Warranty on Activations will be handled by AMS and will carry normal AMS warranty terms.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1845		Less AutoTrac Activation	In Base Price
		MACHINE CONNECTIVITY	
1885		JDLink Capable Includes cab wiring harness only. Requires field kit installation, activation, and subscription for JDLink functionality.	In Base Price
1886		JDLink Select	1,000.00

03 August 2012 US & Canada 2-Tractors-08400- 6

Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Select activation.

## 9460RT Scraper Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		MACHINE CONNECTIVITYContinued Requires purchase of JDLink Select subscription sold separately. Features: machine hours, machine location, curfew alert, geofence alert, and maintenance profile. JDLink customer account must be created to access JDLink Select data. Upgrade to JDLink Ultimate requires purchase of JDLink Ultimate activation and JDLink Ultimate subscription (no hardware changes required).	
1889		JDLink Ultimate Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation. Requires purchase of JDLink Ultimate subscription sold separately. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data.	2,400.00
1887		JDLink Ultimate Promotion - 1 Year Subscription Included Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and 1 year subscription to JDLink Ultimate service. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after first year of service for continued functionality.	No Charge
1888		JDLink Ultimate Promotion - 3 Year Subscription Included 3 year subscription includes: 1 year promotion plus 2 additional years of JDLink Ultimate data and Service ADVISOR Remote Capability.  Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and 3 year subscription to JDLink Ultimate service. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after third year of service for continued functionality.	1,200.00
		OPERATOR STATION	
2050		CommandView II Cab Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls located on the Control Switch Module (CSM). Front Windshield Washer and Wiper. Manual Temperature Controls Located in Cab Roof. Folding Instructional Seat. No Mirrors.  See Attachments Section for ordering information on Additional Field Attachments.	-2,009.00
2059		Deluxe CommandView II Cab Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls Located on Control Switch Module (CSM). Front and Rear Windshield Wiper and Washer. Automatic Temperature Control with controls located on CSM. Front Pull Down Sun Shade. Right and Left Outside Manually Adjustable Mirror Heads. Power Strip with Convenience Plug Adapter. Programmable Egress Lighting. Folding Instructional Seat.	In Base Price

## 9460RT Scraper Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		OPERATOR STATIONContinued See Attachments Section for ordering information on Additional Field Attachments.	
		TRANSMISSION	
1492		18 Speed Powershift, 18 F/6R Speeds with Efficiency Manager	In Base Price
		RADIO	
2650		Less Radio, Less Speakers Includes wiring harness only for radio and speakers, no radio and no speakers.	In Base Price
2660		Deluxe Radio Package AM/FM Stereo with Clock, Weatherband, Remote Controls, Auxiliary Input Jack Located on Front of Radio, Four Speakers and External Antenna.	670.00
2661		Premium Radio Package with XM Radio  AM/FM Stereo with Premium Tuner, Clock, Weatherband, Compact Disc Player, Remote  Controls, USB port on front of radio face, Auxiliary Input Jacks located in right hand storage console and on radio face, BlueTooth capable including microphone, Integrated BlueTooth  Phone Book connection through CommandCenter,XM Satellite capable including Satellite  Antenna (Subscription Required), Four Speakers, Subwoofer, and External Antenna.  Volume, Speed Compensation, bass, and treble radio functions can be viewed and configured on the CommandCenter Display.  For U.S. and Canada only.	1,015.00
2662		Premium Radio Package For Non U.S. and Canada Markets only: AM/FM Stereo with Premium Tuner, Clock, Compact Disc Player, Remote Controls, Auxiliary Input Jack located in right hand storage console and on radio, BlueTooth capable including microphone, Integrated BlueTooth Phone Book connection through CommandCenter, Four Speakers, Subwoofer, and External Antenna.	912.00
		Not U.S. and Canada.	
3272		HYDRAULIC SYSTEM  Hi-Flow Hydraulic System, 284lpm (75 gpm)  Provides up to 170 lpm (45 gpm)flow @ one SCV.  Requires Code 3342 or Code 3361 - Four or Six Rear Remote SCVs.	In Base Price
		HYDRAULIC SELECTIVE CONTROL VALVES (SCVs)	
3342		Four - 3/4" Deluxe Electric-Hydraulic Rear Remote Selective Control Valves (Hi-Flow Hydraulic System) Requires Code 3272 - Hi-Flow Hydraulic System. Requires 3/4" hose tips on implement. TouchSet Hydraulic Controls. Push/Pull Breakaway Couplers. High Pressure Relief Levers. Refer to the Ag Sales Manual for Implement compatibility.	In Base Price
3361		Six - 3/4" Deluxe Electro-Hydraulic Rear Remote Selective Control Valves (Hi-Flow Hydraulic System) Requires Code 3272 - Hi-Flow Hyddraulic System. Requires Code 8756 (Hydraulic Trailer Brake Valve). Requires 3/4" hose tips on implement. TouchSet Hydraulic Controls. Push/Pull Breakaway Couplers. High Pressure Relief Levers. Refer to the Ag Sales Manual for Implement compatibility.	4,136.00

## 9460RT Scraper Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION  HYDRAULIC SELECTIVE CONTROL VALVES (SCVs)Continued	SUGGESTED LIST PRICE USD (\$)
		DRAWBAR	
4330		Drawbar Support for Short Scraper Drawbars Requires short scraper drawbar. Recommended for use with John Deere brand scrapers. Refer to the Ag Sales Manual for more details. Order drawbar from Scraper Price Pages.	In Base Price
		TRACKS	
6822		762 mm (30 In.) Width, 208 mm (8.2 In.) Pitch Camoplast DURABILT 5500 Scraper Tracks	In Base Price
		LIGHTS	
7201		Deluxe Lighting  Eight Front Grill Mounted Lights: Two 65W low beam driving lights, two 65W high beam driving lights, two front corner facing halogen work lights and two center facing halogen work lights.  Twelve Cab Roof Mounted Lights: Two rear, two front, four side facing 65W flood lights and four corner facing amber lights.  Four rear fender mounted flood lights and two rearTail/Brake/Turn lights.  Road Transport Extremity Lights(foldable) and a Rotary beacon light.	In Base Price
7202		Premium HID Lighting Includes Deluxe Lighting, plus in the grill, two front corner HID lights replace two front halogen lights and one HID light replaces a center halogen flood light. Two of the rear fender lights are replaced with HID lights.	3,442.00
		OPERATOR'S MANUAL AND LABELS	
		A Code must be chosen for each Tractor ordered.	
0401		Arabic	Same Price
0426		Mandarin (Chinese)	Same Price
0409		English Operator's Manual Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	In Base Price
0413		French Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0430		Portuguese Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0433		Russian Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0437		Spanish Operator's Manual Canada, Mexico and United States will receive translated text labels, all other countries will	Same Price

## 9460RT Scraper Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		OPERATOR'S MANUAL AND LABELSContinued receive pictorial labels.	
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8229		Operator Station and Controls: External Mirrors, Electrically Adjustable RH and LH For Deluxe Cab Code 2059. Not compatible with Code 2050.	1,344.00
832A		AutoLoad Tractor Includes Factory Installation of tractor specific components for AutoLoad (AutoLoad controller, and AutoLoad specific CommandARM controls). For a fully functional AutoLoad System, requires additional components from Scraper Price Pages including but not limited to AutoLoad ready scraper drawbar. See both Scraper Tractor and Scraper Price Pages and Sales Manual for complete information. Requires Code 8242 Radar.	10,553.00
8242		Radar with Dual Beam Sensor	900.00
8251		Antenna Mount and Wiring for Business Band Radio	129.00
8756		Brakes & Steering: Hydraulic Trailer Brake Valve Required for operation of triple pans. Rear pan must have hydraulic trailer brakes when operating triple configuration.	1,006.00
8306		Engine: Fuel/Water Separator, Severe Duty Required for Tractors with Stage II engines. This code will be an option for Tractors with iT4/3b engines.	564.00
8338		John Deere PowerTech 13.5 L (824 cu.in.) 6 Cyl Stage 2 Compliant Diesel Engine	-16,883.00
8340		John Deere PowerTech PSX 13.5 L (824 cu. in. ) 6 Cyl. iT4 / Stage 3b Compliant Diesel	Same Price
		Weights & Ballast:	
		Ballast Recommendations: Please refer to Ag Sales Manual when ordering weights.	
8955		Front Weight Support - 304 kg (670 Lb.) (Holds up to 26-R127764)	1,125.00
8962		Front Weight Support with 20 Weights	3,818.00
8964		Front Weight Support with 26 Weights	5,168.00
8995		Two Track Frame Weight Brackets - One Per Side Weights must be field installed due to shipping width limitations.	555.00

## 9460RT Scraper Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8986		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Front Idler Weights Ballast Package Requires Code 8985 Idler Starter Weight Package. This includes 8 weights, 4 - 75 Kg (165 lb) and 4 - 205 Kg (450 lb) weights. Total package Weight 1120 Kg (2460 lb).	2,906.00
8985		Front Idler Starter Weight Package Front Idler Starter Weight Package includes: 4 - R3111921 Weights 36 Kg (80 lb) each weight. Total Package Weight 144 Kg (320 lb).	1,351.00
		ATTACHMENTS - ORDER AS DESIRED	
9076		Customer Gold Key Program: Gold Key Experience Tour This personal guided tour provides you with the unique opportunity to watch a similar machine to the one you are purchasing during its final stages of manufacturing. This tour will be scheduled in advance and can occur at your convenience during a 60 day window (30 days prior to or 30 days after your machine's expected warehouse date). For more information, visit www.deere.com/goldkey.	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
	RE343324	Electrical: Battery Disconnect Kit	See Parts
	RE322780	ISO Cab Implement CAN Bus Adapter	See Parts
	RE269398	Mounting Kit - Dual Beam Radar Sensor for Tracks The Mounting Kit does not include Dual Beam Radar Sensor. If Dual Beam Radar Sensor is needed, order Dual Beam Radar Sensor (RE278980, RE278984, RE278986 or RE278982).	See Parts
	RE278980	Radar with Dual Beam Sensor	See Parts
	RE278984	Radar with Dual Beam Sensor	See Parts
	RE278986	Radar with Dual Beam Sensor - AU	See Parts
	RE278982	Radar, Dual Beam Sensor	See Parts
	RE326214	Engine: Fuel/Water Separator Kit, Severe Duty - Tracks	See Parts
	RE311079	Hydraulics: 5th and 6th Scraper High Flow Remote Cylinder Selective Control Valve with Breakaway Couplers Additional parts may be required - see installation instructions. Requires Software download from PDC to activate function. Hydraulic Trailer Brake for PST (RE310822) is recommended for Track.	See Parts

## 9460RT Scraper Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE310822	ATTACHMENTS FOR FIELD CONVERSIONContinued Hydraulic Trailer Brake Kit for Tracks Provides single line connection to hydraulic braking systems. Works with or without power beyond couplers.	See Parts
	RE330435	Lighting: Auxiliary Lighting Kit	See Parts
	RE334623	Rotary Beacon Light Kit Switch is on CSM.	See Parts
	RE310865	Miscellaneous: AutoLoad Scraper Tractor - Field Installed	See Parts
	RE334134	Scraper Hose Support	See Parts
	RE311211	Tow Cable Kit - Track Tractors	See Parts
	RE317435	Operator Environment: Accessory Mounting Bracket	See Parts
	RE269615	Antenna Mount and Wiring for Business Band Radio	See Parts
	RE273380	Back Up Alarm Kit	See Parts
	RE328345	Radio, Deere/Delco AM/FM Stereo with Clock, Weatherband, Four Speakers and Antenna	See Parts
	RE298965	Radio, Sub Woofer Kit Includes sub woofer, rear upholstery, and grille screen.	See Parts
	RE298942	Seat Belt Kit	See Parts
	RE337750	Windshield Wiper with Washer, Rear	See Parts
	AL71345	Vandal Protection: Door Locks - Custom Key	See Parts
	AR268522	Weights: Front Idler Weights Mounting	See Parts
	RE309127	Front Weight Bracket Allows attachment of up to 26 Quick-Tatch weights.	See Parts
	RE341174	One (LH) Narrow Profile Track Frame Weight Bracket (Holds (12) R127764 Weights - order separately)  Also order: (8) 19M7892; (8) 24M7344; (4) 19M7952; (4) 19M7642  Reference Installation Instruction # RE342883  Not compatible with R2 style suitcase weights.	See Parts

## 9460RT Scraper Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE341175	ATTACHMENTS FOR FIELD CONVERSIONContinued One (RH) Narrow Profile Track Frame Weight Bracket (Holds (12) R127764 Weights - order separately) Also order: (8) 19M7892; (8) 24M7344; (4) 19M7952; (4) 19M7642 Reference Installation Instruction # RE342883 Not compatible with R2 style suitcase weights.	See Parts
	R199010	One Track Frame Weight Bracket (Order two. Holds 16 R127764 Weights each side) Also order 8- Cap Screws (19M8639) and 8- Washers (24M7242). Side Frame Weight Supports require Extremity Warning Lights (available through Parts).	See Parts
	RE286201	Two Track Frame Weight Supports and Extremity Lighting Kit	See Parts
	R311921	Weight, Front Idler Starter - 79 lbs. (36 kg)	See Parts
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One	See Parts

# 9460RT Scraper Tractor Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

#### 9510RT Scraper Tractor

**Equipment for Base Machine** 

```
ENGINE:
                                                             INSTRUMENTATION:
6-Cylinder Turbocharged John Deere PowerTech
                                                             Digital Instrument Panel includes
  Diesel Engine with Electronic
                                                               Engine Oil Pressure Gauge
  Unit Injection
                                                                Engine Coolant Temperature Gauge
Air to Air Aftercooled
13.5L (824 Cu. In.) Displacement
360 kW (490 Hp) Engine Power Level ECE-R24 @ Raged
                                                               Fuel Level Gauge
                                                                % Slip
                                                               Ground Speed
                                                               PTO Speed
Engine Speed
375 kW (510 Hp) Engine Power Level 97/68EC @ Rated
                                                               System Voltage
Engine Speed
                                                               Engine Hours
Dry Type Air Cleaner with Safety Element,
                                                               Service Hours with On-Board
  Airstack and Aspirator
                                                                  Vehicle Monitor System
Ether Starting Aid
Engine Coolant Heater 110V or 220V
                                                             ELECTRICAL:
                                                             Key Shutoff
12V Electrical System
Vertical Engine Oil Filter
Dual Filter Fuel System
B2 Biodiesel Fuel from the Factory
                                                             Three 925 CCA Capacity, 12V Batteries
                                                             200 Amp Alternator
TRANSMISSION:
                                                             One Electrical 3-Pin
18 Speed Powershift with Efficiency Manager
                                                               12V Convenience Outlet
18 Forward/6 Reverse Speeds Hydraulic Wet Clutch
                                                               Ground Terminals Behind Console
                                                             7-Terminal Rear Implement Electrical
                                                               Outlet Socket
STEERING AND BRAKES:
                                                             Battery Boost Terminal
                                                             GreenStar Ready Harness
Hydrostatic Differential Steering
Tilt/Telescoping Steering Wheel
                                                               with Implement Connector
Wet-Disk, Hydraulic Power Brakes
Spring-Applied, Hydraulically Released
                                                             LIGHTS:
  Park Brake
                                                             Front Hood Lights (Eight Total)
HYDRAULICS:
                                                                Two HB3 65W Low Road HeadLights
                                                               Two HB3 65W High Road HeadLights
Pressure Flow Compensating
                                                                 with Hand Operated Dimmer Switch
  Axial Piston Pump
284 lpm (75 gpm) Pump Output
Flow @ One SCV - 170 lpm (45 gpm)
                                                               Two 65W Adjustable Corner Work Lights
                                                               One 65W Adjustable Center Work Light
Four EH Remote Cylinder Controls
                                                               One 65W Adjustable Center Spot Light
  with ISO Couplers
                                                             Four 65W Rear Fender Mounted
Steering Pump - 130 cc
                                                               Pedestal Mounted Work Lights
                                                             Cab Roof Lights
PTO:
                                                               Two 65W Adjustable Front Flood Lights
                                                                Four 65W Fixed Side Flood Lights (2 per side)
Less PTO
                                                                Two 65W Fixed Rear Flood Lights
HITCH AND DRAWBAR:
                                                               Four 65W Fixed Corner Flood Lights (Region II
Less Hitch
                                                               only)
                                                               Four Flashing Warning Lights
Heavy Duty Short Drawbar Support
                                                             with Turn Signal Control (Not Region II)
Two Rear Fender Tail/Brake/Turn lights
  Less Drawbar
                                                             Road Transport Extremity Lights (Not Region II) EU Front and Rear Extremity Position Lighting Kit
COMMANDVIEW CAB:
Roll Over Protective Structure (ROPS)
Falling Object Protection Structure (Level 1 FOPS)
                                                             (Region II only)
Air Conditioner and Heater
                                                             Rotary Beacon Light
                                                             TRACKS:
One Interior Rear View Mirror
                                                             762 mm (30 In.) Width, 208 mm (8.2 In.) Pitch Camoplast DURABUILT 5500 Scraper Tracks
Comfort Command Seat with
  Air Suspension
  Swivel
                                                             2692 mm (106 In.) Track Spacing
  Fore-Aft and Lateral Attenuation
                                                             Two Piece Midrollers
  Armrest Controls
  Lumbar Support
                                                             VEHICLE:
  Backrest Adjustment
                                                             SMV Emblem (if required)
Tinted Glass
                                                             Electric Horn
Two-Speed Front Wiper with
                                                             Toolbox
  Variable Speed Delay
                                                             1287 L (340 U.S. Gallons
                                                               Fuel Tank Capacity
Swing-Out Rear Window
Three Monitor Ready Locations
Two Convenience 12V Outlets
                                                             Flexible Lower Step
                                                             Back Up Alarm
AM/FM Radio Mounting Bracket
                                                             Tow Cable
  with Wiring Harness
Field Cruise
Left Hand Storage
iTEC (Intelligent Total Equipment Control)
Implement Management System
```

#### 9510RT Scraper Tractor

Continued

С	ODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

**BASE MACHINE** 

EX-WORKS Waterloo, Iowa

03P0RW 9510RT Scraper Tractor 421,686.00

DESTINATION

A Code must be chosen for each Tractor ordered.

Africa

0007 Same Price Cameroon

Requires Code 1885 JD Link Capable. Requires Code 8338 - Stage 2 Compliant Engine.

Requires Code 8306 - Severe Duty Fuel/Water Separator.

Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab

Code 7201 Deluxe Lighting

0013 Same Price Congo

Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885

JDLink Capable

Requires Code 8338 - Stage 2 Compliant Engine.

Requires Code 8306 - Severe Duty Fuel/Water Separator.

Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab

Code 7201 Deluxe Lighting.

0014 Democratic Republic of Congo Same Price

Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885

JD Link Capable.

Requires Code 8338 - Stage 2 Compliant Engine.

Requires Code 8306 - Severe Duty Fuel/Water Separator.

Country Specific Base Equipment includes:

Code 2059 Deluxe CommandView II Cab

Code 7201 Deluxe Lighting

0016 Same Price

Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885

JD Link Capable.

Requires Code 8338 - Stage 2 Compliant Engine.

Requires Code 8306 - Severe Duty Fuel/Water Separator.

Country Specific Base Equipment includes:

Code 2059 Deluxe CommandView II Cab

Code 7201 Deluxe Lighting

## 9510RT Scraper Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0019		DESTINATIONContinued Ethiopia Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting.	Same Price
0029		Libya Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JD Link Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0043		Senegal Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JD Link Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0050		Tanzania Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine Requires Code 8306 - Severe Duty Fuel/Water Separator Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting.	Same Price
0072		Asia China (People's Republic of China) Requires Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0094		Philippines Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting.	Same Price

## 9510RT Scraper Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0098		DESTINATIONContinued Saudi Arabia Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0184		North America Canada Requires code 1887 JDLink Ultimate Promotion - 1 Year Subscription or Code 1888 JDLink Ultimate Promotion - 3 Year Subscription. Requires Code 8340 - Stage iT4/3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	1,209.00
0185		Costa Rica Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting	Same Price
0193		Honduras Requires Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting.	Same Price
0195		Mexico Requires Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting.	Same Price
0202		United States Requires Code 1887 JDLink Ultimate Promotion - 1 Year Subscription or Code 1888 JDLink Ultimate Promotion - 3 Year Subscription. Requires Code 8340 - Stage iT4/3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	1,209.00
0210		South America Argentina Requires Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price

## 9510RT Scraper Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0211		DESTINATIONContinued Bolivia Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0212		Brazil Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0214		Colombia Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0219		Suriname Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
		VALUE PACKAGE CONFIGURATIONS	
0500		No Package	In Base Price
0525		Deluxe Scraper Value Package with Hi-Flow Hydraulics Includes Codes: 2059, 2660, 3272, 3342 or 3361, 7201.	-1,725.00
0526		Premium Scraper Package with Hi-Flow Hydraulics Includes Codes: 1823, 2059,2661 or 2662, 3272, 3342 or 3361, 7202.	-2,000.00
		DISPLAY	
		When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display, ALL GreenStar applications must be run on the additional GreenStar Display. See Online Configurator and Ag Sales Manual for more information.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1821		GS3 CommandCenter 7" Color Display Includes Access Manager user lockout software. AMS Activations must be ordered through AMS Price Pages. Does not include a cornerpost bracket for mounting an additional GreenStar Display.	In Base Price

#### 9510RT Scraper Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
1823		DISPLAYContinued GS3 Touchscreen Command Center, 7" Color Display, Video Ready Includes Access Manager user lockout software. One video input and tractor function activated triggers. AMS Activations must be ordered through AMS Price Pages. Does not include a cornerpost bracket for mounting an additional GreenStar Display.	1,260.00
		RECEIVER	
		StarFire 3000 Position Receivers can be ordered in two configurations: -SF1 A no-charge differential correction signal that provides non-row-crop accuracySF2 Ready, a subscription-based differential correction signal that provides +/- 4 inch pass-to-pass accuracy. SF2 subscription can be purchased at www.StellarSupport.comRTK capability may be added to an SF2 Ready StarFire 3000 by adding a StarFire RTK radio, RTK radio cover, and RTK activation.	
		Must have complete base station and vehicle kit for RTK. See Ag Sales Manual for configurations. In addition, each StarFire 3000 Receiver is capable of utilizing the free Wide Are Augmentation System (WAAS) signal.	
		GNSS serial port information (NMEA) is available through a StarFire 3000.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1835		Less StarFire 3000 Position Receiver Includes Deluxe receiver mounting bracket only. When installing a StarFire Receiver with Original Shroud, order conversion bracket through parts or a Deluxe Shroud through AMS Attachments to retrofit an iTC Receiver.	In Base Price
		AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONS	
		Other activations sold separately and are available through the AMS prices pages. GS2 activations are not compatible with the GS3 CommandCenter or GreenStar 3 2630 Display. Purchase of a new GS3 activation or upgrading the GS2 activations is required.	
		When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display. All GreenStar applications must be run on the additional standalone GreenStar Display. See Online Configurator and Ag Sales Manual for more information.	
		Dealer/Distributor required to contact www.StellarSupport.com to activate AMS Software Activations, referencing the Tractor COMAR order number. Dealer/Distributor required to fully test AutoTrac and/or iTEC Pro functionality. Warranty on Activations will be handled by AMS and will carry normal AMS warranty terms.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1845		Less AutoTrac Activation	In Base Price
		MACHINE CONNECTIVITY	

03 August 2012 US & Canada 2-Tractors-08500- 6

Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Select activation.

1,000.00

1886

JDLink Select

## 9510RT Scraper Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		MACHINE CONNECTIVITYContinued Requires purchase of JDLink Select subscription sold separately. Features: machine hours, machine location, curfew alert, geofence alert, and maintenance profile. JDLink customer account must be created to access JDLink Select data. Upgrade to JDLink Ultimate requires purchase of JDLink Ultimate activation and JDLink Ultimate subscription (no hardware changes required).	
1889		JDLink Ultimate Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation. Requires purchase of JDLink Ultimate subscription sold separately. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data.	2,400.00
1887		JDLink Ultimate Promotion - 1 Year Subscription Included Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and 1 year subscription to JDLink Ultimate service. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after first year of service for continued functionality.	No Charge
1888		JDLink Ultimate Promotion - 3 Year Subscription Included 3 year subscription includes: 1 year promotion plus 2 additional years of JDLink Ultimate data and Service ADVISOR Remote Capability.  Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and 3 year subscription to JDLink Ultimate service. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after third year of service for continued functionality.	1,200.00
		OPERATOR STATION	
2050		CommandView II Cab Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls located on the Control Switch Module (CSM). Front Windshield Washer and Wiper. Manual Temperature Controls Located in Cab Roof. Folding Instructional Seat. No Mirrors.  See Attachments Section for ordering information on Additional Field Attachments.	-2,009.00
2059		Deluxe CommandView II Cab Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls Located on Control Switch Module (CSM). Front and Rear Windshield Wiper and Washer. Automatic Temperature Control with controls located on CSM. Front Pull Down Sun Shade. Right and Left Outside Manually Adjustable Mirror Heads. Power Strip with Convenience Plug Adapter. Programmable Egress Lighting. Folding Instructional Seat.	In Base Price

## 9510RT Scraper Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>OPERATOR STATIONContinued</b> See Attachments Section for ordering information on Additional Field Attachments.	
		TRANSMISSION	
1492		18 Speed Powershift, 18 F/6R Speeds with Efficiency Manager	In Base Price
		RADIO	
2650		Less Radio, Less Speakers Includes wiring harness only for radio and speakers, no radio and no speakers.	In Base Price
2660		Deluxe Radio Package  AM/FM Stereo with Clock, Weatherband, Remote Controls, Auxiliary Input Jack Located on Front of Radio, Four Speakers and External Antenna.	670.00
2661		Premium Radio Package with XM Radio  AM/FM Stereo with Premium Tuner, Clock, Weatherband, Compact Disc Player, Remote Controls, USB port on front of radio face, Auxiliary Input Jacks located in right hand storage console and on radio face, BlueTooth capable including microphone, Integrated BlueTooth Phone Book connection through CommandCenter,XM Satellite capable including Satellite Antenna (Subscription Required), Four Speakers, Subwoofer, and External Antenna. Volume, Speed Compensation, bass, and treble radio functions can be viewed and configured on the CommandCenter Display. For U.S. and Canada only.	1,015.00
2662		Premium Radio Package For Non U.S. and Canada Markets only: AM/FM Stereo with Premium Tuner, Clock, Compact Disc Player, Remote Controls, Auxiliary Input Jack located in right hand storage console and on radio, BlueTooth capable including microphone, Integrated BlueTooth Phone Book connection through CommandCenter, Four Speakers, Subwoofer, and External Antenna.  Not U.S. and Canada.	912.00
3272		HYDRAULIC SYSTEM  Hi-Flow Hydraulic System, 284lpm (75 gpm)  Provides up to 170 lpm (45 gpm)flow @ one SCV.  Requires Code 3342 or Code 3361 - Four or Six Rear Remote SCVs.	In Base Price
		HYDRAULIC SELECTIVE CONTROL VALVES (SCVs)	
3342		Four - 3/4" Deluxe Electric-Hydraulic Rear Remote Selective Control Valves (Hi-Flow Hydraulic System) Requires Code 3272 - Hi-Flow Hydraulic System. Requires 3/4" hose tips on implement. TouchSet Hydraulic Controls. Push/Pull Breakaway Couplers. High Pressure Relief Levers. Refer to the Ag Sales Manual for Implement compatibility.	In Base Price
3361		Six - 3/4" Deluxe Electro-Hydraulic Rear Remote Selective Control Valves (Hi-Flow Hydraulic System) Requires Code 3272 - Hi-Flow Hyddraulic System. Requires Code 8756 (Hydraulic Trailer Brake Valve). Requires 3/4" hose tips on implement. TouchSet Hydraulic Controls. Push/Pull Breakaway Couplers. High Pressure Relief Levers. Refer to the Ag Sales Manual for Implement compatibility.	4,136.00

## 9510RT Scraper Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		HYDRAULIC SELECTIVE CONTROL VALVES (SCVs)Continued	
		DRAWBAR	
4330		Drawbar Support for Short Scraper Drawbars Requires short scraper drawbar. Recommended for use with John Deere brand scrapers. Refer to the Ag Sales Manual for more details. Order drawbar from Scraper Price Pages.	In Base Price
		TRACKS	
6822		762 mm (30 In.) Width, 208 mm (8.2 In.) Pitch Camoplast DURABILT 5500 Scraper Tracks	In Base Price
		LIGHTS	
7201		Deluxe Lighting  Eight Front Grill Mounted Lights: Two 65W low beam driving lights, two 65W high beam driving lights, two front corner facing halogen work lights and two center facing halogen work lights.  Twelve Cab Roof Mounted Lights: Two rear, two front, four side facing 65W flood lights and four corner facing amber lights.  Four rear fender mounted flood lights and two rearTail/Brake/Turn lights.  Road Transport Extremity Lights(foldable) and a Rotary beacon light.	In Base Price
7202		Premium HID Lighting Includes Deluxe Lighting, plus in the grill, two front corner HID lights replace two front halogen lights and one HID light replaces a center halogen flood light. Two of the rear fender lights are replaced with HID lights.	3,442.00
		OPERATOR'S MANUAL AND LABELS	
		A Code must be chosen for each Tractor ordered.	
0401		Arabic	Same Price
0426		Mandarin (Chinese)	Same Price
0409		English Operator's Manual Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	In Base Price
0413		French Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0430		Portuguese Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0433		Russian Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0437		Spanish Operator's Manual Canada, Mexico and United States will receive translated text labels, all other countries will	Same Price

## 9510RT Scraper Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		OPERATOR'S MANUAL AND LABELSContinued receive pictorial labels.	
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8229		Operator Station and Controls: External Mirrors, Electrically Adjustable RH and LH For Deluxe Cab Code 2059. Not compatible with Code 2050.	1,344.00
832A		AutoLoad Tractor Includes Factory Installation of tractor specific components for AutoLoad (AutoLoad controller, and AutoLoad specific CommandARM controls). For a fully functional AutoLoad System, requires additional components from Scraper Price Pages including but not limited to AutoLoad ready scraper drawbar. See both Scraper Tractor and Scraper Price Pages and Sales Manual for complete information. Requires Code 8242 Radar.	10,553.00
8242		Radar with Dual Beam Sensor	900.00
8251		Antenna Mount and Wiring for Business Band Radio	129.00
8756		Brakes & Steering: Hydraulic Trailer Brake Valve Required for operation of triple pans. Rear pan must have hydraulic trailer brakes when operating triple configuration.	1,006.00
8306		Engine: Fuel/Water Separator, Severe Duty Required for Tractors with Stage II engines. This code will be an option for Tractors with iT4/3b engines.	564.00
8338		John Deere PowerTech 13.5 L (824 cu.in.) 6 Cyl Stage 2 Compliant Diesel Engine	-16,883.00
8340		John Deere PowerTech PSX 13.5 L (824 cu. in. ) 6 Cyl. iT4 / Stage 3b Compliant Diesel	Same Price
		Weights & Ballast:	
		Ballast Recommendations: Please refer to Ag Sales Manual when ordering weights.	
8955		Front Weight Support - 304 kg (670 Lb.) (Holds up to 26-R127764)	1,125.00
8962		Front Weight Support with 20 Weights	3,818.00
8964		Front Weight Support with 26 Weights	5,168.00
8995		Two Track Frame Weight Brackets - One Per Side Weights must be field installed due to shipping width limitations.	555.00

#### 9510RT Scraper Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8986		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Front Idler Weights Ballast Package Requires Code 8985 Idler Starter Weight Package. This includes 8 weights, 4 - 75 Kg (165 lb) and 4 - 205 Kg (450 lb) weights. Total package Weight 1120 Kg (2460 lb).	2,906.00
8985		Front Idler Starter Weight Package Front Idler Starter Weight Package includes: 4 - R3111921 Weights 36 Kg (80 lb) each weight. Total Package Weight 144 Kg (320 lb).	1,351.00
		ATTACHMENTS - ORDER AS DESIRED	
9076		Customer Gold Key Program: Gold Key Experience Tour This personal guided tour provides you with the unique opportunity to watch a similar machine to the one you are purchasing during its final stages of manufacturing. This tour will be scheduled in advance and can occur at your convenience during a 60 day window (30 days prior to or 30 days after your machine's expected warehouse date). For more information, visit www.deere.com/goldkey.	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
	RE343324	Electrical: Battery Disconnect Kit	See Parts
	RE322780	ISO Cab Implement CAN Bus Adapter	See Parts
	RE269398	Mounting Kit - Dual Beam Radar Sensor for Tracks The Mounting Kit does not include Dual Beam Radar Sensor. If Dual Beam Radar Sensor is needed, order Dual Beam Radar Sensor (RE278980, RE278984, RE278986 or RE278982).	See Parts
	RE278980	Radar with Dual Beam Sensor	See Parts
	RE278984	Radar with Dual Beam Sensor	See Parts
	RE278986	Radar with Dual Beam Sensor - AU	See Parts
	RE278982	Radar, Dual Beam Sensor	See Parts
	RE326214	Engine: Fuel/Water Separator Kit, Severe Duty - Tracks	See Parts
	RE311079	Hydraulics: 5th and 6th Scraper High Flow Remote Cylinder Selective Control Valve with Breakaway Couplers Additional parts may be required - see installation instructions. Requires Software download from PDC to activate function. Hydraulic Trailer Brake for PST (RE310822) is recommended for Track.	See Parts

#### 9510RT Scraper Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE310822	ATTACHMENTS FOR FIELD CONVERSIONContinued Hydraulic Trailer Brake Kit for Tracks Provides single line connection to hydraulic braking systems. Works with or without power beyond couplers.	See Parts
	RE330435	Lighting: Auxiliary Lighting Kit	See Parts
	RE334623	Rotary Beacon Light Kit Switch is on CSM.	See Parts
	RE310865	Miscellaneous: AutoLoad Scraper Tractor - Field Installed	See Parts
	RE334134	Scraper Hose Support	See Parts
	RE311211	Tow Cable Kit - Track Tractors	See Parts
	RE317435	Operator Environment: Accessory Mounting Bracket	See Parts
	RE269615	Antenna Mount and Wiring for Business Band Radio	See Parts
	RE273380	Back Up Alarm Kit	See Parts
	RE328345	Radio, Deere/Delco AM/FM Stereo with Clock, Weatherband, Four Speakers and Antenna	See Parts
	RE298965	Radio, Sub Woofer Kit Includes sub woofer, rear upholstery, and grille screen.	See Parts
	RE298942	Seat Belt Kit	See Parts
	RE337750	Windshield Wiper with Washer, Rear	See Parts
	AL71345	Vandal Protection: Door Locks - Custom Key	See Parts
	AR268522	Weights: Front Idler Weights Mounting	See Parts
	RE309127	Front Weight Bracket Allows attachment of up to 26 Quick-Tatch weights.	See Parts
	RE341174	One (LH) Narrow Profile Track Frame Weight Bracket (Holds (12) R127764 Weights - order separately)  Also order: (8) 19M7892; (8) 24M7344; (4) 19M7952; (4) 19M7642  Reference Installation Instruction # RE342883  Not compatible with R2 style suitcase weights.	See Parts

#### 9510RT Scraper Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE341175	ATTACHMENTS FOR FIELD CONVERSIONContinued One (RH) Narrow Profile Track Frame Weight Bracket (Holds (12) R127764 Weights - order separately) Also order: (8) 19M7892; (8) 24M7344; (4) 19M7952; (4) 19M7642 Reference Installation Instruction # RE342883 Not compatible with R2 style suitcase weights.	See Parts
	R199010	One Track Frame Weight Bracket (Order two. Holds 16 R127764 Weights each side) Also order 8- Cap Screws (19M8639) and 8- Washers (24M7242). Side Frame Weight Supports require Extremity Warning Lights (available through Parts).	See Parts
	RE286201	Two Track Frame Weight Supports and Extremity Lighting Kit	See Parts
	R311921	Weight, Front Idler Starter - 79 lbs. (36 kg)	See Parts
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One	See Parts

# 9510RT Scraper Tractor Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

#### 9560RT Scraper Tractor

**Equipment for Base Machine** 

```
ENGINE:
                                                            Digital Instrument Panel includes
6-Cylinder Turbocharged John Deere PowerTech
                                                               Engine Oil Pressure Gauge
  Diesel Engine with Electronic
                                                               Engine Coolant Temperature Gauge
  Unit Injection
                                                               Fuel Level Gauge
Air to Air Aftercooled
13.5L (824 Cu. In.) Displacement
395 kW (538 Hp) Engine Power Level ECE-R24 @ Raged
                                                               % Slip
                                                               Ground Speed
                                                               PTO Speed
                                                               System Voltage
Engine Speed
412 kW (560 Hp) Engine Power Level 97/68EC @ Rated
                                                               Engine Hours
                                                               Service Hours with On-Board
Engine Speed
Dry Type Air Cleaner with Safety Element,
                                                                 Vehicle Monitor System
  Airstack and Aspirator
Ether Starting Aid
Engine Coolant Heater 110V or 220V
                                                            ELECTRICAL:
                                                            Key Shutoff
                                                            12V Electrical System
Three 925 CCA Capacity, 12V Batteries
Vertical Engine Oil Filter
Dual Filter Fuel System
B2 Biodiesel Fuel from the Factory
                                                             200 Amp Alternator
                                                            One Electrical 3-Pin
TRANSMISSION:
                                                               12V Convenience Outlet
18 Speed Powershift with Efficiency Manager
                                                               Ground Terminals Behind Console
18 Forward/6 Reverse Speeds Hydraulic Wet Clutch
                                                             7-Terminal Rear Implement Electrical
                                                               Outlet Socket
                                                            Battery Boost Terminal
GreenStar Ready Harness
STEERING AND BRAKES:
Hydrostatic Differential Steering
                                                               with Implement Connector
Tilt/Telescoping Steering Wheel
Wet-Disk, Hydraulic Power Brakes
Spring-Applied, Hydraulically Released
                                                            LIGHTS:
                                                            Front Hood Lights (Eight Total)
                                                               Two HB3 65W Low Road HeadLights
Two HB3 65W High Road HeadLights
  Park Brake
HYDRAULICS:
Pressure Flow Compensating
                                                                 with Hand Operated Dimmer Switch
                                                               Two 65W Adjustable Corner Work Lights
  Axial Piston Pump
284 lpm (75 gpm) Pump Output
Flow @ One SCV - 170 lpm (45 gpm)
                                                               One 65W Adjustable Center Work Light
                                                               One 65W Adjustable Center Spot Light
Four EH Remote Cylinder Controls
                                                             Four 65W Rear Fender Mounted
  with ISO Couplers
                                                               Pedestal Mounted Work Lights
Steering Pump - 130 cc
                                                             Cab Roof Lights
                                                               Two 65W Adjustable Front Flood Lights
PTO:
                                                               Four 65W Fixed Side Flood Lights (2 per side)
                                                               Two 65W Fixed Rear Flood Lights
Less PTO
                                                               Four 65W Fixed Corner Flood Lights (Region II
HITCH AND DRAWBAR:
                                                               only)
Less Hitch
                                                               Four Flashing Warning Lights
                                                            with Turn Signal Control (Not Region II)
Two Rear Fender Tail/Brake/Turn lights
Heavy Duty Short Drawbar Support
  Less Drawbar
                                                             Road Transport Extremity Lights (Not Region II)
COMMANDVIEW CAB:
                                                             EU Front and Rear Extremity Position Lighting Kit
Roll Over Protective Structure (ROPS)
                                                             (Region II only)
Falling Object Protection Structure (Level 1 FOPS)
                                                            Rotary Beacon Light
Air Conditioner and Heater
One Interior Rear View Mirror
Comfort Command Seat with
                                                             762 mm (30 In.) Width, 208 mm (8.2 In.) Pitch
  Air Suspension
                                                             Camoplast DURABUILT 5500 Scraper Tracks
  Swivel
                                                             2692 mm (106 In.) Track Spacing
  Fore-Aft and Lateral Attenuation
                                                             Two Piece Midrollers
  Armrest Controls
  Lumbar Support
                                                            VEHICLE:
  Backrest Adjustment
                                                             SMV Emblem (if required)
Tinted Glass
                                                             Electric Horn
Two-Speed Front Wiper with
                                                             Toolbox
  Variable Speed Delay
                                                            1287 L (340 U.S. Gallons
                                                               Fuel Tank Capacity
Swing-Out Rear Window
Three Monitor Ready Locations
Two Convenience 12V Outlets
                                                            Flexible Lower Step
                                                            Back Up Alarm
AM/FM Radio Mounting Bracket
                                                            Tow Cable
  with Wiring Harness
Field Cruise
Left Hand Storage
iTEC (Intelligent Total Equipment Control)
Implement Management System
```

INSTRUMENTATION:

#### 9560RT Scraper Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

**BASE MACHINE** 

EX-WORKS Waterloo, Iowa

03R0RW 9560RT Scraper Tractor 444,829.00

**DESTINATION** 

A Code must be chosen for each Tractor ordered.

Africa

0007 Cameroon Same Price

Requires Code 1885 JD Link Capable. Requires Code 8338 - Stage 2 Compliant Engine.

Requires Code 8306 - Severe Duty Fuel/Water Separator.

Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab

Code 7201 Deluxe Lighting

0013 Congo Same Price

Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885

JDLink Capable

Requires Code 8338 - Stage 2 Compliant Engine.

Requires Code 8306 - Severe Duty Fuel/Water Separator.

Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab

Code 7201 Deluxe Lighting.

0014 Democratic Republic of Congo Same Price

Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885

JD Link Capable.

Requires Code 8338 - Stage 2 Compliant Engine.

Requires Code 8306 - Severe Duty Fuel/Water Separator.

Country Specific Base Equipment includes:

Code 2059 Deluxe CommandView II Cab

Code 7201 Deluxe Lighting

0016 Egypt Same Price

Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885

JD Link Capable.

Requires Code 8338 - Stage 2 Compliant Engine.

Requires Code 8306 - Severe Duty Fuel/Water Separator.

Country Specific Base Equipment includes:

Code 2059 Deluxe CommandView II Cab

Code 7201 Deluxe Lighting

#### 9560RT Scraper Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0019		DESTINATIONContinued Ethiopia Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting.	Same Price
0029		Libya Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JD Link Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0043		Senegal Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JD Link Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0050		Tanzania Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine Requires Code 8306 - Severe Duty Fuel/Water Separator Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting.	Same Price
0072		Asia China (People's Republic of China) Requires Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0094		Philippines Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting.	Same Price

# 9560RT Scraper Tractor Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0098		DESTINATIONContinued Saudi Arabia Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0184		North America Canada Requires code 1887 JDLink Ultimate Promotion - 1 Year Subscription or Code 1888 JDLink Ultimate Promotion - 3 Year Subscription. Requires Code 8340 - Stage iT4/3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	1,209.00
0185		Costa Rica Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting	Same Price
0193		Honduras Requires Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting.	Same Price
0195		Mexico Requires Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting.	Same Price
0202		United States Requires Code 1887 JDLink Ultimate Promotion - 1 Year Subscription or Code 1888 JDLink Ultimate Promotion - 3 Year Subscription. Requires Code 8340 - Stage iT4/3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	1,209.00
0210		South America Argentina Requires Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price

#### 9560RT Scraper Tractor

Continued

CODE	ATTACHMENT	- DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0211		DESTINATIONContinued  Bolivia  Requires Code 1885 JDLink Capable.  Requires Code 8338 - Stage 2 Compliant Engine.  Requires Code 8306 - Severe Duty Fuel/Water Separator.  Country Specific Base Equipment Includes:  Code 2059 Deluxe CommandView II Cab  Code 7201 Deluxe Lighting	Same Price
0212		Brazil Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0214		Colombia Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0219		Suriname Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
		VALUE PACKAGE CONFIGURATIONS	
0500		No Package	In Base Price
0525		Deluxe Scraper Value Package with Hi-Flow Hydraulics Includes Codes: 2059, 2660, 3272, 3342 or 3361, 7201.	-1,725.00
0526		Premium Scraper Package with Hi-Flow Hydraulics Includes Codes: 1823, 2059,2661 or 2662, 3272, 3342 or 3361, 7202.	-2,000.00
		DISPLAY	
		When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display, ALL GreenStar applications must be run on the additional GreenStar Display. See Online Configurator and Ag Sales Manual for more information.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1821		GS3 CommandCenter 7" Color Display Includes Access Manager user lockout software. AMS Activations must be ordered through AMS Price Pages. Does not include a cornerpost bracket for mounting an additional GreenStar Display.	In Base Price

#### 9560RT Scraper Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
1823		DISPLAYContinued GS3 Touchscreen Command Center, 7" Color Display, Video Ready Includes Access Manager user lockout software. One video input and tractor function activated triggers. AMS Activations must be ordered through AMS Price Pages. Does not include a cornerpost bracket for mounting an additional GreenStar Display.	1,260.00
		RECEIVER	
		StarFire 3000 Position Receivers can be ordered in two configurations: -SF1 A no-charge differential correction signal that provides non-row-crop accuracySF2 Ready, a subscription-based differential correction signal that provides +/- 4 inch pass-to-pass accuracy. SF2 subscription can be purchased at www.StellarSupport.comRTK capability may be added to an SF2 Ready StarFire 3000 by adding a StarFire RTK radio, RTK radio cover, and RTK activation.	
		Must have complete base station and vehicle kit for RTK. See Ag Sales Manual for configurations. In addition, each StarFire 3000 Receiver is capable of utilizing the free Wide Are Augmentation System (WAAS) signal.	
		GNSS serial port information (NMEA) is available through a StarFire 3000.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1835		Less StarFire 3000 Position Receiver Includes Deluxe receiver mounting bracket only. When installing a StarFire Receiver with Original Shroud, order conversion bracket through parts or a Deluxe Shroud through AMS Attachments to retrofit an iTC Receiver.	In Base Price
		AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONS  Other activations sold separately and are available through the AMS prices pages.  GS2 activations are not compatible with the GS3 CommandCenter or GreenStar 3 2630	
		Display. Purchase of a new GS3 activation or upgrading the GS2 activations is required.  When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display. All GreenStar applications must be run on the additional standalone GreenStar Display. See Online Configurator and Ag Sales Manual for more information.	
		Dealer/Distributor required to contact www.StellarSupport.com to activate AMS Software Activations, referencing the Tractor COMAR order number. Dealer/Distributor required to fully test AutoTrac and/or iTEC Pro functionality. Warranty on Activations will be handled by AMS and will carry normal AMS warranty terms.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1845		Less AutoTrac Activation	In Base Price
		MACHINE CONNECTIVITY	
1885		JDLink Capable Includes cab wiring harness only. Requires field kit installation, activation, and subscription for JDLink functionality.	In Base Price
1886		JDLink Select Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Select activation.	1,000.00

#### 9560RT Scraper Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		MACHINE CONNECTIVITYContinued Requires purchase of JDLink Select subscription sold separately. Features: machine hours, machine location, curfew alert, geofence alert, and maintenance profile. JDLink customer account must be created to access JDLink Select data. Upgrade to JDLink Ultimate requires purchase of JDLink Ultimate activation and JDLink Ultimate subscription (no hardware changes required).	
1889		JDLink Ultimate Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation. Requires purchase of JDLink Ultimate subscription sold separately. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data.	2,400.00
1887		JDLink Ultimate Promotion - 1 Year Subscription Included Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and 1 year subscription to JDLink Ultimate service. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after first year of service for continued functionality.	No Charge
1888		JDLink Ultimate Promotion - 3 Year Subscription Included 3 year subscription includes: 1 year promotion plus 2 additional years of JDLink Ultimate data and Service ADVISOR Remote Capability.  Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and 3 year subscription to JDLink Ultimate service. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after third year of service for continued functionality.	1,200.00
		OPERATOR STATION	
2050		CommandView II Cab Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls located on the Control Switch Module (CSM). Front Windshield Washer and Wiper. Manual Temperature Controls Located in Cab Roof. Folding Instructional Seat. No Mirrors.  See Attachments Section for ordering information on Additional Field Attachments.	-2,009.00
2059		Deluxe CommandView II Cab Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls Located on Control Switch Module (CSM). Front and Rear Windshield Wiper and Washer. Automatic Temperature Control with controls located on CSM. Front Pull Down Sun Shade. Right and Left Outside Manually Adjustable Mirror Heads. Power Strip with Convenience Plug Adapter. Programmable Egress Lighting. Folding Instructional Seat.	In Base Price

#### 9560RT Scraper Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		OPERATOR STATIONContinued See Attachments Section for ordering information on Additional Field Attachments.	
		TRANSMISSION	
1492		18 Speed Powershift, 18 F/6R Speeds with Efficiency Manager	In Base Price
		RADIO	
2650		Less Radio, Less Speakers Includes wiring harness only for radio and speakers, no radio and no speakers.	In Base Price
2660		Deluxe Radio Package  AM/FM Stereo with Clock, Weatherband, Remote Controls, Auxiliary Input Jack Located on Front of Radio, Four Speakers and External Antenna.	670.00
2661		Premium Radio Package with XM Radio  AM/FM Stereo with Premium Tuner, Clock, Weatherband, Compact Disc Player, Remote  Controls, USB port on front of radio face, Auxiliary Input Jacks located in right hand storage console and on radio face, BlueTooth capable including microphone, Integrated BlueTooth  Phone Book connection through CommandCenter,XM Satellite capable including Satellite  Antenna (Subscription Required), Four Speakers, Subwoofer, and External Antenna.  Volume, Speed Compensation, bass, and treble radio functions can be viewed and configured on the CommandCenter Display.  For U.S. and Canada only.	1,015.00
2662		Premium Radio Package For Non U.S. and Canada Markets only: AM/FM Stereo with Premium Tuner, Clock, Compact Disc Player, Remote Controls, Auxiliary Input Jack located in right hand storage console and on radio, BlueTooth capable including microphone, Integrated BlueTooth Phone Book connection through CommandCenter, Four Speakers, Subwoofer, and External Antenna.	912.00
		Not U.S. and Canada.	
3272		HYDRAULIC SYSTEM  Hi-Flow Hydraulic System, 284lpm (75 gpm)  Provides up to 170 lpm (45 gpm)flow @ one SCV.  Requires Code 3342 or Code 3361 - Four or Six Rear Remote SCVs.	In Base Price
		HYDRAULIC SELECTIVE CONTROL VALVES (SCVs)	
3342		Four - 3/4" Deluxe Electric-Hydraulic Rear Remote Selective Control Valves (Hi-Flow Hydraulic System) Requires Code 3272 - Hi-Flow Hydraulic System. Requires 3/4" hose tips on implement. TouchSet Hydraulic Controls. Push/Pull Breakaway Couplers. High Pressure Relief Levers. Refer to the Ag Sales Manual for Implement compatibility.	In Base Price
3361		Six - 3/4" Deluxe Electro-Hydraulic Rear Remote Selective Control Valves (Hi-Flow Hydraulic System) Requires Code 3272 - Hi-Flow Hyddraulic System. Requires Code 8756 (Hydraulic Trailer Brake Valve). Requires 3/4" hose tips on implement. TouchSet Hydraulic Controls. Push/Pull Breakaway Couplers. High Pressure Relief Levers. Refer to the Ag Sales Manual for Implement compatibility.	4,136.00

#### 9560RT Scraper Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION  HYDRAULIC SELECTIVE CONTROL VALVES (SCVs)Continued	SUGGESTED LIST PRICE USD (\$)
		DRAWBAR	
4330		Drawbar Support for Short Scraper Drawbars Requires short scraper drawbar. Recommended for use with John Deere brand scrapers. Refer to the Ag Sales Manual for more details. Order drawbar from Scraper Price Pages.	In Base Price
		LIGHTS	
7201		Deluxe Lighting  Eight Front Grill Mounted Lights: Two 65W low beam driving lights, two 65W high beam driving lights, two front corner facing halogen work lights and two center facing halogen work lights.  Twelve Cab Roof Mounted Lights: Two rear, two front, four side facing 65W flood lights and four corner facing amber lights.  Four rear fender mounted flood lights and two rearTail/Brake/Turn lights.  Road Transport Extremity Lights(foldable) and a Rotary beacon light.	In Base Price
7202		Premium HID Lighting Includes Deluxe Lighting, plus in the grill, two front corner HID lights replace two front halogen lights and one HID light replaces a center halogen flood light. Two of the rear fender lights are replaced with HID lights.	3,442.00
		TRACKS	
6822		762 mm (30 In.) Width, 208 mm (8.2 In.) Pitch Camoplast DURABILT 5500 Scraper Tracks	In Base Price
		OPERATOR'S MANUAL AND LABELS	
		A Code must be chosen for each Tractor ordered.	-
0401		Arabic	Same Price
0426		Mandarin (Chinese)	Same Price
0409		English Operator's Manual Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	In Base Price
0413		French Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0430		Portuguese Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0433		Russian Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0437		Spanish Operator's Manual Canada, Mexico and United States will receive translated text labels, all other countries will	Same Price

#### 9560RT Scraper Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		OPERATOR'S MANUAL AND LABELSContinued receive pictorial labels.	
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8229		Operator Station and Controls: External Mirrors, Electrically Adjustable RH and LH For Deluxe Cab Code 2059. Not compatible with Code 2050.	1,344.00
832A		AutoLoad Tractor Includes Factory Installation of tractor specific components for AutoLoad (AutoLoad controller, and AutoLoad specific CommandARM controls). For a fully functional AutoLoad System, requires additional components from Scraper Price Pages including but not limited to AutoLoad ready scraper drawbar. See both Scraper Tractor and Scraper Price Pages and Sales Manual for complete information. Requires Code 8242 Radar.	10,553.00
8242		Radar with Dual Beam Sensor	900.00
8251		Antenna Mount and Wiring for Business Band Radio	129.00
8756		Brakes & Steering: Hydraulic Trailer Brake Valve Required for operation of triple pans. Rear pan must have hydraulic trailer brakes when operating triple configuration.	1,006.00
8306		Engine: Fuel/Water Separator, Severe Duty Required for Tractors with Stage II engines. This code will be an option for Tractors with iT4/3b engines.	564.00
8338		John Deere PowerTech 13.5 L (824 cu.in.) 6 Cyl Stage 2 Compliant Diesel Engine	-16,883.00
8340		John Deere PowerTech PSX 13.5 L (824 cu. in. ) 6 Cyl. iT4 / Stage 3b Compliant Diesel	Same Price
		Weights & Ballast:	
		Ballast Recommendations: Please refer to Ag Sales Manual when ordering weights.	
8955		Front Weight Support - 304 kg (670 Lb.) (Holds up to 26-R127764)	1,125.00
8962		Front Weight Support with 20 Weights	3,818.00
8964		Front Weight Support with 26 Weights	5,168.00
8995		Two Track Frame Weight Brackets - One Per Side Weights must be field installed due to shipping width limitations.	555.00

#### 9560RT Scraper Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8986		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Front Idler Weights Ballast Package Requires Code 8985 Idler Starter Weight Package. This includes 8 weights, 4 - 75 Kg (165 lb) and 4 - 205 Kg (450 lb) weights. Total package Weight 1120 Kg (2460 lb).	2,906.00
8985		Front Idler Starter Weight Package Front Idler Starter Weight Package includes: 4 - R3111921 Weights 36 Kg (80 lb) each weight. Total Package Weight 144 Kg (320 lb).	1,351.00
		ATTACHMENTS - ORDER AS DESIRED	
9076		Customer Gold Key Program: Gold Key Experience Tour This personal guided tour provides you with the unique opportunity to watch a similar machine to the one you are purchasing during its final stages of manufacturing. This tour will be scheduled in advance and can occur at your convenience during a 60 day window (30 days prior to or 30 days after your machine's expected warehouse date). For more information, visit www.deere.com/goldkey.	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
	RE343324	Electrical: Battery Disconnect Kit	See Parts
	RE322780	ISO Cab Implement CAN Bus Adapter	See Parts
	RE269398	Mounting Kit - Dual Beam Radar Sensor for Tracks The Mounting Kit does not include Dual Beam Radar Sensor. If Dual Beam Radar Sensor is needed, order Dual Beam Radar Sensor (RE278980, RE278984, RE278986 or RE278982).	See Parts
	RE278980	Radar with Dual Beam Sensor	See Parts
	RE278984	Radar with Dual Beam Sensor	See Parts
	RE278986	Radar with Dual Beam Sensor - AU	See Parts
	RE278982	Radar, Dual Beam Sensor	See Parts
	RE326214	Engine: Fuel/Water Separator Kit, Severe Duty - Tracks	See Parts
	RE311079	Hydraulics: 5th and 6th Scraper High Flow Remote Cylinder Selective Control Valve with Breakaway Couplers Additional parts may be required - see installation instructions. Requires Software download from PDC to activate function. Hydraulic Trailer Brake for PST (RE310822) is recommended for Track.	See Parts

# 9560RT Scraper Tractor Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE310822	ATTACHMENTS FOR FIELD CONVERSIONContinued Hydraulic Trailer Brake Kit for Tracks Provides single line connection to hydraulic braking systems. Works with or without power beyond couplers.	See Parts
	RE330435	Lighting: Auxiliary Lighting Kit	See Parts
	RE334623	Rotary Beacon Light Kit Switch is on CSM.	See Parts
	RE310865	Miscellaneous: AutoLoad Scraper Tractor - Field Installed	See Parts
	RE334134	Scraper Hose Support	See Parts
	RE311211	Tow Cable Kit - Track Tractors	See Parts
	RE317435	Operator Environment: Accessory Mounting Bracket	See Parts
	RE269615	Antenna Mount and Wiring for Business Band Radio	See Parts
	RE273380	Back Up Alarm Kit	See Parts
	RE328345	Radio, Deere/Delco AM/FM Stereo with Clock, Weatherband, Four Speakers and Antenna	See Parts
	RE298965	Radio, Sub Woofer Kit Includes sub woofer, rear upholstery, and grille screen.	See Parts
	RE298942	Seat Belt Kit	See Parts
	RE337750	Windshield Wiper with Washer, Rear	See Parts
	AL71345	Vandal Protection: Door Locks - Custom Key	See Parts
	AR268522	Weights: Front Idler Weights Mounting	See Parts
	RE309127	Front Weight Bracket Allows attachment of up to 26 Quick-Tatch weights.	See Parts
	RE341174	One (LH) Narrow Profile Track Frame Weight Bracket (Holds (12) R127764 Weights - order separately)  Also order: (8) 19M7892; (8) 24M7344; (4) 19M7952; (4) 19M7642  Reference Installation Instruction # RE342883  Not compatible with R2 style suitcase weights.	See Parts

#### 9560RT Scraper Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE341175	ATTACHMENTS FOR FIELD CONVERSIONContinued One (RH) Narrow Profile Track Frame Weight Bracket (Holds (12) R127764 Weights - order separately) Also order: (8) 19M7892; (8) 24M7344; (4) 19M7952; (4) 19M7642 Reference Installation Instruction # RE342883 Not compatible with R2 style suitcase weights.	See Parts
	R199010	One Track Frame Weight Bracket (Order two. Holds 16 R127764 Weights each side) Also order 8- Cap Screws (19M8639) and 8- Washers (24M7242). Side Frame Weight Supports require Extremity Warning Lights (available through Parts).	See Parts
	RE286201	Two Track Frame Weight Supports and Extremity Lighting Kit	See Parts
	R311921	Weight, Front Idler Starter - 79 lbs. (36 kg)	See Parts
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One	See Parts

# 9560RT Scraper Tractor Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com