
JLBICH601 built-in ceramic hob

Instruction manual



John Lewis

Important Safety Information

It is most important that this instruction manual should be retained with the appliance for future reference. Should the appliance be sold or transferred to another owner, or should you move house and leave the appliance, always ensure that the book is supplied with the appliance in order that the new owner can get to know the functioning of the appliance and the relevant warnings. These warnings have been provided in the interest of safety. You MUST read them carefully before use or installation by a qualified person. If you are unsure of the meanings of these warnings contact the John Lewis branch from which you purchased the appliance.

Installation

- This hob must be installed by qualified and competent personnel to the relevant National Standards.
- Refer to Installation Information in chapter "Installation".
- Remove all packaging, both inside and outside the hob, before using the hob.
- The appliance must not be used as a work surface or as a storage surface.
- Additions or modifications to the appliance are not permitted. Repairs to the appliance must only be carried out by trained registered service engineers.
- Do not place or store flammable liquids, highly inflammable materials or fusible objects (e.g. plastic film, plastic, aluminium) on or near the appliance.
- Built-in appliances may only be used after they have been built in to suitable built-in units and work surfaces that meet the relevant National Standards.
- In the event of faults with the appliance or damage to the glass ceramic (cracks, scratches or splits), the appliance must be switched off and disconnected from the electrical supply to prevent the possibility of an electric shock.

Child safety

- Small children must be kept away from the appliance.
- Only allow older children to use the appliance with adult supervision.

Use

- This hob is intended for domestic cooking only. It is not designed for commercial or industrial purposes.
- Remove stickers and film from the glass ceramic.
- There is the risk of burns from the appliance if used carelessly.
- Cables from electrical appliances must not touch the hot surface of the appliance or hot cookware.
- Overheated fat and oil can ignite quickly. When cooking with fat or oil (e.g. frying chips) do not leave the appliance unattended.
- Switch the cooking zones off after each use.
- The ceramic glass can be damaged by objects falling onto it.
- The edge of the ceramic glass can be damaged by being knocked by the cookware.

- Cookware made of cast iron, cast aluminium or with damaged bottoms can scratch the ceramic glass if pushed across the surface.
- Objects that melt and things that boil over can burn onto the ceramic glass and should be removed straightaway.
- Do not use the cooking zones with empty cookware or without cookware.

Maintenance and Cleaning

- Only clean this hob in accordance with the instructions.
- For cleaning, the appliance must be switched off and cooled down.
- For safety reasons, the cleaning of the appliance with steam jet or high-pressure cleaning equipment is not permitted.
- Always allow the hob to cool down and switch off the electrical supply before carrying out any cleaning or main-tenance work.

Service

• This hob should only be repaired or serviced by an authorised Service Engineer and only genuine approved spare parts should be used.

Environmental Information

- After installation, please dispose of the packaging with due regard to safety and the environment.
- When disposing of an old appliance, make it unusable, by cutting off the cable. Remove any door catches, to prevent small children being trapped inside.
- The symbol 🕅 on the product or on its packaging indicates that this product should not be treated as normal household waste. Instead it shall be handed over to an approved collection facility for the recycling of electrical and electronic equipment. By ensuring this product is disposed of correctly, you will help prevent potential negative consequences for the environment and human health, which could otherwise be caused by inappropriate waste handling of this product. For more detailed information about recycling of this product, please contact your local city office, your household waste disposal service or the shop where you purchased the product.

Contents

For the User

Important Safety Information	2
Description of the Appliance	4
The Control Panel	9
Control Knobs	9
Residual heat indicator	9
Selecting the heat setting	9
When the hob is first installed I	0
Hints and Tips on cooking and frying I	0
Cookware	0
Energy saving	0
Cooking chart I	I
Cleaning the hob I	2
Cleaning the appliance after each use I	2
Removing deposits I	2
Something not working I	3
Repairs - After Sales Service I	4
Spare parts I	4
Rating Plates I	5

For the Installer

5
5
5
5
6

Guide to use the Instruction Manual The following symbols will be found in the text to guide you throughout the Instructions:



Safety Instructions

Hints and Tips



Environmental Information

CE


This appliance complies with the following **E.E.C. Directives: *** 73/23 - 90/683

- (Low Voltage Directive);
- * 93/68 (General Directives)
- * **89/336** (Electromagnetical Compatibility Directive)

and subsequent modifications

Description of the Appliance

Cooking surface layout




Installation

Technical Data

\sim	• •	•
Cool	king	rings

Appliance dimensions		Position	Diameter	Power
Appliance dimensions		Front left	180mm	I700₩
Width	590 mm	Rear left	145 mm	1200W
Depth	520 mm	Rear right	180 mm	I700₩
Height	47 mm	Front right	145 mm	1200₩
		Connection vol	tage	230 V ~ 50 Hz
Worktop cut-out dimensions			· •• •	5 0114/
Width	560 mm	Maximum conr	nected load power	5,8kW
Depth	490 mm			

Electrical Connection




Electrical Requirements

Any permanent electrical installation must comply with the latest I.E.E. Regulations and local Electricity Board regulations. For your own safety this should be undertaken by a qualified electrician, e.g. your local Electricity Board, or a contractor who is on the roll of the National Inspection Council for Electrical Installation Contracting (NICEIC).

Electrical Connection

The hob is designed to be connected to 230 V (50 Hz) electricity supply. Before connecting to the mains supply ensure that the mains voltage corresponds to the voltage on the rating plate underneath the hob.

For UK only



It is necessary that you install a double pole switch between the hob and the electricity supply (mains), with a minimum gap of 3 mm between the switch contacts and of a type suitable for the required load in compliance with the current rules.



The switch must not break the yellow and green earth cable at any point.

It is necessary that the yellow / green earth wire is about 2 cm longer than the live and neutral ones.

Important

After installation and connecting, the cable must be placed so that it cannot at any point reach a temperature of more than 60° C above the ambient temperature.

Before the hob is connected, check that the main fuse and the domestic installation can support the load; and that the power supply is properly earthed.

The manufacturer disclaims any responsibility should these safety measures not be carried out.

Building In





The hob must be installed according to the instructions supplied by qualified and competent personnel to the relevant National Standards.


Building In

- The dimensions of the cut-out section and recess required must be as shown in the relevant diagrams.
- Proper arrangements must be made of a continuous supply of air to the hob to prevent overheating.


- Clean the worktop in the area of the cut-out section.
- Stick the one-sided self-adhesive sealing tape supplied all the way round the lower edge of the cooking surface along the outer edge of the glass ceramic panel. Do not stretch it. The cut ends should lie in the middle of one side. When you have cut it to length (add a few mm), press the two ends flush up against one another.
- A protective floor must be installed under the appliance.







The Control Panel



Control Knobs

The cooking power can be set anywhere between level I and I2.

Ι	lowest power
12	highest power
0	Off position

Residual heat indicator

The residual heat indicator lights up, as soon as the corresponding cooking zone is hot.



Warning! Risk of burns from residual heat. After being switched off, the cooking zones need some time to cool down. Look at the residual heat indicator.

Residual heat can be used for melting and keeping food warm.

Selecting the heat setting

Heat setting	Ring control knob	Knob setting	
To increase	turn clockwise	\bigcirc	I - I2
To reduce	turn anti-clockwise		12 - 1
switch off	0		

1. When boiling water/searing food, select a high heat setting.

2. As soon as steam forms or the fat or oil is hot, set a low heat setting.

3. To end the cooking process, turn to the Off position.

When the hob is first installed



Remove all packaging, both inside and outside the hob including the advertising labels and any protective film, before using the hob.

When a cooking zone is switched on, it may hum briefly. This is a characteristic of all ceramic glass cooking zones and does not impair either the function or the life of the appliance.

Hints and Tips on cooking and frying

Cookware

- You can recognise good cookware from the bottoms of the pans. The bottom should be as thick and flat as possible.
- Cookware made of enamelled steel or with aluminium or copper bottoms can leave discolourations on the ceramic glass surface which can be impossible to remove.


Energy saving




Always place cookware on the cooking zone before it is switched on.



If possible, always place lids on the pans.







Switch cooking zones off before the end of the cooking time, to take advantage of residual heat.



Bottom of pans and cooking zones should be the same size.

Cooking chart

This chart is intended as a guide only. It may be necessary to increase or decrease the temperature to suit your individual requirements. Only experience will enable you to determine the correct setting for your personal requirements.

Heat set- ting	Cooking process	suitable for	Cooking time	Notes
0		Residual heat setting, Off position		
I	Keeping food warm	Keeping cooked foods warm	as required	Cover
1-3	Melting	Hollandaise sauce, melting butter, chocolate, gelatine	5-25 mins.	Stir occasionally
	Solidifying	Fluffy omelettes, baked eggs	10-40 mins.	Cook with lid on
3-5	Simmering	Simmering Simmering rice and milk-based dishes Heating up ready-cooked meals		Add at least twice as much liquid as rice, stir milk dishes part way through cooking
4-6	Steaming Braising	Steaming vegetables, fish Braising meat	20-45 mins.	With vegetables add only a little liquid (a few tablespoons)
F 7	D - 111	Steaming potatoes	20-60 mins.	Use only a little liquid, e. g.: max. ¼ ltr. water for 750 g of potatoes
5-7 Boiling		Cooking larger quantities of food, stews and soups	60-150 mins.	Up to 3 ltrs. liquid plus ingredients
8-9	8-9 Gentle frying Frying escalope, veal cordon bleu, cut- lets, rissoles, sausages, liver, roux, eggs, pancakes, doughnuts		as required	Turn halfway through cooking
10-11	Heavy frying	Hash browns, loin steaks, steaks, Flädle (pancakes for garnishing soup)	5-15 mins. per pan	Turn halfway through cooking
11-12	Boiling Searing Deep frying	Boiling large quantities of water, cooki	ng pasta, searing me chips	eat (goulash, pot roast), deep frying

Cleaning the hob



Warning! Risk of burns from residual heat.

Important Sharp objects and abrasive cleaning materials will damage the appliance. Clean with water and washing up liquid.



Important Residues from cleaning agents will damage the appliance. Remove residues with water and washing up liquid.

Cleaning the appliance after each use

- 1. Wipe the appliance with a damp cloth and a little washing up liquid.
- 2. Rub the appliance dry using a clean cloth.

Removing deposits

- 1. Place the scraper on the glass ceramic surface at an angle.
- 2. Remove residues by sliding the blade over the surface.
- 3. Wipe the appliance with a damp cloth and a little washing up liquid.
- 4. Rub the appliance dry using a clean cloth.

	Remove			
Type of dirt	immedi- ately	when the appliance has cooled down	using	
sugar, food containing sugar	yes		*	
plastics, tin foil	yes		a scraper*	
limescale and water rings		yes	cleaner for glass ceramic or stainless steel*	
fat splashes		yes		
shiny metallic discolorations		yes		

*Scrapers and cleaners for glass ceramic and stainless steel can be purchased from your local John Lewis branch.



Remove stubborn residues with a cleaner for glass ceramic or stainless steel.



Scratches or dark stains on the glass ceramic that cannot be removed do not affect the functioning of the appliance.

Something not working

If the hob is not working correctly, please carry out the following checks, before contacting your local Service Force repair agent. In the event of any other fault codes that arise, disconnect the appliance from the electrical supply for a few seconds (take out the fuse from the housing wiring system). If the fault code is displayed again, please call your local Service Force repair agent and report the fault code.

IMPORTANT: If you call out an engineer to a fault listed below, or to repair a fault caused by incorrect use or installation, a charge will be made even if the appliance is under guarantee.

Symptom	Solution
The cooking zones are not functioning.	 If the desired heat setting is not set, set the heat setting. Check the fuse. If the fuses trip a number of times, please call an authorised electrician.
The residual heat indicator is not displaying anything	 The cooking zone was only on for a short time and is therefore not hot. If the cooking zone is supposed to be hot, call your local Service Force Centre.

Repairs - After Sales Service

If your hob is not performing satisfactorily; consult the fault finding guide within this instruction book (Something not working). In the event of a fault occurring which you cannot resolve yourself from advice given within this instruction manual your first step is to contact our extended warranty administrators on **0870 0107887** who will give you details for your local Service Force.

When contacting Service Force, please quote the model (Mod.) and serial number (S.N.), both of which are shown on the rating plate located underneath the hob.

So that you always have these numbers at hand, we recommend you to make a note of them here:

Mod.:

PNC:

S.N.:


Your hob is covered by a 3 year parts and labour guarantee (see separate details given at point of sale). Please retain your purchase receipt safely for the service engineer to verify the purchase details.

Spare parts

This product should be serviced by any authorised service engineer; and only genuine spare parts should be used. Under no circumstances should you attempt to repair the hob yourself.

Repairs carried out by inexperienced persons may cause injury or serious malfunctioning. Contact our extended warranty administrators on **0870 0107887** who will give you details for your Service Force repair agent.

Always insist on genuine spare parts.



Rating Plates

Modell JLBICH601		Prod.Nr.	949 591	899
Typ PEE2001	230 V	50 Hz		
Made in Germany	Ser Nr		5,8 kW	T T
JOHN LEWIS			(E	

Modell JLBICH601		Prod.Nr.	949 592	456
Typ PEE2001	230 V	50 Hz		
Made in Germany	Ser Nr		5,8 kW	
JOHN LEWIS			€ 🖄	

John Lewis Partnership

171 Victoria Street London SW1E 5NN www. johnlewis.com Free Manuals Download Website <u>http://myh66.com</u> <u>http://usermanuals.us</u> <u>http://www.somanuals.com</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.com</u> <u>http://www.404manual.com</u> <u>http://www.luxmanual.com</u> <u>http://aubethermostatmanual.com</u> Golf course search by state

http://golfingnear.com Email search by domain

http://emailbydomain.com Auto manuals search

http://auto.somanuals.com TV manuals search

http://tv.somanuals.com