

Car Shampoo

RM 565

PRODUCT INFORMATION

Perfect cleaning and care for motor- vehicles and motor-cycles

Properties:

- car cleaner to use in KÄRCHER high pressure cleaners
- for cleaning oil, grease and typical street and winter soilings
- very gentle to materials
- manual applicable
- easily biodegradable in accordance with OECD guidelines
- pH- value in concentrate approx. 10
- clear liquid with fresh odour

Fields of application:

- motor washes
- vehicle washes
- underwashes

Processing:

	pre-dilution	dosage	temperature
• manual normal soiling	1+9	pre-dilution	up to 40°C
• high pressure cleaning	pure	1-5%	up to 60°C

Economy:

5 l Car Shampoo is sufficient for cleaning of approx. 4 vehicles, dosage 4% at the high-pressure appliance.

Handling:

manual application: pre-dilution: first measure the necessary amount of water, then add Car Shampoo under stirring and mix properly.
high pressure cleaning: fill the cleaning agent into the tank of the high pressure machine or put the suction pipe into the RM bottle.

Remarks:

- store frostfree

Car Shampoo

RM 565

PRODUCT INFORMATION

Attention:

- S 2 Keep out of the reach of children
- S 23 Do not breathe aerosol

Further information:

- Material safety data sheet

Process:

Object: e.g. vehicle cleaning

- fill the cleaning agent into the tank of the high pressure machine or put the suction pipe into the RM bottle.
- dosage approx. 3% at the high pressure cleaner, temperature up to 60°C
- clean the car starting below upward in steady and overlapping traces
- rinse with clear water

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>