

KitchenAid®

ARCHITECT® SERIES II BUILT-IN WALL OVENS

BIG ON CAPACITY, CONVENIENCE AND STYLE



LARGEST CAPACITY AVAILABLE*
5.0 CU. FT.

24 3/8" W X 14 7/8" H on 30" models
Industry's Largest Viewing Window**

Largest Capacity Available*

Large capacity is the perfect complement to Even-Heat™ Technology. After all, "Most Even Baking"™ helps expand the usable capacity cooks can rely on for uniform heating.

Industry's Largest Viewing Window**

Cooks — and eager friends and family — can easily view cooking without opening the oven door. And when door stays closed, uniform heating and even baking and roasting is assured.

Glass-Touch Display

Controls for pre-programmed and manual settings are precise and respond to the touch of a fingertip.

EASYCONNECT™ CONVERSION SYSTEM



The EasyConnect™ Conversion System takes the guesswork out of convection cooking. It automatically adjusts time or temperature so traditional recipes may be used with convection settings — saving cooks the inconvenience of converting cooking times and temperatures themselves.

* Among leading premium brand 30-inch wall ovens. ** Among leading brand wall ovens.

KitchenAid®

ARCHITECT® SERIES II BUILT-IN WALL OVENS

FIT SYSTEM




Designed to Fit*

Unique feet and trim design allows installers to make simple adjustments to the oven, to ease installation of replacement oven models of compatible width and configuration into existing cabinetry.

- Easily customize installations into existing cabinets without requiring cabinet replacement or the significant cost of remodeling
- Adjustable feet adapt installation to a variety of cabinet heights
- Unique trim design for taller cutouts creates custom-finished appearance


SIDE VIEW



THE FIT SYSTEM IS DESIGNED TO COVER A VARIETY OF WALL OVEN CUT-OUT HEIGHTS USING UNIQUE ADAPTABLE COMPONENTS INCLUDING ADJUSTABLE TRIM AND REPOSITIONABLE FEET

SINGLE OVEN CUTOUT HEIGHT FOR 27"/30" OVENS**

| | |
|------------------|---------------------|
| TALL | 28 1/16" – 29 1/16" |
| LG (30") | |
| MEDIUM | 27 5/8" – 28 5/8" |
| GE (27") | Kenmore Elite |
| GE Profile (27") | Whirlpool |
| Electrolux | Maytag |
| Frigidaire | KitchenAid |
| Kenmore | Bosch |
| SHORT | 26 1/16" – 27 1/16" |
| Dacor | Electrolux |
| Kenmore | GE (30") |
| Kenmore Elite | GE Profile (30") |
| Frigidaire | |



DOUBLE OVEN CUTOUT HEIGHT FOR 27"/30" OVENS**

| | |
|------------------|---------------------|
| TALL | 51 1/16" – 52 1/16" |
| LG (30") | GE (30") |
| | GE Profile (30") |
| MEDIUM | 50 1/2" – 51 1/2" |
| Dacor | |
| Bosch | |
| SHORT | 48 7/8" – 50 7/8" |
| GE (27") | Kenmore Elite |
| GE Profile (27") | Dacor |
| Electrolux | Whirlpool |
| Frigidaire | KitchenAid |
| Kenmore | Maytag |

FIT System components allow coverage of cut-out heights from 26 1/16" to 29 1/16" in standard single oven models.

* Available on 27" and 30" standard double and single wall ovens. See product specifications for minimum and maximum installation dimensions.
** Cutout dimensions listed are for demonstration purposes only and are based on manufacturer's current model lines. See product specifications for minimum and maximum installation dimensions.
NOTE: Combination wall ovens do not come with the FIT System, but it may be purchased separately. The FIT System Limited Guarantee does not cover combination wall ovens.

FIT System components allow coverage of cut-out heights from 48 7/8" to 52 1/16" in standard double oven models.



The FIT System Limited Guarantee

Wall ovens featuring the FIT System are designed to fit your existing cabinet cut-out of a compatible width and configuration. If your new replacement model doesn't fit your current cutout, contact us within 30 days of purchase to receive up to \$250 toward the cost of professional cabinet modification. Valid 8/1/12 – 6/30/13.

Visit www.kitchenaid.com/thefitsystemlimitedguarantee for complete details.

7494AdZw512
KC120041

©/™ ©2012 KitchenAid. All rights reserved.
STAR-K, GE, KENMORE and certain other trademarks are owned by their respective companies. Specifications are subject to change without notice.

KitchenAid®

ARCHITECT® SERIES II BUILT-IN WALL OVENS

CULINARY PERFORMANCE FROM EVEN-HEAT™ TECHNOLOGY

★ Most Even Baking*

★ Even-Heat™ Preheat

★ Even-Heat™ True Convection

THE MOST EVEN BAKING*



* Among leading premium brand 30-inch wall ovens.

EVEN-HEAT™ TECHNOLOGY DELIVERS CULINARY CONFIDENCE




Cookies, muffins and biscuits baked consistently from top rack to bottom, time after time. No more over-baked bottoms on lower racks, too-dark tops on higher racks, and just not done enough stuff in the middle. This is technology that will attract the most demanding cooks — and it's built in to every one of our new KitchenAid® Wall Ovens.

EVEN-HEAT™ TRUE CONVECTION DIRECTS HEAT BETWEEN THE RACKS


Using a hidden convection element, fan and an advanced bow-tie baffle, heat is uniformly guided between racks and around food to avoid layering of heat that can cause uneven results.

- No need to rotate pans during baking
- Expands the useful area of the oven so cooks can use more of the large oven cavity and still get consistent results



EVEN-HEAT™ PREHEAT PUTS MORE HEAT INTO OVEN WALLS AND RACKS

KitchenAid® Ovens with Even-Heat™ Preheat



Powerful elements heat the oven above the set temperature to saturate the oven walls and racks with heat, eliminating cold spots before preheating is finished.

Once brought to set temperature the mass of racks and walls helps retain heat when food is loaded into the oven.

- A** Air heats quickly when preheating begins
- B** Slower heating racks and walls require added heat to reach air temperature
- C** When air temperature falls, racks stay heated and uniform heating is achieved

MODEL COMPARISON

| MODELS | SINGLE WALL OVENS | | DOUBLE WALL OVENS | | | COMBINATION WALL OVEN |
|---|--|--|--|--|--|--|
| | KEBK101B KEBK171B | KEBS109B KEBS179B | KEBK206B KEBK276B | KEBS207B KEBS277B | KEBS209B KEBS279B | KEMS309B KEMS379B |
| | | | | | | |
| FEATURES | | | | | | |
| Colors* | BL, SS | WH, BL, SS, SP** | BL, SS | SS | WH, BL, SS, SP** | WH, BL, SS, SP** |
| LED Display | ● | ● | ● | ● | ● | ● |
| Color LCD Display | — | — | — | — | — | — |
| UPPER OVEN | | | | | | |
| Capacity | 5.0 cu. ft. (30") 4.3 cu. ft. (27") | 5.0 cu. ft. (30") 4.3 cu. ft. (27") | 5.0 cu. ft. (30") 4.3 cu. ft. (27") | 5.0 cu. ft. (30") 4.3 cu. ft. (27") | 5.0 cu. ft. (30") 4.3 cu. ft. (27") | 1.4 cu. ft. |
| Microwave | — | — | — | — | — | 900 W |
| CleanBake™ Hidden Element | 2,800 W | 2,800 W | 2,800 W | 2,800 W | 2,800 W | — |
| Broil | 4,000 W 8-Pass | 4,000 W 8-Pass | 4,000 W 8-Pass | 4,000 W 8-Pass | 4,000 W 8-Pass | ● |
| Convection Element | — | 3,200 W | — | 3,200 W | 3,200 W | ● |
| Convection Technology | — | Even-Heat™ True Convection | — | Even-Heat™ True Convection | Even-Heat™ True Convection | Even-Heat™ True Convection |
| Even-Heat™ Preheat | ● | ● | ● | ● | ● | — |
| EasyConvect™ Conversion | — | ● | — | ● | ● | ● |
| Temperature Probe | — | ● | — | ● | ● | — |
| Bread Proofing | ● | ● | ● | ● | ● | — |
| Variable-Time Self Cleaning | ● | ● | ● | ● | ● | — |
| Star-K® Certified Sabbath Mode | ● | ● | ● | ● | ● | ● |
| Heavy-Duty Oven Racks with Handle | 2 | 2 | 2 | 2 | 2 | — |
| SatinGlide™ Roll-Out Extension Rack with Handle | — | 1 | — | 1 | 1 | — |
| LOWER OVEN | | | | | | |
| Capacity | N/A | N/A | 5.0 cu. ft. (30") 4.3 cu. ft. (27") | 5.0 cu. ft. (30") 4.3 cu. ft. (27") | 5.0 cu. ft. (30") 4.3 cu. ft. (27") | 5.0 cu. ft. (30") 4.3 cu. ft. (27") |
| CleanBake™ Hidden Element | N/A | N/A | 2,800 W | 2,800 W | 2,800 W | 2,800 W |
| Broil | N/A | N/A | 4,000 W 8-Pass | 4,000 W 8-Pass | 4,000 W 8-Pass | 4,000 W 8-Pass |
| Convection Element | N/A | N/A | — | — | 3,200 W | 3,200 W |
| Convection Technology | N/A | N/A | — | — | Even-Heat™ True Convection | Even-Heat™ True Convection |
| Even-Heat™ Preheat | N/A | N/A | ● | ● | ● | ● |
| EasyConvect™ Conversion | N/A | N/A | — | — | ● | ● |
| Temperature Probe | N/A | N/A | — | — | ● | ● |
| Bread Proofing | N/A | N/A | ● | ● | ● | ● |
| Variable-Time Self Cleaning | N/A | N/A | ● | ● | ● | ● |
| Star-K® Certified Sabbath Mode | N/A | N/A | ● | ● | ● | ● |
| Heavy-Duty Oven Racks with Handle | N/A | N/A | 2 | 2 | 2 | 2 |
| SatinGlide™ Roll-Out Extension Rack with Handle | N/A | N/A | — | — | 1 | 1 |

* WH = White, BL = Black, SS = Stainless Steel, SP= Stainless Pro Line® Series ** 30" model only.

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>