

EC3500HRCTREADMILLOWNER'S MANUAL

Model Name_

Serial Number

Purchase Date

Write down for future reference.

Keys Technical Service, (888) 340-0482

KEYS Fitness Products, LP P.O. Box 551239 Dallas, Texas 75239



KEYS FITNESS

TC	•
Inform	nation
morn	lacion

Page #

Table of Contents	2
Specification Sheet	3
Important Safety Information	4
Before You Start	5
Warm Up Exercises	6
Assembly, Moving Instructions	7
Power Requirements	8
Console Functions and Descriptions	9
Program and Operating Instructions	10, 11, 12, & 13
Program Descriptions and Profiles	I4
Program Descriptions and Profiles Belt Adjustments and Tension	I4 I5
Belt Adjustments and Tension	15
Belt Adjustments and Tension Change to MPH or Km/H	15 16
Belt Adjustments and Tension Change to MPH or Km/H Troubleshooting Guide	15 16 17
Belt Adjustments and Tension Change to MPH or Km/H Troubleshooting Guide Parts and Diagrams	15 16 17 18



 Horsepower (Continuous) 	2.5hp			
 Display Type 	5 Window LED			
 Electronics 	One touch			
 Pre-Set Programs 	4			
 Semi-Custom Programs 	8			
 User Programs 	2			
 Heart Rate Program 	Ι			
 Heart Rate Interactive 	Yes			
 Power Incline 	12%			
 Roller Diameter 	I.9"			
 Cushioned Deck 	Yes			
 Speed Range 	0-10mph			
 Belt Size 	18 x 51"			
 Front Hand Rails 	Yes			
 Side Hand Rails 	Yes			
 Foot Print 	29 x 62"			
 Foot Print Folded 	29 x 29"			
 Warranty Motor 	I0 Years			
 Warranty Parts 	3 Years			
 Warranty Labor 	2 Year			
 Warranty Frame 	Lifetime			



- I) WARNING! Before using this treadmill or starting any exercise program, consult your physician. This is especially important for persons over the age of 35 and/or persons with pre-existing health problems. The manufacturer or distributor assumes no responsibility for personal injury or property damage sustained by or through the use of this product.
- 2) WARNING! To reduce the risk of electrical shock, burns, fire, or other possible injuries to the user, it is important to review this manual and the following precautions *before* operation.

SAFETY PRECAUTIONS AND TIPS


- It is the owner's responsibility to ensure that all users of this treadmill have read the Owner's Manual and are familiar with warnings and safety precautions.
- This treadmill has a user maximum capacity of 275 pounds.
- The treadmill should only be used on a level surface and is intended for indoor use only. The treadmill should not be placed in a garage, patio, or near water and should never be used while you are wet. KEYS recommends a treadmill mat be placed under the treadmill to protect floor or carpet and for easier cleaning.
- Follow safety information in regards to plugging in your treadmill. Keep the power cord away from the incline wheels and do not run the power cord underneath your treadmill. Do not operate the treadmill with a damaged or frayed power cord.
- Wear comfortable, good-quality walking or running shoes and appropriate clothing. Do not use the treadmill with bare feet, sandals, socks or stockings.
- Always straddle the belt and allow it to start moving before stepping onto the belt.
- Hold on to handrails when adjusting speed, incline, or other controls.
- Always examine your treadmill before using to ensure all parts are in working order.
- Allow the belt to fully stop before dismounting.
- Pets should never be allowed near or on the treadmill.
- Do not leave children unsupervised near or on the treadmill.
- Never operate the treadmill where oxygen is being administered, or where aerosol products are being used.
- Never insert any object or body parts into any opening.
- For safety and to prevent damage to your treadmill, no more than one person should use the treadmill at a time.
- Always unplug the treadmill before cleaning and/or servicing. Service to your treadmill should only be performed by an authorized service representative, unless authorized and/or instructed by the manufacturer. Failure to follow these instructions will void the treadmill warranty.
- Never leave the treadmill unattended while it is running.



Thank you for purchasing a KEYS treadmill! This quality product you have chosen was designed to meet your needs for cardiovascular exercise.

Before you start, please read the Owner's Manual and become familiar with the operation of your new treadmill.

- Remember to take the time to perform the stretching exercises provided to avoid injury.
- Do not stand on the walking belt while pressing the Power button or Start/Stop button.
- Always adjust the speed of the treadmill in small increments as this treadmill is capable of high speeds.
- If you are taking medication, consult your physician to see if the medication will affect your exercise heart rate.
- If you have heart problems, you are not active, and/or are over the age of 35 years, do not use the preset treadmill programs or start an exercise program without first contacting and receiving approval from your physician.
- To avoid the risk of electrical shock, always keep the console dry. Do not spill liquids on the console. KEYS recommends a sealed water bottle for beverages consumed while using the treadmill.
- Please review the following drawing below to familiarize yourself with the listed parts. This manual covers several treadmills, so the one pictured below may not be identical to your particular model.





EXERCISE GUIDELINES

WARNING! Before beginning this or any exercise program, you should consult your physician. This is especially important for individuals over the age of 35 or individuals with pre-existing health problems.

Warming up prepares the body for the exercise by increasing circulation, supplying more oxygen to the muscles and raising body temperature. Begin each workout with 5 to 10 minutes of stretching and light exercise to warm up. The photos on this page show several forms of basic stretching you may perform before your workouts. In order to achieve an adequate warm-up, perform each stretch three times.

TOE TOUCH STRETCH

Stand bending your knees slightly and slowly bend forward from your hips. Allow your back and shoulders to relax as you reach down toward your toes as far as possible. Hold for 15 counts, then relax. This will stretch your hamstrings, back of knees, and back.

HAMSTRING STRETCH

Sit with one leg extended. Bring the sole of the opposite foot toward you and rest it against the inner thigh of your extended leg. Reach toward your toes as far as possible. Hold for 15 counts, then relax. This will stretch your hamstrings, lower back, and groin.

CALF/ACHILLES STRETCH

With one leg in front of the other, reach forward and place your hands against a wall. Keep your back leg straight and your back foot flat on the floor. Bend your front leg, lean forward and move your hips toward the wall. Hold for 15 counts, then relax. To cause further stretching of the Achilles tendon, bend your back leg as well. This will stretch your calves, Achilles tendons, and ankles.

QUADRICEPS STRETCH

With one hand against a wall for balance, reach back and grasp one foot with your other hand. Bring your heel as close to your buttocks as possible. Hold for 15 counts, then relax. This will stretch your quadriceps and hip muscles.





Assembly

This KEYS treadmill is shipped in one piece and fully assembled. After opening the box, remove any packing materials from the treadmill. Do not throw away any packing materials until the unit is working properly. Place the base on a clean, level surface. Make sure the electrical cord will easily reach an electrical outlet.

Moving

CAUTION! TO AVOID THE RISK OF INJURY, NEVER ATTEMPT TO MOVE THE TREADMILL WHILE IT IS IN THE UNFOLDED OPERATING POSITON. TO REDUCE THE POSSIBILITY OF INJURY WHILE LIFTING, BEND YOUR LEGS AND KEEP YOUR BACK STRAIGHT. AS YOU RAISE THE TREADMILL, LIFT USING YOUR LEGS, NOT YOUR BACK. IN ORDER TO RAISE OR LOWER THE TREADMILL SAFELY, YOU MUST BE ABLE TO LIFT 45 POUNDS (20KG). IT IS SUGGESTED YOU ALWAYS USE THE AID OF A SECOND PERSON WHEN MOVING THE TREADMILL.

With the treadmill in the folded locked position (safety latch is engaged), grasp the handrails and place one foot on the base as shown in the photo below. Next, with a firm grasp on the handrails, place one foot on the center of the base crossbar and carefully tilt the treadmill back until it rolls freely on the wheels. Using extreme caution, move the treadmill to the desired location. To set the treadmill down, place one foot on the center of the base crossbar and carefully lower treadmill onto base in resting position. Do not attempt to move the treadmill over an uneven or rough surface.



PAGE 7




IMPROPER CONNECTION OF THE EQUIPMENT GROUNDING CONNECTOR CAN RESULT IN A RISK OF AN ELECTRIC SHOCK. CHECK WITH A QUALIFIED ELECTRICIAN OR SERVICE MAN IF YOU ARE IN DOUBT AS TO WHETHER THE PRODUCT IS PROPERLY GROUNDED. DO NOT MODIFY THE PLUG PROVIDED WITH THE PRODUCT IF IT WILL NOT FIT THE OUTLET. HAVE A PROPER OUTLET INSTALLED BY A QUALIFIED ELECTRICIAN.

This treadmill can be seriously damaged by sudden voltage changes in your home's electrical power. Voltage spikes, surges, and noise interference can result from weather conditions or from other appliances being turned on or off. To reduce the possibility of treadmill damage, always use a surge protector (not included) with your treadmill.

Surge protectors can be purchased at most hardware stores. The manufacturer recommends a single outlet surge protector with UL 1449 rating as a Transient Voltage Surge Suppressor (TVSS) with UL suppressed voltage rating of 400V or less and an electrical rating of 120VAC, 15 amps.

This treadmill must be grounded to reduce the risk of electrical shock. Grounding provides a path of least resistance for electric current should the treadmill malfunction. This treadmill comes with an electrical cord with an equipment-grounding conductor and a grounding plug. Always plug the power cord into a surge protector, and plug the surge protector into an appropriate outlet that is properly installed and grounded in accordance with all local codes and ordinances.

This product is for use on a nominal 120-volt circuit and has a grounding plug that looks like the plug illustrated in the drawing below.





There are five display windows on the control panel to provide feedback information. TIME WINDOW

- TIME: Indicates elapsed time after pressing start in minutes and seconds (0-99 minutes, 0-59 seconds)
- INTERVAL TIME: Indicates countdown in seconds to the next interval starting at 5 seconds and counting to 0 seconds

SPEED WINDOW

SPEED: Indicates MPH (miles per hour) or KMH (kilometer per hour) in .I increments

DISTANCE / CALORIES WINDOW

- DISTANCE: Indicates Miles or Kilometers traveled in .01 increments up to 9.99 and .1 increments starting at 10.0
- CALORIES: Indicates estimated calories used based on 150 lb. person at the indicated speed, incline, and time

INCLINE WINDOW

INCLINE: Indicates incline in percent of grade 0-12% in 0.5 increments

CENTER BRICKYARD WINDOW

- Displays quarter mile track in Manual mode. Indicates position on track by a blink. In program mode, shows the change in speed profile across the interval range (I-IO) and shows position with a blinking action.
- In Program mode, the treadmill will display the name of the program selected This is shown on the left hand side of the window. In Manual mode, the LAP counter will appear in the top center of the window, counting each I/4 mile lap in sequence of completion (I, 2, 3, etc.)




CENTER BRICKYARD WINDOW

Program and Operating Instructions



- QUICK START / MANUAL MODE
- Plug into a surge protector outlet. Attach **RED Safety Key** to treadmill console.
- Stand on the treadmill and straddle belt. Attach safety key clip to your clothes.
- Press POWER button. There will be an eight (8) second delay after pressing the POWER button before data can be entered. The TIME window will flash.
- ♦ Press START/STOP button. Belt will begin to move after 4 seconds. Step on belt slowly after the belt starts moving. Speed or incline may be adjusted by using the appropriate + (increase) or (decrease) button.
- To end your workout, press START/STOP button. Belt will gradually slow to zero.
- To pause your workout, press PAUSE.
- To re-start after pausing: Press the PAUSE button. WARNING: THE TREADMILL BELT WILL RESUME AT THE SPEED THE TREADMILL WAS MOVING BEFORE PAUSING.
- ◆ Countdown Time, Preset Speed and/or Incline: Time, Speed, and Incline may be preset prior to getting started. After pressing the POWER button, the time window will blink. Use the SPEED/TIME + or arrows to select your workout time, then press the ENTER PROGRAM button. The SPEED/TIME window will now be flashing. Using the same + or arrows, select the speed for your workout, then press ENTER PROGRAM. Now the INCLINE window will be flashing. Use the INCLINE + or arrows to set your workout incline, then press ENTER PROGRAM. To start, press the START/STOP button.



Program and Operating Instructions

PROGRAM MODE



- Plug treadmill into a surge protector outlet . Attach <u>RED</u> Safety Key to treadmill console.
- Stand on the treadmill and straddle belt. Attach safety key clip to your clothes.
- Press POWER button. There will be an eight (8) second delay before data can be entered. The TIME window will flash.
- There are four (4) pre-set and eight (8) semi-custom pre-set programs on the EC3500HRC. The treadmill includes FAT BURN, CARDIO, WARM-UP, and CROSS TRAINING programs. Select the program by pressing the appropriate button.
- Press START/STOP button. Belt will begin to move after 4 seconds. Step on belt slowly after the belt starts moving.
- CUSTOMIZING PROGRAMS in PI and P2 Mode: Each pre-set program(Fat Burn, Cardio, Warm-up, Cross Training) can be customized in the PI or P2 mode. After making the program selection, the center window will read "OP". The "OP" refers to "original program" and is preset. The program name you select will display to the left of the "OP". Press the same program button once more and the center window will read PI. The "PI" mode is now accessed. You can now program the Time, Speed, and Incline in PI mode, which will be saved for future workouts.


I) The TIME window will blink. Use the SPEED/TIME + or - arrows to select your workout time. Press ENTER PROGRAM.

2) The SPEED/TIME window will then blink. Use the same + or - arrows to select the speed for your workout. Press ENTER PROGRAM.

3) The INCLINE window will then blink. Use the INCLINE + or – arrows to set your workout incline. Press ENTER PROGRAM.

To start, press the START/STOP button. To access P2 mode, press the selected program button three times (once for OP, twice for P1, three times for P2). Follow the above steps I-3 to customize P2 settings.

TO CHANGE A PREVIOUSLY PROGRAMMED PI, P2, or user program: Once you have programmed the PI or P2 modes, you will need to use the PAUSE button to change the program you previously entered. For instance to change to a new setting in PI-FAT BURN, press the FAT BURN button twice to access PI. Then press the PAUSE button to get the TIME window to flash. Follow the directions above to continue to change the program.



PAGE II



See page 13 for pictures and diagrams

HEART RATE MONITOR MODE


The treadmill may at any time be used in the Heart Rate Monitor Mode. If the signal from the chest strap is detected, heart rate BPM will be displayed in the INCLINE window. The incline will only be briefly displayed if manual or program changes are initiated. The Heart Rate program is designed to keep your heart at a desired amount of "beats per minute" by automatically adjusting the incline. For example, you have programmed in a desired heart rate of 125 BPM and your heart rate is only at 110 BPM. If you are wearing the Heart Rate Transmitter, correctly the incline will automatically increase to intensify the work load, causing your heart rate to slowly climb to 125 BPM. The treadmill will attempt to maintain your target heart rate through adjustments to the incline for the remainder of your workout. In the same respect, if your heart rate is above your programmed amount of BPM's, the incline will automatically decrease to lower your heart rate. You may at any time during the Heart Rate Program adjust/override the speed and/or the incline by simply pressing the correct corresponding button. You may also change your "Target Heart Rate" at any time by pressing the TARGET UP or TARGET DOWN button.


HEART RATE PROGRAM OPERATION

- Plug treadmill into a surge protector outlet. Attach <u>RED</u> Safety Key to treadmill console.
- Stand on the treadmill and straddle belt. Attach safety key clip to your clothes.
- Press POWER button. Place the Heart Rate Transmitter strap across your chest and connect ends. (Make sure your skin is moist and the strap is snug for accurate transmission). At this time, if the display is receiving a signal from the chest strap, the incline window will begin to settle on your current heart rate.
- Press the HEART RATE CONTROL button to enter the electronics into the Heart Rate Program. The incline window will momentarily flash '125', which is the default program target heart rate.
- The TIME window will blink. Use the SPEED/TIME + or arrows to select your workout time. Press ENTER PROGRAM.
- The SPEED/TIME window will then blink. Use the same + or arrows to select the speed for your workout. Press ENTER PROGRAM.
- The incline window (if receiving your heart rate accurately) will show current BPM, and the small red light labeled PULSE adjacent to the incline window, will be illuminated. (If the receiver is not receiving an accurate reading, the incline window will be flashing - -).
- To adjust the pre-set target heart rate press the TARGET +/TARGET- button then press the ENTER PROGRAM button.
- Press START/STOP button. Belt will begin to move after 4 seconds. Step on belt slowly after the belt starts moving.
- Press START/STOP button. Belt will begin to move after 4 seconds. Step on belt slowly after the belt starts moving.

The small light at the top of the console labeled TARGET will be illuminated if you are at your target. If you are not, the arrow shaped lights will illuminate and reflect if you are above or below your goal. If you are not within 25 BPM of your "Target heart rate" the program will not work. DO NOT STOP TO START OVER. Continue exercising and your heart rate will naturally increase. The program will continually monitor your heart rate and periodically adjust the incline up or down to increase or decrease the resistance thereby keeping you at your target zone. At the conclusion of the programmed time the TIME window will flash 00:00 and the CALORIES/DISTANCE window will continue to accumulate values. The treadmill will continue operation until the START/STOP button or the PAUSE button is pressed. Press the POWER button to turn off the treadmill.


PAGE 12






Program Profiles







The **Fat Burn Program** is designed to vary the treadmill elevation, while maintaining a constant walking belt speed.



The **Cardio Program** is designed to vary the treadmill Speed, while maintaining a constant Elevation.



The **Warm Up Program** is designed to gradually increase the treadmill Speed and Elevation in the first segment (warm up) and gradually decrease the treadmill Speed and Elevation in the last segment (cool down). This is also known as a Plateau program.



The **Cross Training Program** is designed to control the walking belt speed and elevation inversely in alternating segments.



WARNING! Do not overtighten rollers! This will cause premature roller bearing failure!

Belt adjustment and tension performs two functions: adjustment for tension and centering. Your new treadmill comes pre-adjusted from the factory for tension and centering. Please follow the procedures below if the belt shifts to the left or right while walking:

WALKING BELT IS SHIFTING TO THE LEFT (Diagram I)

First, turn treadmill on to run at I mph. Using the hex key provided, turn the left rear roller adjustment bolt ¼ turn in the clockwise direction. Next, run the treadmill at 2.5 mph. You should see the belt start to correct itself by moving back towards the center. Repeat the above procedure until the walking belt is centered. It may be necessary to set walking belt tension once you have completed this procedure if the belt feels like it is slipping while walking. Refer below to the "Walking Belt Slipping" instructions.

WALKING BELT IS SHIFTING TO THE RIGHT (Diagram 2)

First, turn the treadmill on to run at I mph. Using the hex key provided, turn the right rear roller adjustment bolt ¼ turn in the clockwise direction. Next, run the treadmill at 2.5 mph. You should see the belt start to correct itself, moving back towards the center. Repeat the above procedure until the walking belt is centered. It may be necessary to set walking belt tension once you have completed this procedure if the belt feels like it is slipping while walking. Refer below to the "Walking Belt Slipping" instructions.

WALKING BELT IS SLIPPING DURING USE (Diagram 3)

First, unplug the power cord from the surge protector. Using the hex key provided, turn both left and right rear roller adjustment bolts the same distance, usually a ¼ turn in the clockwise direction. Plug the power cord back into the surge protector and run the treadmill at 2.5 mph. You should now walk on the belt to determine if the belt is still slipping. Repeat the above procedure until the walking belt is not slipping. The tension should be just tight enough not to slip.

- Turning the hex key counter clockwise brings the rear rollers and belt towards you.
- Turning the hex key clockwise pushes the rear roller and belt away form you.








PAGE 15

Change Miles per hour to Kilometers per hour



Your treadmill will operate in British Units (miles per hour) or International Units (kilometers per hour). All treadmills are calibrated at the factory for British Units (miles per hour). To change the display to read in kilometers, follow the steps described here:

- I) Turn power OFF on the console. (Do not unplug treadmill) Attach the magnet safety key to the console.
- 2) Activate the calibration mode switch by inserting the eraser end of a pencil into the opening in the backside of the console (see diagram below).
- 3) Depressing the calibration mode switch ONCE; CLII should appear in the TIME window.
- 4) Pressing the SPEED +/- button will activate your choice.
- 5) To accept the setting, press the POWER button.





Treadmill will not start.

- I) Is the <u>RED</u> Safety Key Attached to the Console?
- 2) Make sure the power cord is plugged into a surge protector, the surge protector is plugged into a properly grounded outlet, and the surge protector is turned on. (Refer to "Power Requirements" on page 8)
- 3) Check the circuit breaker located on the front of the treadmill. If the switch protrudes, it has tripped. Wait five minutes and then press the switch back in.
- 4) Check the house electrical breaker box and the circuit breaker for the room where the treadmill is located. If it has tripped, reset or have an electrician replace the breaker in home.
- 5) Have an electrician check for inadequate voltage at the outlet.

Treadmill loses power during use.

- Check the circuit breaker located on the front of the treadmill. If the switch protrudes, it has tripped. Wait five minutes and then press the switch back in.
- 2) Check the house electrical breaker box and the circuit breaker for the room where the treadmill is located. If it has tripped, reset or have an electrician replace the breaker in home.
- 3) If the treadmill still will not operate, please call Keys Technical Service at (888) 340-0482.

Treadmill walking belt slows during use.

- Check to make sure the treadmill is securely plugged into an UL-listed surge protector, rated at 15 amps, with a I4-gauge cord of five feet or less and the surge protector is securely plugged into the outlet.
- 2) If treadmill still will not operate, please call Keys Technical Service at (888) 340-0482.

Treadmill walking belt slips or is not centered on rear roller.


- I) Refer to "Belt Adjustment and Tension" section on page 15.
- 2) Need help? Call Keys Technical Service at (888) 340-0482.

Treadmill Error Messages.

Your treadmill is equipped with a software package that enables error messages to be displayed when there is a problem. To avoid possible damage to the treadmill and the possibility of injury, do not operate the treadmill until the problem is corrected. Call Keys Technical Service at (888) 340-0482.



- 1. 05-0001-Extrusion side board deluxe/left
- 2. 05-0001-Extrusion side board deluxe/right
- 3. 04-0008-Belt walk spliced 18 x 105WW
- 4. **24-0006**-Front roller assembly
- 5. 09-0013-Rear roller assembly
- 6. 03-0004-Walkboard waxed
- 7. 06-0008-End cap
- 8. 12-0022-Actuator 400lb Maytech
- 9. 06-0026-Motor base pan
- **10**. **06-0079-**Small motor fan
- 11. 12-0033-Motor MCM 2.5HP
- **12**. **04-0004-**Poly V belt 190J8
- **13**. **06-0025-**Motor cover w/wings
- 14. 10-0020-Foam grips
- 15. 07-0030-Electronics 5 window brickyard
- **16**. **24-0110**-Console assembly-EC1500C
- 17. 08-0050-Motor controller



Download from Www.Somanuals.com. All Manuals Search And Download.



Parts List - EC1500C

PMATE DESCRIPTION OFF PMATE DESCRIPTION OFF PMATE DESCRIPTION OFF 05103 PLUET MODEPLASTIC 12 1 DESCRIPTION 1 DESCRIPTION 1 05003 PREVER MODEPLASTIC 12 DESCRIPTION 1 DESCRIPTION 1 05003 PERVERMENDE SE SOFEEN LANDER MASS PRELIM AD BLACK 0 DESCRIPTION 1 05000 PERVERMENDUE CLUE 1 DESCRIPTION 1 DESCRIPTION 1 05000 BLATORY VISSON MARCE 1 DESCRIPTION 1 DESCRIPTION 1 DESCRIPTION 1 05001 DETRUBUNSED CLOPADE 1 DESCRIPTION DESCRIPTION 1 DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION		51 - 2015000							
Display Wild Schwarz February	PART #	DESCRIPTION	QTY	PART #	DESCRIPTION	QTY	PART #	DESCRIPTION	QTY
Data Screen, which is direct HEAD 1 Data Direct Head Direct Head <thdirect head<="" th=""> D</thdirect>	0-0130	PULLEY MOLDEDPLASTIC 1.9"	1	02-0002A	SPRING-DECK LIFT	4	02-0028	SWITCH-MAGNETIC LIKK-YIHAN	1
02000 SETAIMER GUIDE TUBER 1 02000 SETAIMER GUIDE TUBER GUIDE FAST AND ZETAIN SETAIMER TUBER	02-0022	NYLOCK NUT HEX 10-24	6	02-0004	SCREW-8x5/8 PHIL PH AB BLACK	40	02-0038	WRENCH-ALLEN 3/16 SHAFT ARM	1
By AUMER DATE IN A STATUS 1 Decom Multicabular Status Decom Status Decom Status Decom Decom <thdecom< th=""> Decom Decom <</thdecom<>	02-0036	SCREW-PPH 8x 5/8 GREEN HEAD	2	02-0005	SCREW-8x5/8 PHIL HILO BLACK TPB	8	02-0099	WASHER-SFW3/8x7/8x1/8" THICK	1
94.004 95.17-92.7 V 1008 1 10.0008 90.17-82.5 91-85.0 V ROUGE 2.2P 3 10.2121 VICE 1 94.0008 95.17-92.5 V 1008 1 10.20008 NUT-HEX INF WIZELUGZ? 3 0.2138 STANKARSET FEDER 14 X 1* 2 96.001 EXTRUSION-NUE BOARD-DELLIDE 2 0.2013 WISERFLOOR IN* 8 0.2138 STANKARSET SWITC 2 2 96.001 EXTRUSION-NUE AVAIDANT 1 0.2016 WINE WASER 8 0.6008 SUPPORT-COMMENT SWITC 4 0.6008 SUPPORT-COMMENT SWITC 4 96.0012 SUBMER LATCH 2 0.2016 SWINE WASER 3 10.0017 SWINE TRAIN SWINE TRAIN SWINE TRAIN SWITE 4 10.0017 SWINE TRAIN SWITE 1 1 0.0001 SWINE TRAIN SWITE 1 1 0.0001 SWINE TRAIN SWINE TRAIN SWITE 1 0.0001 SWINE TRAIN SWITE 1 0.0002 SWINE TRAIN SWI	02-0040	RETAINER-GUIDE TUBE	1	02-0006	BOLT-HEX 5/16-18x5 1/2 GRADE 5-ZP	1	02-0108	SCREW-PPH 10 X 5/8"	1
9.4003 BRLT WALK SPLICED IN-LOSW 1 0.0001 MATHEX KIN IN WERLAL KAP 2 0.2013 MEXINUSION-NOR-ADDELLOR 2 0.2013 MEXINUSION-NOR-ADDELLOR 1 65.001 EXTRUSION-NORE ADA-DELLOR 2 0.2013 MEXINUSION-NORE-ADDELLOR 1 65.001 EXTRUSION-NORE ADA-DELLOR 2 0.2013 MEXINUSION-NORE-ADA-DELLOR 4 65.001 EXTRUSION-NORE ADA-DELLOR 2 0.20014 MEXINUSINE 4 66.0027 MUTCHERENDER HADDELLOR 4 0.0000 EACAP 1 0.20016 MEXINUSINE 4 1.00007 MEXINUSINE 2 0.0000 EACAP 1 0.20016 MEXINUSINE 3 1.00007 MEXINUSINE 4 0.0000 EACAP 1 0.20016 MEXINUSINE 3 1.00007 MEXINUSINE 4	03-0004	WALKBOARD WAXED	1	02-0007	NUT-5/16-18 NYLOCK ZP	3	02-0113	SCREW-HWH SLOTTED 8-18 X 3/4" AB ZP	1
90000 DTTUSION BIGE BOHOD GLUDE 2 20011 MASHER JOOK VM 4 202115 HELDERN TLA20 1 630011 DTRUSION BIGE BOHOD GLUDE 1 06.0001 BTRUSION BIGE BOHD GLUDE 2 630011 DTRUSION ADAL JONT 2 06.0015 BTRUSION BIGE BOHD GLUDE 2 640001 PLUG BAGE 1557-1064 2 06.0015 BTRUSION BIGE BOHD GLUDE 2 060005 PLUG BORE 15460 2 06.0017 MURENTKINT 3544 3 10.0017 BLUBERNE FOR TOWERS 2 060005 PLUG BORE 15450 2 00.0017 MURENTKINT 3544 10.0007 PLUE BORD TOWERS 1 060006 DUE BASE EXTENSION 4 00.0017 AURINE TRANK 1 00.0017 PLUE BASE EXTENSION 2 10.0002 DUE BASE EXTENSION 2 2 10.0002 DUE BASE EXTENSION 2 2 10.0002 DUE BASE EXTENSION	04-0004	BELT-POLY V 190J8	1	02-0008	BOLT-HEX 5/16-18x 3/4"GRADE 2-ZP	3	02-0123	WASHER-FENDER 1/4 X 1"	2
98.0011 98.0012 98.0016 98.0028 98.0018 98.0018 98.0018 98.0018 98.0018 98.0018 98.0018 98.0018 98.0018 98.0018 98.0018 98.0028 98.0028 98.0028 98.0028 98.0028 98.0028 98.0018 98.0018 <t< td=""><td>04-0008</td><td>BELT WALK SPLICED 18x105WW</td><td>1</td><td>02-0009</td><td>NUT-HEX 5/16 WIZ-FL-LK-ZP</td><td>3</td><td>02-0138</td><td>STARWASHER 1/4</td><td>1</td></t<>	04-0008	BELT WALK SPLICED 18x105WW	1	02-0009	NUT-HEX 5/16 WIZ-FL-LK-ZP	3	02-0138	STARWASHER 1/4	1
96.0014 20TTOM PAN JONT 21 1/2 2 2.02.0015 SPRING WASHER 4 06.0026 SUPPORT PC BOARDHEC 4 06.0004 PLUGBAGE 15.4% 2 02.0017 MYCLORE NUT SING 3 10.0012 BULMER HATOH 1 06.0005 PLUGBAGE 15.4% 02.0017 MYCLORE NUT SING 4 10.0012 BULMER HATOH 1 06.0005 PLUGBAGE 15.4% 1 02.0017 MYCLORE RUT 10.2% 4 10.0002 BULMER HATOH 1 06.0002 BULBEASE EXTENSION 4 02.0016 CREMARE BELT 172.2% 4 10.0002 BUSHING STRAIN RELEF #1237 1 02.0012 CARRAGE BOLT 15.4% X127 2 11.0002 BUSHING STRAIN RELEF #1237 1 02.0012 CARRAGE BOLT 10.4% X127 2 11.0002 BUSHING STRAIN RELEF #1237 1 02.0012 NUTHER #024 12% 11.0002 BUSHING STRAIN RELEF #1237 1 02.0012 NUTHER #024 12% 11.0002 BUSHING STRAIN RELEF #1237 1 14.0002 DECAL-MODIT AVICAR #11 02.0012 NUTHER #14.0024 2 11.0002 DECAL-MODIT AVICAR	05-0001	EXTRUSION-SIDE BOARD-DELUXE	2	02-0013	WASHER-LOCK 1/4"	8	02-0139	HEX NUT 1/4-20	1
98.006 P.UG-BASE 1.5.4*IGA 2 2.00610 P.UG-DOME 1.5*16G 2 0.20617 INTOLK PERMOTE-HARNESS 2 06.006 P.UG-DOME 1.5*16G 2 0.20617 INTOLK PERMOTE-HARNESS 2 06.006 EXCAP 1 0.20618 PUSHAR KAR 75012 4 10.0017 TARE-FORMAL*X XFT 1 06.000 EXCAP 2 0.20618 PUSHAR KAR 75012 4 10.0007 TARE-ADMENT X XFT 1 06.001 MIRE TIES 2 0.2002 CARRINGE BOLT 10*10.X167AB 2 1.00001 BUSHING KEARA ELEVATION 2 06.001 UNRE TIES 1 0.20021 VAREHE AVE 2* 2 1.10001 BUSHING KEARA ELEVATION 2 06.002 UNRE TIES 1 0.20024 CARRINGE BOLT 10*10.X167AB E 27 2 1.10001 BUSHING KEARA ELEVATION 1 06.002 UNRE TIES 1 0.20031 NUTT HE 1420HIDE 8 1.40003 DECAL-MOTING CONS ESSALLGRAV 1 06.002 ULP ALLEN WRENCH 1 <td>05-0011</td> <td>EXTRUSION-EN CAP JOINT</td> <td>1</td> <td>02-0014</td> <td>HEX BOLT, 1/4-20x2 1/2"GRADE 5 ZP</td> <td>11</td> <td>06-0056</td> <td>HOLDER-REMOTE SWITC</td> <td>2</td>	05-0011	EXTRUSION-EN CAP JOINT	1	02-0014	HEX BOLT, 1/4-20x2 1/2"GRADE 5 ZP	11	06-0056	HOLDER-REMOTE SWITC	2
90.006 LUG-DOME 15-16G 2 02.0017 NUCCKHEX MUT 38-16 3 9.0017 EWLERLATCH 1 06.006 ENCAP 1 02.0018 PUSH NUT 38 HAT BLACK 375012 4 10.0017 TAPE-FOAML*Y XPFT 1 06.000 GULBE-BASE EXTENSION 4 02.0018 ACHRIGGE BOLT 10/24/112" 1 10.0020 GRIP MOLEDE RUND 2 06.0012 WHELE 3" 2 02.0017 SCREW-SHCS 14/20/21" 2 11.0002 BURNNO-REAR ELEVATION 2 06.0010 WHEE BASE PAN 1 02.0027 MATERABASE PAR 2 11.0002 BURNNO-REAR ELEVATION 2 06.0010 ENTER BASE PAN 1 02.0027 WHEE HAZE 2" 2 11.0017 ALE PET SING PMEEL 2 06.002 GULGALWIRE STRITT 1 02.0001 HATE RADUR STRITT 1 14.0028 DECAL-MOLT RALE FOLDES 1 06.002 MATE RASE TIME 1 02.0001 NATTHE FLAZE PARE PMEEL 2 14.0003 DECAL-MOLT RALE FOLDES 1	05-0014	BOTTOM PAN JOINT 21 1/2	2	02-0015	SPRING WASHER	4	06-0058	SUPPORT-PC BOARD-HRC	4
60000 ENCAP 1 02.0018 PUSHNUT 38 HAT BLACK 375012 4 10.0017 TAPE-FOAM.** X78FT 1 06.0000 CALDE-BASE EXTENSION 4 02.0015 CARGADE LEX 1 1 1 1 06.0017 WHEL 3* 2 02.0015 CARGADE VIC* 1 1 02.0017 CARGADE VIC* 1 02.0017 CARGADE VIC* 1 02.0017 VIC* 1 1 02.0017 VIC* 1 1 02.0017 VIC* 1 1 02.0017 VIC* 1 1 </td <td>06-0004</td> <td>PLUG-BASE 1.5x3"-16GA</td> <td>2</td> <td>02-0016</td> <td>HEX BOLT 3/8-16x2 1/2" GRADE 5</td> <td>1</td> <td>08-0027</td> <td>SWITCH-REMOTE-HARNESS</td> <td>2</td>	06-0004	PLUG-BASE 1.5x3"-16GA	2	02-0016	HEX BOLT 3/8-16x2 1/2" GRADE 5	1	08-0027	SWITCH-REMOTE-HARNESS	2
66.000 GLIDE BASE EXTENSION 4 02.001 CARRIAGE BOLT 10.24x1 1/2" 4 10.0020 CRIP MOLDED RUND 2 06.001 BUSHINGSTRAIN RELIFF #1237 1 02.0021 SCREW-SHS 14/202 1/2" 2 10.0028 DEWING REAR ELEMENT Y 181 8057 1 06.001 BUSHINGSTRAIN RELIFF #1237 1 02.0021 SCREW-SHS 114/202 2 11.0003 BUSHING WIRE ELEMENT 2 06.0010 URIET REASE PAN 1 02.0027 NUT-T HF 14209H-DB 8 14.4003 DECAL-MOLTER AUFRANCE 1 06.002 END BASE PAN 1 02.0037 NUT-T HF 14209H-DB 8 14.40023 DECAL-MOLTER -AUFRANCE 1 06.002 CLAME WIRE STOT INTER 1 02.0031 WESE NOT INTERNAL STAT 1 14.0023 DECAL-MORTER AUFRANCE 1 06.0025 MOTR OCVER SCA 1 02.0051 SCREW-SPL 1420 1 14.0025 DECAL-MORTER AUFRANCE AUFRANCE 1 06.0025 MOTR OCVER SCA 1 02.0051 SCREW-SPL 1420 1 14.0025 <td>06-0005</td> <td>PLUG-DOME 1.5-16G</td> <td>2</td> <td>02-0017</td> <td>NYLOCK HEX NUT 3/8-16</td> <td>3</td> <td>10-0012</td> <td>BUMBER LATCH</td> <td>1</td>	06-0005	PLUG-DOME 1.5-16G	2	02-0017	NYLOCK HEX NUT 3/8-16	3	10-0012	BUMBER LATCH	1
96.0012 WHEEL 3" 2 02.0020 SCREW-SHCS 144.202.4 12" 2 10.0024 TAPE-ADHESINE IX188 st87 1 06.0014 BUSHING STRAIN RELIEF #1237 1 02.0024 WASELEQ 20 2 11.0002 BUSHING-URGING PACA ELEVATION 2 06.0016 WIRE TRES 12 02.0024 CARRIAGE BOLT STUK IS GRADE S2P 2 11.0002 BUSHING-URGING RESART LEWATION 2 06.0016 WIRE TRES 1 02.0025 WHEEL XLE 2" 2 11.0002 BUSHING-URGINE SSEAL CARA 1 06.0021 CLAMP-WIRE 3387 7/16 1 02.0023 WASELE XLE 2" 2 14.0023 DECAL-MOLET ALL FOLDS 1 06.0022 CLOW RESET TUBE 1 02.0033 WASELEX TO STATE ALL FOLDS 1 14.0023 DECAL-MOLET ALL FOLDS 1 06.0022 CLOW RESET TUBE 1 02.0033 WASELEX TO STATE ALL FOLDS 1 1 06.0026 ROTR NOT NOTAN ALL NOLDS ALL FOLDS 1 02.0036 WASELEX TO STATE ALL WASEN FOLDS 1 06.0026 R	06-0008	ENCAP	1	02-0018	PUSH NUT 3/8 HAT BLACK 375012	4	10-0017	TAPE-FOAM-1" X 75FT	1
86.014 BUSHING-STRAIN RELIEF #1237 1 02.0021 WASHER-962.98 18 THICK 2P 2 11-0002 BUSHING-STRAIN RELIEF #1237 1 02.002 WARE TIES 72 02-0024 CARRAGE BOLT 5% K 1GRADE 5.2P 2 11-0007 ALE FR 2" SNAP WHEEL 2 06:0010 CENTER SASE PAN 1 02-0027 NUT.TI H* 14209H-DB 8 14-0003 DECAL-MOTOR COVER SES-ALL-GRAV 1 06:0021 CLAMP-WIRE 3367 7/16 1 02-0037 MASHER #10 EXTERNAL, STAT 1 14-0003 DECAL-MOTOR COVER SES-ALL-GRAV 1 06:0022 CUPA-RESET TUBE 1 02-0031 MASHER #10 EXTERNAL, STAT 1 14-0025 DECAL-MOTOR COVER SES-ALL-GRAV 1 06:0022 CUPA-RESET TUBE 1 02-0051 SCREW-PH 16-18-26" SDCTOLTATCH 1 14-0025 DECAL-MOTOR 1 1 02-0051 SCREW-PH 46-18-26" SDCTOLTATCH 1 1 1 02-0051 SCREW-PH 46-18-26" 1 1 02-0051 SCREW-PH 46-18-26" 1 1 02-0051 SCREW-WH 14-16-20 1 1 <td>06-0009</td> <td>GLIDE-BASE EXTENSION</td> <td>4</td> <td>02-0019</td> <td>CARRIAGE BOLT 10-24x1 1/2"</td> <td>4</td> <td>10-0020</td> <td>GRIP MOLDED RUND</td> <td>2</td>	06-0009	GLIDE-BASE EXTENSION	4	02-0019	CARRIAGE BOLT 10-24x1 1/2"	4	10-0020	GRIP MOLDED RUND	2
98.0016 WIRE TIES 12 0.20024 CARRAGE BOLT 5/16 X IGRADE 5 ZP 2 11.0003 BUSHING-UPRIGH POVOT 2 06.0016 CENTER RASE PAN 1 02.0025 MHEEL ALLE 2" 2 11.0007 ANLE FR 2" SNAP WHEEL 2 06.002 RDN BASE PAN 1 02.0027 ND RASE PAN 1 02.0027 ND RASE PAN 1 02.0027 ND RASE PAN 1 02.0021 ND RASE PAN 1 02.0031 NS REVALUE 7 2 14.0023 DECAL-MOTOR COVER SS-ALL-GRAY 1 06.0022 GUIDE-RESET TUBE 1 02.0033 NS REVEWPEN 14 STAT 1 14.40024 DECAL-WORD RFO COVER SCALLFOLDS 1 06.0026 CIPALLEN WIENCH 1 02.0031 SCREW-VH 14 Stars" SD-PODITATCH 1 14.0289 STICKER HEART RATE ACUMEN 1 06.0026 COVER-RE CRECENERARYS SERIES 1 02.0005 SCREW-VH 14.0241 1/4" 2 16.0001 BOX TOP 1 1 0.0005 SCREW-VH 14.02304" 2 16.0001 SCREW HEART ST 14.20504" <td< td=""><td>06-0012</td><td>WHEEL 3"</td><td>2</td><td>02-0020</td><td>SCREW-SHCS 1/4-20x2 1/2"</td><td>2</td><td>10-0024</td><td>TAPE-ADHESIVE 1'X18ft st567</td><td>1</td></td<>	06-0012	WHEEL 3"	2	02-0020	SCREW-SHCS 1/4-20x2 1/2"	2	10-0024	TAPE-ADHESIVE 1'X18ft st567	1
66.010 CENTER BASE PAN 1 02.0025 WHEEL AXLE 2" 2 11.0017 AXLE FR 2" SNAP WHEEL 2 66.0020 END BASE PAN 1 02.0027 AUT-T HF 14209H-D8 8 14.0003 DECAL, MOTOR COVER SS-ALL-GRAY 1 06.0021 CLMP-WHER 33977/16 1 02.0031 MASHERH FIO EXTERNAL STAT 1 14.0023 DECAL, MOTOR ACOVER SS-ALL-GRAY 1 06.0022 GUIDE-RESET TUBE 1 02.0030 MASHERH FIO EXTERNAL STAT 1 14.0025 DECAL, MARNING ALL FOLDS 1 06.0025 MOTOR COVER CSA 1 02.0036 NUT-HVLCOCK HEX 14/20 1 14.0025 DECAL, MARNING ALL FOLDS 1 06.0025 MOTOR COVER CSA 1 02.0035 SCREW-SHG1 H4:2004" 2 16.0001 BOX TOP 1 1 06.0035 DAGER PARA 1 1 06.0035 SOREW-SHG1 H4:2004" 2 16.0002 BOX FROTIM 1 06.0035 SOREW-SHG1 H4:2004" 2 16.0003 PAD-FRONT WHEEL 2 06.011 0.0025	06-0014	BUSHING-STRAIN RELIEF #1237	1	02-0021	WASHER-9/32 5/8 1/8 THICK ZP	2	11-0002	BUSHING-REAR ELEVATION	2
86.0020 END BASE PAN 1 02.0027 NUT-T HF 14209H-DB 8 14.0003 DECAL-MOTOR COVER SES-ALL-GRAY 1 06-0021 CLAMP-WIRE 3387 7/16 1 02.0001 HEX BOLT, 36-16 X 134 GRADE 5 ZP 2 14.023 DECAL-MO LIFT - ALL FOLDS 1 06-0022 CLERESET TUBE 1 02.0003 WASHER AND EXTERNAL STAT 1 14.0203 DECAL-MO LIFT - ALL FOLDS 1 06-0022 CLIP-ALLEN WRENCH 1 02.0003 SCREW-PPH 8-18x56° SD-FOOTLATCH 1 14.029 DECAL-WARNING FOLDING ALL FOLDS 1 06-0026 MOTOR COVER CSA 1 02.0005 SCREW-SHO 10-2x41 14° 2 16.0007 BOX BOTTOM 1 06-0026 FORD TROT MARACSA 1 02.0005 SCREW-SHO 2X41" 2 16.0002 PAD-FRONT WHEEL 2 1 06.002 PAD-FRONT WHEEL 2 1 06.002 PAD-UPRIGHT 2 02.0061 SCREW-PHT TR 54.516 2 16.0002 PAD-UPRIGHT 1 0 06.012 SPACER FOR UPRIGHT 2 02.00	06-0016	WIRE TIES	12	02-0024	CARRIAGE BOLT 5/16 X 1GRADE 5 ZP	2	11-0003	BUSHING-UPRIGH POVOT	2
06.0021 CLAMP-WIRE 3367 716 1 02.0031 HEX BOLT, 3/8-16 X 1 34 GRADE 5 ZP 2 14.0024 DECAL-NO LIFT - ALL FOLDS 1 06.0022 GUIDE-RESET TUBE 1 02.0033 WASHER-#10 EXTERNAL STAT 1 14.0024 DECAL-SAFETY LATCH-ALL FOLDS 1 06.0022 GUIDE-RESET TUBE 1 02.0031 WASHER-#10 EXTERNAL STAT 1 14.0024 DECAL-MANINOF COLINGALAL FOLDS 1 06.0025 MOTOR COVER CSA 1 02.0051 SCREW-SH 047 10-2x11 14" 2 16.0001 BOX TOP 1 06.0026 FRONT BOTTOM PAN-CSA 1 02.0051 SCREW-SH 047 10-2x11 14" 2 16.0001 BOX TOP 1 06.0026 FRONT REGITTOM PAN-CSA 1 02.0051 SCREW-SH 047 142-0234" 2 16.0003 PAD-FRONT WHEEL 2 06.0026 SCREE FOR UPRIGHT 2 02.0008 SCREW-SH 047 PRST-READ SWICH 8 16.0027 PAD-UPRIGHT 1 06-0130 PULLEY 8 GROVE-190JA 1 02.0028 SCREW-WHAP STREAD SWITCH 1	06-0019	CENTER BASE PAN	1	02-0025	WHEEL AXLE 2"	2	11-0017	AXLE FR 2" SNAP WHEEL	2
06:0022 GUIDE-RESET TUBE 1 02:0033 WASHER-#10 EXTERNAL STAT 1 14:0024 DECAL-WARNING FOLDING-ALL FOLDS 1 06:0024 CLIP-ALLEN WRENCH 1 02:0045 SCREW-PPH a*18:65" SD-FOOTLATCH 1 14:0025 DECAL-WARNING FOLDING-ALL FOLDS 1 06:0024 CVPR-CKEVS CSA 1 02:0055 SCREW-SHC3 14:02:0411/4" 2 16:0001 BOX TOP 1 06:0026 FRONT BOTTOM PAN-CSA 1 02:0055 SCREW-SHC3 14:20:044" 2 16:0002 BOX TOP 1 06:0048 BAG-PLASTIC 12:X 12:3 MIL-INST PACKET 1 02:0055 SCREW-HWH ACH 3:23:06" 2 16:0002 PAD-FRONT WHEEL 2 06:0125 SPACER VDR PRICHT 2 02:0081 SCREW HWH ACH 3:23:06" 1 16:00027 PAD-UPRIGHT 1 1 06:013 VHEEL 1 10:0002 SCREW HWH ASMOTST TEAD SWITCH 8 16:0027 PAD-UPRIGHT 1 1 06:013 VHEEL 1 1:0:0013 NUT-NEEL 2 1:0:001 INK AGE ASSE E	06-0020	END BASE PAN	1	02-0027	NUT-T HF 14209H-DB	8	14-0003	DECAL-MOTOR COVER SES-ALL-GRAY	1
06-0024 CLIP-ALLEN WRENCH 1 02-0041 SCREW-PPH 8-16x58* S/D-FOOTLATCH 1 14-0225 DECAL-WARNING FOLDING-ALL FOLDS 1 06-0025 MOTOR COVER CSA 1 02-0056 NUT-NULOCK HEX 14-20 1 14-0289 STICKER HEART RATE ACUMEN 1 06-0026 FORDM TBOTTOM PAN-CSA 1 02-0053 SCREW-SH-14/24 1 16-0001 BOX DDP 1 06-0045 GOVER-HC RECEIVER KEYS SERIES 1 02-0053 SCREW-SH-124 2 16-0001 BOX DDT 1 06-0045 SPACER UR BLACK 9/16* 2 02-0058 SCREW-HWH MACH 3232/8* 1 16-0002 PAD-FRONT WHELL 2 06-0125 SPACER FOR UPRIGHT 2 02-0088 SCREW-PHTR#8:024*/45 BLACK 7 16-0027 PAD-UPRIGHT 1 06-0133 WHEEL-ROLLER 2* 4 02-014 PULLEY 6 GROOVE-190JA 1 06-0027 FOA-WARCM-178 BLACK 7 16-0027 PAD-URIGHT 1 06-0133 WHEEL-SOLER 2* SCREW-PHTR#8:04*/48 BLACK 7	06-0021	CLAMP-WIRE 3367 7/16	1	02-0031	HEX BOLT, 3/8-16 X 1 3/4 GRADE 5 ZP	2	14-0023	DECAL-NO LIFT - ALL FOLDS	1
06-025 MOTOR COVER CSA 1 02-0051 SCREW-SH CAP 10-24x1 1/4" 2 16-0010 BOX TOP 1 06-0025 FRONT BOTTOM PAN-CSA 1 02-0051 SCREW-SH CAP 10-24x1 1/4" 2 16-0001 BOX TOP 1 06-0059 COVER-HC RECEIVER-KEYS SERIES 1 02-0053 SCREW-SH C3 1/4-20x34" 2 16-0001 BOX TOP 1 1 06-0048 BAG-PLASTIC 12X 12 3 MILINIST PACKET 1 02-0053 SCREW-HWH MACH 3-32436" 1 16-0003 PAD-FRONT WHELL 2 06-0125 SPACER UR BLACK 916" 2 02-0068 WASHER-FLAT SAE 5116 2 16-0004 PAD-FRAR 1 06-0139 DILLEY 8 GROVE-160JA 1 02-0052 SCREW PHYTR#SX4/4 BB LACK 8 16-0027 PAD-UPRIGHT-BB 1 1 06-0139 DILLER-REAR 20MI SHAFT 1 06-0037 NURCHE-REAR 20MI SHAFT 1 18-0004 INAGE-BASE EXTENSION-RIGHT 1 06-0139 DULLER-REAR 20MI SHAFT 1 06-0037 NUREL-REAR 20MI SHAFT 1	06-0022	GUIDE-RESET TUBE	1	02-0033	WASHER-#10 EXTERNAL STAT	1	14-0024	DECAL-SAFETY LATCH-ALL FOLDS	1
060026 FRONT BOTTOM PAN-CSA 1 02:0051 SCREW-SH CAP 10-24/1 1/4" 2 16:0001 BOX TOP 1 06:0052 COVER-HC RECEIVER-KEYS SERIES 1 02:0053 SCREW-SH CAP 10-24/1 1/4" 2 16:0001 BOX DOTOM 1 06:0048 BAG-PLASTIC 12 X 12 3 MILINST PACKET 1 02:0054 SCREW-SH CAP 10-24/1 1/4" 1 16:0003 PAD-FRONT WHEEL 2 06:0125 SPACER UR BLACK 916" 2 02:0088 WASHER-FLAT SAE 5/16 2 16:0007 PAD-URRAR 1 06:0125 SPACER UR BLACK 916" 2 02:0088 WASHER-FLAT SAE 5/16 1 10:0007 PAD-URRAR 1 06:0125 SPACER FOR UPRIGHT 2 02:0081 SCREW-PHTRBMSA/4"AB BLACK 7 16:0007 PAD-UPRIGHT-BB 1 06:0135 WHEEL-ROLLER 2" 04 02:0111 DVLW NUT BLAC :112 SHAFT 1 18:0004 LINKAGE-BASE EXTENSION-RIGHT 1 06:0055 CONTROLLER REFLACES 08:0013 1 06:0027 COVER-PVOTT TB 1 16:0004 <td>06-0024</td> <td>CLIP-ALLEN WRENCH</td> <td>1</td> <td>02-0041</td> <td>SCREW-PPH 8-18x5/8" S/D-FOOTLATCH</td> <td>1</td> <td>14-0025</td> <td>DECAL-WARNING FOLDING-ALL FOLDS</td> <td>1</td>	06-0024	CLIP-ALLEN WRENCH	1	02-0041	SCREW-PPH 8-18x5/8" S/D-FOOTLATCH	1	14-0025	DECAL-WARNING FOLDING-ALL FOLDS	1
OPUSE COVER-HC RECEIVER-KEYS SERIES 1 020053 SCREW-SHCS 14-20X4" 2 160002 BOX BOTTOM 1 06-0046 BAG-PLASTIC 12 X 12 3 MLINST PACKET 1 02-0054 SCREW-HWH MACH 9-32X38" 1 16-0004 PAD-FRONT WHEEL 2 06-0125 SPACER FOR URFIGHT 2 02-0081 SCREW-HWH MACH 9-32X38" 1 16-0027 PAD-FRONT WHEEL 1 06-0125 SPACER FOR URFIGHT 2 02-0081 SCREW-HWH 44X38"FFST-READ SWITCH 8 16-0027 PAD-UPRIGHT 1 06-0130 PULLEY 8 GROOVE-190JA 1 02-0082 SCREW-PHTR#8x34" AB BLACK 7 16-0027 PAD-UPRIGHT 1 06-0130 PULLEY 8 GROOVE-190JA 1 06-0079 FAM-MCOM MOTOR-S' W/12"SHAFT 1 18-0003 LINKAGE-BASE EXTENSION-RIGHT 1 10-0003 ISOLATOR BOARD 8 06-0098 SLEEVE-MOTOR TENSION 14" 1 18-0003 LINKAGE-BASE EXTENSION-RIGHT 1 10-0004 RUBBER FOOT 2 06-0117 SWITCH HOUSING RUND GRAY 2 <td>06-0025</td> <td>MOTOR COVER CSA</td> <td>1</td> <td>02-0050</td> <td>NUT-NYLOCK HEX 1/4-20</td> <td>1</td> <td>14-0289</td> <td>STICKER HEART RATE ACUMEN</td> <td>1</td>	06-0025	MOTOR COVER CSA	1	02-0050	NUT-NYLOCK HEX 1/4-20	1	14-0289	STICKER HEART RATE ACUMEN	1
060084 BAG-PLASTIC 12 X 12 3 MIL-INST PACKET 1 02-0058 SCREW-HWH MACH 8-32:3/8" 1 16-0003 PAD-FRONT WHEEL 2 06-0125 SPACER UR BLACK 9/16" 2 02-0068 WASHER-FLAT SAE 5/16 2 16-0004 PAD-PRAR 1 06-0125 SPACER UR BLACK 9/16" 2 02-0081 SCREW #4X/8"PFST-READ SWITCH 8 16-0027 PAD-UPRIGHT 1 06-0139 PULLEY & GROOVE-180JA 1 02-0012 SCREW-HYM & BLACK 7 16-0027 PAD-UPRIGHT-BB 1 06-0139 VILLEY & GROOVE-180JA 1 06-0029 SCREW-PHTIK#83/34" AB LACK 7 16-0027 PAD-UPRIGHT-BB 1 0 0 1 1 1 <t< td=""><td>06-0026</td><td>FRONT BOTTOM PAN-CSA</td><td>1</td><td>02-0051</td><td>SCREW-SH CAP 10-24x1 1/4"</td><td>2</td><td>16-0001</td><td>BOX TOP</td><td>1</td></t<>	06-0026	FRONT BOTTOM PAN-CSA	1	02-0051	SCREW-SH CAP 10-24x1 1/4"	2	16-0001	BOX TOP	1
06-0125 SPACER UR BLACK 9/16" 2 02-0068 WASHER-FLAT SAE 5/16 2 16-0004 PAD-REAR 1 06-0125 SPACER FOR UPRIGHT 2 02-0081 SCREW PHX38/PFST-READ SWITCH 8 16-0027 PAD-UPRIGHT 1 06-0130 PULLEY 8 GROOVE-190JA 1 02-0092 SCREW PHX38/PFST-READ SWITCH 8 16-0027 PAD-UPRIGHT 1 06-0130 PULLEY 8 GROOVE-190JA 1 06-0027 COVER-PIVOT TB 1 10-170035 RND1 1/2x16GAx16 1/2 2 06-0013 ROLLER REPLACES 08-0013 1 06-0027 COVER-PIVOT TB 2 18-0003 LINKAGE-BASE EXTENSION-RIGHT 1 09-0013 ROLLER REPLACES 08-0013 1 06-0027 COVER-PIVOT TB 2 18-0003 LINKAGE-BASE EXTENSION-RIGHT 1 10-0002 ISOLATOR BOARD 8 06-0088 SLEEVE-MOTOR TENSION 1/4" 1 18-0004 LINKAGE-BASE EXTENSION-RIGHT 1 10-0002 ISOLATOR BOARD 8 06-017 SWITCH HOUSING RIND GRAY 2 19-0010	06-0059	COVER-HC RECEIVER-KEYS SERIES	1	02-0053	SCREW-SHCS 1/4-20x3/4"	2	16-0002	BOX BOTTOM	1
06-0125 SPACER FOR UPRIGHT 2 02.0081 SCREW ##x3/8"PFST-READ SWITCH 8 16-0027 PAD-UPRIGHT 1 06-0130 PULLEY 8 GROOVE-190JA 1 02-0092 SCREW-PHTR#8x3/4" AB BLACK 7 16-0027 PAD-UPRIGHT-BB 1 06-0130 WHEEL-ROLLER 2* 4 02-0141 PUSH NUT BLAC. 112 SHAFT 10 17-0035 RND1 12x16GAR16 1/2 2 08-0050 CONTROLLER REPLACES 08-0013 1 06-0027 COVER-PIVOT TB 2 18-0003 LINKAGE-BASE EXTENSION-LEFT 1 10-0002 SOLATOR BOARD 8 06-0088 SLEEVE-MOTOR TENSION 1/4" 1 18-0006 SPRING-MOTOR TENSION-LEFT 1 10-0002 SOLATOR BOARD 8 06-0038 SLEEVE-MOTOR TENSION 1/4" 1 18-0006 SPRING-MOTOR TENSION-LEFT 1 10-0002 SOLATOR BOARD 8 06-0133 WHEEL 2'S SNAP 4 19-0015 BRKT-MOTOR COKING MECHANISM 1 10-0002 ACTUATOR 400LB MAYTECH 1 06-0047 ENCODER-OPTICAL-ALEPH 1	06-0084	BAG-PLASTIC 12 X 12 3 MIL-INST PACKET	1	02-0054	SCREW-HWH MACH 8-32x3/8"	1	16-0003	PAD-FRONT WHEEL	2
06-0130 PULLEY 8 GROOVE-190JA 1 02-0092 SCREW-PHTR#8x3/4* AB BLACK 7 16-0027 PAD-UPRIGHT-BB 1 06-0133 WHEEL-ROLLER Z* 4 02-0141 PUSH NUT BLAC.112 SHAFT 10 17-0035 RND1 1/2x16GAx16 1/2 2 08-0050 CONTROLLER REPLACES 08-0013 1 06-0027 COVER-PIVOT TB 2 18-0003 LINKAGE-BASE EXTENSION-RIGHT 1 09-0013 ROLLER REAR 20MM SHAFT 1 06-0079 FAN-MCM MOTOR-5* W1/2*SHAFT 1 18-0004 LINKAGE-BASE EXTENSION-LEFT 1 10-0002 ISOLATOR BDARD 8 06-0017 SWITCH HOUSING RUND GRAY 2 19-0010 BRACKET-UPRIGHT PIVOT 2 10-0004 RUBBER FOOT 2 06-0133 WHEEL 2* SNAP 4 19-0015 BRACKET-UPRIGHT PIVOT 2 12-0022 ACTUATOR 400LB MAYTECH 1 07-0041 CHEST STRAP NO LOGO ALL HR UNITS 1 19-0023 BRACKET UNIVERSAL 2 13-0017 MARESS-ENCODER 1 08-0047 CORC-DEPR-OPTICAL-ALEPH 1	06-0125	SPACER U/R BLACK 9/16"	2	02-0068	WASHER-FLAT SAE 5/16	2	16-0004	PAD-REAR	1
06-0133 WHEEL-ROLLER 2" 4 02-0141 PUSH NUT BLAC.112 SHAFT 10 17-0035 RND1 1/2x16GAx16 1/2 2 08-0050 CONTROLLER REPLACES 08-0013 1 06-0027 COVER-PIVOT TB 2 18-0003 LINKAGE-BASE EXTENSION-RIGHT 1 09-0013 ROLLER-REAR 20MM SHAFT 1 06-0027 FAN-MCM MOTOR-5" WI/12"SHAFT 1 18-0004 LINKAGE-BASE EXTENSION-LEFT 1 10-0002 ISOLATOR BOARD 8 06-0088 SLEEVE-MOTOR TENSION IA" 1 18-0004 RNCKET-UPRIGHT PIVOT 2 10-0003 FOAM GRIP 1.5x14.75 2 06-0113 WHEEL 2' SNAP 4 19-0013 BACKET-UPRIGHT PIVOT 2 12-0022 ACTUATOR 400LB MAYTECH 1 07-0041 CHEST STRAP NO LOGO ALL HR UNITS 1 19-0015 BRACKET UNIVERSAL 2 12-0033 MOTOR MCM 2.5HP 1 08-0047 CORE-FERTIE 1 19-0027 BRACKET UNIVERSAL 2 13-0017 HARNESS-ELCO-HRC 1 08-0047 CORE-FERTIE 1 19-0016<	06-0125	SPACER FOR UPRIGHT	2	02-0081	SCREW #4x3/8"PFST-READ SWITCH	8	16-0027	PAD-UPRIGHT	1
08-050 CONTROLLER REPLACES 08-0013 1 06-0027 COVER-PIVOT TB 2 18-0003 LINKAGE-BASE EXTENSION-RIGHT 1 09-013 ROLLER-REAR 20MM SHAFT 1 06-0079 FAN-MCM MOTOR-5" W1/2"SHAFT 1 18-0004 LINKAGE-BASE EXTENSION-LEFT 1 10-0002 ISOLATOR BOARD 8 06-0088 SLEEVE-MOTOR TENSION 1/4" 1 18-0006 SPRING-MOTOR TENSION-PRESET 1 10-0003 FOAM GRIP 1.5x14.75 2 06-0113 SWITCH HOUSING RUND GRAY 2 19-0010 BRACKET-UPRIGHT PIVOT 2 10-0004 RUBBER FOOT 2 06-0133 WHEEL 2" SNAP 4 19-0015 BRACKET-UPRIGHT PIVOT 2 12-0023 MOTOR MCM 2.5HP 1 08-0047 ENCODER-OPTICAL-ALEPH 1 19-0023 BRACKET UNIVERSAL 2 13-0011 POWER CORD-90" 1 08-0047 ENCODER-OPTICAL-ALEPH 1 19-0028 BRACKET UNIVERSAL 2 13-0011 POWER CORD-90" 1 08-0047 ENCODER-OPTICAL-ALEPH 1 19-001	06-0130	PULLEY 8 GROOVE-190JA	1	02-0092	SCREW-PHTR#8x3/4" AB BLACK	7	16-0027	PAD-UPRIGHT-BB	1
09-013 ROLLER-REAR 20MM SHAFT 1 06-0079 FAN-MCM MOTOR-5" W/1/2"SHAFT 1 18-0004 LINKAGE-BASE EXTENSION-LEFT 1 10-0002 ISOLATOR BOARD 8 06-0088 SLEEVE-MOTOR TENSION 1/4" 1 18-0006 SPRING-MOTOR TENSION-PRESET 1 10-0003 FOAM GRIP 1.5x14.75 2 06-0117 SWITCH HOUSING RUND GRAY 2 19-0010 BRACKET-UPRIGHT PIVOT 2 10-0004 RUBBER FOOT 2 06-0133 WHEEL 2" SNAP 4 19-0015 BRKT-MOTOR COVER 7 12-0022 ACTUATOR 400LB MAYTECH 1 07-0041 CHEST STRAP NO LOGO ALL HR UNITS 1 19-0015 BRKT-MOTOR COVER 7 12-0033 MOTOR MCM 2.5HP 1 08-0047 ENCODER-OPTICAL-ALEPH 1 19-0038 BRACKET-UNIVERSAL 2 13-0017 HARNESS-ELCO-HRC 1 13-0017 CORE-FERRITE 1 19-0138 BRKT MOR SUPPORT REVISED 19-0005 2 14-0022 DECAL-MOTOR COVER-EC3500H-TEAL 1 13-0016 HARNESS-CONTROL PANEL 1 </td <td>06-0133</td> <td>WHEEL-ROLLER 2"</td> <td>4</td> <td>02-0141</td> <td>PUSH NUT BLAC .112 SHAFT</td> <td>10</td> <td>17-0035</td> <td>RND1 1/2x16GAx16 1/2</td> <td>2</td>	06-0133	WHEEL-ROLLER 2"	4	02-0141	PUSH NUT BLAC .112 SHAFT	10	17-0035	RND1 1/2x16GAx16 1/2	2
10-0002 ISOLATOR BOARD 8 06-0088 SLEEVE-MOTOR TENSION 1/4" 1 18-0006 SPRING-MOTOR TENSION-PRESET 1 10-0003 FOAM GRIP 1.5x14.75 2 06-0117 SWITCH HOUSING RUND GRAY 2 19-0010 BRACKET-UPRIGHT PIVOT 2 10-0004 RUBBER FOOT 2 06-0133 WHEEL 2" SNAP 4 19-0013 LATCH-FOOT LOCKING MECHANISM 1 12-0022 ACTUATOR 400LB MAYTECH 1 07-0041 CHEST STRAP NOLGO ALL HR UNITS 1 19-0015 BRRT-MOTOR COVER 7 12-0033 MOTOR MCM 2.5HP 1 08-0047 ENCODER-OPTICAL-ALEPH 1 19-0023 BRACKET UNIVERSAL 2 13-0017 PMER CORD-90" 1 08-0047 ENCODER-OPTICAL-ALEPH 1 19-0023 BRACKET-UNIVERSAL 1 1 13-0017 HARNESS-ELCO-HRC 1 08-0047 ENCODER-OPTICAL-ALEPH 1 19-0013 BRACKET-HRECIVER MOUNTING 1 13-0017 HARNESS-ELCO-HRC 1 13-0007 WREE-BREAKER 6" 1 <t< td=""><td>08-0050</td><td>CONTROLLER REPLACES 08-0013</td><td>1</td><td>06-0027</td><td>COVER-PIVOT TB</td><td>2</td><td>18-0003</td><td>LINKAGE-BASE EXTENSION-RIGHT</td><td>1</td></t<>	08-0050	CONTROLLER REPLACES 08-0013	1	06-0027	COVER-PIVOT TB	2	18-0003	LINKAGE-BASE EXTENSION-RIGHT	1
10-0002 ISOLATOR BOARD 8 06-0088 SLEEVE-MOTOR TENSION 1/4" 1 18-0006 SPRING-MOTOR TENSION-PRESET 1 10-0003 FOAM GRIP 1.5x14.75 2 06-0117 SWITCH HOUSING RUND GRAY 2 19-0010 BRACKET-UPRIGHT PIVOT 2 10-0004 RUBBER FOOT 2 06-0133 WHEEL 2" SNAP 4 19-0013 LATCH-FOOT LOCKING MECHANISM 1 12-0022 ACTUATOR 400LB MAYTECH 1 07-0041 CHEST STRAP NOLGO ALL HR UNITS 1 19-0015 BRRT-MOTOR COVER 7 12-0033 MOTOR MCM 2.5HP 1 08-0047 ENCODER-OPTICAL-ALEPH 1 19-0023 BRACKET UNIVERSAL 2 13-0017 PMER CORD-90" 1 08-0047 ENCODER-OPTICAL-ALEPH 1 19-0023 BRACKET-UNIVERSAL 1 1 13-0017 HARNESS-ELCO-HRC 1 08-0047 ENCODER-OPTICAL-ALEPH 1 19-0013 BRACKET-HRECIVER MOUNTING 1 13-0017 HARNESS-ELCO-HRC 1 13-0007 WREE-BREAKER 6" 1 <t< td=""><td>09-0013</td><td>ROLLER-REAR 20MM SHAFT</td><td>1</td><td>06-0079</td><td>FAN-MCM MOTOR-5" W/1/2"SHAFT</td><td>1</td><td>18-0004</td><td>LINKAGE-BASE EXTENSION-LEFT</td><td>1</td></t<>	09-0013	ROLLER-REAR 20MM SHAFT	1	06-0079	FAN-MCM MOTOR-5" W/1/2"SHAFT	1	18-0004	LINKAGE-BASE EXTENSION-LEFT	1
10-0003 FOAM GRIP 1.5x14.75 2 06-0117 SWITCH HOUSING RUND GRAY 2 19-0010 BRACKET-UPRIGHT PIVOT 2 10-0004 RUBBER FOOT 2 06-0133 WHEEL 2" SNAP 4 19-0013 LATCH-FOOT LOCKING MECHANISM 1 12-0022 ACTUATOR 400LB MAYTECH 1 07-0041 CHEST STRAP NO LOGO ALL HR UNITS 1 19-0015 BRKT-MOTOR COVER 7 12-0023 MOTOR MCM 2.5HP 1 08-0047 CIRCUIT BREAKER 15AMP 1 19-0023 BRACKET UNIVERSAL 2 13-0003 HARNESS-ENCODER 1 08-0047 CORE-FERRITE 1 19-0023 BRKT-ENVT TUBE 2 13-0017 HARNESS-ELCO-HRC 1 13-0007 WIRE-BREAKER 6" 1 19-0134 BRKT BASE ELEVATION 1 14-0022 DECAL-MOTOR COVER-EC3500H-TEAL 1 13-0016 HARNESS-CONTROL PANEL 1 19-0134 BRKT MTOR SUPPORT REVISED 19-0005 2 14-0027 DECAL-MOTOR COVER-EC3500H-TEAL 1 13-0016 HARNESS-CONTROL PANEL 1 <td< td=""><td></td><td></td><td>8</td><td></td><td></td><td>1</td><td></td><td></td><td></td></td<>			8			1			
10-0004 RUBBER FOOT 2 06-0133 WHEEL 2" SNAP 4 19-0013 LATCH-FOOT LOCKING MECHANISM 1 12-0022 ACTUATOR 400LB MAYTECH 1 07-0041 CHEST STRAP NO LOGO ALL HR UNITS 1 19-0015 BRKT-MOTOR COVER 7 12-0033 MOTOR MCM 2.5HP 1 08-0004 CIRCUIT BREAKER 15AMP 1 19-0023 BRACKET UNIVERSAL 2 13-0003 HARNESS-ENCODER 1 08-0047 ENCODER-OPTICAL-ALEPH 1 19-0027 BRKT-PIVT TUBE 2 13-0011 POWER CORD-90" 1 08-0077 CORE-FERRITE 1 19-0096 BRACKET-H RECEIVER MOUNTING 1 14-0022 DECAL-MOTOR COVER-EC3500H-TEAL 1 13-0016 HARNESS-COURTOL PANEL 1 19-0159 BRKT MOR SUPPORT REVISED 19-0005 2 14-0022 DECAL-MOTOR COVER-EC3500H-TEAL 1 14-0026 DECAL-WARNING CONSOLE-ALL-GRAY 1 20-0003 PROC-ACTUATOR EXT. TB-17-0011 1 14-0024 DECAL-END CAP LOGO-BLK/TEAL/RED 1 14-0205 DECAL-OPRATION INSTA			-			-			
12-0022 ACTUATOR 400LB MAYTECH 1 07-0041 CHEST STRAP NO LOGO ALL HR UNITS 1 19-0015 BRKT-MOTOR COVER 7 12-0033 MOTOR MCM 2.5HP 1 08-0004 CIRCUIT BREAKER 15AMP 1 19-0023 BRACKET UNIVERSAL 2 13-0003 HARNESS-ENCODER 1 08-0047 ENCODER-OPTICAL-ALEPH 1 19-0027 BRKT-PIVT TUBE 2 13-0011 POWER CORD-90" 1 08-0077 CORE-FERRITE 1 19-0096 BRACKET-H RECEIVER MOUNTING 1 14-0022 DECAL-MOTOR COVER-EC3500H-TEAL 1 13-0007 WIRE-BREAKER 6" 1 19-0134 BRKT MTOR SUPPORT REVISED 19-0005 2 14-0022 DECAL-MOTOR COVER-EC3500H-TEAL 1 14-0026 DECAL-WARNING CONSOLE-ALL-GRAY 1 20-0003 PROC-ACTUATOR EXT.TB-17-0011 1 14-0025 DECAL-CIRCUIT BREAKER-ALL 1 14-0026 DECAL-OPERATION INSTALL 1 20-0003 PROC-ACTUATOR EXT.TB-17-0011 1 14-0059 DECAL-END CAP LOGO-BLK/TEAL/RED 2 14-0205 DECAL-DISCONNECT-MOTOR COVER 1 20-0003 PROC-ACTUATOR EXT.TB-17-0010						-			
12-0033 MOTOR MCM 2.5HP 1 08-004 CIRCUIT BREAKER 15AMP 1 19-0023 BRACKET UNIVERSAL 2 13-0003 HARNESS-ENCODER 1 08-0047 ENCODER-OPTICAL-ALEPH 1 19-0027 BRKT-PIVT TUBE 2 13-0011 POWER CORD-90" 1 08-0077 CORE-FERRITE 1 19-0096 BRACKET-H RECEIVER MOUNTING 1 13-0017 HARNESS-ELCO-HRC 1 13-0007 WIRE-BREAKER 6" 1 19-0134 BRKT BASE ELEVATION 1 14-0022 DECAL-MOTOR COVER-EC3500H-TEAL 1 13-0016 HARNESS-CONTROL PANEL 1 19-0159 BRKT MTOR SUPPORT REVISED 19-0005 2 14-0027 DECAL-EMERGENCY STOP-RED 1 14-0026 DECAL-WARNING CONSOLE-ALL-GRAY 1 20-0003 PROC-ACTUATOR EXT. TB-17-0011 1 14-0028 DECAL-CIRCUIT BREAKER-ALL 1 14-0204 DECAL-OPERATION INSTALL 1 20-0003 PROC-AGTUATOR EXT. TB-17-0010 2 14-0089 DECAL-END CAP LOGO-BLK/TEAL/RED 2 14-0205 DECAL-DISCONNECT-MOTOR COVER 1 20-0073 HANDLE BARS W/REMOTE 17-0035 2									
13.0003HARNESS-ENCODER10.8.0047ENCODER-OPTICAL-ALEPH11.9.0027BRKT-PIVT TUBE213.0011POWER CORD-90"10.8.0077CORE-FERRITE119-0096BRACKET-H RECEIVER MOUNTING113.0017HARNESS-ELCO-HRC1113-0007WIRE-BREAKER 6"119-0134BRKT BASE ELEVATION114-0022DECAL-MOTOR COVER-EC3500H-TEAL113-0016HARNESS-CONTROL PANEL119-0159BRKT MTOR SUPPORT REVISED 19-0005214-0027DECAL-EMERGENCY STOP-RED114-0026DECAL-WARNING CONSOLE-ALL-GRAY120-003PROC-ACTUATOR EXT. TB-17-0011114-0028DECAL-CIRCUIT BREAKER-ALL114-0206DECAL-OPERATION INSTALL120-0008PROC-BASE EXTENSION TB 17-0010214-009DECAL-END CAP LOGO-BLK/TEAL/RED214-0205DECAL-DISCONNECT-MOTOR COVER120-0037HANDLE BARS W/REMOTE 17-0035214-008DECAL-STARBURST-WASDECK-YELLOW215-0010WARRANTY CARD 3/2/1-EC920/MS760120-0086PROC UPRIGHT TUE LT & RT 17-0062215-007MANUAL EC3500HRC119-0097BRKT-ENCODER-MCMILLIAN121-0018CONSOLE PLATE-PUNCHED(19-0012)115-002WIRING DIAGRAM MAGNETEK12-0006RCAC FRAME ASSEMBLY121-0037HANDLE BASS MANGLE CUT(4PC)219-0019GUIDE BELT GALVANIZED22-0068BASE FRAME WELDED SB-ASSEMBLY121-0037UPRIGHT TUBE-SAW ANGLE CUT(4PC) </td <td></td> <td></td> <td></td> <td></td> <td></td> <td>-</td> <td></td> <td></td> <td></td>						-			
13:0011POWER CORD-90"10.8:0077CORE-FERRITE119:0096BRACKET-H RECEIVER MOUNTING113:0017HARNESS-ELCO-HRC113:0007WIRE-BREAKER 6"119:0134BRKT BASE ELEVATION114:0022DECAL-MOTOR COVER-EC3500H-TEAL113:0016HARNESS-CONTROL PANEL119:0159BRKT MTOR SUPPORT REVISED 19:0005214:0027DECAL-EMERGENCY STOP-RED114:0026DECAL-WARNING CONSOLE-ALL-GRAY120:0008PROC-ACTUATOR EXT. TB-17:0011114:0028DECAL-CIRCUIT BREAKER-ALL114:0204DECAL-OPERATION INSTALL120:0008PROC-BASE EXTENSION TB 17:0010214:0039DECAL-STARBURST-WASDECK-YELLOW214:0205DECAL-DISCONNECT-MOTOR COVER120:0036PROC UPRIGHT TUE LT & RT 17:0062215:0017MANUAL EC3500HRC119:0097BRKT-ENCODER-MCMILLIAN121:0018CONSOLE PLATE-PUNCHED(19:0012)115:0029WIRING DIAGRAM MAGNETEK12:0006RACUATOR CONNECTION ASSEMBLY121:0037UPRIGHT TUBE-SAW ANGLE CUT(4PC)219:0019GUIDE BELT GALVANIZED22:0008BASE FRAME WELDED SB-ASSEMBLY121:0037REAR ELEVATION ASSEMBLY119:0020BRKT-SPRING ANCHOR22:0006FRONT ROLLER-20MM SHAFT12:0001DECK FRAME ASSEMBLY119:0019SLUG-EMERGENCY STOP12:0006FRONT ROLLER-20MM SHAFT12:0003REAR ELEVATION ASSEMBLY.WELDED1<									
13:0017HARNESS-ELCO-HRC113:0007WIRE-BREAKER 6"119:0134BRKT BASE ELEVATION114:0022DECAL-MOTOR COVER-EC3500H-TEAL113:0016HARNESS-CONTROL PANEL119:0159BRKT MTOR SUPPORT REVISED 19:0005214:0027DECAL-EMERGENCY STOP-RED114:0026DECAL-WARNING CONSOLE-ALL-GRAY120:0003PROC-ACTUATOR EXT. TB-17:0011114:0028DECAL-CIRCUIT BREAKER-ALL114:026DECAL-OPERATION INSTALL120:0008PROC-BASE EXTENSION TB 17:0010214:009DECAL-END CAP LOGO-BLK/TEAL/RED214:0205DECAL-DISCONNECT-MOTOR COVER120:0018PROC-DRASE EXTENSION TB 17:0010214:008DECAL-STARBURST-WASDECK-YELLOW215:0010WARRANTY CARD 3/2/1-EC920/MS760120:0086PROC UPRIGHT TUE LT & RT 17:0062215:0007MANUAL EC3500HRC119:0097BRKT-ENCODER-MCMILLIAN121:0018CONSOLE PLATE-PUNCHED(19:0012)115:002WIRING DIAGRAM MAGNETEK12:0010ACTUATOR CONNECTION ASSEMBLY121:0037UPRIGHT TUBE-SAW ANGLE CUT(4PC)219:0019GUIDE BELT GALVANIZED22:0068BASE FRAME WELDED SB-ASSEMBLY123:0001DECK FRAME ASSEMBLY119:002BRKT-SPRING ANCHOR22:4:006FRONT ROLLER-20MM SHAFT123:0001DECK FRAME ASSEMBLY119:0107SLUG-EMERGENCY STOP12:0006REONT ROLLER-20MM SHAFT123:0001DECK FRAME AS						-			
14-0022DECAL-MOTOR COVER-EC3500H-TEAL1113-0016HARNESS-CONTROL PANEL1119-0159BRKT MTOR SUPPORT REVISED 19-0005214-0027DECAL-EMERGENCY STOP-RED114-0026DECAL-WARNING CONSOLE-ALL-GRAY120-0003PROC-ACTUATOR EXT. TB-17-0011114-0028DECAL-CIRCUIT BREAKER-ALL114-0204DECAL-OPERATION INSTALL120-0008PROC-BASE EXTENSION TB 17-0010214-0089DECAL-END CAP LOGO-BLK/TEAL/RED214-0205DECAL-DISCONNECT-MOTOR COVER120-0073HANDLE BARS W/REMOTE 17-0035214-0089DECAL-STARBURST-WASDECK-YELLOW215-0010WARRANTY CARD 3/2/1-EC920/MS760120-0086PROC UPRIGHT TUE LT & RT 17-0062215-0007MANUAL EC3500HRC119-0097BRKT-ENCODER-MCMILLIAN121-0018CONSOLE PLATE-PUNCHED(19-0012)115-0029WIRING DIAGRAM MAGNETEK122-0016ACTUATOR CONNECTION ASSEMBLY121-0037UPRIGHT TUBE-SAW ANGLE CUT(4PC)219-0019GUIDE BELT GALVANIZED22-0068BASE FRAME WELDED SB-ASSEMBLY121-0037DECK FRAME ASSEMBLY119-0032BRKT-SPRING ANCHOR224-0006FRONT ROLLER-20MM SHAFT123-0001DECK FRAME ASSEMBLY119-0033BLGAL-GRAM MAGNETEK126-0046INST PACKET EC3500HRC123-0001DECK FRAME ASSEMBLY119-0034BRKT-SPRING ANCHOR224-0006FRONT ROLLER-20MM SHAFT1<									
14-0027DECAL-EMERGENCY STOP-RED114-026DECAL-WARNING CONSOLE-ALL-GRAY120-0003PROC-ACTUATOR EXT. TB-17-0011114-0028DECAL-CIRCUIT BREAKER-ALL114-0204DECAL-OPERATION INSTALL120-0008PROC-BASE EXTENSION TB 17-0010214-0099DECAL-END CAP LOGO-BLK/TEAL/RED214-0205DECAL-DISCONNECT-MOTOR COVER120-0073HANDLE BARS W/REMOTE 17-0035214-0089DECAL-STARBURST-WASDECK-YELLOW215-0010WARRANTY CARD 3/2/1-EC920/MS760120-0086PROC UPRIGHT TUE LT & RT 17-0062215-0007MANUAL EC3500HRC119-0097BRKT-ENCODER-MCMILLIAN121-0018CONSOLE PLATE-PUNCHED(19-0012)115-0029WIRING DIAGRAM MAGNETEK122-0010ACTUATOR CONNECTION ASSEMBLY121-0037UPRIGHT TUBE-SAW ANGLE CUT(4PC)219-0019GUIDE BELT GALVANIZED224-0006FRONT ROLLER-20MM SHAFT123-0001DECK FRAME ASSEMBLY119-0032BRKT-SPRING ANCHOR224-0006FRONT ROLLER-20MM SHAFT123-0001DECK FRAME ASSEMBLY-WELDED119-0107SLUG-EMERGENCY STOP126-0046INST PACKET EC3500HRC123-0000UPRIGHT ASSEMBLY1									
14-0028DECAL-CIRCUIT BREAKER-ALL114-0204DECAL-OPERATION INSTALL120-0008PROC-BASE EXTENSION TB 17-0010214-0069DECAL-END CAP LOGO-BLK/TEAL/RED214-0205DECAL-DISCONNECT-MOTOR COVER120-0073HANDLE BARS W/REMOTE 17-0035214-0089DECAL-STARBURST-WASDECK-YELLOW215-0010WARRANTY CARD 3/2/1-EC920/MS760120-0086PROC UPRIGHT TUE LT & RT 17-0062215-0007MANUAL EC3500HRC119-0097BRKT-ENCODER-MCMILLIAN121-0018CONSOLE PLATE-PUNCHED(19-0012)115-0029WIRING DIAGRAM MAGNETEK122-0006BASE FRAME WELDED SB-ASSEMBLY121-0037UPRIGHT TUBE-SAW ANGLE CUT(4PC)219-0019GUIDE BELT GALVANIZED22-0068BASE FRAME WELDED SB-ASSEMBLY123-0001DECK FRAME ASSEMBLY119-0032BRKT-SPRING ANCHOR224-0006FRONT ROLLER-20MM SHAFT123-0003REAR ELEVATION ASSEMBLY-WELDED119-0107SLUG-EMERGENCY STOP126-0046INST PACKET EC3500HRC123-000UPRIGHT ASSEMBLY1									
14-0069DECAL-END CAP LOGO-BLK/TEAL/RED214-0205DECAL-DISCONNECT-MOTOR COVER120-0073HANDLE BARS W/REMOTE 17-0035214-0089DECAL-STARBURST-WASDECK-YELLOW215-0010WARRANTY CARD 3/2/1-EC920/MS760120-0086PROC UPRIGHT TUE LT & RT 17-0062215-0007MANUAL EC3500HRC119-0097BRKT-ENCODER-MCMILLIAN121-0018CONSOLE PLATE-PUNCHED(19-0012)115-0029WIRING DIAGRAM MAGNETEK122-0001ACTUATOR CONNECTION ASSEMBLY121-0037UPRIGHT TUBE-SAW ANGLE CUT(4PC)219-0019GUIDE BELT GALVANIZED222-0068BASE FRAME WELDED SB-ASSEMBLY123-0001DECK FRAME ASSEMBLY119-0032BRKT-SPRING ANCHOR224-0006FRONT ROLLER-20MM SHAFT123-0003REAR ELEVATION ASSEMBLY-WELDED119-0107SLUG-EMERGENCY STOP126-0046INST PACKET EC3500HRC123-0090UPRIGHT ASSEMBLY1									
14-0089 DECAL-STARBURST-WASDECK-YELLOW 2 15-010 WARRANTY CARD 3/2/1-EC920/MS760 1 20-0086 PROC UPRIGHT TUE LT & RT 17-0062 2 15-0007 MANUAL EC3500HRC 1 19-0097 BRKT-ENCODER-MCMILLIAN 1 21-0018 CONSOLE PLATE-PUNCHED(19-0012) 1 15-0029 WIRING DIAGRAM MAGNETEK 1 22-0001 ACTUATOR CONNECTION ASSEMBLY 1 21-0037 UPRIGHT TUBE-SAW ANGLE CUT(4PC) 2 19-0019 GUIDE BELT GALVANIZED 2 22-0068 BASE FRAME WELDED SB-ASSEMBLY 1 23-0001 DECK FRAME ASSEMBLY 1 19-0032 BRKT-SPRING ANCHOR 2 24-0006 FRONT ROLLER-20MM SHAFT 1 23-0003 REAR ELEVATION ASSEMBLY-WELDED 1 19-0107 SLUG-EMERGENCY STOP 1 26-0046 INST PACKET EC3500HRC 1 23-0003 UPRIGHT ASSEMBLY 1									
15-0007MANUAL EC3500HRC119-0097BRKT-ENCODER-MCMILLIAN121-0018CONSOLE PLATE-PUNCHED(19-0012)115-0029WIRING DIAGRAM MAGNETEK122-0001ACTUATOR CONNECTION ASSEMBLY121-0037UPRIGHT TUBE-SAW ANGLE CUT(4PC)219-0019GUIDE BELT GALVANIZED222-0008BASE FRAME WELDED SB-ASSEMBLY123-0001DECK FRAME ASSEMBLY119-0032BRKT-SPRING ANCHOR224-0006FRONT ROLLER-20MM SHAFT123-0003REAR ELEVATION ASSEMBLY-WELDED119-0107SLUG-EMERGENCY STOP126-0046INST PACKET EC3500HRC123-0090UPRIGHT ASSEMBLY1						-			
15-0029WIRING DIAGRAM MAGNETEK122-0001ACTUATOR CONNECTION ASSEMBLY121-0037UPRIGHT TUBE-SAW ANGLE CUT(4PC)219-0019GUIDE BELT GALVANIZED222-0068BASE FRAME WELDED SB-ASSEMBLY123-0001DECK FRAME ASSEMBLY119-0032BRKT-SPRING ANCHOR224-0006FRONT ROLLER-20MM SHAFT123-0003REAR ELEVATION ASSEMBLY-WELDED119-0107SLUG-EMERGENCY STOP126-0046INST PACKET EC3500HRC123-0090UPRIGHT ASSEMBLY1									
19-0019 GUIDE BELT GALVANIZED 2 22-0068 BASE FRAME WELDED SB-ASSEMBLY 1 23-0001 DECK FRAME ASSEMBLY 1 19-0032 BRKT-SPRING ANCHOR 2 24-0006 FRONT ROLLER-20MM SHAFT 1 23-0003 REAR ELEVATION ASSEMBLY-WELDED 1 19-0107 SLUG-EMERGENCY STOP 1 26-0046 INST PACKET EC3500HRC 1 23-0000 UPRIGHT ASSEMBLY 1						1			
19-0032 BRKT-SPRING ANCHOR 2 24-0006 FRONT ROLLER-20MM SHAFT 1 23-0003 REAR ELEVATION ASSEMBLY-WELDED 1 19-0107 SLUG-EMERGENCY STOP 1 26-0046 INST PACKET EC3500HRC 1 23-0003 REAR ELEVATION ASSEMBLY-WELDED 1									
19-0107 SLUG-EMERGENCY STOP 1 26-0046 INST PACKET EC3500HRC 1 23-0090 UPRIGHT ASSEMBLY 1						-			
	_			20-0040	MOTT ACRET 20000RC	L '			
	24-0110	CONFLETE CONSOLE ASSEMBLY	1	1			23-0092	UN AGGLINDLT 4 WITUGGES & HRU	'

KeysEncore 3500HRC Treadmill KEYS FITNESS PRODUCTS, LP – LIMITED WARRANTY

PLEASE CONSULT YOUR PHYSICIAN BEFORE USING THIS PRODUCT.

This Limited Warranty applies in the United States, Canada, and Mexico to products manufactured or distributed by Keys Fitness Products, LP ("Keys") under the KEYS brand name. The warranty period on the ENCORE 3500HRC to the original purchaser is (lifetime) on the frame, (10) years on the motor, (3) years parts, and (2) year labor.

Keys warrants that the Product you have purchased for non-commercial, personal, family, or household use from Keys or from an authorized Keys reseller is free from defects in materials or workmanship under normal use during the warranty period. Your sales receipt, showing the date of purchase of the Product, is your proof of the date of purchase. This warranty only extends to you, the original purchaser. It is not transferable to anyone who subsequently purchases the Product from you. It excludes expendable parts. This Limited Warranty becomes VALID ONLY if the treadmill is assembled/installed by a Keys Fitness authorized dealer/technician unless otherwise authorized by Keys Fitness in writing (if anyone other than a Keys Fitness authorized dealer/technician assembles a Keys Fitness).

During the warranty period Keys will at no additional charge, repair or replace (at Keys' option) the product if it becomes defective, malfunctions, or otherwise fails to conform with this Limited Warranty under normal non-commercial, personal, family or household use. In repairing the Product, Keys may replace defective parts, or at the option of Keys, serviceable used parts that are equivalent to new parts in performance. All exchanged parts and Products replaced under this warranty will become the property of Keys. Keys reserves the right to change manufacturers of any part to cover any existing warranty. To obtain warranty service, you must contact a Keys authorized service technician or Keys Fitness at our phone numbers located in this manual. Any parts determined to be defective must be returned to

To obtain warranty service, you must contact a Keys authorized service technician or Keys Fitness at our phone numbers located in this manual. Any parts determined to be defective must be returned to Keys to obtain warranty service. You must prepay any shipping charges, export taxes, custom duties and taxes, or any other charges associated with transportation of the parts or Product. In addition, you are responsible for insuring any parts or Product shipped or returned. You assume the risk of loss during shipment. You must present Keys with proof-of-purchase documents (including the date of purchase). Any evidence of alteration, erasing or forgery of proof-of-purchase documents will be cause to void this Limited Warranty.

This warranty does not extend to any product not purchased from Keys or from an authorized Keys reseller. This Limited Warranty does not extend to any Product that has been damaged or rendered defective; (a) as a result of accident, misuse, or abuse; (b) by the use of parts not manufactured or sold by Keys; (c) by modification of the Product or normal wear and tear; (d) operation on incorrect power supplies; or (e) as a result of service by anyone other than Keys, or an authorized Keys warranty service provider. Product on which the serial number has been defaced or removed is not eligible for warranty service. Should any Product be submitted for warranty service be found ineligible therefore, an estimate of repair cost will furnished and the repair will be made if requested by you upon Keys' receipt of payment or acceptable arrangements for payment.

EXCEPT AS EXPRESSLY SET FORTH IN THIS WARRANTY, KEYS MAKES NO OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING ANY IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. KEYS EXPRESSLY DISCLAIMS ALL WARRANTIES NOT STATED IN THIS LIMITED WARRANTY. ANY IMPLIED WARRANTIES THAT MAY BE IMPOSED BY LAW ARE LIMITED TO THE TERMS OF THIS LIMITED WARRANTY. NEITHER KEYS NOR ANY OF ITS AFFILIATES SHALL BE RESPONSIBLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES. SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS OR THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATIONS OR EXCLUSION MAY NOT APPLY TO YOU. This Limited Warranty gives you specific legal rights and you may also have other rights that may vary from state to state. This is the only express warranty applicable to Keys-branded products. Keys neither assumes not authorizes anyone to assume for it any other express warranty.

PLEASE SEND IN THE ATTACHED WARRANTY CARD WITHIN TEN (10) DAYS OF PURCHASE TO REGISTER YOUR TREADMILL WITH KEYS FITNESS PRODUCTS, LP. MADE IN THE USA. Thank you for your business! PLEASE MAIL WARRANTY CARD TO: KEYS FITNESS PRODUCTS, PO BOX 551239, DALLAS, TX 75355.

KEYS FITNESS TREADMILL WARRANTY REGISTRATION TELEPHONE			
FIRST			
		APT. NO.	
	MODEL NO.		
Name of store or company where purchased: How do you plan to use the treadmill? Walk	Where did you learn about treadmills? TV Radio Friend In Store Display Salesperson Print ad/flyer Internet Why did you purchase a treadmill?	How important are each feature: Other Comments: Least Most Unique Features Image: Comment in the sequence of t	
Male Female Both How many family members? AGE: 15-24 25-34 35-44 45-54 55-64 65 +	Dr.'s Orders Loose Weight In-home convenience Improve Cardiovascular Fitness Safety from outdoors Other	KEYS FITNESS respects the rights of your privacy. Our company will not sell or distribute to others the information above. This information is used to track our product quality and to contact you in the event of a product safety concern. It may be used to offer you future Keys products only through the mail. Please check here if wish not to receive any additional information on Keys products.	

Page 20

Free Manuals Download Website <u>http://myh66.com</u> <u>http://usermanuals.us</u> <u>http://www.somanuals.com</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.com</u> <u>http://www.404manual.com</u> <u>http://www.luxmanual.com</u> <u>http://aubethermostatmanual.com</u> Golf course search by state

http://golfingnear.com Email search by domain

http://emailbydomain.com Auto manuals search

http://auto.somanuals.com TV manuals search

http://tv.somanuals.com