SPACE TO THINK

IN MULTIPLE DIRECTIONS.








CONCENTRATED PERFORMANCE IN ONE DESKTOP DEVICE.

A LONG-TERM COMMITMENT

ECOSYS is a unique guiding principle deployed by Kyocera Mita. The combination of optimised workplace efficiency, minimised environmental impact and effortless system integration truly sets Kyocera devices apart.







ECONOMY: Total Cost of Ownership (TCO) is the true lifetime cost of a device as operating expenses can significantly exceed the original purchase price. ECOSYS devices are designed to minimise both direct costs, such as consumables, and indirect costs, such as energy usage and administration, invariably offering the lowest TCO in their class.



ECOLOGY: Kyocera's long-life technology utilises our extensive expertise in ceramics. The durable drum is integral to the printer; the only consumable is the toner cassette. ECOSYS printers consume fewer materials in manufacture, generate less waste and simplify recycling, thereby minimising environmental impact.



SYSTEM: With Kyocera ECOSYS devices, there is a wide range of enhancements designed to maximise document output productivity. Additional functionality and upgrades are available, maximising the long-term benefit of the investment. Finally, Kyocera Mita's integrated system software ensures long-term and cross-network compatibility.

Can an all-in-one device really be good at everything? Kyocera multifunctionals combine years of experience with printing, copying, scanning and faxing in equal measure. The FS-1016MFP and FS-1116MFP are ideal as compact all-in-ones in busy office environments. Because multifunctionals are used frequently, they feature ECOSYS technology with long-life components. What both models boil down to is cost-efficient productivity in a multitasking environment. With this in mind, you'll have space to think about more important things.

FS-1016MFP → print → copy → scan → fax

Small footprint

Designed to provide full multifunctionality, especially when space is at a premium.



Easy access to your output

A wide opening makes it simple to grab your printouts and go.

Toner saving mode

Ideal when printing draft output or documents for internal approval.



Paper supply window

Keep track of how much paper is left at a glance.

USB connectivity

High speed USB 2.0 interface for easy connection to Windows $^{\! \circ}$ PCs.

FS-1016MFP/FS-1116MFP

A4 MONOCHROME MULTIFUNCTIONALS



ECOSYS devices are designed to minimise both direct costs

and indirect costs such as maintenance, administration and consumables. ECOSYS technology is based on extremely durable components. The drum, developer and fuser of the FS-1016MFP and FS-1116MFP are designed for 100,000 pages. The cartridge-free system requires only the toner to be replaced, delivering lowest cost per page in their class. ECOSYS devices are particularly environmentally friendly.

Technology: Kyocera ECOSYS, Laser Backlight LCD display: 2 lines, each 16 characters Engine speed: Up to 16 pages per minute A4 (print/copy)

Resolution: 600 x 600 dpi (print/copy), Time to first copy: 12 seconds or less from platen, 14 seconds or less from document processor Time to first print: 11 seconds or less

Warm-up time: 25 seconds or less from power on Duty cycle: Max. 10,000 pages per month, max. average up to 1,500 pages per month **Power source:** AC 220 ~ 240 V, 50/60 Hz **Power consumption:** Copying/Printing: 348 W, Stand-by: 20 W, Sleep Mode: 10 W

Noise (ISO 7779): Copying/Printing: 49 dB(A), Stand-by: 28 dB(A)

Dimensions (W x D x H): Main unit: 476 x 392 x 489 mm **Weight:** Main unit incl. Toner: Approx. 15 kg

Certifications: TÜV/GS, CE, PTS
This product is manufactured according to ISO 9001 quality standard and ISO 14001 environmental standard.

All paper capacities quoted are based on a paper thickness of max. 0.11 mm. Please use paper recommended by Kyocera under normal environmental conditions.

Input capacity: 250-sheet universal paper feeder, 60-105 g/m 2 , A4, B5, A5, Letter, Legal, Custom (148 x 210 mm to 216 x 356 mm)

1-sheet manual feed (tray), 60-163 g/m², A4, B5, A5, Letter, Legal, Custom (70 x 148 to 216 x 356 mm) Document feeder: 50 sheets, 60-105 g/m², 114.3 x 139.7 mm to 216 x 356 mm)

Output capacity: 100 sheets face-down

Max. original size: Legal from document processor, A4, Letter from Platen

Continuous copying: 1-99

Memory capacity (shared use print, copy, scan and fax*): FS-1016MFP: 32 MB, FS-1116MFP: 64 MB Zoom range: 25-400% in 1% steps

Preset magnification ratios: 64% (Letter -> Statement), 70% (A4 -> A5), 129% (Statement -> Letter), 141% (A5 -> A4), Fit to paper: 96 % (A4, Letter, Legal), 95 % (B5), 94 % (A5) **Digital features:** Scan-once-print-many, electronic sort, layout mode (2in1, 4in1), ECOcopy mode

Exposure mode: Manual: 7 steps Image adjustments: Text + photo, text, photo

*FS-1116MFP only

3806BRE1016MFP/1116MFPESMC

Processor: 32 bit RISC CPU ARM946E-S

Memory capacity (shared use print, copy, scan and fax*): FS-1016MFP: 32 MB, FS-1116MFP: 64 MB **Emulations:** Host based printing system for MS Windows® 98SE / ME / 2000 / XP

*FS-1116MFP only

Standard interface: USB 2.0 (Hi-Speed) for print and scan

Functionality: Scan-to-PC, Scan-to-Email, TWAIN Scan speed: Max. 5 originals per minute in 300 dpi, A4, text, b/w (4 in colour)

Scan resolution

Physical resolution: Up to 1,200 x 1,200 dpi 8 bit/dot (grey), 24 bit/dot (colour)

Software interpolation: Up to 2,400 dpi

Maximum scan size: Legal from document processor, A4, Letter from platen

Original recognition: Text, photo, text + photo OCR **File types:** BMP, TIFF, PDF, JPEG

Applicable PC: IBM PC/AT compatible Applicable OS: Windows® 98SE, ME, 2000, XP Bundled software: PaperPort Deluxe 9.2

FAX FUNCTIONS (FS-1116MFP ONLY)

Compatibility: Group G3 Modem speed: Max. 33.6 kbps

Transmission speed: Less than 4 seconds per page (MMR) **Scanning speed:** Less than 4 seconds per page Scanning density: Normal: 8 dot/mm x 3.85 line/mm, Fine: 8 dot/mm x 7.7 line/mm,

Superfine: 8 dot/mm x 15.4 line/mm.

Half-tone: 64 greyscales (error diffusion)

Max. original size: Legal (356 mm) from document processor, A4, Letter from platen

Compression method: MMR, MR, MH

Memory reception: 150 sheets or more with ITU-T No. 1 chart

One touch dial numbers: 12 fax numbers

Address book: 100 fax numbers

Fax features: Stand-alone fax (no PC required), broadcast sending, timer-based transmission, fax forwarding, fax refusal (20 numbers), polling reception, automatic size reduction of received A3 fax (A3 -> A4), transaction report, activity report

IB-110: External network print/scan server for Windows®

TK-110 Toner-kit: Microfine toner for 6,000 pages in accordance with ISO/IEC 19752

TK-110E Toner-kit: Microfine toner for 2,000 pages in accordance with ISO/IEC 19752

Capacity of starter toner is 3,000 pages in accordance with ISO/IEC 19752

2-year warranty as standard. Kyocera guarantees the drum and developer for 3 years or 100,000 pages (whichever occurs sooner), provided each device is used and cleaned in accordance with the service instructions.



Up to 3-year on-site warranty extensions available for printer and options.







Your Kyocera Business Partner:



Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com