Roundback design allows for

more efficient handling and

dispersing of material.

When it comes to buying a Rotary Cutter, there are many to choose from. What's always important in making a purchase of any kind is to be sure you are getting what you paid for. With Land Pride Rotary Cutters you get just that, and more. The other side of this is to be sure you aren't buying more cutter than you need. Match your needs and your tractor to the size of cutter you need, and you will be maximizing your investment.

Land Pride's 26 Series Rotary Cutters are the perfect fit for around the farm clean-up or keeping the horse pasture under control. The $2^{\prime\prime}$ cutting capacity also allows it to be the choice of many municipalities from natural parks to various easement control applications. With a gearbox rating of 40 - 110 HP, this cutter is the optimum size to fit a wide range of tractors.



3/16'' Stump jumper with $1'' \times 4''$ blade bar provides superior strength for encountering objects in the blade path. Round on 60'' & 72''; oval on 84''.

RCR26 SERIES

60 - 110 HP — 84"

RCR2684 Hitch Possibilities

- \cdot 3-Point with single $15^{\prime\prime}$ tailwheel
- · 3-Point with dual 15" tailwheels
- · Cat. 2 or 3 Quick-Hitch
- · Pull-type with 21" laminated tires
- · Clevis hitch for easy hook-up
- · 2" Gearbox output shaft

The floating top link allows the cutter to follow uneven terrain. The beefy lower hitch clevises allow easy hook-up to the tractor, as well as adding another degree of strength to the overall hitch area.

Take a close look at our welding, and the precise fit-up of all the fabricated parts and you'll understand the fine element of perfection we expect out of our manufacturing facilities.



RCR26 SERIES

25 - 110 HP — 60" 40 - 110 HP — 72"



- · 540 RPM
- · Cat. 1 or 2, with floating top link
- · 10 Gauge deck, fully welded
- · 1/4" Side panels for overall reinforcement
- · 1/2" x 4" Heat treated free swinging blades
- · Cutting height of 2" to 12"
- · 2" Diameter cutting capacity
- · Full length skids with replaceable shoes
- · Cat. 4 driveline with 4 plate slip-clutch for gearbox protection
- Rugged laminated tailwheel
- · Rubber or chain guards
- · Clevis hitch for easy hook-up



RCR2684

Our cast iron gearbox has internal components crafted to a precision fit; teeth and gears that mesh together perfectly for a quiet and efficient performing power source. RCR26 SERIES

Pull Type

40 - 110 HP - 84"



The Pull Type model is perfect for smaller tractors, or older tractors that may not have 3-point capabilities.

The Pull Type has a spring cushion tied to the rear axle to provide shock protection over rough terrain. The all-welded deck and dual axle-to-hitch leveling rods keep the cutter running tough in extreme conditions.



RCR2684

Land Pride strongly recommends that front and rear shielding be used with any rotary cutter. However, they can be purchased with or without shielding. Please understand how your cutter is to be equipped for you.



SC26 SERIES

Skid Steer

Various Flow Requirements: 60"

- · Smooth top design
- · Quick & easy attachment with universal mounting plate
- · Optional front-mounted pivoting gauge wheel w/laminated tire
- · 60" Cutting width
- \cdot 1 1/2" 18" Cutting height infinitely variable
- · 4 Corner skid shoes optional
- · Single row front chain guard
- · Double row rear chain guard
- · High, medium or low volume motors to choose from





Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com