

### Personal Systems Reference Lenovo® Essential Notebooks

June 2013 - Version 437



Visit www.lenovo.com/psref for the latest version

# lenovo



Lenovo B560







Lenovo B560



Lenovo B560

Type-model	Pro- l cessor	GHz	Max turbo (GHz) Me	Widescreen display	Cam- era	Integrated graphics	SATA disk	SATA optical	PCIe Mini Card 802.11	Top color	HDMI con- nector	eSATA port	Win7 preload	Avail date
							320GB 5400 <sup>8</sup> 500GB 5400			Black Black	None None	eSATA eSATA	Pro 64 Pro 64	Aug 12 Aug 12

- 15.6" widescreen, glossy display
  Integrated 0.3 megapixel camera
  Lenovo Rescue System provides OneKey recovery and OneKey Antivirus without booting into Windows

Positioning Processor	Widescreen flexibility; two-spindle Intel® Core™ i3-380M processor (dual-core, 2.53GHz, 3MB cache), DDR3 memory controller (up to 1066MHz), HT technology	Preloaded operating system <sup>20</sup> - Genuine Windows® 7 Professional 64
Memory	8GB max <sup>7</sup> / <b>PC3-8500 1066MHz DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets;	Preloaded applications <sup>14</sup> (only some listed)
Diskette drive SATA DVD±RW SATA disk	None DVD burner, dual-layer support, removable, 12.7mm high, tray-in Hard Disk Drive / SATA 1.5Gb/s, 2.5" wide, 9.5mm high, removable, upgradable,	<ul> <li>Lenovo OneKey Recovery</li> <li>Lenovo ReadyComm</li> <li>McAfee® VirusScan® Plus</li> </ul>
Widescreen display Camera	15.6" (396mm) HD (1366x768) TFT color, VibrantView (glossy), LED backlight, 220 nits, 16:9 aspect ratio Camera on top of screen, 0.3-megapixel, fixed focus	<ul> <li>(60 days of virus definitions)</li> <li>Adobe<sup>®</sup> Reader<sup>®</sup></li> <li>CyberLink YouCam</li> <li>Lenovo Energy Management</li> </ul>
Integrated graphics	Intel HD Graphics in processor, external analog monitor support via VGA DB-15 connector and digital monitor support via HDMI connector (on selected models)	Software Cyberlink Power2Go (DVD±RW)
Keyboard Numeric keypad Touch controls Touch pad	Full-size keyboard, multimedia Fn keys, recovery key Numeric keypad on right of keyboard None Touch pad with two button, supports scroll feature	
Dimensions <sup>3</sup> Weight <sup>2</sup> Case color	(WxDxH): 14.88" x 10.04" x 0.71" to 1.34"; 378mm x 255mm x 18 to 34mm with optical drive and battery: 6-cell: from 5.51 lb (2.50kg) Black top, black bottom	65-watt AC adapter RoHS-compliant
Case material Battery - type Battery - life <sup>10</sup>	Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic Lithium Ion <b>6-cell</b> 6-cell: up to 4 hr	Limited Warranty <sup>12</sup>
Chipset ExpressCard/34 Multicard reader Ports	Mobile Intel HM55 Express Chipset None 5-in-1 reader (MMC, Memory Stick®, Memory Stick PRO™, Secure Digital Card, xD-Picture Card™) Three USB 2.0, one USB 2.0/eSATA combo port, ethernet (RJ-45), external monitor (VGA DB-15, HDMI on selected models)	* 1- year on major electronic components (including battery), 90-day on keyboard, hinges, plastics, power cord, AC adapter Mail In repair service Service upgrade options <sup>58</sup> (in eligible locations): <sup>3</sup>
TV tuner PCIe Mini Card 11b/g/n²8 Bluetooth™ Modem Ethernet Audio support	None One PCI Express Mini Card slot 11b/g/n wireless <sup>4</sup> , PCIe Mini Card adapter, 1x1 None None Gigabit ethernet, Atheros® AR8131L High Definition (HD) Audio, Realtek® ALC269Q codec / stereo speakers (2 watt x 2) /	<ul> <li>3-year Depot warranty 78Y1538</li> <li>1-year Mail In with accidental damage protection 55Y2511</li> <li>3-year Mail In with accidental damage protection 78Y1539</li> <li>3-year Onsite warranty 78Y1540</li> <li>1-year Onsite with accidental damage protection 78Y1533</li> </ul>
Security Fingerprint reader	microphone, microphone input jack (3.5 mm), headphone jack (3.5 mm) Power-on password, hard disk password, supervisor password, security lockhole r None	Toll-free support for warranty issues during the warranty period <sup>12</sup> via 877-453-6686

See footnotes for important warranty information US models announced August 8, 2012

© Lenovo (YUSN1-1) August 2012

# lenovo





Lenovo B575e Lenovo B575e



Lenovo B575e Lenovo B575e







Type-model	Pro- cessor	GHz	Max turbo (GHz)	Memory	Widescreen display	Cam- era	Integrated graphics	SATA disk	SATA optical	PCIe Mini Card WLAN / BT	Top color	HDMI con- nector	Preload	Avail date
3685-A2U	E2-1800	1.70	None	2GB	15.6" HD Glos	720p	HD 7340	320GB 54008	DVD+RW	11b/a/n	Black	HDMI	Pro 64	Nov 12
3685-A3U	E2-1800	1.70	None	4GB	15.6" HD Glos	720p	HD 7340	500GB 5400	DVD±RW	11b/g/n	Black	HDMI	Pro 64	Nov 12
3685-A4U	E2-1800	1.70	None	4GB	15.6" HD Glos	720p	HD 7340	500GB 5400	DVD±RW	11b/g/n	Black	HDMI	Prem 64	Nov 12
3685-A5U	E2-1800	1.70	None	2GB	15.6" HD	720p	HD 7340	320GB 5400	DVD±RW	11b/g/n	Black	HDMI	Pro 64	Nov 12
3685-A6U	E2-1800	1.70	None	4GB	15.6" HD	720p	HD 7340	500GB 5400	DVD±RW	11b/g/n	Black	HDMI	Pro 64	Nov 12

- 15.6" widescreen, anti-glareIntegrated 720p HD camera

Positioning	Widescreen flexibility; two-spindle	B
Processor	AMD Accelerated Processor E2-1800 (dual-core, 1.70GHz, 1MB L2 cache), integrated AMD Radeon HD 7340 Graphics, integrated DDR3 memory controller (up to 1333MHz)	Preloaded operating system <sup>20</sup> - Some: Genuine Windows <sup>8</sup> 7 Home Premium 64 - Some: Genuine Windows 7
,	4GB max <sup>7</sup> / <b>PC3-10600 1333MHz DDR3</b> , non-parity, one 204-pin SO-DIMM socket;  * System automatically clocks down for processors with 1066MHz memory controller	Professional 64
SATA DVD±RW SATA disk	None DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in Hard Disk Drive / SATA 3.0Gb/s, 2.5" wide, 7mm or 9.5mm high, removable, upgradable,	
display	Some: 15.6" (396mm) HD (1366x768) TFT color, anti-glare, LED backlight, 220 nits, 16:9 aspect ratio Some: 15.6" (396mm) HD (1366x768) TFT color, VibrantView (glossy), LED backlight, 220 nits, 16:9 aspect ratio HD720p Camera on top of screen, 1.0-megapixel, fixed focus	
Integrated graphics	AMD Radeon HD 7340 Graphics in processor, external analog monitor support via VGA DB-15 connector and digital monitor support via HDMI connector	
Numeric keypad Touch controls	Full-size keyboard, multimedia Fn keys, recovery key Numeric keypad on right of keyboard None Touch pad with two buttons, supports scroll feature, multi-touch	
Dimensions <sup>3</sup> Weight <sup>2</sup> Case color Case material Battery - type	(WxDxH): 14.88" x 9.92" x 1.32"; 378mm x 252mm x 33.5mm with optical drive and battery: 6-cell: from 5.34 lb (2.42kg) Black top, black bottom Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic Lithium lon 6-cell 6-cell: up to 6.5 hr	
ExpressCard/34 Multicard reader	AMD A68M FCH None 4-in-1 reader (MMC, Secure Digital Card, SDXC, SDHC) One USB 3.0, two USB 2.0, ethernet (RJ-45), external monitor (VGA DB-15, HDMI)	
PCIe Mini Card 11b/g/n² <sup>8</sup> Bluetooth™	None One PCI Express Mini Card slot 11b/g/n, PCIe Half Mini Card, Wi-Fi + Bluetooth combo adapter, 1x1 None	
Ethernet Audio support Security	None Gigabit ethernet, Realtek® RTL8111F High Definition (HD) Audio, Realtek® 272 codec / stereo speakers (1.5 watt x 2) / microphone, microphone input jack (3.5 mm), headphone jack (3.5 mm) Power-on password, hard disk password, supervisor password, security lockhole	65-watt AC adapter
Fingerprint reader Limited warranty <sup>12</sup>	1-year - depot repair service	ENERGY STAR® 5.0-compliant RoHS-compliant

See footnotes for important warranty information US model(s) announced November 20, 2012

© Lenovo (BOLT3-1) February 2013

Type-model	Pro- cessor	GHz	Max turbo (GHz)	Memory	Widescreen display	Cam- era	Integrated graphics	SATA disk	SATA optical	PCIe Mini Card WLAN / BT	Top color	HDMI con- nector	Preload	Avail date
	E2-1800	1.70	None		15.6" HD		HD 7340	320GB 5400				HDMI		Nov 12
3685-A8U	E2-1800	1.70	None	4GB	15.6" HD	720p	HD 7340						Win8 Pro64	Nov 12
3685-A9U	E2-1800	1.70	None	4GB	15.6" HD		HD 7340					HDMI		Nov 12
3685-AAU	E2-1800	1.70	None	4GB	15.6" HD		HD 7340	500GB 5400					Win8 64	Nov 12
59360210	E2-1800	1.70	None	2GB	15.6" HD	720p	HD 7340	320GB 5400	DVD±RW	11b/g/n	Black	HDMI	Win7 Pro64	Nov 12
59360211	E2-1800	1.70	None	4GB	15.6" HD	720p	HD 7340	500GB 5400	DVD±RW	11b/g/n	Black	HDMI	Win7 Pro64	Nov 12

- 15.6" widescreen, anti-glare
- Integrated 720p HD camera

Positioning Processor	Widescreen flexibility; two-spindle  AMD Accelerated Processor E2-1800 (dual-core, 1.70GHz, 1MB L2 cache), integrated AMD Radeon HD 7340 Graphics, integrated DDR3 memory controller (up to 1333MHz)	Preloaded operating system <sup>20</sup> - Some: Windows® 7 Professional 64 preinstalled through downgrade rights in
Memory	4GB max <sup>7</sup> / <b>PC3-10600 1333MHz DDR3</b> , non-parity, one 204-pin SO-DIMM socket;  * System automatically clocks down for processors with 1066MHz memory controller	Windows 8 Pro 64-bit - Some: Windows 8 64-bit - Some: Windows 8 Pro 64-bit
Diskette drive SATA DVD±RW SATA disk	None DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in Hard Disk Drive / SATA 3.0Gb/s, 2.5" wide, 7mm or 9.5mm high, removable, upgradable,	
Widescreen display Camera	15.6" (396mm) HD (1366x768) TFT color, anti-glare, LED backlight, 220 nits, 16:9 aspect ratio HD720p Camera on top of screen, 1.0-megapixel, fixed focus	
Integrated graphics	AMD Radeon HD 7340 Graphics in processor, external analog monitor support via VGA DB-15 connector and digital monitor support via HDMI connector	
Keyboard Numeric keypad Touch controls Touch pad	Full-size keyboard, multimedia Fn keys, recovery key Numeric keypad on right of keyboard None Touch pad with two buttons, supports scroll feature, multi-touch	
Dimensions <sup>3</sup> Weight <sup>2</sup> Case color Case material Battery - type Battery - life <sup>10</sup>	(WxDxH): 14.88" x 9.92" x 1.32"; 378mm x 252mm x 33.5mm with optical drive and battery: 6-cell: from 5.34 lb (2.42kg) Black top, black bottom Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic Lithium lon 6-cell 6-cell: up to 6.5 hr	
Chipset ExpressCard/34 Multicard reader Ports	AMD A68M FCH None 4-in-1 reader (MMC, Secure Digital Card, SDXC, SDHC) One USB 3.0, two USB 2.0, ethernet (RJ-45), external monitor (VGA DB-15, HDMI)	
TV tuner PCIe Mini Card 11b/g/n²8 Bluetooth™ Modem Ethernet Audio support	None One PCI Express Mini Card slot 11b/g/n, PCIe Half Mini Card, Wi-Fi + Bluetooth combo adapter, 1x1 None None Gigabit ethernet, Realtek® RTL8111F High Definition (HD) Audio, Realtek® 272 codec / stereo speakers (1.5 watt x 2) /	
Security Fingerprint reader		65-watt AC adapter ENERGY STAR® 5.0-compliant
Limited warranty <sup>12</sup>	1-year - depot repair service	RoHS-compliant

See footnotes for important warranty information US model(s) announced November 20, 2012

© Lenovo (BOLT3-2) February 2013

#### lenovo



Lenovo B590















Lenovo B590 (With HM77 chipset)

Lenovo B590 (With HM70 chipset)





Lenovo B590

Lenovo B590

Pro- Type-model cessor	Max turbo GHz (GHz) Memor	Widescreen y display	Cam- era	Integrated graphics	SATA disk	SATA optical	PCIe Mini Card WLAN / BT	Top		Preload	Avail date
59356652 i3-2328M			720p	Intel HD 3000	320GB 54008	DVD±RW	11b/g/n <sup>28</sup>	Black	HDMI	Win8 Pro64	Oct 12
59356648 i3-2328M				Intel HD 3000							
59356645 i3-2328M				Intel HD 3000						Win8 Pro64	
59356651 i3-2328M				Intel HD 3000						Win8 64	
59359397 i3-2328M				Intel HD 3000						Win7 Pro64	
59359396 i3-2328M				Intel HD 3000						Win7 Pro64	
59366616 i3-2348M				Intel HD 3000						Win7 Pro64	
59366609 i3-2348M	2.30 No 2GBx1	15.6" HD	720p	Intel HD 3000	320GB 5400	DVD±RW	11b/g/n	Black	HDMI	Win8 Pro64	Jan 13
59366614 i3-2348M	2.30 No 4+2GE	3 15.6" HD Glos	720p	Intel HD 3000	750GB 5400	<b>DVD</b> ±RW	11b/g/n	Black	HDMI	Win7 Pro64	Jan 13
59366612 i3-2348M	2.30 No 4+2GE	3 15.6" HD Glos	720p	Intel HD 3000	750GB 5400	DVD±RW	11b/g/n	Black	HDMI	Win8 Pro64	Jan 13

- 15.6" widescreen, anti-glare display
- Integrated camera

Positioning Processor	Widescreen flexibility; two-spindle Intel® Core™ i3-2328M processor (2 cores, 2.20GHz, 3MB cache), Intel HD Graphics 3000, DDR3 memory controller (up to 1333MHz), HT technology Intel Core i3-2348M processor (2 cores, 2.30GHz, 3MB cache), Intel HD Graphics 3000, DDR3 memory controller (up to 1333MHz), HT technology	Preloaded operating system <sup>20</sup> - Some: Windows <sup>®</sup> 7 Professional 64 preinstalled through downgrade rights in Windows 8 Pro 64-bit
Memory	8GB max <sup>7</sup> / <b>PC3-12800 1600MHz DDR3</b> , non-parity, two 204-pin SO-DIMM sockets; * System automatically clocks down for processors with 1333MHz memory controller	- Some: Windows 8 64-bit - Some: Windows 8 Pro 64-bit
Diskette drive SATA DVD±RW SATA disk mSATA™ SSD	None DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in Hard Disk Drive / SATA 6.0Gb/s, 2.5" wide, 7mm or 9.5mm high, removable, upgradable, None	Preloaded applications (only some listed) - Windows 7 models - ThinkVantage Tools - Lenovo SimpleTap
Widescreen display	Some: 15.6" (396mm) HD (1366x768) TFT color, anti-glare, LED backlight, 200 nits, 16:9 aspect ratio Some: 15.6" (396mm) HD (1366x768) TFT color, VibrantView (glossy), LED backlight, 220 nits, 16:9 aspect ratio HD720p Camera on top of screen, fixed focus	Adobe® Reader®     CyberLink YouCam     Microsoft® Office 2010 preloaded; purchase product key to activate
Integrated graphics	Intel HD Graphics 3000 in processor, external analog monitor support via VGA DB-15 connector and digital monitor support via HDMI connector	Windows 8 models     Lenovo Support     Lenovo Companion     Lenovo Settings
Keyboard Numeric keypad Touch controls Touch pad	Full-size keyboard, multimedia Fn keys, recovery key Numeric keypad on right of keyboard None Touch pad with two button, supports scroll feature, multi-touch	Microsoft Office 2013 preloaded; purchase product key to activate     All models
Dimensions <sup>3</sup> Weight <sup>2</sup> Case color Case material Battery - type Battery - life <sup>10</sup>	(WxDxH): 14.88" x 9.92" x 1.32"; 378mm x 252mm x 33.4mm with optical drive and battery: 6-cell: from 5.51 lb (2.5kg) Black top, black bottom Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic Lithium lon 6-cell 6-cell: up to 6 hr	ThinkVantage System Update     Norton™ Internet Security     (30 days of virus definitions)     Lenovo Cloud Storage
Chipset ExpressCard/34 Multicard reader Ports	Mobile Intel HM77 Express Chipset None 4-in-1 reader (MMC, SD, SDHC, SDXC) Two USB 3.0, two USB 2.0, ethernet (RJ-45), external monitor (VGA DB-15, HDMI)	
TV tuner PCle Mini Card 11b/g/n <sup>28</sup> WWAN Bluetooth™ Modem	None Two PCI Express Mini Card slots 11b/g/n, PCIe Half Mini Card, Wi-Fi + Bluetooth combo adapter, 1x1 None None None	
Ethernet Audio support	Gigabit ethernet, Realtek® RTL8111F High Definition (HD) Audio, Realtek® 269Q codec / stereo speakers (2.0 watt x 2) / microphone, microphone input and headphone combo jack Power-on password, hard disk password, supervisor password, security lockhole	65-watt AC adapter
Security Fingerprint reader Limited warranty <sup>12</sup>	None  1-year - depot repair service	EPEAT™ Sliver rating ENERGY STAR® compliant RoHS-compliant
	• • •	•

See footnotes for important warranty information US model(s) announced October 23, November 13, 2012 or January 22, 2013

© Lenovo (BOLT4-1) February 2013





Lenovo G460



Lenovo G460







Lenovo G560

	Pro-	Max turbo Widescreen Cam-	SATA	SATA	PCIe Mini Card	Тор	HDMI con-		Battery		Avail	
~	Type-model cess 0677-2GU i3-330		disk 320GB <sup>8</sup>	optical  3 DVD±RW	802.11 11b/g/n <sup>28</sup>		nector HDMI	Blue	6-cell	Prem 64	Jan 10	
	0677-7CU i3-370 0677-7DU i5-460	M 2.40	500GB 500GB	DVD±RW DVD±RW	11b/g/n 11b/g/n	Black Black	HDMI HDMI HDMI	Blue Blue	6-cell 6-cell	Pro 64 Pro 64 Prem 64	Oct 10 Oct 10	
	0677-7TU i3-370 0677-7UU i5-460	M 2.53 2.80 <i>4GB</i> 14.0" HD 0.3M Intel HD	500GB	DVD±RW DVD±RW	11b/g/n	Black	HDMI	Blue	6-cell	Prem 64	Oct 10	
	0677-7SU i3-370 0677-2WU i5-430	M 2.26 2.53 <i>4GB</i> 14.0" HD 0.3M GF 310M	1 320GB	DVD±RW DVD±RW	Intel 1000	Black	HDMI HDMI	Blue	6-cell	Pro 64 Prem 64		
rs.	0677-7EU i5-560 0677-9UU i3-380	M 2.53 4GB 14.0" HD 0.3M Intel HD	500GB	DVD±RW	Intel 1000 11b/g/n		HDMI HDMI		6-cell	Prem 64 Prem 64	Mar 11	
B.	0677-9XU i5-480	M 2.66 2.93 4GB 14.0" HD 0.3M Intel HD	500GB	DVD±RW	11b/g/n	Black	HDMI	Blue	6-cell	Prem 64	Mar 11	
		<ul> <li>14.0" widescreen, glossy display</li> <li>Integrated 0.3 megapixel camera and Lenov</li> </ul>	n eoftu	ware								
		<ul> <li>Lenovo Rescue System provides OneKey re booting into Windows</li> </ul>	withc	out								
		These systems are Microsoft® Office 2010 P										
	Positioning	Widescreen flexibility; two-spindle		Preload	ded op	erating	system <sup>20</sup>					
	Processo	Intel® Core™ i3 processor i3-330M, i3-370M, or DMI (Direct Media Interface), integrated DDR3 me				z).	- Some		uine Win e Premi	idows® 7 um 64		
		Hyper-Threading technology, and 3MB cache Intel Core i5 processor i5-430M, i5-460M, i5-48	•	` .		, l	- Some	e: Geni	uine Win essional	idows 7		
		DMI (Direct Media Interface), integrated DDR3 me	emory co	ntroller (up		7)	Preload			ns <sup>14</sup> (only	some	
	Memory	Intel Turbo Boost, Hyper-Threading technology, at 4GB std / 8GB max <sup>7</sup> / PC3-8500 1066MHz DDR3					listed)	-	eKey Re	, ,		
	•	dual-channel capable, two 204-pin SO-DIMM soc <i>Italics:</i> standard memory in both sockets; no		available			<ul><li>Lend</li></ul>	vo Rea	adyCom			
	Diskette drive	None		ooVoo™     McAfee® VirusScan® Plus     (60 dove of virus definitions)								
	SATA DVD±RW SATA disk	DVD burner, dual-layer support, fixed, not remova <b>320GB</b> (5400 rpm), <b>500GB</b> (5400 rpm), or <b>750GB</b> SATA 3.0Gb/s, 9.5mm high			ay-in		(60 days of virus definitions)  ■ Adobe® Reader®  ■ CyberLink YouCam  ■ Microsoft Office 2010 preloaded; purchase product key to activate  ■ VeriFace™  ■ Lenovo Energy Management					
	Widescreen display Camera	14.0" (355.6mm) HD (1366x768) TFT color, Vibration backlight, 220 nits, 16:9 aspect ratio, 500:1 Camera on top of screen, 0.3-megapixel, fixed for	contrast									
	Graphics	Some: Intel HD Graphics in processor, Some: NVIDIA® GeForce® 310M, PCI Express DirectX 10.1, PureVideo® HD technology external analog monitor support via VGA DB-15 of digital monitor support via HDMI connector	/, CÚDA™	technolog			Software Lenovo DirectShare Cyberlink Power2Go (DVD±RW)					
	Keyboard Numeric keypad	Full-size keyboard, multimedia Fn keys, recovery None	•									
	Touch controls Touch pad	OneKey Theater, mute, volume up, and volume do Two-button touch pad with scroll feature (no Track		ons			65-watt		apter f switch			
	Dimensions <sup>3</sup> Weight <sup>2</sup> Case color	(WxDxH): 13.4" x 9.13" x 0.68" to 1.35"; 340.0mm with optical drive and battery: 6-cell: from 4.85 lb (2 Black top, black bottom		mm x 17.2	to 34.4mm			Y STA	R® 5.0-c	compliant		
	Case material Battery - type	Polycarbonate/Acrylonitrile-Butadiene-Styrene (P Lithium Ion <b>6-cell</b>	, .				<i>⇒</i> 1-yea			rranty <sup>12</sup>		
	Battery - life <sup>10</sup> Chipset	Discrete models: up to 3.5 hr; Integrated models  Mobile Intel HM55 Express Chipset	: up to 4 i	nr			* 1- y	ear on	major e	electronic	a\	
	ExpressCard/34 Multicard reader	One slot (ExpressCard/34) 5-in-1 reader (MMC, Memory Stick®, Memory Stic	gital Card,	components (including battery), 90-day on keyboard, hinges, plastics, power cord, AC adapter					•			
	Ports	xD-Picture Card™) Two USB 2.0, one USB 2.0/eSATA combo port, exethernet (RJ-45)	xternal m	onitor (VGA	N DB-15, H		MI),  Mail In repair service  Service upgrade options <sup>58</sup> (in eligible locations): <sup>9</sup>					
	TV tuner PCIe Mini Card 11b/g/n <sup>28</sup> Bluetooth™	None One PCI Express Mini Card slot 11b/g/n wireless <sup>4</sup> , PCIe Mini Card adapter Bluetooth 2.1 wireless, USB 2.0 interface					• 3- • 1- da	year De year Ma ımage	epot war ail In wit protection	ranty 78 h acciden	5Y2511	
	Modem Ethernet	None 10/100 ethernet, RealTek® RTL8103EL					da	mage <sub>l</sub>	protection		8Y1539	
	Audio support	High Definition (HD) Audio, Conexant® CX20671	codec/				• 1-	year Oı	nsite wit	h acciden	tal	
	Security	stereo speakers (2 watt x 2) / microphone, microphone input jack (3.5 mm), hea Power-on password, hard disk password, supervi					→ Toll- issue	free su es duri	ng the v	on // or warranty varranty p		
	Fingerprint reade	None		via 8	377-453	-0000						

See footnotes for important warranty information

"" US models announced March 2, 2011; previous models on January 26, October 20, or December 1, 2010

"" US model withdrawn effective December 2010

© Lenovo (EFL1-1) March 2011

Type-model	Pro- cessor	GHz	Max turbo (GHz)		Videscreen display	Cam- era	Graphics	SATA disk	SATA optical	PCle Mini Card 802.11	Top color	HDMI con- nector		Battery cells	Win7 preload
4328-24U	i3-2310M	2.10		2GBx2	14.0" HD	2.0M	Intel HD	500GB8	DVD±RW	11b/g/n <sup>28</sup>	Dark brown	HDMI	Blue	6-cell	Prem 64
4328-25U	i3-2310M	2.10		2GBx2	14.0" HD	2.0M	Intel HD	500GB	<b>DVD</b> ±RW	11b/g/n	Dark brown	HDMI	Blue	6-cell	Prem 64
4328-26U	i5-2410M	2.30	2.90	2GBx2	14.0" HD	2.0M	Intel HD	500GB	<b>DVD</b> ±RW	11b/g/n	Dark brown	HDMI	Blue	6-cell	Prem 64
4328-27U	i5-2410M	2.30	2.90	2+4GB	14.0" HD	2.0M	HD 6370M	640GB	<b>DVD</b> ±RW	11b/g/n	Dark brown	HDMI	Blue	6-cell	Prem 64
4328-2UU	i5-2410M	2.30	2.90	2GBx2	14.0" HD	2.0M	Intel HD	500GB	Blu-ray	11b/g/n	Dark brown	HDMI	Blue	6-cell	Prem 64
4328-2VU	i5-2410M	2.30	2.90	4GBx2	14.0" HD	2.0M	Intel HD	750GB	DVD±RW	11b/g/n	Dark brown	HDMI	Blue	6-cell	Prem 64
4328-2WU	i5-2410M	2.30	2.90	4GBx2	14.0" HD	2.0M	Intel HD	750GB	Blu-ray	11b/g/n	Dark brown	HDMI	Blue	6-cell	Prem 64
4328-35U	i5-2410M	2.30	2.90	2+4GB	14.0" HD	2.0M	Intel HD	750GB	DVD±ŔW	11b/g/n	Dark brown	HDMI	Blue	6-cell	Prem 64
34328-34U	B800	1.50		4GBx1	14.0" HD	2.0M	Intel HD	500GB	<b>DVD</b> ±RW	11b/g/n	Dark brown	HDMI		6-cell	Prem 64
₹ 4328-39U	i3-2330M	2.20		4GBx1	14.0" HD	2.0M	Intel HD	500GB	<b>DVD</b> ±RW	11b/g/n	Dark brown	HDMI		6-cell	Prem 64
₹ 4328-3DU	i5-2430M	2.40	3.00	4GBx1	14.0" HD	2.0M	Intel HD	500GB	DVD±RW	11b/g/n	Dark brown	HDMI	Blue	6-cell	Prem 64
₹ 4328-3CU	i5-2430M	2.40	3.00	4+2GB	14.0" HD	2.0M	Intel HD	750GB	<b>DVD</b> ±RW	11b/g/n	Dark brown	HDMI	Blue	6-cell	Prem 64
₹ 4328-3BU	i5-2430M	2.40	3.00	4GBx2	14.0" HD	2.0M	Intel HD	750GB	DVD±RW	11b/g/n	Dark brown	HDMI	Blue	6-cell	Prem 64

- 14.0" widescreen, glossy display
  Integrated 2.0 megapixel camera and Lenovo's VeriFace facial recognition software helps control access to your notebook by recognizing your face
- Lenovo Rescue System provides OneKey recovery and OneKey Antivirus without booting into Windows
- These system are Microsoft® Office 2010 Product Key Ready (O10PKR)

Positioning Processo	Widescreen flexibility; two-spindle Intel® Celeron® B800 processor (dual-core, 1.50GHz, 2MB cache), DDR3 memory controller (up to 1333MHz) Intel Core™ i3-2310M processor (2 cores / 4 threads, 2.10GHz, 3MB cache), DDR3 memory controller (up to 1333MHz) Intel Core i3-2330M processor (2 cores / 4 threads, 2.20GHz, 3MB cache), DDR3 memory controller (up to 1333MHz) Intel Core i5-2410M processor (2 cores / 4 threads, 2.30GHz, 3MB cache), DDR3 memory controller (up to 1333MHz), Intel Turbo Boost 2.0 (2.90GHz) Intel Core i5-2430M processor (2 cores / 4 threads, 2.40GHz, 3MB cache), DDR3 memory controller (up to 1333MHz), Intel Turbo Boost 2.0 (3.00GHz)	Preloaded operating system <sup>20</sup> - Genuine Windows® 7 Home Premium 64  Preloaded applications¹⁴ (only some listed)  • Lenovo OneKey Recovery • Lenovo ReadyComm • ooVoo™ • McAfee® VirusScan® Plus (60 days of virus definitions) • Adobe® Reader®
Memory	8GB max <sup>7</sup> / <b>PC3-10600 1333MHz DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets	CyberLink YouCam     Microsoft Office 2010 preloaded;
Diskette drive SATA optical SATA disk	None  Some: DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in  Some: Blu-ray <sup>™</sup> Disc reader (no Blu-ray burning), DVD recordable, 12.7mm, tray-in  500GB (5400 rpm), 640GB (5400 rpm), or 750GB (5400 rpm) /  SATA 3.0Gb/s, 9.5mm high	purchase product key to activate  • VeriFace™  • Lenovo Energy Management Software  • Lenovo DirectShare
Widescreen display Camera	14.0" (355.6mm) HD (1366x768) TFT color, VibrantView (glossy), LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio Camera on top of screen, 2.0-megapixel, fixed focus	Cyberlink Power2Go (DVD±RW)
Graphics	Some: Intel HD Graphics in processor; Some: AMD Radeon™ HD 6370M Graphics, PCI Express x16, 512MB memory, DirectX® 11; external analog monitor support via VGA DB-15 connector and digital monitor support via HDMI connector (HDCP-compliant)	Integrated models: 65-watt AC adapter
Keyboard Numeric keypad Touch pad	Full-size keyboard, multimedia Fn keys, recovery key None Two-button touch pad with scroll feature (no TrackPoint®), multi-touch	Discrete models: 90-watt AC adapter Wireless on/off switch EPEAT™ Gold rating ENERGY STAR® 5.0-compliant
Dimensions <sup>3</sup> Weight <sup>2</sup> Case color Case material Battery - type Battery - life <sup>10</sup>	(WxDxH): 13.4" x 9.13" x 0.68" to 1.35"; 340.0mm x 231.8mm x 17.2 to 34.4mm with optical drive and battery: 6-cell: from 4.85 lb (2.2kg) Black top, black bottom Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic Lithium Ion 6-cell Discrete models: up to 5 hr; Integrated models: up to 6 hr	Limited Warranty¹²  ≈ 1-year warranty*:  * 1- year on major electronic
Chipset ExpressCard/34 Multicard reader Ports	Mobile Intel HM65 Express Chipset None 5-in-1 reader (MMC, Memory Stick®, Memory Stick PRO™, Secure Digital Card, xD-Picture Card™) Four USB 2.0, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)	components (including battery), 90-day on keyboard, hinges, plastics, power cord, AC adapter
TV tuner PCIe Mini Card 11b/g/n²8 Bluetooth™ Modem Ethernet Audio support  Security Fingerprint reade	None One PCI Express Mini Card slot 11b/g/n wireless <sup>4</sup> , PCIe Mini Card adapter, Broadcom® or Atheros® chip Some: Bluetooth 2.1 wireless + EDR, USB 2.0 interface None 10/100 ethernet, Atheros AR8152L High Definition (HD) Audio, Conexant® CX20671 codec / stereo speakers (1.5 watt x 2) / microphone, microphone input jack (3.5 mm), headphone jack (3.5 mm) Hard disk password, user password, administrator password, security lockhole	3-year Depot warranty 78Y1538     1-year Mail In with accidental damage protection 55Y2511     3-year Mail In with accidental damage protection 78Y1539     3-year Onsite warranty 78Y1540     1-year Onsite with accidental damage protection 78Y1533     Toll-free support for warranty issues during the warranty period¹² via 877-453-6686

us models announced December 21, 2011; previous models on February 16, June 8, or September 1, 2011

© Lenovo

(DKBR1-1) December 2011

Type-model	Pro- cessor	GHz	Max turbo (GHz)		Widescreen display	Cam- era	Graphics	SATA disk	SATA optical	PCle Mini Card 802.11	Top color	HDMI con- nector		Battery cells	Win7 preload
4328-3UU	i5-2450M	2.50	3.10	4GBx1	14.0" HD	2.0M	Intel HD	500GB8	DVD±RW	11b/g/n <sup>28</sup>	Dark brown	HDMI	Blue	6-cell	Prem 64
4328-3YU	i5-2450M	2.50	3.10	4GBx1	14.0" HD	2.0M	Intel HD	750GB	DVD±RW	11b/g/n	Dark brown	HDMI	Blue	6-cell	Prem 64
4328-3VU	i5-2450M	2.50	3.10	4+2GB	14.0" HD	2.0M	Intel HD	750GB	DVD±RW	11b/g/n	Dark brown	HDMI	Blue	6-cell	Prem 64
4328-3RU	i5-2450M	2.50	3.10	4GBx2	14.0" HD	2.0M	Intel HD	750GB	DVD±RW	11b/g/n	Dark brown	HDMI	Blue	6-cell	Prem 64
4328-3ZU	i5-2450M	2.50	3.10	4GBx2	14.0" HD	2.0M	Intel HD	750GB	Blu-ray	11b/g/n	Dark brown	HDMI	Blue	6-cell	Prem 64

- 14.0" widescreen, glossy display
- Integrated 2.0 megapixel camera and Lenovo's VeriFace facial recognition software helps control access to your notebook by recognizing your face
- Lenovo Rescue System provides OneKey recovery and OneKey Antivirus without booting into Windows
- These system are Microsoft® Office 2010 Product Key Ready (O10PKR)

Positioning	Widescreen flexibility; two-spindle	Preloaded operating system <sup>20</sup>
Processor	Intel® Core™ i5-2450M processor (2 cores / 4 threads, 2.50GHz, 3MB cache), DDR3 memory controller (up to 1333MHz), Intel Turbo Boost 2.0 (3.10GHz)	- Genuine Windows 7 7 Home Premium 64
Memory	8GB max <sup>7</sup> / <b>PC3-10600 1333MHz DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets	<b>Preloaded applications</b> <sup>14</sup> (only some listed)
Diskette drive SATA optical SATA disk	None Some: DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in Some: Blu-ray™ Disc reader (no Blu-ray burning), DVD recordable, 12.7mm, tray-in 500GB (5400 rpm) or 750GB (5400 rpm) / SATA 3.0Gb/s, 9.5mm high	<ul> <li>Lenovo OneKey Recovery</li> <li>Lenovo ReadyComm</li> <li>ooVoo™</li> <li>McAfee® VirusScan® Plus</li> </ul>
Widescreen display Camera	14.0" (355.6mm) HD (1366x768) TFT color, VibrantView (glossy), LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio Camera on top of screen, 2.0-megapixel, fixed focus	(60 days of virus definitions)  • Adobe® Reader®  • CyberLink YouCam  • Microsoft Office 2010 preloaded;
Graphics	Intel HD Graphics in processor; external analog monitor support via VGA DB-15 connector and digital monitor support via HDMI connector (HDCP-compliant)	purchase product key to activate  • VeriFace™  • Lenovo Energy Management
Keyboard Numeric keypad Touch pad	Full-size keyboard, multimedia Fn keys, recovery key None Two-button touch pad with scroll feature (no TrackPoint®), multi-touch	Software Lenovo DirectShare Cyberlink Power2Go (DVD±RW)
Dimensions <sup>3</sup> Weight <sup>2</sup> Case color Case material Battery - type Battery - life <sup>10</sup>	(WxDxH): 13.4" x 9.13" x 0.68" to 1.35"; 340.0mm x 231.8mm x 17.2 to 34.4mm with optical drive and battery: 6-cell: from 4.85 lb (2.2kg) Dark brown top, black bottom Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic Lithium Ion 6-cell Discrete models: up to 5 hr; Integrated models: up to 6 hr	Integrated models: 65-watt AC adapter Discrete models: 90-watt AC adapter Wireless on/off switch EPEAT™ Gold rating ENERGY STAR® 5.0-compliant RoHS-compliant
Chipset ExpressCard/34 Multicard reader Ports	Mobile Intel HM65 Express Chipset None 5-in-1 reader (MMC, Memory Stick®, Memory Stick PRO™, Secure Digital Card, xD-Picture Card™) Four USB 2.0, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)	Limited Warranty <sup>12</sup> 1-year warranty*:  1- year on major electronic components (including battery),
TV tuner PCIe Mini Card 11b/g/n²8 Bluetooth™ Modem Ethernet Audio support  Security Fingerprint reader	None One PCI Express Mini Card slot 11b/g/n wireless <sup>4</sup> , PCIe Mini Card adapter, Broadcom® or Atheros® chip Bluetooth 2.1 wireless + EDR, USB 2.0 interface None 10/100 ethernet, Atheros AR8152L High Definition (HD) Audio, Conexant® CX20671 codec / stereo speakers (1.5 watt x 2) / microphone, microphone input jack (3.5 mm), headphone jack (3.5 mm) Hard disk password, user password, administrator password, security lockhole None	90-day on keyboard, hinges, plastics, power cord, AC adapter  Mail In repair service  Service upgrade options <sup>58</sup> (in eligible locations) <sup>8</sup> • 3-year Depot warranty 78Y1538  • 1-year Mail In with accidental damage protection 55Y2511  • 3-year Mail In with accidental damage protection 78Y1539  • 3-year Onsite warranty 78Y1540  • 1-year Onsite with accidental damage protection 78Y1533  Toll-free support for warranty issues during the warranty period <sup>12</sup> via 877-453-6686

See footnotes for important warranty information US models announced February 29, 2012

© Lenovo (DKBR1-2) March 2012

	Type-model	Pro- cessor	GHz	Max turbo (GHz)	Memory	Widescreen display	Cam- era	Integrated graphics		SATA optical	PCle Mini Card 802.11	Top color	HDMI con- nector	Express Card	eSATA port	Win7 preload	Avail date
(	)679-3JU	i5-430M	2.26	2.53	4GB	15.6" HD	0.3M	Intel HD	320GB8	DVD±RW	11b/g/n <sup>28</sup>	Black	HDMI	/34	eSATA	Prem 64	Apr 10
(	)679-98U	P6100	2.00		4GB	15.6" HD	0.3M	Intel HD	500GB	DVD±RW	11b/g/n	Black				Prem 64	Aug 10
(	)679-99U	P6100	2.00		4GB	15.6" HD	0.3M	Intel HD	320GB	<b>DVD</b> ±RW	11b/g/n	Black				Prem 64	Aug 10
æ (	)679-AJU	P6200	2.13		2GB	15.6" HD	0.3M	Intel HD	250GB	<b>DVD±RW</b>	11b/g/n	Black				Prem 64	Feb 11
₹ (	0679-ALU	P6200	2.13		4GB	15.6" HD	0.3M	Intel HD	320GB	DVD+RW	11b/g/n	Black				Prem 64	Feb 11
<b>₹</b>	0679-AKU	i3-380M	2.53		4GB	15.6" HD						Black				Prem 64	Feb 11

- 15.6" widescreen, glossy display
  Integrated 0.3 megapixel camera and Lenovo's VeriFace facial recognition software helps control access to your notebook by recognizing your face
- Lenovo Rescue System provides OneKey recovery and OneKey Antivirus without booting into Windows
- These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

Positioning Processo	Widescreen flexibility; two-spindle Intel® Pentium® processor P6100 or P6200 with dual-core, DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), and 3MB cache or Intel Core™ i3 processor i3-380M with dual-core, DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Hyper-Threading technology, and 3MB cache or Intel Core i5 processor i5-430M with dual-core, DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Intel Turbo Boost, Hyper-Threading technology, and 3MB cache	Preloaded operating system <sup>20</sup> - Genuine Windows® 7 Home Premium 64  Preloaded applications¹⁴ (only some listed) • Lenovo OneKey Recovery • Lenovo ReadyComm • ooVoo™ • McAfee® VirusScan® Plus (60 days of virus definitions)
Memory	2GB or 4GB std / 8GB max <sup>7</sup> / PC3-8500 1066MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets; <i>Italics:</i> standard memory in both sockets; no sockets available; <i>Non-italics:</i> standard memory in one socket; 1 socket available	Àdobe® Reader®     CyberLink YouCam     Microsoft Office 2010 preloaded; purchase product key to activate
Diskette drive SATA DVD±RW SATA disk	None DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in 250GB (5400 rpm), 320GB (5400 rpm), or 500GB (5400 rpm) / SATA 3.0Gb/s, 9.5mm high	VeriFace™     Lenovo Energy Management Software     Lenovo DirectShare     Cenovo DirectShare
Widescreen display Camera	15.6" (396.2mm) HD (1366x768) TFT color, VibrantView (glossy), LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio Camera on top of screen, 0.3-megapixel, fixed focus	Cyberlink Power2Go (DVD±RW)
Integrated graphics	Intel HD Graphics in processor, external analog monitor support via VGA DB-15 connector and digital monitor support via HDMI connector (on selected models)	
Keyboard Numeric keypad Touch controls Touch pad	Full-size keyboard, multimedia Fn keys, recovery key Numeric keypad on right of keyboard OneKey Theater, mute, volume up, and volume down buttons One-piece touch pad with two button function, supports scroll feature	65-watt AC adapter Wireless on/off switch
Dimensions <sup>3</sup> Weight <sup>2</sup> Case color	(WxDxH): 14.83" x 9.83" x 0.68" to 1.37"; 376.8mm x 249.8mm x 17.3 to 34.9mm with optical drive and battery: 6-cell: from 5.73 lb (2.6kg) Black top, black bottom	ENERGY STAR® 5.0-compliant RoHS-compliant
Case material Battery - type Battery - life <sup>10</sup>	Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic Lithium Ion <b>6-cell</b> 6-cell: up to 4 hr	Limited Warranty¹²
Chipset ExpressCard/34 Multicard reader	Mobile Intel HM55 Express Chipset  Some: One slot (ExpressCard/34)  5-in-1 reader (MMC, Memory Stick®, Memory Stick PRO™, Secure Digital Card, xD-Picture Card™)	components (including battery), 90-day on keyboard, hinges, plastics, power cord, AC adapter
Ports	Two USB 2.0, one USB 2.0/eSATA combo port (eSATA available on selected models), ethernet (RJ-45), monitor (VGA DB-15, HDMI on selected models)	
TV tuner PCle Mini Card 11b/g/n²8 Bluetooth™ Modem Ethernet Audio support	None One PCI Express Mini Card slot 11b/g/n wireless <sup>4</sup> , PCIe Mini Card adapter None None 10/100 ethernet, RealTek® RTL8103EL High Definition (HD) Audio, Conexant® CX20671 codec / stereo speakers (2 watt x 2) / microphone, microphone input jack (3.5 mm), headphone jack (3.5 mm) Power-on password, hard disk password, supervisor password, security lockhole	3-year Depot warranty 78Y1538     1-year Mail In with accidental damage protection 55Y2511     3-year Mail In with accidental damage protection 78Y1539     3-year Onsite warranty 78Y1540     1-year Onsite with accidental damage protection 78Y1533     Toll-free support for warranty issues during the warranty period¹² via 877-453-6686

US models announced February 16, 2011; previous models on April 7 or August 25, 2010

© Lenovo

(EFL2-2) February 2011

Type-model	Pro- cessor	GHz	Max turbo (GHz) N		Widescreen display	Cam- era	Integrated graphics	SATA disk	SATA optical	Mini PCle 802.11 wireless	Top color	HDMI con- nector	Blue- tooth	Battery cells	Win7 preload	Avail date
0679-23U	i3-330M	2.13	None 4	4GB	15.6" HD	0.3M	Intel HD	220CB8	DVD+DW	$11b/a/n^{28}$	Black	ПОМ	None	6-cell	Prem 64	Apr 10

- 15.6" widescreen, glossy display
- Integrated 0.3 megapixel camera and Lenovo's VeriFace facial recognition software helps control access to your notebook by recognizing your face
- Lenovo Rescue System provides OneKey recovery and OneKey Antivirus without booting into Windows
- This system is Microsoft® Office 2010 Product Key Ready (O10PKR)

		1
Positioning Processo	Widescreen flexibility; two-spindle Intel® Core™ i3 processor i3-330M with dual-core, DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Hyper-Threading technology, and 3MB cache	Preloaded operating system <sup>20</sup> - Genuine Windows® 7 Home Premium 64 - Preloaded applications <sup>14</sup> (only some
Memory	<b>4GB</b> std / 8GB max <sup>7</sup> / <b>PC3-8500 1066MHz DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets; <i>Italics:</i> standard memory in both sockets; no sockets available	listed)  Lenovo OneKey Recovery  Lenovo ReadyComm
Diskette drive SATA DVD±RW SATA disk	None DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in 320GB (5400 rpm) / SATA 3.0Gb/s, 9.5mm high	ooVoo™     McAfee® VirusScan® Plus     (60 days of virus definitions)
Widescreen display Camera	15.6" (396.2mm) HD (1366x768) TFT color, VibrantView (glossy), LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio Camera on top of screen, 0.3-megapixel, fixed focus	Adobe® Reader®     CyberLink YouCam     Microsoft Office 2010 preloaded;     purchase product key to activate
Integrated graphics	Intel HD Graphics in processor, external analog monitor support via VGA DB-15 connector and digital monitor support via HDMI connector	VeriFace <sup>TM</sup> Lenovo Energy Management Software
Keyboard Numeric keypad Touch controls Touch pad	Full-size keyboard, multimedia Fn keys, recovery key Numeric keypad on right of keyboard OneKey Theater, mute, volume up, and volume down buttons One-piece touch pad with two button function, supports scroll feature	Lenovo DirectShare     Cyberlink Power2Go (DVD±RW)  65-watt AC adapter
Dimensions <sup>3</sup> Weight <sup>2</sup> Case color	( <i>WxDxH</i> ): 14.83" x 9.83" x 0.68" to 1.37"; 376.8mm x 249.8mm x 17.3 to 34.9mm with optical drive and battery: <i>6-cell</i> : from 5.73 lb (2.6kg) Black top, black bottom	Wireless on/off switch ENERGY STAR® 5.0-compliant RoHS-compliant
Case material Battery - type Battery - life <sup>10</sup>	Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic Lithium Ion <b>6-cell</b> <i>6-cell:</i> up to 4 hr	Limited Warranty¹²
Chipset ExpressCard/34 Multicard reader Ports	Mobile Intel HM55 Express Chipset One slot (ExpressCard/34) 5-in-1 reader (MMC, Memory Stick®, Memory Stick PRO™, Secure Digital Card, xD-Picture Card™) The LISP 2.0 (as ATA cambo part, external manitor (VCA DR 15, HDM)	components (including battery), 90-day on keyboard, hinges, plastics, power cord, AC adapter Mail In repair service
	Two USB 2.0, one USB 2.0/eSATA combo port, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)	(in eligible locations):9
TV tuner PCIe Mini Card 11b/g/n²8 Bluetooth™ Modem	None One PCI Express Mini Card slot 11b/g/n wireless <sup>4</sup> , PCIe Mini Card adapter None None	3-year Depot warranty 78Y1538     1-year Mail In with accidental damage protection 55Y2511     3-year Mail In with accidental damage protection 78Y1539
Ethernet Audio support	10/100 ethernet, RealTek® RTL8103EL High Definition (HD) Audio, Conexant® CX20671 codec / stereo speakers (2 watt x 2) / microphone, microphone input jack (3.5 mm), headphone jack (3.5 mm)	• 3-year Onsite warranty 78Y1540 • 1-year Onsite with accidental damage protection 78Y1533
Security Fingerprint reader	Power-on password, hard disk password, supervisor password, security lockhole None	issues during the warranty period <sup>12</sup> via 877-453-6686

See footnotes for important warranty information US model announced May 12, 2010

© Lenovo (EFL2-3) May 2010

Pro- Type-model cessor	GHz	Memory	Widescreer display	Cam-	Integrated graphics	SATA disk	SATA optical	PCle Mini Card 802.11	Top color	HDMI connector	Blue- tooth	Battery cells	Win7 preload	Avail date
0679-2AU i3-330M	2.13	4GB	15.6" HD	0.3M	Intel HD	320GB8	DVD+RW	11b/a/n <sup>28</sup>	Black	HDMI	None	6-cell	Prem 64	Jan 10

- 15.6" widescreen, glossy display
- Integrated 0.3 megapixel camera and Lenovo's VeriFace facial recognition software helps control access to your notebook by recognizing your face
- Lenovo Rescue System provides OneKey recovery and OneKey Antivirus without booting into Windows
- This system is Microsoft® Office 2010 Product Key Ready (O10PKR)

Positioning Processo	Widescreen flexibility; two-spindle Intel® Core™ i3 processor i3-330M with dual-core, DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Hyper-Threading technology, and 3MB cache	Preloaded operating system <sup>20</sup> - Genuine Windows <sup>®</sup> 7 Home Premium 64 - Preloaded applications <sup>14</sup> (only some
Memory	4GB std / 8GB max <sup>7</sup> / PC3-8500 1066MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets; <i>Italics</i> : standard memory in both sockets; no sockets available	listed)  Lenovo OneKey Recovery  Lenovo ReadyComm
Diskette drive SATA DVD±RW SATA disk	None DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in <b>320GB</b> (5400 rpm) / SATA 3.0Gb/s, 9.5mm high	ooVoo™     McAfee® VirusScan® Plus (60 days of virus definitions)
Widescreen display Camera	15.6" (396.2mm) HD (1366x768) TFT color, VibrantView (glossy), LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio Camera on top of screen, 0.3-megapixel, fixed focus	Adobe® Reader®     CyberLink YouCam     Microsoft Office 2010 preloaded;     purchase product key to activate
Integrated graphics	Intel HD Graphics in processor, external analog monitor support via VGA DB-15 connector and digital monitor support via HDMI connector	VeriFace <sup>TM</sup> Lenovo Energy Management Software
Keyboard Numeric keypad Touch controls Touch pad	Full-size keyboard, multimedia Fn keys, recovery key Numeric keypad on right of keyboard OneKey Theater, mute, volume up, and volume down buttons One-piece touch pad with two button function, supports scroll feature	Lenovo DirectShare     Cyberlink Power2Go (DVD±RW)  65-watt AC adapter
Dimensions <sup>3</sup> Weight <sup>2</sup> Case color	(WxDxH): 14.83" x 9.83" x 0.68" to 1.37"; 376.8mm x 249.8mm x 17.3 to 34.9mm with optical drive and battery: 6-cell: from 5.73 lb (2.6kg) Black top, black bottom	Wireless on/off switch ENERGY STAR® 5.0-compliant RoHS-compliant
Case material Battery - type Battery - life <sup>10</sup>	Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic Lithium Ion <b>6-cell</b> 6-cell: up to 4 hr	Limited Warranty¹²
Chipset ExpressCard/34 Multicard reader	Mobile Intel HM55 Express Chipset One slot (ExpressCard/34) 5-in-1 reader (MMC, Memory Stick®, Memory Stick PRO™, Secure Digital Card, xD-Picture Card™)	components (including battery), 90-day on keyboard, hinges, plastics, power cord, AC adapter  Mail In repair service
Ports	Two USB 2.0, one USB 2.0/eSATA combo port, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)	Service upgrade options <sup>58</sup> (in eligible locations):9
TV tuner PCIe Mini Card 11b/g/n²8 Bluetooth™ Modem Ethernet Audio support	None One PCI Express Mini Card slot 11b/g/n wireless <sup>4</sup> , PCIe Mini Card adapter None None 10/100 ethernet, RealTek® RTL8103EL High Definition (HD) Audio, Conexant® CX20671 codec / stereo speakers (2 watt x 2) /	3-year Depot warranty 78Y1538     1-year Mail In with accidental damage protection 55Y2511     3-year Mail In with accidental damage protection 78Y1539     3-year Onsite warranty 78Y1540     1-year Onsite with accidental damage protection 78Y1533
Security Fingerprint reader	microphone, microphone input jack (3.5 mm), headphone jack (3.5 mm) Power-on password, hard disk password, supervisor password, security lockhole	→ Toll-free support for warranty issues during the warranty period¹² via 877-453-6686   → Toll-free support for warranty period¹²  Via 877-453-6686   → Toll-free support for warranty period¹²  Via 877-453-6686    → Toll-free support for warranty period¹²  Via 877-453-6686    → Toll-free support for warranty period¹²  Via 877-453-6686    → Toll-free support for warranty period¹²  Via 877-453-6686    → Toll-free support for warranty period¹²  Via 877-453-6686

See footnotes for important warranty information US model announced January 26, 2010

© Lenovo (EFL2-1) January 2010

CCFL										Mini PCle					
	Pro-			Widescreen		Cam-	Integrated		SATA	SATA	802.11	Top	Card Blue-	Win7	Avail
	Type-model cessor	GHz	Memory	display l	LED	era	graphics	Chipset	disk	optical	wireless	color	reader tooth	preload	date
	1050-42LL T3500	2 10	2GBv1	15.6" HD.I	FD	U 3M	4500MHD	GM45	250GR8	DVD+RW	11h/a/n <sup>28</sup>	Dark Blue	5-in-1 None	Prom 64	Δnr 11

- 15.6" widescreen, glossy display
- Integrated 0.3 megapixel camera and Lenovo's VeriFace face recognition software helps control access to your notebook by recognizing your face
- Lenovo Rescue System provides OneKey recovery and OneKey Antivirus without booting into Windows
- This system is Microsoft® Office 2010 Product Key Ready (O10PKR)

Positioning Processor	Widescreen flexibility; two-spindle Intel® Celeron® Processor T3500 with dual-core, 800MHz system bus, and 1MB L2 cache	Preloaded operating system <sup>20</sup> - Genuine Windows 7 Home Premium 64
Memory	8GB max <sup>7</sup> / <b>PC3-8500 1066MHz DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets	Preloaded applications <sup>14</sup> (only some listed)
Diskette drive SATA DVD±RW SATA disk	None DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in 250GB (5400 rpm) / SATA 3.0Gb/s, 9.5mm high, removable	Lenovo OneKey Recovery     Lenovo ReadyComm     ooVoo™
Widescreen display Camera	15.6" (396.2mm) HD (WXGA 1366x768) TFT color, VibrantView (glossy), LED backlight, 220 nits, 16:9 aspect ratio Camera on top of screen, 0.3-megapixel, fixed focus	McAfee® VirusScan® Plus (60 days of virus definitions) Windows Live™ Essentials OyberLink YouCam
Integrated graphics	Intel Graphics Media Accelerator 4500MHD (GMA 4500MHD), in GM45, external analog monitor support via VGA DB-15 connector; Max external resolution: 2048x1536@85Hz (VGA)	VériFace™     Lenovo Energy Management     Software
Keyboard Numeric keypad Touch pad	Full-size keyboard, Fn keys, recovery key Numeric keypad on right of keyboard Two-button touch pad with scroll feature (no TrackPoint®), multi-touch	Cyberlink Power2Go (DVD±RW)     Microsoft Office 2010 preloaded; purchase product key to activate
Dimensions <sup>3</sup> Weight <sup>2</sup> Case color Case material	(WxDxH): 14.8" x 9.8" x 0.7" to 1.4"; 376mm x 249.8mm x 17.3 to 34.9mm with optical drive and battery: 6-cell: from 5.73 lb (2.6 kg) Dark blue top, black bottom Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic	65-watt AC adapter Wireless on/off switch RoHS-compliant
Battery - type Battery - life <sup>10</sup>	Lithium Ion 6-cell 6-cell: up to 4 hr	Limited Warranty <sup>12</sup>
Chipset  ExpressCard/34 Multicard reader  Ports	Mobile Intel GM45 Express Chipset (Memory Controller Hub), ICH9M I/O Controller Hub None 5-in-1 reader (MultiMedia Card, Memory Stick®, Memory Stick PRO™, Secure Digital Card, xD-Picture Card™) Three USB 2.0, external monitor (VGA), ethernet (RJ-45)	* 1- year on major electronic components (including battery), 90-day on keyboard, hinges, plastics, power cord, AC adapter Mail In repair service Service upgrade options
TV tuner Mini PCI Express 11b/g/n Bluetooth™ Modem Ethernet Audio support Security	None One Mini PCI Express slot 11b/g/n wireless <sup>4</sup> , PCIe Half Mini Card, Broadcom® or Atheros® chip None None 10/100 ethernet, Atheros AR8152L High Definition (HD) Audio, Conexant 20671 codec / stereo speakers (1.5 watt x 2) / microphone, microphone input jack (3.5 mm), headphone jack (3.5 mm) Power-on password, user password, supervisor password, security lockhole	(in eligible locations):  • 3-year Depot warranty 78Y1538  • 3-year Mail In with accidental damage protection 78Y1539  • 3-year Onsite warranty 78Y1540  • 1-year Onsite with accidental damage protection 78Y1533  □ Toll-free support for warranty issues during the warranty period¹²

See footnotes for important warranty information US model announced April 7, 2011

© Lenovo (WSHT1-1) April 2011

Type-model	Pro- cessor	GHz	Max turbo (GHz)		Videscreen display	Cam- era	Integrated graphics	SATA disk	SATA optical	PCle Mini Card 802.11	Top color	HDMI connector	Blue- tooth	Battery cells	Win7 preload
4334-46U	i3-2310M	2.10		4GBx1	15.6" HD	0.3M	Intel HD	500GB8	DVD±RW	11b/g/n <sup>28</sup>	Dark brown	HDMI		6-cell	Prem 64
4334-5NU	i3-2310M	2.10		2GBx2	15.6" HD	0.3M	Intel HD	320GB	DVD±RW	11b/g/n	Dark brown			6-cell	Prem 64
4334-5TU	i3-2310M	2.10		2GBx2	15.6" HD	0.3M	Intel HD	750GB	DVD±RW	11b/g/n	Dark brown	HDMI	BT2.1	6-cell	Prem 64
4334-62U	B940	2.00		2+1GB	15.6" HD	0.3M	Intel HD	500GB	DVD±RW	11b/g/n	Black			6-cell	Prem 64
4334-4JU	B940	2.00		2GBx1	15.6" HD	0.3M	Intel HD	320GB	DVD±RW	11b/g/n	Black			6-cell	Prem 64
4334-4QU	B940	2.00		2GBx2	15.6" HD	0.3M	Intel HD	500GB	DVD±RW	11b/g/n	Black			6-cell	Prem 64
4334-7RU	B950	2.10		2GBx1	15.6" HD	0.3M	Intel HD	320GB	DVD±RW	11b/g/n	Black			6-cell	Prem 64
4334-7UU	B950	2.10		4GBx1	15.6" HD	0.3M	Intel HD	500GB	DVD±RW	11b/g/n	Black			6-cell	Prem 64
4334-7PU	i3-2330M	2.20		4GBx1	15.6" HD	0.3M	Intel HD	500GB	DVD±RW	11b/g/n	Black			6-cell	Prem 64
4334-7QU	i3-2330M	2.20		4+2GB	15.6" HD	0.3M	Intel HD	750GB	DVD±RW	11b/g/n	Dark brown	HDMI	BT2.1	6-cell	Prem 64
4334-8PU	i5-2430M	2.40	3.00	4GBx1	15.6" HD	0.3M	Intel HD	750GB	DVD±RW	11b/g/n	Black			6-cell	Prem 64
4334-9HU	B960	2.20		2GBx1	15.6" HD	0.3M	Intel HD	320GB	DVD±RW	11b/g/n	Black			6-cell	Prem 64
4334-9EU	B960	2.20		4GBx1	15.6" HD	0.3M	Intel HD	500GB	DVD±RW	11b/g/n	Black			6-cell	Prem 64
4334-9LU	i3-2350M	2.30		4GBx1	15.6" HD	0.3M	Intel HD	500GB	DVD±RW	11b/g/n	Black			6-cell	Prem 64
4334-9KU	i5-2450M	2.50	3.10	4GBx1	15.6" HD	0.3M	Intel HD	500GB	DVD±RW	11b/g/n	Black			6-cell	Prem 64
4334-DBU	i3-2350M	2.30		4GBx1	15.6" HD	0.3M	Intel HD	500GB	DVD±RW	11b/g/n	Dark brown	HDMI		6-cell	Prem 64
4334-DDU	i5-2450M	2.50	3.10	4GBx1	15.6" HD	0.3M	Intel HD	500GB	DVD±RW	11b/g/n	Dark brown	HDMI		6-cell	Prem 64

• 15.6" widescreen, glossy display

	<ul> <li>15.6" widescreen, glossy display</li> <li>These systems are Microsoft Office 2010 Product Key Ready (O10PKR)</li> </ul>	
Positioning Processor	Widescreen flexibility; two-spindle Intel® Pentium® B940 processor (2 cores / 2 threads, 2.00GHz, 2MB cache), DDR3 memory controller (up to 1333MHz) Intel Pentium B950 processor (2 cores / 2 threads, 2.10GHz, 2MB cache), DDR3 memory controller (up to 1333MHz) Intel Pentium B960 processor (2 cores / 2 threads, 2.20GHz, 2MB cache), DDR3 memory controller (up to 1333MHz) Intel Core™ i3-2310M processor (2 cores / 4 threads, 2.10GHz, 3MB cache), DDR3 memory controller (up to 1333MHz) Intel Core i3-2330M processor (2 cores / 4 threads, 2.20GHz, 3MB cache), DDR3 memory controller (up to 1333MHz) Intel Core i3-2350M processor (2 cores / 4 threads, 2.30GHz, 3MB cache), DDR3 memory controller (up to 1333MHz) Intel Core i5-2430M processor (2 cores / 4 threads, 2.40GHz, 3MB cache), DDR3 memory controller (up to 1333MHz), Intel Turbo Boost 2.0 (3.00GHz) Intel Core i5-2450M processor (2 cores / 4 threads, 2.50GHz, 3MB cache), DDR3 memory controller (up to 1333MHz), Intel Turbo Boost 2.0 (3.10GHz)	Preloaded operating system <sup>20</sup> - Genuine Windows® 7 Home Premium 64  Preloaded applications¹⁴ (only some listed) • Lenovo OneKey Recovery • Lenovo ReadyComm • McAfe® VirusScan® Plus (60 days of virus definitions) • Adobe® Reader® • CyberLink YouCam • Microsoft® Office 2010 preloaded; purchase product key to activate • VeriFace™ • Lenovo Energy Management Software
Memory	8GB max <sup>7</sup> / <b>PC3-10600 1333MHz DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets	Cyberlink Power2Go (DVD±RW)
Diskette drive SATA DVD±RW SATA disk	None DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in <b>320GB</b> (5400 rpm), <b>500GB</b> (5400 rpm), or <b>750GB</b> (5400 rpm) / SATA 3.0Gb/s, 9.5mm high	
Widescreen display Camera	15.6" (396.2mm) HD (1366x768) TFT color, VibrantView (glossy), LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio Camera on top of screen, 0.3-megapixel, fixed focus	
Integrated graphics	Intel HD Graphics in processor, external analog monitor support via VGA DB-15 connector, Some: digital monitor support via HDMI connector	
Keyboard Numeric keypad Touch pad	Full-size keyboard, multimedia Fn keys, recovery key Numeric keypad on right of keyboard Two-button touch pad with scroll feature (no TrackPoint®), multi-touch	65-watt AC adapter Wireless on/off switch EPEAT™ Gold rating ENERGY STAR® 5.0-compliant
Dimensions <sup>3</sup> Weight <sup>2</sup> Case color Case material Battery - type Battery - life <sup>10</sup>	(WxDxH): 14.83" x 9.83" x 0.68" to 1.37"; 376.8mm x 249.8mm x 17.3 to 34.9mm with optical drive and battery: 6-cell: from 5.73 lb (2.6kg) Black or dark brown top, black bottom Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic Lithium Ion 6-cell Integrated models: up to 6 hr	RoHS-compliant  Limited Warranty¹²   1-year warranty*:  * 1- year on major electronic components (including battery).
Chipset ExpressCard/34 Multicard reader Ports	Mobile Intel HM65 Express Chipset None 5-in-1 reader (MMC, Memory Stick®, Memory Stick PRO™, Secure Digital Card, xD-Picture Card™) Four USB 2.0, external monitor (VGA DB-15, HDMI on some models), ethernet (RJ-45)	90-day on keyboard, hinges, plastics, power cord, AC adapter
TV tuner PCIe Mini Card 11b/g/n²8 Bluetooth™ Modem Ethernet Audio support  Security Fingerprint reader	None One PCI Express Mini Card slot 11b/g/n wireless <sup>4</sup> , PCIe Mini Card adapter, Broadcom® or Atheros® chip Some: Bluetooth 2.1 wireless + EDR, USB 2.0 interface None 10/100 ethernet, Atheros AR8152L High Definition (HD) Audio, Conexant® CX20671 codec / stereo speakers (1.5 watt x 2) / microphone, microphone input jack (3.5 mm), headphone jack (3.5 mm) Hard disk password, user password, administrator password, security lockhole None	3-year Depot warranty 78Y1538     1-year Mail In with accidental damage protection 55Y2511     3-year Mail In with accidental damage protection 78Y1539     3-year Onsite warranty 78Y1540     1-year Onsite with accidental damage protection 78Y1533     Toll-free support for warranty issues during the warranty period¹² via 877-453-6686

Pro Type-model ces		Max turbo (GHz)		Widescreen display	Cam- era	Integrated graphics	SATA disk	SATA optical	PCle Mini Card 802.11	Top color	HDMI connector	Blue- tooth	Battery cells	Win7 preload
4334-ECU B97	70 2.30		4GBx1	15.6" HD	0.3M	Intel HD	500GB8	DVD±RW	11b/g/n <sup>28</sup>	Black	None	None	6-cell	Prem 64
4334-EAU i3-2	370M 2.40		4GBx1	15.6" HD	0.3M	Intel HD 3000	500GB	$DVD \pm RW$	11b/g/n	Black	None	None	6-cell	Prem 64
4334-EEU i5-2	450M 2.50	3.10	4GBx1	15.6" HD	0.3M	Intel HD 3000	500GB	$DVD \pm RW$	11b/g/n	Black	None	None	6-cell	Prem 64

- 15.6" widescreen, glossy display
- Integrated 0.3 megapixel camera and Lenovo's VeriFace facial recognition software helps control access to your notebook by recognizing your face
   Lenovo Rescue System provides OneKey recovery and OneKey Antivirus without
- booting into Windows
- These systems are Microsoft Office 2010 Product Key Ready (O10PKR)

Positioning Processor	Widescreen flexibility; two-spindle Intel® Pentium® B970 processor (2 cores / 2 threads, 2.30GHz, 2MB cache), DDR3 memory controller (up to 1333MHz), integrated Intel HD Graphics Intel Core™ i3-2370M processor (2 cores / 4 threads, 2.40GHz, 3MB cache), DDR3 memory controller (up to 1333MHz), integrated Intel HD Graphics 3000 Intel Core i5-2450M processor (2 cores / 4 threads, 2.50GHz, 3MB cache), DDR3 memory controller (up to 1333MHz), Intel Turbo Boost 2.0 (3.10GHz) integrated Intel HD Graphics 3000	Preloaded operating system <sup>20</sup> - Genuine Windows® 7 Home Premium 64  Preloaded applications¹⁴ (only some listed) • Lenovo OneKey Recovery • Lenovo ReadyComm • McAfee® VirusScan® Plus
Memory	8GB max <sup>7</sup> / <b>PC3-10600 1333MHz DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets	(60 days of virus definitions)  • Adobe® Reader®
Diskette drive SATA DVD±RW SATA disk	None DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in 500GB (5400 rpm) / SATA 3.0Gb/s, 9.5mm high	CyberLink YouCam     Microsoft® Office 2010 preloaded; purchase product key to activate
Widescreen display Camera	15.6" (396.2mm) HD (1366x768) TFT color, VibrantView (glossy), LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio Camera on top of screen, 0.3-megapixel, fixed focus	VeriFace™     Lenovo Energy Management     Software     Lenovo DirectShare
Integrated graphics	Intel HD Graphics or Intel HD Graphics 3000 in processor, external analog monitor support via VGA DB-15 connector	Cyberlink Power2Go (DVD±RW)
Keyboard Numeric keypad Touch pad	Full-size keyboard, multimedia Fn keys, recovery key Numeric keypad on right of keyboard Two-button touch pad with scroll feature (no TrackPoint®), multi-touch	─ 65-watt AC adapter Wireless on/off switch EPEAT™ Gold rating ─ ENERGY STAR® 5.0-compliant
Dimensions <sup>3</sup> Weight <sup>2</sup> Case color Case material Battery - type Battery - life <sup>10</sup>	(WxDxH): 14.83" x 9.83" x 0.68" to 1.37"; 376.8mm x 249.8mm x 17.3 to 34.9mm with optical drive and battery: 6-cell: from 5.73 lb (2.6kg) Black or dark brown top, black bottom Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic Lithium Ion 6-cell Integrated models: up to 6 hr	RoHS-compliant  Limited Warranty¹²  1-year warranty*:  1- year on major electronic
Chipset ExpressCard/34 Multicard reader Ports	Mobile Intel HM65 Express Chipset None 5-in-1 reader (MMC, Memory Stick®, Memory Stick PRO™, Secure Digital Card, xD-Picture Card™) Four USB 2.0, external monitor (VGA DB-15, HDMI on some models), ethernet (RJ-45)	components (including battery), 90-day on keyboard, hinges, plastics, power cord, AC adapter Mail In repair service Service upgrade options <sup>58</sup> (in eligible locations): <sup>9</sup>
TV tuner PCIe Mini Card 11b/g/n² Bluetooth™ Modem Ethernet Audio support  Security Fingerprint reade	None One PCI Express Mini Card slot 11b/g/n wireless <sup>4</sup> , PCIe Mini Card adapter, Broadcom® or Atheros® chip None None 10/100 ethernet, Atheros AR8152L High Definition (HD) Audio, Conexant® CX20671 codec / stereo speakers (1.5 watt x 2) / microphone, microphone input jack (3.5 mm), headphone jack (3.5 mm) Hard disk password, user password, administrator password, security lockhole r None	3-year Depot warranty 78Y1538     1-year Mail In with accidental damage protection 55Y2511     3-year Mail In with accidental damage protection 78Y1539     3-year Onsite warranty 78Y1540     1-year Onsite with accidental damage protection 78Y1533     Toll-free support for warranty issues during the warranty period¹² via 877-453-6686

See footnotes for important warranty information US model(s) announced August 17, 2012

© Lenovo (LAGR1-3) August 2012

Type-mode	Pro- l cessor	GHz	Max turbo (GHz)		Widescreen display	Cam- era	Integrated graphics	SAT dis GB <sup>8</sup>	k	SATA optical	PCle Mini Card 802.11	Top color	HDMI connector	Blue- tooth	Battery cells	Win7 preload
4334-2KU 4334-5JU 4334-5HU 4334-5ZU 4334-5ZU 4334-7XU 4334-A2U 4334-A8U 4334-B8U 4334-CYU 4334-D4U 4334-D4U 4334-D4U 4334-D4U 4334-D4U 4334-B9U	i3-2310N i5-2410N i5-2410N i5-2410N i5-2410N B940 B940 B800 i5-2430N i5-2430N i5-2430N i5-2430N i5-2450N i5-2450N i5-2450N i5-2450N i5-2450N i5-2450N i5-2450N i5-2450N	2.10   2.30   2.30   2.30   2.30   2.00   2.00   1.50   2.40   2.40   2.40   2.50   2.50   2.50   2.50	2.90 2.90 2.90 2.90 3.00 3.00 3.00 3.10 3.10 3.10 3.10 3.1	2GBx2 2GBx2 2GBx2 4GBx2 4GBx2 4GBx1 4GBx1 4GBx1 4+2GB 4GBx2 4+2GB 4GBx2 4GBx2 4GBx2 4GBx2 4GBx2 4GBx2 4GBx2 4GBx2 4GBx2	15.6" HD 15.6" HD	2.0M 2.0M 2.0M 2.0M 2.0M 2.0M 2.0M 2.0M	Intel HD	500GB 500GB 500GB 750GB 750GB 500GB 500GB 500GB 500GB 500GB 500GB 750GB 500GB 750GB 750GB 500GB 750GB 500GB 750GB 500GB	5400 5400 5400 5400 5400 5400 5400 5400	DVD±RW Blu-ray DVD±RW DVD±RW Blu-ray DVD±RW	11b/g/n 11b/g/n 11b/g/n 11b/g/n 11b/g/n 11b/g/n 11b/g/n 11b/g/n 11b/g/n 11b/g/n 11b/g/n 11b/g/n 11b/g/n 11b/g/n 11b/g/n 11b/g/n 11b/g/n 11b/g/n 11b/g/n	Dark brown Dark brown	HDMI HDMI HDMI HDMI HDMI HDMI HDMI HDMI	Blue Blue Blue Blue Blue Blue Blue Blue	6-cell	Prem 64 Prem 64
Positioning Processor	In	/idesc	reen fi	lexibility;	two-spindle processor	; (2 co	res / 2 thr					Prel	paded ope enuine Win	dows®		n <sup>20</sup>

DDR3 memory controller (up to 1333MHz) Intel Core™ i3-2310M processor (2 cores / 4 threads, 2.10GHz, 3MB cache), DDR3 memory controller (up to 1333MHz)
Intel Core i3-2350M processor (2 cores / 4 threads, 2.30GHz, 3MB cache), listed) DDR3 memory controller (up to 1333MHz) Intel Core i5-2410M processor (2 cores / 4 threads, 2.30GHz, 3MB cache), DDR3 memory controller (up to 1333MHz), Intel Turbo Boost 2.0 (2.90GHz) Intel Core i5-2430M processor (2 cores / 4 threads, 2.40GHz, 3MB cache), DDR3 memory controller (up to 1333MHz), Intel Turbo Boost 2.0 (3.00GHz) Intel Core i5-2450M processor (2 cores / 4 threads, 2.50GHz, 3MB cache), DDR3 memory controller (up to 1333MHz), Intel Turbó Boost 2.0 (3.10GHz) Memory 8GB max7 / PC3-10600 1333MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets; Diskette drive None SATA optical Some: DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in Some: Blu-ray™ Disc reader (no Blu-ray burning), DVD recordable, 12.7mm, tray-in 500GB (5400 rpm), 500GB (7200 rpm), or 750GB (5400 rpm) / SATA 3.0Gb/s, 9.5mm high SATA disk 15.6" (396.2mm) HD (1366x768) TFT color, VibrantView (glossy), Widescreen LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio display Camera on top of screen, 2.0-megapixel, fixed focus Camera Intel HD Graphics in processor, uses system memory, external analog monitor support via VGA DB-15 connector and digital monitor support via HDMI connector Integrated graphics 65-watt AC adapter Keyboard Full-size keyboard, multimedia Fn keys, recovery key Wireless on/off switch Numeric keypad Numeric keypad on right of keyboard EPEAT™ Gold rating ENERGY STAR® 5.0-compliant Touch pad Two-button touch pad with scroll feature (no TrackPoint®), multi-touch (WxDxH): 14.83" x 9.83" x 0.68" to 1.37"; 376.8mm x 249.8mm x 17.3 to 34.9mm with optical drive and battery: 6-cell: from 5.73 lb (2.6kg) Dimensions<sup>3</sup> RoHS-compliant Weight<sup>2</sup> Dark brown top, black bottom Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic Case color Case material Battery - type Battery - life<sup>10</sup> Lithium Ion 6-cell Discrete models: up to 5 hr; Integrated models: up to 6 hr Mobile Intel HM65 Express Chipset Chipset ExpressCard/34 None 5-in-1 reader (MMC, Memory Stick®, Memory Stick PRO™, Secure Digital Card, Multicard reader xD-Picture Card™) Four USB 2.0, external monitor (VGA DB-15, HDMI), ethernet (RJ-45) **Ports** TV tuner PCIe Mini Card One PCI Express Mini Card slot 11b/g/n wireless4, PCIe Mini Card adapter, Broadcom® or Atheros® chip 11b/g/n<sup>2</sup> Bluetooth™ Some: Bluetooth 2.1 wireless + EDR, USB 2.0 interface Modem None Ethernet 10/100 ethernet, Atheros AR8152L High Definition (HD) Audio, Conexant® CX20671 codec / stereo speakers (1.5 watt x 2) / Audio support

- Lenovo OneKey Recovery Lenovo ReadyComm McAfee® VirusScan® Plus
- (60 days of virus definitions) Adobe® Reader®
- CyberLink YouCam Microsoft Office 2010 preloaded;
- purchase product key to activate VeriFace™
- Lenovo Energy Management Software
- Lenovo DirectShare
- Cyberlink Power2Go (DVD±RW)

Limited Warranty<sup>12</sup>

1-year warranty\*:

1- year on major electronic components (including battery), 90-day on keyboard, hinges, plastics, power cord, AC adapter Mail In repair service

Service upgrade options58 (in eligible locations):9

- 3-year Depot warranty 78Y1538
- 1-year Mail In with accidental damage protection 55Y2 3-year Mail In with accidental 55Y2511
- damage protection 78Y1539 3-year Onsite warranty 78Y1540
- 1-year Onsite with accidental damage protection 78Y1533
- Toll-free support for warranty issues during the warranty period12 via 877-453-6686

See footnotes for important warranty information S US model(s) announced July 11, 2012;

Security

Fingerprint reader None

© Lenovo (LAGR1-1) July 2012

microphone, microphone input jack (3.5 mm), headphone jack (3.5 mm)

Hard disk password, user password, administrator password, security lockhole

										PCle					
	Type-model	Processor	GHz	Memory	Widescreen display	Cam- era	Integrated graphics	SATA disk	SATA optical	Mini Card 802.11	Top color	HDMI connector	Blue- tooth	Battery cells	Win7 preload
	4383-48U 4383-3CU		1.60 1.60		15.6" HD LED 15.6" HD LED		HD 6310M HD 6310M			11b/g/n <sup>28</sup> 11b/g/n					Prem 64 Prem 64
	4383-3YU /	AMD E-450	1.65	4GBx1	15.6" HD LED	0.3M	HD 6320M	500GB	$DVD \pm RW$	11b/g/n	Black	None	None	6-cell	Prem 64
	4383-4HU 4383-4WU 4				15.6" HD LED 15.6" HD LED				DVD±RW DVD±RW		Black Black		None		Prem 64 Prem 64
E3F	4383-5GU	AMD E-450	1.65	4GBx1	15.6" HD LED	0.3M	HD 6320M	320GB	DVD±RW	11b/g/n	Black	None	None	6-cell	Prem 64

- 15.6" widescreen, glossy display
- Integrated 0.3 or 2.0 megapixel camera and Lenovo's VeriFace facial recognition software helps control access to your notebook by recognizing your face
- Lenovo Rescue System provides OneKey recovery and OneKey Antivirus without booting into Windows
- These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

Positioning Processor	Widescreen flexibility; two-spindle  AMD Accelerated Processor E-350 (dual-core, 1.60GHz, 1MB L2 cache), integrated AMD Radeon™ HD 6310M Graphics, integrated DDR3 memory controller (up to 1066MHz)  AMD Accelerated Processor E-450 (dual-core, 1.65GHz, 1MB L2 cache), integrated AMD Radeon HD 6320M Graphics, integrated DDR3 memory controller (up to 1333MHz)	Preloaded operating system <sup>20</sup> - Genuine Windows <sup>®</sup> 7 Home Premium 64  Preloaded applications <sup>14</sup> (only some listed) • Lenovo OneKey Recovery
Memory	8GB max <sup>7</sup> / <b>PC3-8500 1066MHz DDR3</b> , non-parity, two 204-pin SO-DIMM sockets	<ul> <li>Lenovo ReadyComm</li> <li>ooVoo™</li> </ul>
Diskette drive SATA optical SATA disk	None DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in 320GB (5400 rpm) or 500GB (5400 rpm) / SATA 3.0Gb/s, 9.5mm high	McAfee® VirusScan® Plus (60 days of virus definitions)     Adobe® Reader®
Widescreen display Camera	15.6" (396.2mm) HD (1366x768) TFT color, VibrantView (glossy), LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio Camera on top of screen, 0.3-megapixel or 2.0-megapixel, fixed focus	CyberLink YouCam     Microsoft Office 2010 preloaded; purchase product key to activate     VeriFace™
Integrated graphics	Some: AMD Radeon HD 6310M Graphics, in processor, DirectX® 11, use system memory, Some: AMD Radeon HD 6320M Graphics, in processor, DirectX 11, use system memory, External monitor support via analog VGA DB-15 connector	Lenovo Energy Management Software     Cyberlink Power2Go (DVD±RW)
Keyboard Numeric keypad Touch pad	Full-size keyboard, multimedia Fn keys, recovery key Numeric keypad on right of keyboard Two-button touch pad with scroll feature (no TrackPoint®), multi-touch	40-watt AC adapter Wireless on/off switch EPEAT™ Gold rating
Dimensions <sup>3</sup> Weight <sup>2</sup> Case color	(WxDxH): 14.83" x 9.83" x 0.68" to 1.37"; 376.8mm x 249.8mm x 17.3 to 34.9mm with optical drive and battery: 6-cell: from 5.73 lb (2.6kg) Black top, black bottom	ENERGY STAR® 5.0-compliant RoHS-compliant
Case material Battery - type Battery - life <sup>10</sup>	Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic Lithium Ion <b>6-cell</b> Integrated models: up to 6 hr	Limited Warranty¹²
Chipset ExpressCard/34 Multicard reader Ports	AMD A50M FCH None 2-in-1 reader (MMC, Secure Digital Card) Four USB 2.0, external monitor (VGA DB-15), ethernet (RJ-45)	components (including battery), 90-day on keyboard, hinges, plastics, power cord, AC adapter  Mail In repair service
TV tuner PCIe Mini Card 11b/g/n²8 Bluetooth™ Modem Ethernet Audio support  Security Fingerprint reader	None One PCI Express Mini Card slot 11b/g/n wireless <sup>4</sup> , PCIe Mini Card adapter, Broadcom® or Atheros® chip None None 10/100 ethernet, Atheros AR8152L High Definition (HD) Audio, Conexant® CX20671 codec / stereo speakers (1.5 watt x 2) / microphone, microphone input jack (3.5 mm), headphone jack (3.5 mm) Hard disk password, user password, administrator password, security lockhole None	Service upgrade options <sup>58</sup> (in eligible locations): <sup>9</sup> • 3-year Depot warranty 78Y1538 • 1-year Mail In with accidental damage protection 55Y2511 • 3-year Mail In with accidental damage protection 78Y1539 • 3-year Onsite warranty 78Y1540 • 1-year Onsite with accidental damage protection 78Y1533  ▼ Toll-free support for warranty issues during the warranty period¹² via 877-453-6686

US model(s) announced August 17, 2012; previous models on August 10 or October 13, 2011 or March 21, 2012 US model(s) withdrawn effective March 2012, August, 2012

© Lenovo (SAMB1-1) August 2012

Type-model Processor GHz Mem	Widescreen Cam- ry display era		Top HDMI color connector	Blue- Battery tooth cells	Win7 preload
	1 15.6" HD LED 2.0M 1 15.6" HD LED 2.0M		Black None Black None	None 6-cell None 6-cell	

- 15.6" widescreen, glossy display
- Integrated 0.3 or 2.0 megapixel camera and Lenovo's VeriFace facial recognition software helps control access to your notebook by recognizing your face
- Lenovo Rescue System provides OneKey recovery and OneKey Antivirus without booting into Windows
- These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

Positioning Processor	Widescreen flexibility; two-spindle  AMD Accelerated Processor E-350 (dual-core, 1.60GHz, 1MB L2 cache), integrated AMD Radeon™ HD 6310M Graphics, integrated DDR3 memory controller (up to 1066MHz)	Preloaded operating system <sup>20</sup> - Genuine Windows® 7 Home Premium 64 Preloaded applications <sup>14</sup> (only some
Memory	8GB max <sup>7</sup> / <b>PC3-8500 1066MHz DDR3</b> , non-parity, two 204-pin SO-DIMM sockets	listed)
Diskette drive SATA optical SATA disk	None DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in 500GB (5400 rpm) or 750GB (5400 rpm) / SATA 3.0Gb/s, 9.5mm high	Lenovo OneKey Recovery     Lenovo ReadyComm     ooVoo™
Widescreen display Camera	15.6" (396.2mm) HD (1366x768) TFT color, VibrantView (glossy), LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio Camera on top of screen, 0.3-megapixel or 2.0-megapixel, fixed focus	McAfee® VirusScan® Plus     (60 days of virus definitions)     Adobe® Reader®     CyberLink YouCam
Integrated graphics	AMD Radeon HD 6310M Graphics, in processor, DirectX® 11, use system memory, External monitor support via analog VGA DB-15 connector	Microsoft Office 2010 preloaded; purchase product key to activate
Keyboard Numeric keypad Touch pad	Full-size keyboard, multimedia Fn keys, recovery key Numeric keypad on right of keyboard Two-button touch pad with scroll feature (no TrackPoint®), multi-touch	VeriFace™     Lenovo Energy Management     Software     Cyberlink Power2Go (DVD±RW)
Dimensions <sup>3</sup> Weight <sup>2</sup> Case color Case material Battery - type Battery - life <sup>10</sup>	(WxDxH): 14.83" x 9.83" x 0.68" to 1.37"; 376.8mm x 249.8mm x 17.3 to 34.9mm with optical drive and battery: 6-cell: from 5.73 lb (2.6kg) Black top, black bottom Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic Lithium Ion 6-cell Integrated models: up to 6 hr	40-watt AC adapter Wireless on/off switch EPEAT™ Gold rating ENERGY STAR® 5.0-compliant RoHS-compliant
Chipset ExpressCard/34 Multicard reader Ports	AMD A50M FCH None 2-in-1 reader (MMC, Secure Digital Card) Four USB 2.0, external monitor (VGA DB-15), ethernet (RJ-45)	Limited Warranty¹²
TV tuner PCIe Mini Card 11b/g/n²8 Bluetooth™ Modem Ethernet Audio support  Security Fingerprint reade	None One PCI Express Mini Card slot 11b/g/n wireless <sup>4</sup> , PCIe Mini Card adapter, Broadcom® or Atheros® chip None None 10/100 ethernet, Atheros AR8152L High Definition (HD) Audio, Conexant® CX20671 codec / stereo speakers (1.5 watt x 2) / microphone, microphone input jack (3.5 mm), headphone jack (3.5 mm) Hard disk password, user password, administrator password, security lockhole r None	components (including battery), 90-day on keyboard, hinges, plastics, power cord, AC adapter  Mail In repair service  Service upgrade options <sup>58</sup> (in eligible locations):  3-year Depot warranty 78Y1538  1-year Mail In with accidental damage protection 55Y2511  3-year Mail In with accidental damage protection 78Y1539  3-year Onsite warranty 78Y1540  1-year Onsite with accidental damage protection 78Y1533  Toll-free support for warranty issues during the warranty via 877-453-6686

See footnotes for important warranty information US models announced August 10, 2011

© Lenovo (SAMB1-2) August 2011

				PCle					
	Widescreen Cam-	Integrated	SATA SATA	Mini Card	Top	HDMI	Blue-	Battery	Win7
Type-model Processor GHz Memory	display era	graphics	disk optical	802.11	color	connector	tooth	cells	preload
4383-4NU AMD E-450 1.65 4GBx1	15.6" HD LED 0.3M	HD 6320M	500GB8 DVD±RW	11b/g/n <sup>28</sup>	Black	None	None	6-cell	Prem 64

- 15.6" widescreen, glossy display
- Integrated 0.3 or 2.0 megapixel camera and Lenovo's VeriFace facial recognition software helps control access to your notebook by recognizing your face
- Lenovo Rescue System provides OneKey recovery and OneKey Antivirus without booting into Windows
- This system is Microsoft® Office 2010 Product Key Ready (O10PKR)

Positioning Processor	Widescreen flexibility; two-spindle  AMD Accelerated Processor E-450 (dual-core, 1.65GHz, 1MB L2 cache), integrated AMD Radeon™ HD 6320M Graphics, integrated DDR3 memory controller (up to 1333MHz)	Preloaded operating system <sup>20</sup> - Genuine Windows® 7 Home Premium 64  Preloaded applications <sup>14</sup> (only some
Memory	4GB max <sup>7</sup> / <b>PC3-8500 1066MHz DDR3</b> , non-parity, one 204-pin SO-DIMM socket	listed)
Diskette drive SATA optical SATA disk	None DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in 500GB (5400 rpm) / SATA 3.0Gb/s, 9.5mm high	Lenovo OneKey Recovery     Lenovo ReadyComm     ooVoo™
Widescreen display Camera	15.6" (396.2mm) HD (1366x768) TFT color, VibrantView (glossy), LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio Camera on top of screen, 0.3-megapixel or 2.0-megapixel, fixed focus	McAfee® VirusScan® Plus     (60 days of virus definitions)     Adobe® Reader®     CyberLink YouCam
Integrated graphics	AMD Radeon HD 6320M Graphics, in processor, DirectX® 11, use system memory, External monitor support via analog VGA DB-15 connector	Microsoft Office 2010 preloaded; purchase product key to activate
Keyboard Numeric keypad Touch pad	Full-size keyboard, multimedia Fn keys, recovery key Numeric keypad on right of keyboard Two-button touch pad with scroll feature (no TrackPoint®), multi-touch	VeriFace™     Lenovo Energy Management     Software     Cyberlink Power2Go (DVD±RW)
Dimensions <sup>3</sup> Weight <sup>2</sup> Case color Case material Battery - type Battery - life <sup>10</sup>	(WxDxH): 14.83" x 9.83" x 0.68" to 1.37"; 376.8mm x 249.8mm x 17.3 to 34.9mm with optical drive and battery: 6-cell: from 5.73 lb (2.6kg) Black top, black bottom Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic Lithium Ion 6-cell Integrated models: up to 6 hr	40-watt AC adapter EPEAT™ Gold rating ENERGY STAR® 5.0-compliant RoHS-compliant
Chipset ExpressCard/34 Multicard reader Ports	AMD A50M FCH None None Two USB 2.0, external monitor (VGA DB-15), ethernet (RJ-45)	Limited Warranty¹²
TV tuner PCIe Mini Card 11b/g/n²8 Bluetooth™ Modem Ethernet Audio support  Security Fingerprint reade	None One PCI Express Mini Card slot 11b/g/n wireless <sup>4</sup> , PCIe Mini Card adapter, Broadcom® or Atheros® chip None None 10/100 ethernet, Atheros AR8152L High Definition (HD) Audio, Conexant® CX20671 codec / speaker (1.5 watt x 1) / microphone, microphone input jack (3.5 mm), headphone jack (3.5 mm) Hard disk password, user password, administrator password, security lockhole r None	components (including battery), 90-day on keyboard, hinges, plastics, power cord, AC adapter  Mail In repair service  Service upgrade options <sup>58</sup> (in eligible locations): <sup>9</sup> 3-year Depot warranty 78Y1538  1-year Mail In with accidental damage protection 55Y2511  3-year Mail In with accidental damage protection 78Y1539  3-year Onsite warranty 78Y1540  1-year Onsite with accidental damage protection 78Y1533  Toll-free support for warranty issues during the warranty period <sup>12</sup> via 877-453-6686

See footnotes for important warranty information US model(s) announced February 29, 2012

© Lenovo (SAMB1-4) March 2012

				PCle				
	Widescreen Cam-			Mini Card	Top HDMI		Battery	Win7
Type-model Processor GHz Mem	ory display era	Graphics	disk optical	802.11	color connecto	r tooth	cells	preload
4383-4PU AMD E-450 1.65 4+2	GB 15.6" HD LED 0.3M	HD 6370M	750GB <sup>8</sup> DVD±RW	11b/g/n <sup>28</sup>	Black None	BT2.1	6-cell	Prem 64

- 15.6" widescreen, glossy display
- Integrated 0.3 or 2.0 megapixel camera and Lenovo's VeriFace facial recognition software helps control access to your notebook by recognizing your face
- Lenovo Rescue System provides OneKey recovery and OneKey Antivirus without booting into Windows
- These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

Widescreen flexibility; two-spindle  AMD Accelerated Processor E-450 (dual-core, 1.65GHz, 1MB L2 cache), integrated AMD Radeon™ HD 6320M Graphics, integrated DDR3 memory controller (up to 1333MHz)	Preloaded operating system <sup>20</sup> - Genuine Windows <sup>®</sup> 7 Home Premium 64  Preloaded applications <sup>14</sup> (only some
8GB max <sup>7</sup> / <b>PC3-8500 1066MHz DDR3</b> , non-parity, two 204-pin SO-DIMM sockets	listed)
None DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in <b>750GB</b> (5400 rpm) / SATA 3.0Gb/s, 9.5mm high	Lenovo OneKey Recovery     Lenovo ReadyComm     ooVoo™
15.6" (396.2mm) HD (1366x768) TFT color, VibrantView (glossy), LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio Camera on top of screen, 0.3-megapixel or 2.0-megapixel, fixed focus	McAfee® VirusScan® Plus     (60 days of virus definitions)     Adobe® Reader®     CyberLink YouCam
Dynamic switching between discrete and integrated graphics (user selectable),  AMD Radeon HD 6320M Graphics in processor, and  AMD Radeon HD 6370M Graphics, PCI Express® x16, 1GB memory, DirectX® 11,  external analog monitor support via VGA DB-15 connector	<ul> <li>Microsoft Office 2010 preloaded; purchase product key to activate</li> <li>VeriFace™</li> <li>Lenovo Energy Management</li> </ul>
Full-size keyboard, multimedia Fn keys, recovery key Numeric keypad on right of keyboard Two-button touch pad with scroll feature (no TrackPoint®), multi-touch	Software
(WxDxH): 14.83" x 9.83" x 0.68" to 1.37"; 376.8mm x 249.8mm x 17.3 to 34.9mm with optical drive and battery: 6-cell: from 5.73 lb (2.6kg) Black top, black bottom Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic Lithium Ion 6-cell	Wireless on/off switch EPEAT™ Gold rating ENERGY STAR® 5.0-compliant RoHS-compliant
AMD A50M FCH  None 2-in-1 reader (MMC, Secure Digital Card) Four USB 2.0, external monitor (VGA DB-15), ethernet (RJ-45)  None One PCI Express Mini Card slot 11b/g/n wireless <sup>4</sup> , PCIe Mini Card adapter, Broadcom® or Atheros® chip Bluetooth 2.1 wireless + EDR, USB 2.0 interface None 10/100 ethernet, Atheros AR8152L High Definition (HD) Audio, Conexant® CX20671 codec / stereo speakers (1.5 watt x 2) / microphone, microphone input jack (3.5 mm), headphone jack (3.5 mm) Hard disk password, user password, administrator password, security lockhole	Limited Warranty¹²  1-year warranty*:  1-year on major electronic components (including battery), 90-day on keyboard, hinges, plastics, power cord, AC adapter  Mail In repair service  Service upgrade options⁵8 (in eligible locations):  3-year Depot warranty 78Y1538  1-year Mail In with accidental damage protection 55Y2511  3-year Mail In with accidental damage protection 78Y1539  3-year Onsite warranty 78Y1540  1-year Onsite with accidental damage protection 78Y1533  Toll-free support for warranty issues during the warranty period¹²
	AMD Accelerated Processor E-450 (dual-core, 1.65GHz, 1MB L2 cache), integrated AMD Radeon™ HD 6320M Graphics, integrated DDR3 memory controller (up to 1333MHz)  8GB max <sup>7</sup> / PC3-8500 1066MHz DDR3, non-parity, two 204-pin SO-DIMM sockets  None  DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in 750GB (5400 rpm) / SATA 3.0Gb/s, 9.5mm high  15.6" (396.2mm) HD (1366x768) TFT color, VibrantView (glossy),  LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio  Camera on top of screen, 0.3-megapixel or 2.0-megapixel, fixed focus  Dynamic switching between discrete and integrated graphics (user selectable),  AMD Radeon HD 6320M Graphics in processor, and  AMD Radeon HD 6370M Graphics, PCI Express® x16, 1GB memory, DirectX® 11, external analog monitor support via VGA DB-15 connector  Full-size keyboard, multimedia Fn keys, recovery key  Numeric keypad on right of keyboard  Two-button touch pad with scroll feature (no TrackPoint®), multi-touch  (WxDxH): 14.83" x 9.83" x 0.68" to 1.37"; 376.8mm x 249.8mm x 17.3 to 34.9mm with optical drive and battery: 6-cell: from 5.73 lb (2.6kg)  Black top, black bottom  Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic  Lithium lon 6-cell  Integrated models: up to 6 hr  AMD A50M FCH  None  One PCI Express Mini Card slot  11b/g/n wireless⁴, PCIe Mini Card adapter, Broadcom® or Atheros® chip  Bluetooth 2.1 wireless + EDR, USB 2.0 interface  None  10/100 ethernet, Atheros AR8152L  High Definition (HD) Audio, Conexant® CX20671 codec / stereo speakers (1.5 watt x 2) / microphone, microphone input jack (3.5 mm), headphone jack (3.5 mm)

See footnotes for important warranty information US model(s) announced October 13, 2011

© Lenovo (SAMB1-3) October 2011

## lenovo



Lenovo G480



Lenovo G480/G580



Lenovo G480/G580



Lenovo G580



Lenovo G480/G580 Red (Glossy)

Lenovo G480/G580 Dark Brown (hairline)

Lenovo G480/G580 Dark Brown (Glossy)

Lenovo G480/G580 Blue (Glossy)

	Type-model	Pro- cessor		Widescreen display	Cam- era	Graphics	SA <sup>*</sup> dis GB <sup>8</sup>	k	SATA optical	PCle Mini Card 802.11	Top color			Battery cells	Win7 preload (	Avail date (mm/yy)
	2184-3PU					Intel HD Graphics									Prem 64	
	2184-3NU	B820	4GBx1	14.0" HD	0.3M	Intel HD Graphics	1TB	5400	DVD±RW	11b/g/n	Dark brown	HDMI		6-cell	Prem 64	07/12
<b>138</b>	2184-27U	i5-3210M	4+2GB	14.0" HD	0.3M	Intel HD 4000	500GB	7200	DVD±RW	11b/g/n	Dark brown	HDMI	BT	6-cell	Prem 64	07/12
138	2184-22U	i5-3210M	4GBx2	14.0" HD	0.3M	Intel HD 4000	750GB	5400	DVD±RW	11b/g/n	Dark brown	HDMI	BT	6-cell	Prem 64	07/12

- 14.0" widescreen, glossy display
  Integrated 0.3 megapixel or 720P HD camera and Lenovo's VeriFace facial recognition software helps control access to your notebook by recognizing your face
- Lenovo Rescue System provides OneKey recovery and OneKey Antivirus without booting into Windows
- These system are Microsoft® Office 2010 Product Key Ready (O10PKR)

Positioning Processor	Widescreen flexibility; two-spindle Intel® Celeron® B820 processor (2 cores / 2 threads, 1.70GHz, 2MB cache), DDR3 memory controller (up to 1333MHz), integrated Intel HD Graphics Intel Core™ i5-3210M processor (2 cores / 4 threads, 2.50 GHz, 3MB cache), DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (up to 3.10GHz), integrated Intel HD Graphics 4000	Preloaded operating system <sup>20</sup> - Genuine Windows <sup>®</sup> 7 Home Premium 64 Preloaded applications <sup>14</sup> (only some listed) - Lenovo OneKey Recovery
Memory	8GB max <sup>7</sup> / <b>PC3-12800 1600MHz DDR3</b> *, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets * System automatically clocks down for processors with 1333MHz DDR3 memory controller	Lenovo Solution Center     ooVoo™     PokeTALK
Diskette drive SATA optical SATA disk SATA controller	None DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in 500GB (7200 rpm), 750GB (5400 rpm), or 1TB (5400 rpm) / SATA 3.0Gb/s, 7mm or 9.5mm high Serial ATA, SATA 6.0Gb/s, integrated in chipset	McAfee® Internet Security (30-Day Trial) Adobe® Reader® CyberLink YouCam Microsoft Office 2010 preloaded;
Widescreen display Camera	14.0" (355.6mm) HD (1366x768) TFT color, VibrantView (glossy), LED backlight, 200 nits, 16:9 aspect ratio, 500:1 contrast ratio Camera on top of screen, 0.3-megapixel or 720p HD, fixed focus	purchase product key to activate  • VeriFace™  • Lenovo Energy Management Software
Graphics	Intel HD Graphics or Intel HD Graphics 4000, integrated in processor; external monitor support via analog VGA DB-15 connector / digital HDMI connector	Cyberlink Power2Go (DVD±RW)
Keyboard Numeric keypad Touch pad	Full-size keyboard, multimedia Fn keys, recovery key None Two-button touch pad with scroll feature (no TrackPoint®), multi-touch	Integrated models: 65-watt AC adapter Optimus models: 90-watt AC adapter EPEAT™ Gold rating ENERGY STAR® 5.0-compliant
Dimensions <sup>3</sup> Weight <sup>2</sup> Case color	(WxDxH): 13.35" x 9.06" x 0.68" to 1.33"; 339mm x 230mm x 17.2 to 33.8mm with optical drive and battery: 6-cell: from 4.85 lb (2.2kg)  Top: Dark Brown (metal-like, hairline cover finishing);	RoHS-compliant .
Case material Battery - type Battery - life <sup>10</sup>	bottom: Black Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic Lithium Ion <b>6-cell</b> , 48Wh GT 630M models: up to 4.5 hr; 610M models: up to 5 hr; Integrated models: up to 6 hr	Limited Warranty <sup>12</sup> 1-year warranty*:  1- year on major electronic components (including battery),  90-day on keyboard, hinges,
Chipset ExpressCard/34 Multicard reader Ports	Mobile Intel HM76 Express Chipset None 2-in-1 reader (MMC, Secure Digital Card) One USB 2.0 and two USB 3.0, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)	plastics, power cord, AC adapter  ⇒ Mail In repair service  ⇒ Service upgrade options <sup>58</sup> (in eligible locations): <sup>9</sup>
TV tuner PCIe Mini Card 11b/g/n²8 Bluetooth™ Modem Ethernet Audio support	None One PCI Express Mini Card slot 11b/g/n wireless⁴, PCIe Half Mini Card adapter, Broadcom® or Atheros® chip, 1x1 Some: Bluetooth 4.0 wireless None 10/100M ethernet, Atheros AR8162 High Definition (HD) Audio, Conexant® CX20671 / stereo speakers (1.5 watt x 2), Dolby® Advanced Audio™ v2 / integrated microphone, headphone / microphone combo jack (3.5 mm)	3-year Depot warranty 78Y1538     1-year Mail In with accidental damage protection 55Y2511     3-year Mail In with accidental damage protection 78Y1539     3-year Onsite warranty 78Y1540     1-year Onsite with accidental damage protection 78Y1533     Toll-free support for warranty
Security Fingerprint reader	Hard disk password, administrator password, security lockhole	issues during the warranty period <sup>12</sup> via 877-453-6686

US model(s) announced July 25, 2012; previous model(s) on July 11, 2012

© Lenovo (DKBR2-1) July 2012

Pro- Type-model cessor	Widescreen Can Memory display era		SATA disk GB <sup>®</sup> rpm	SATA optical	PCle Mini Card 802.11	Top color	HDMI con- nector	Blue- Battery tooth cells	
2688-2NU i3-2370M	4GBx1 14.0" HD 0.3M 4GBx1 14.0" HD 0.3M 4GBx1 14.0" HD 0.3M	Intel HD 3000	500GB 5400	DVD±RW	11b/g/n	Brown (glossy)	HDMI	BT4.0 6-cell	Prem 64 07/12

- 14.0" widescreen, glossy display
  Integrated 0.3 megapixel or 720P HD camera and Lenovo's VeriFace facial recognition software helps control access to your notebook by recognizing your face
  • Lenovo Rescue System provides OneKey recovery and OneKey Antivirus without
- booting into Windows
- These system are Microsoft® Office 2010 Product Key Ready (O10PKR)

Positioning Processor	Widescreen flexibility; two-spindle Intel® Core™ i3-2370M processor (2 cores / 4 threads, 2.40GHz, 3MB cache), DDR3 memory controller (up to 1333MHz), integrated Intel HD Graphics 3000	Preloaded operating system <sup>20</sup> - Genuine Windows® 7 Home Premium 64
Memory	8GB max <sup>7</sup> / <b>PC3-12800 1600MHz DDR3</b> *, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets * System automatically clocks down for processors with 1333MHz DDR3 memory controller	Preloaded applications <sup>14</sup> (only some listed)  • Lenovo OneKey Recovery
Diskette drive SATA optical SATA disk SATA controller	None DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in 500GB (5400 rpm) / SATA 3.0Gb/s, 7mm or 9.5mm high Serial ATA, SATA 6.0Gb/s, integrated in chipset	Lenovo Solution Center     ooVoo™     PokeTALK     McAfee® Internet Security     (30-Day Trial)     Add to ® Polating Research
Widescreen display Camera	14.0" (355.6mm) HD (1366x768) TFT color, VibrantView (glossy), LED backlight, 200 nits, 16:9 aspect ratio, 500:1 contrast ratio Camera on top of screen, 0.3-megapixel or 720p HD, fixed focus	Adobe® Reader®     CyberLink YouCam     Microsoft Office 2010 preloaded;     purchase product key to activate
Graphics	Intel HD 3000 Graphics, integrated in processor; external monitor support via analog VGA DB-15 connector / digital HDMI connector	VeriFace <sup>TM</sup> Lenovo Energy Management
Keyboard Numeric keypad Touch pad	Full-size keyboard, multimedia Fn keys, recovery key None Two-button touch pad with scroll feature (no TrackPoint®), multi-touch	Software Cyberlink Power2Go (DVD±RW)
Dimensions <sup>3</sup> Weight <sup>2</sup> Case color	(WxDxH): 13.35" x 9.06" x 0.68" to 1.33"; 339mm x 230mm x 17.2 to 33.8mm with optical drive and battery: 6-cell: from 4.85 lb (2.2kg)  Top: Brown (glossy), Red (glossy), or Blue (glossy);  bottom: Black	Integrated models: 65-watt AC adapter Optimus models: 90-watt AC adapter EPEAT™ Gold rating ENERGY STAR® 5.0-compliant RoHS-compliant
Case material Battery - type Battery - life <sup>10</sup>	Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic Lithium Ion <b>6-cell</b> , 48Wh GT 630M models: up to 4.5 hr; 610M models: up to 5 hr; Integrated models: up to 6 hr	Limited Warranty <sup>12</sup>
Chipset ExpressCard/34 Multicard reader Ports	Mobile Intel HM76 Express Chipset None 2-in-1 reader (MMC, Secure Digital Card) One USB 2.0 and two USB 3.0, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)	<ul> <li>1-year warranty*:</li> <li>* 1- year on major electronic components (including battery),</li> <li>90-day on keyboard, hinges, plastics, power cord, AC adapter</li> </ul>
TV tuner PCIe Mini Card 11b/g/n²8 Bluetooth™ Modem Ethernet Audio support	None One PCI Express Mini Card slot 11b/g/n wireless⁴, PCIe Half Mini Card adapter, Broadcom® or Atheros® chip, 1x1 Bluetooth 4.0 wireless None 10/100M ethernet, Atheros AR8162 High Definition (HD) Audio, Realtek® ALC269Q-VC2 codec / stereo speakers (1.5 watt x 2), Dolby® Advanced Audio™ v2 / integrated microphone, headphone / microphone combo jack (3.5 mm)	✓ Mail In repair service     ✓ Service upgrade options <sup>58</sup> (in eligible locations): <sup>9</sup> • 3-year Depot warranty 78Y1538     • 1-year Mail In with accidental damage protection 55Y2511     • 3-year Mail In with accidental damage protection 78Y1539     • 3-year Onsite warranty 78Y1540
Security Fingerprint reader	Hard disk password, administrator password, security lockhole None	1-year Onsite with accidental damage protection 78Y1533     Toll-free support for warranty issues during the warranty period¹² via 877-453-6686

See footnotes for important warranty information US model(s) announced July 11, 2012

© Lenovo (DKBR2-2) July 2012

	Part number	Pro- cessor	Memory	Widescreer display	Cam- era	Integrated graphics	SA di: GB <sup>8</sup>	sk	SATA optical	PCIe Mini Card 802.11			Blue- Battery tooth cells	Avail Win8 date preload (mm/yy)
	59344050	i3-3110M	4GBx1	15.6" HD	720p	Intel HD	500GB	5400	DVD±RW	11b/g/n <sup>28</sup>	Brown (glossy	) HDMI	None 6-cell	Win8 64 11/12
	59345881	B980	4GBx1	15.6" HD	720p	Intel HD 4000							None 6-cell	Win8 64 11/12
	59344054	i5-3210M	4GBx1	15.6" HD	720p	Intel HD 4000	500GB	5400	DVD±RW	11b/g/n	Brown (glossy	) HDMI	None 6-cell	Win8 64 11/12
5	59359654	2020M	4GBx1	15.6" HD	720p	Intel HD	500GB	5400	DVD±RW	11b/g/n	Dark Brown	´ HDMI	None 6-cell	Win8 64 03/13
7	59359079	i3-3120M	4GBx1	15.6" HD	720p	Intel HD 4000	500GB	5400	DVD±RW	11b/g/n	Dark Brown	HDMI	None 6-cell	Win8 64 03/13
F	59359084	i5-3230M	4GBx1	15.6" HD	720p	Intel HD 4000	500GB	5400	DVD±RW	11b/g/n	Dark Brown	HDMI	None 6-cell	Win8 64 03/13

- 15.6" widescreen, glossy display
  Integrated 0.3 megapixel or 720P HD camera
  Lenovo Rescue System provides OneKey recovery and OneKey Antivirus without booting into Windows

Positioning Processor	Widescreen flexibility; two-spindle Intel® Pentium® B980 Processor (2 cores / 2 threads, 2.40 GHz, 2MB Cache),	Preloaded operating system <sup>20</sup> - Windows® 8 64-bit
	DDR3 memory controller (up to 1333MHz), integrated Intel HD Graphics Intel Pentium 2020M Processor (2 cores / 2 threads, 2.40 GHz, 2MB Cache), DDR3 memory controller (up to 1600MHz), integrated Intel HD Graphics	<b>Preloaded applications</b> <sup>14</sup> (only some listed)
	Intel Core™ i3-3110M processor (2 cores / 4 threads, 2.40GHz, 3MB cache), DDR3 memory controller (up to 1600MHz), integrated Intel HD Graphics 4000	Traditional Desktop apps     Lenovo OneKey Recovery
	Intel Core i3-3120M processor (2 cores / 4 threads, 2.50GHz, 3MB cache), DDR3 memory controller (up to 1600MHz), integrated Intel HD Graphics 4000	Lenovo Cloud Storage by SugarSync     PokeTALK     McAfee® Internet Security
	Intel Core i5-3210M processor (2 cores / 4 threads, 2.50GHz, 3MB cache), DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (up to 3.10GHz),	McAfee® Internet Security     (30-Day Trial)     CyberLink YouCam
	integrated Intel HD Graphics 4000 Intel Core i5-3230M processor (2 cores / 4 threads, 2.60GHz, 3MB cache), DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (up to 3.20GHz), integrated Intel HD Graphics 4000	Cyberlink PowerDVD (DVD±RW)     Cyberlink Power2Go (DVD±RW)     Microsoft Office preloaded;
Memory	16GB max <sup>7</sup> / <b>PC3-12800 1600MHz DDR3</b> *, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets * System automatically clocks down for processors with 1333MHz DDR3 memory controller	purchase product key to activate Lenovo Energy Management - Windows Store apps (Metro-style) - AccuWeather
Diskette drive SATA optical SATA disk SATA controller	None DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in 500GB (5400 rpm) / SATA 3.0Gb/s, 9.5mm high Serial ATA, SATA 6.0Gb/s, integrated in chipset	<ul><li>Evernote</li><li>Skype</li><li>McAfee</li><li>Lenovo Support</li></ul>
Widescreen display Camera	15.6" (396.2mm) HD (1366x768) TFT color, VibrantView (glossy), LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio Camera on top of screen, 0.3-megapixel or 720p HD, fixed focus	Lenovo Companion     Cyberlink PowerDVD
Integrated graphics	Intel HD Graphics or Intel HD Graphics 4000, integrated in processor; external monitor support via analog VGA DB-15 connector / digital HDMI connector	
Keyboard Numeric keypad Touch pad	Full-size keyboard, multimedia Fn keys, recovery key Numeric keypad on right of keyboard Two-button touch pad with scroll feature (no TrackPoint®), multi-touch	Integrated models: 65-watt AC adapter Optimus models: 90-watt AC adapter
Dimensions <sup>3</sup> Weight <sup>2</sup> Case color	(WxDxH): 14.80" x 9.65" x 0.68" to 1.35"; 376mm x 245mm x 17.2 to 34.3mm with optical drive and battery: 6-cell: from 5.73 lb (2.6kg)  Top: Brown (glossy), Red (glossy), Blue (glossy), or	EPEAT™ Gold rating ENERGY STAR® 5.0-compliant RoHS-compliant
Casa matarial	Dark Brown (metal-like, hairline cover finishing); bottom: Black	Limited Warranty <sup>12</sup>
Case material Battery - type Battery - life <sup>10</sup>	Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic Lithium Ion <b>6-cell</b> , 48Wh <i>GT 630M models:</i> up to 4.5 hr; <i>610M models:</i> up to 5 hr; <i>Integrated models:</i> up to 6 hr	* 1- year on major electronic components (including battery), 90-day on keyboard, hinges,
Chipset ExpressCard/34	Mobile Intel HM76 Express Chipset None	plastics, power cord, AC adapter  → Mail In repair service
Multicard reader Ports	2-in-1 reader (MMC, Secure Digital Card) One USB 2.0 and two USB 3.0, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)	Service upgrade options <sup>58</sup> (in eligible locations):9
TV tuner PCIe Mini Card 11b/g/n²8 Bluetooth™	None One PCI Express Mini Card slot 11b/g/n wireless <sup>4</sup> , PCIe Half Mini Card adapter, Broadcom® or Atheros® chip None	3-year Depot warranty 78Y1538     1-year Mail In with accidental damage protection 55Y2511     3-year Mail In with accidental
Modem Ethernet Audio support	None 10/100M ethernet, Atheros AR8162 High Definition (HD) Audio, Realtek® ALC269Q-VC2 or Conexant® CX20671 codec / stereo speakers (1.5 watt x 2), Dolby® Advanced Audio™ v2 / integrated microphone,	damage protection 78Y1539  • 3-year Onsite warranty 78Y1540  • 1-year Onsite with accidental damage protection 78Y1533
Security Fingerprint reader	headphone / microphone combo jack (3.5 mm) Hard disk password, administrator password, security lockhole r None	→ Toll-free support for warranty issues during the warranty period¹² via 877-453-6686

See footnotes for important warranty information PS US model(s) announced March 6, 2013; previous model(s) on November 8 or November 28, 2012

© Lenovo (LAGR2-3) March 2013

	Pro-		Widescreer	1 Cam-	Integrated		SA di	TA sk	SATA	PCle Mini Card	Тор		Blue-	Batterv	Win8	Avail date
Part number		Memory		era	graphics	Chipset		rpm	optical		color	HDMI	tooth	cells		(mm/yy)
59359680	B960	4GBx1	15.6" HD	720p	Intel HD graphics	HM70	320G	5400	DVD±RW	11b/g/n <sup>28</sup>	Black	None	None	6-cell	Win8 64	03/13

- 15.6" widescreen, glossy display
- Integrated 0.3 megapixel or 720P HD camera
   Lenovo Rescue System provides OneKey recovery and OneKey Antivirus without booting into Windows

Positioning Processor	Widescreen flexibility; two-spindle Intel® Pentium® B960 Processor (2 cores / 2 threads, 2.20 GHz, 2MB Cache), DDR3 memory controller (up to 1333MHz), integrated Intel HD Graphics	Preloaded operating system <sup>20</sup> - Windows® 8 64-bit Preloaded applications <sup>14</sup> (only some
Memory	8GB max <sup>7</sup> / <b>PC3-12800 1600MHz DDR3</b> *, non-parity, single-channel capable, one 204-pin SO-DIMM sockets * System automatically clocks down for processors with 1333MHz DDR3 memory controller	listed) - Traditional Desktop apps - Lenovo OneKey Recovery
Diskette drive SATA optical SATA disk SATA controller	None DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in <b>320GB</b> (5400 rpm) / SATA 3.0Gb/s, 9.5mm high Serial ATA, SATA 6.0Gb/s, integrated in chipset	Lenovo Cloud Storage by SugarSync     PokeTALK     McAfee® Internet Security     (30-Day Trial)     Constant of Constant Security
Widescreen display Camera	15.6" (396.2mm) HD (1366x768) TFT color, VibrantView (glossy), LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio Camera on top of screen, 0.3-megapixel or 720p HD, fixed focus	CyberLink YouCam     Cyberlink PowerDVD (DVD±RW)     Cyberlink Power2Go (DVD±RW)     Microsoft Office preloaded;
Integrated graphics	Intel HD Graphics or Intel HD Graphics 4000, integrated in processor; external monitor support via analog VGA DB-15 connector	purchase product key to activate  • Lenovo Energy Management
Keyboard Numeric keypad Touch pad	Full-size keyboard, multimedia Fn keys, recovery key Numeric keypad on right of keyboard Two-button touch pad with scroll feature (no TrackPoint®), multi-touch	Windows Store apps (Metro-style)     AccuWeather     Evernote     Skype
Dimensions <sup>3</sup> Weight <sup>2</sup> Case color Case material	(WxDxH): 14.80" x 9.65" x 0.68" to 1.35"; 376mm x 245mm x 17.2 to 34.3mm with optical drive and battery: 6-cell: from 5.73 lb (2.6kg)  Top: Black or Black (Glossy); bottom: Black	McAfee     Lenovo Support     Lenovo Companion     Cyberlink PowerDVD
Battery - type Battery - life <sup>10</sup>	Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic Lithium Ion <b>6-cell</b> , 48Wh <i>Integrated models:</i> up to 6 hr	Integrated models: 65-watt AC adapter EPEAT™ Gold rating
Chipset ExpressCard/34 Multicard reader Ports	Mobile Intel HM76 or HM70 Express Chipset None 2-in-1 reader (MMC, Secure Digital Card) One USB 2.0 and two USB 3.0, external monitor (VGA DB-15), ethernet (RJ-45)	ENERGY STAR® 5.Ō-compliant RoHS-compliant Limited Warranty¹²
TV tuner PCIe Mini Card 11b/g/n²8 Bluetooth™ Modem Ethernet Audio support  Security Fingerprint reader	None One PCI Express Mini Card slot 11b/g/n wireless⁴, PCIe Half Mini Card adapter, Broadcom® or Atheros® chip None None 10/100M ethernet, Atheros AR8162 High Definition (HD) Audio, Realtek® ALC269Q-VC2 codec / stereo speakers (1.5 watt x 2), Dolby® Advanced Audio™ v2 / integrated microphone, headphone / microphone combo jack (3.5 mm) Hard disk password, administrator password, security lockhole	□ 1-year warranty*:     * 1- year on major electronic components (including battery), 90-day on keyboard, hinges, plastics, power cord, AC adapter     □ Mail In repair service     □ Service upgrade options <sup>58</sup> (in eligible locations):     ○ 3-year Depot warranty 78Y1538     ○ 1-year Mail In with accidental damage protection 55Y2511     ○ 3-year Mail In with accidental damage protection 78Y1539     ○ 3-year Onsite warranty 78Y1540     ○ 1-year Onsite with accidental damage protection 78Y1533     □ Toll-free support for warranty issues during the warranty period¹² via 877-453-6686

See footnotes for important warranty information US model(s) announced March 6, 2013

© Lenovo (LAGR2-5) March 2013

Type-mode	Pro- el cessor		Widescreen display	Cam- era	Integrated graphics	SAT. disl GB <sup>8</sup> r	k	SATA optical	PCIe Mini Card 802.11	Top color <sup>c</sup>			Battery cells		Avail date (mm/yy)
2189-8CU 2189-8AU 2189-88U 3189-82U	B820 B820	4GBx1 4+2GB	15.6" HD 15.6" HD	0.3M 0.3M	Intel HD Graphics Intel HD Graphics Intel HD Graphics Intel HD 4000	750GB 1TB	5400 5400	DVD±RW DVD±RW	11b/g/n 11b/g/n		HDMI HDMI	ВТ	6-cell 6-cell	Prem 64 Prem 64 Prem 64 Prem 64	07/12 07/12

- 15.6" widescreen, glossy display
- Integrated 0.3 megapixel or 720P HD camera and Lenovo's VeriFace facial recognition software helps control access to your notebook by recognizing your face
- Lenovo Rescue System provides OneKey recovery and OneKey Antivirus without booting into Windows
- These system are Microsoft® Office 2010 Product Key Ready (O10PKR)

Positioning Processor	Widescreen flexibility; two-spindle Intel® Celeron® B820 processor (2 cores / 2 threads, 1.70GHz, 2MB cache), DDR3 memory controller (up to 1333MHz), integrated Intel HD Graphics Intel Core™ i5-3210M processor (2 cores / 4 threads, 2.50 GHz, 3MB cache), DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (up to 3.10GHz), integrated Intel HD Graphics 4000	Preloaded operating system <sup>20</sup> - Genuine Windows <sup>®</sup> 7 Home Premium 64  Preloaded applications <sup>14</sup> (only some listed) - Lenovo OneKey Recovery
Memory	16GB max <sup>7</sup> / <b>PC3-12800 1600MHz DDR3</b> *, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets  * System automatically clocks down for processors with 1333MHz DDR3 memory controller	Lenovo Solution Center     ooVoo™     PokeTALK
Diskette drive SATA optical SATA disk SATA controller	None DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in 500GB (5400 rpm), 750GB (5400 rpm) or 1TB (5400 rpm) / SATA 3.0Gb/s, 9.5mm high Serial ATA, SATA 6.0Gb/s, integrated in chipset	McAfee® Internet Security (30-Day Trial)     Adobe® Reader®     CyberLink YouCam
Widescreen display Camera	15.6" (396.2mm) HD (1366x768) TFT color, VibrantView (glossy), LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio Camera on top of screen, 0.3-megapixel or 720p HD, fixed focus	Microsoft Office 2010 preloaded; purchase product key to activate     VeriFace <sup>TM</sup> Lenovo Energy Management
Integrated graphics	Intel HD Graphics or Intel HD Graphics 4000, integrated in processor; external monitor support via analog VGA DB-15 connector / digital HDMI connector	Software  • Cyberlink Power2Go (DVD±RW)
Keyboard Numeric keypad Touch pad	Full-size keyboard, multimedia Fn keys, recovery key Numeric keypad on right of keyboard Two-button touch pad with scroll feature (no TrackPoint®), multi-touch	Integrated models: 65-watt AC adapter Optimus models: 90-watt AC adapter EPEAT™ Gold rating
Dimensions <sup>3</sup> Weight <sup>2</sup> Case color	(WxDxH): 14.80" x 9.65" x 0.68" to 1.35"; 376mm x 245mm x 17.2 to 34.3mm with optical drive and battery: 6-cell: from 5.73 lb (2.6kg)  Top: Dark Brown (metal-like, hairline cover finishing);	ENERGY STAR® 5.0-compliant RoHS-compliant
Case material Battery - type Battery - life <sup>10</sup>	bottom: Black Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic Lithium Ion 6-cell, 48Wh GT 630M models: up to 4.5 hr; 610M models: up to 5 hr; Integrated models: up to 6 hr	Limited Warranty <sup>12</sup> 1-year warranty*:  * 1- year on major electronic components (including battery),
Chipset ExpressCard/34 Multicard reader Ports	Mobile Intel HM76 Express Chipset None 2-in-1 reader (MMC, Secure Digital Card) One USB 2.0 and two USB 3.0, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)	90-day on keyboard, hinges, plastics, power cord, AC adapter  Mail In repair service  Service upgrade options <sup>58</sup>
TV tuner PCIe Mini Card 11b/g/n²8 Bluetooth™ Modem Ethernet Audio support  Security Fingerprint reader	None One PCI Express Mini Card slot 11b/g/n wireless⁴, PCIe Half Mini Card adapter, Broadcom® or Atheros® chip Some: Bluetooth wireless None 10/100M ethernet, Atheros AR8162 High Definition (HD) Audio, Conexant® CX20671 / stereo speakers (1.5 watt x 2), Dolby® Advanced Audio™ v2 / integrated microphone, headphone / microphone combo jack (3.5 mm) Hard disk password, administrator password, security lockhole None	(in eligible locations):9  • 3-year Depot warranty 78Y1538 • 1-year Mail In with accidental damage protection 55Y2511 • 3-year Mail In with accidental damage protection 78Y1539 • 3-year Onsite warranty 78Y1540 • 1-year Onsite with accidental damage protection 78Y1533  □ Toll-free support for warranty issues during the warranty period¹² via 877-453-6686

US model(s) announced July 25, 2012; previous model(s) on July 11, 2012

© Lenovo (LAGR2-1) July 2012

Type-model	Pro- cessor	Memory	Widescreen display	Cam- era	Integrated graphics	SA <sup>-</sup> dis GB <sup>8</sup>		SATA optical	PCIe Mini Card 802.11	Top color	HDMI connector	Battery cells	Win7 preload (	Avail date (mm/yy)
2689-38U 2689-3DU			15.6" HD 15.6" HD	0.3M 0.3M	Intel HD 3000 Intel HD 3000	500GB 500GB	5400 5400	DVD±RW DVD±RW	11b/g/n <sup>28</sup> 11b/g/n	Brown (glossy)	) HDMI HDMI		Prem 64 Prem 64	

- 15.6" widescreen, glossy display
  Integrated 0.3 megapixel or 720P HD camera and Lenovo's VeriFace facial recognition software helps control access to your notebook by recognizing your face
- Lenovo Rescue System provides OneKey recovery and OneKey Antivirus without booting into Windows
- These system are Microsoft® Office 2010 Product Key Ready (O10PKR)

Positioning Processor	Widescreen flexibility; two-spindle Intel® Core™ i3-2370M processor (2 cores / 4 threads, 2.40GHz, 3MB cache), DDR3 memory controller (up to 1333MHz), integrated Intel HD Graphics 3000	Preloaded operating system <sup>20</sup> - Genuine Windows® 7 Home Premium 64
Memory	16GB max <sup>7</sup> / <b>PC3-12800 1600MHz DDR3</b> *, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets * System automatically clocks down for processors with 1333MHz DDR3 memory controller	Preloaded applications <sup>14</sup> (only some listed)  • Lenovo OneKey Recovery
Diskette drive SATA optical SATA disk SATA controller	None DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in <b>500GB</b> (5400 rpm) / SATA 3.0Gb/s, 9.5mm high Serial ATA, SATA 6.0Gb/s, integrated in chipset	Lenovo Solution Center     ooVoo™     PokeTALK     McAfee® Internet Security
Widescreen display Camera	15.6" (396.2mm) HD (1366x768) TFT color, VibrantView (glossy), LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio Camera on top of screen, 0.3-megapixel or 720p HD, fixed focus	(30-Day Trial)  • Adobe® Reader®  • CyberLink YouCam  • Microsoft Office 2010 preloaded:
Integrated graphics	Intel HD 3000 Graphics, integrated in processor; external monitor support via analog VGA DB-15 connector / digital HDMI connector	purchase product key to activate  • VeriFace™
Keyboard Numeric keypad Touch pad	Full-size keyboard, multimedia Fn keys, recovery key Numeric keypad on right of keyboard Two-button touch pad with scroll feature (no TrackPoint®), multi-touch	Lenovo Energy Management Software     Cyberlink Power2Go (DVD±RW)
Dimensions <sup>3</sup> Weight <sup>2</sup> Case color	(WxDxH): 14.80" x 9.65" x 0.68" to 1.35"; 376mm x 245mm x 17.2 to 34.3mm with optical drive and battery: 6-cell: from 5.73 lb (2.6kg)  Top: Brown (glossy), Red (glossy), and Blue (glossy); bottom: Black	Integrated models: 65-watt AC adapter Optimus models: 90-watt AC adapter EPEAT™ Gold rating ENERGY STAR® 5.0-compliant
Case material Battery - type Battery - life <sup>10</sup>	Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic Lithium Ion <b>6-cell</b> , 48Wh <i>GT 630M models:</i> up to 4.5 hr; <i>610M models:</i> up to 5 hr; <i>Integrated models:</i> up to 6 hr	RoHS-compliant  Limited Warranty <sup>12</sup>
Chipset ExpressCard/34 Multicard reader Ports	Mobile Intel HM76 Express Chipset None 2-in-1 reader (MMC, Secure Digital Card) One USB 2.0 and two USB 3.0, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)	T-year warranty*:  * 1- year on major electronic components (including battery),  90-day on keyboard, hinges,
TV tuner PCIe Mini Card 11b/g/n²8 Bluetooth™ Modem Ethernet Audio support	None One PCI Express Mini Card slot 11b/g/n wireless <sup>4</sup> , PCIe Half Mini Card adapter, Broadcom® or Atheros® chip Bluetooth wireless None 10/100M ethernet, Atheros AR8162 High Definition (HD) Audio, Realtek® ALC269Q-VC2 codec / stereo speakers (1.5 watt x 2), Dolby® Advanced Audio™ v2 / integrated microphone, headphone / microphone combo jack (3.5 mm) Hard disk password, administrator password, security lockhole	plastics, power cord, AC adapter  Mail In repair service  Service upgrade options <sup>58</sup> (in eligible locations): <sup>9</sup> 3-year Depot warranty 78Y1538  1-year Mail In with accidental damage protection 55Y2511  3-year Mail In with accidental damage protection 78Y1539  3-year Onsite warranty 78Y1540
Fingerprint reader	None	<ul> <li>1-year Onsite with accidental damage protection 78Y1533</li> <li>⇒ Toll-free support for warranty issues during the warranty period¹² via 877-453-6686</li> </ul>

See footnotes for important warranty information US model(s) announced July 11, 2012

© Lenovo (LAGR2-2) July 2012

Pro- Part number cessor		Widescreen display		Integrated graphics		TA sk rpm	SATA optical	PCIe Mini Card 802.11	Top color C				Win8 preload	Avail date (mm/yy)
59354110 B830	4GBx1	15.6" HD	720p	Intel HD Graphics										
59354101 i3-3110M	4+2GB	15.6" HD	720p	Intel HD 4000	500GB	5400	<b>DVD</b> ±RW	11b/g/n	Dark brown	HDMI	BT4.0	6-cell	Win8 64	11/12
59354100 i5-3210M	4GBx2	15.6" HD	720p	Intel HD 4000	1TB	5400	DVD±RW	11b/g/n	Dark brown	HDMI	BT4.0	6-cell	Win8 64	11/12
59354099 i7-3520M	4GBx2	15.6" HD	720p	Intel HD 4000	1TB	5400	<b>DVD</b> ±RW	11b/g/n	Dark brown	HDMI	BT4.0	6-cell	Win8 64	11/12
59358720 B800	4GBx1	15.6" HD	720p	Intel HD Graphics	500GB	5400	<b>DVD</b> ±RW	11b/g/n	Dark brown	HDMI		6-cell	Win8 64	03/13
59371412 i3-3120M	4+2GB	15.6" HD	720p	Intel HD 4000	500GB	5400	<b>DVD</b> ±RW	11b/g/n	Dark brown	HDMI	BT4.0	6-cell	Win8 64	04/13
59371414 i5-3230M	4+2GB	15.6" HD	720p	Intel HD 4000	500GB	5400	<b>DVD</b> ±RW	11b/g/n	Dark brown	HDMI	BT4.0	6-cell	Win8 64	04/13
59371416 i5-3230M	4GBx2	15.6" HD	720p	Intel HD 4000	1TB	5400	<b>DVD</b> ±RW	11b/g/n	Dark brown	HDMI	BT4.0	6-cell	Win8 64	04/13
59381082 i7-3612QN	√ 4GBx2	15.6" HD	720p	Intel HD 4000	1TB	5400	DVD±RW	11b/g/n	Dark brown	HDMI	BT4.0	6-cell	Win8 64	06/13

- 15.6" widescreen, glossy display
- Integrated 0.3 megapixel or 720P HD camera and Lenovo's VeriFace facial recognition software helps control access to your notebook by recognizing your face
- Lenovo Rescue System provides OneKey recovery and OneKey Antivirus without booting into Windows

exibility; two-spindle  B800 processor (2 cores / 2 threads, 1.50GHz, 2MB cache), y controller (up to 1333MHz), integrated Intel HD Graphics B830 processor (2 cores / 2 threads, 1.80GHz, 2MB cache), y controller (up to 1333MHz), integrated Intel HD Graphics B-3110M processor (2 cores / 4 threads, 2.40GHz, 3MB cache), y controller (up to 1600MHz), integrated Intel HD Graphics 4000 b120M processor (2 cores / 4 threads, 2.50GHz, 3MB cache), y controller (up to 1600MHz), integrated Intel HD Graphics 4000 b1210M processor (2 cores / 4 threads, 2.50GHz, 3MB cache), y controller (up to 1600MHz), Intel Turbo Boost 2.0 (up to 3.10GHz), HD Graphics 4000 b1230M processor (2 cores / 4 threads, 2.60GHz, 3MB cache), y controller (up to 1600MHz), Intel Turbo Boost 2.0 (up to 3.20GHz), HD Graphics 4000	Preloaded operating system <sup>20</sup> - Windows® 8 64-bit  Preloaded applications¹⁴ (only some listed) - Traditional Desktop apps - Lenovo OneKey Recovery - Lenovo Cloud Storage by SugarSync - PokeTALK - McAfee® Internet Security (30-Day Trial) - CyberLink YouCam
3520M processor (2 cores / 4 threads, 2.90GHz, 4MB cache), / controller (up to 1600MHz), Intel Turbo Boost 2.0 (up to 3.60GHz), IHD Graphics 4000 B612QM processor (4 cores / 8 threads, 2.10GHz, 6MB cache), / controller (up to 1600MHz), Intel Turbo Boost 2.0 (up to 3.10GHz), IHD Graphics 4000	<ul> <li>Cýberlink PowerDVD (DVD±RW)</li> <li>Cyberlink Power2Go (DVD±RW)</li> <li>Microsoft® Office preloaded; purchase product key to activate</li> <li>Lenovo Energy Management</li> <li>Windows Store apps (Metro-style)</li> <li>AccuWeather</li> <li>Evernote</li> <li>Skype</li> </ul>
C3-12800 1600MHz DDR3*, non-parity, capable, two 204-pin SO-DIMM sockets matically clocks down for processors with 1333MHz DDR3 memory controlle	Lenovo Support     Lenovo Companion
ual-layer support, fixed, not removable, 12.7mm high, tray-in rpm) or <b>1TB</b> (5400 rpm) / SATA 3.0Gb/s, 9.5mm high TA 6.0Gb/s, integrated in chipset	
m) <b>HD (1366x768) TFT color</b> , <b>VibrantView</b> (glossy), <b>t,</b> 220 nits, 16:9 aspect ratio, 500:1 contrast ratio of screen, 0.3-megapixel or 720p HD, fixed focus	
hics or Intel HD Graphics 4000, integrated in processor; or support via analog VGA DB-15 connector / digital HDMI connector	
pard, multimedia Fn keys, recovery key ad on right of keyboard ach pad with scroll feature (no TrackPoint®), multi-touch	Integrated models: 65-watt AC adapter Optimus models: 90-watt AC adapter
30" x 9.65" x 0.68" to 1.35"; 376mm x 245mm x 17.2 to 34.3mm ye and battery: 6-cell: from 5.73 lb (2.6kg) Brown (metal-like, hairline cover finishing);	EPEAT™ Gold rating ENERGY STAR® 5.0-compliant RoHS-compliant
/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic cell, 48Wh lels: up to 4.5 hr; 610M models: up to 5 hr; Integrated models: up to 6 hr	Limited Warranty¹²  ≈ 1-year warranty*:
M76 Express Chipset  MMC, Secure Digital Card)  and two USB 3.0, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)	* 1- year on major electronic components (including battery), 90-day on keyboard, hinges, plastics, power cord, AC adapter Mail In repair service
ess Mini Card slot n wireless <sup>4</sup> PCIe Half Mini Card adapter Broadcom® or Atheros® chin	<ul> <li>Service upgrade options<sup>68</sup>         (in eligible locations):<sup>9</sup> <ul> <li>3-year Depot warranty</li> <li>1-year Mail In with accidental damage protection</li> <li>55Y2511</li> </ul> </li> </ul>
n wireless, PCIe Half Mini Card adapter, Broadcom or Atheros chip,	3-year Mail In with accidental damage protection 78Y1539     3-year Onsite warranty 78Y1540     1-year Onsite with accidental damage protection 78Y1533     Toll-free support for warranty
	rireless <sup>4</sup> , PCIe Half Mini Card adapter, Broadcom® or Atheros® chip,

🖾 US model(s) announced June 5, 2013; previous model(s) on November 28, 2012 or March 27 or April 17, 2013

© Lenovo

(LAGR2-4) June 2013

	Part number	Pro- cessor	Memory	Widescreen display	Cam- era	Integrated graphics	SATA disk GB <sup>®</sup> rpm	SATA optical	PCle Mini Card 802.11	Top color	HDMI connector		Battery cells		Avail date (mm/yy)
	59343703	E2-1800	4GBx1	15.6" HD	720p	Radeon HD 7340	320GB 5400	DVD±RW	11b/g/n <sup>28</sup>	Brown	HDMI	None	6-cell	Win8 64	11/12
3	59343701	E1-1200	4GBx1	15.6" HD	720p	Radeon HD 7310	320GB 5400	<b>DVD</b> ±RW	11b/g/n	Brown	HDMI	None	6-cell	Win8 64	11/12

- 15.6" widescreen, glossy display
- Integrated 0.3 megapixel or 720P HD camera
   Lenovo Rescue System provides OneKey recovery and OneKey Antivirus without booting into Windows

Positioning Processor	Widescreen flexibility; two-spindle  AMD Accelerated Processor E1-1200 (2 cores, 1.40GHz, 1MB L2 cache), integrated AMD Radeon™ HD 7310 Graphics, integrated DPR3 memory controller (up to 1066MHz)  AMD Accelerated Processor E2-1800 (2 cores, 1.70GHz, 1MB L2 cache), integrated AMD Radeon HD 7340 Graphics, integrated DDR3 memory controller (up to 1333MHz)	Preloaded operating system <sup>20</sup> - Windows® 8 64-bit  Preloaded applications¹⁴ (only some listed) - Traditional Desktop apps  ■ Lenovo OneKey Recovery			
Memory	16GB max <sup>7</sup> / <b>PC3-12800 1600MHz DDR3</b> *, non-parity, single-channel capable, two 204-pin SO-DIMM sockets * System automatically clocks down for processors with 1066 MHz or 1333MHz DDR3 memory controller	Lenovo Cloud Storage by SugarSync     Lenovo Solution Center     PokeTALK     McAfee® Internet Security     (30-Day Trial)			
Diskette drive SATA optical SATA disk SATA controller	None DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in 320GB (5400 rpm) / SATA 3.0Gb/s, 7mm or 9.5mm high Serial ATA, SATA 6.0Gb/s, integrated in chipset	Nitro Pro (90-Day Trial) CyberLink YouCam Cyberlink PowerDVD (DVD±RW) Cyberlink Power2Go (DVD±RW) Microsoft Office preloaded;			
Widescreen display Camera	15.6" (396.2mm) HD (1366x768) TFT color, VibrantView (glossy), LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio HD720p Camera on top of screen, 1.0-megapixel, fixed focus, LED indicator	bullious of Office preformed, purchase product key to activate     Lenovo Energy Management     Intel AppUp®			
Integrated graphics	AMD Radeon HD 7340 or HD 7310 graphics, integrated in processor; external monitor support via analog VGA DB-15 connector / digital HDMI connector	Windows Store apps (Metro-style)     AccuWeather			
Keyboard Numeric keypad Touch pad	Full-size keyboard, multimedia Fn keys, recovery key Numeric keypad on right of keyboard Two-button touch pad with scroll feature (no TrackPoint®), multi-touch	Evernote     Skype     McAfee     Lenovo Support			
Dimensions <sup>3</sup> Weight <sup>2</sup> Case color	(WxDxH): 14.80" x 9.65" x 1.35"; 376mm x 245mm x 34.3mm with optical drive and battery: 6-cell: from 5.73 lb (2.6kg) Top: Brown (glossy);	Lenovo Companion     Cyberlink PowerDVD			
Case material Battery - type Battery - life <sup>10</sup>	bottom: Black Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic Lithium Ion 6-cell, 48Wh Integrated models: up to 6 hr	Integrated models: 40-watt AC adapter EPEAT™ Gold rating ENERGY STAR® qualified RoHS-compliant			
Chipset ExpressCard/34 Multicard reader Ports	AMD A68M FCH None 2-in-1 reader (MMC, Secure Digital Card) One USB 2.0 and two USB 3.0, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)	Limited Warranty¹²			
TV tuner PCIe Mini Card 11b/g/n²8 Bluetooth™ Modem Ethernet Audio support	None One PCI Express Half Mini Card slot 11b/g/n wireless⁴, PCIe Half Mini Card adapter, Broadcom® or Atheros® chip, 1x1 None None 10/100M ethernet, Realtek RTL8105E High Definition (HD) Audio, Conexant® CX20671 / stereo speakers (1.5 watt x 2), Dolby® Advanced Audio™ v2 / integrated microphone, headphone / microphone combo jack (3.5 mm)	components (including battery), 90-day on keyboard, hinges, plastics, power cord, AC adapter  Mail In repair service Service upgrade options <sup>58</sup> (in eligible locations):  • 3-year Depot warranty • 1-year Mail In with accidental damage protection 55Y25  Toll-free support for warranty			
Security Fingerprint reader	Hard disk password, administrator password, security lockhole None	issues during the warranty period <sup>12</sup> via 877-453-6686			

See footnotes for important warranty information US model(s) announced November 28, 2012; previous model(s) on November 8, 2012

© Lenovo (CHCH2-1) November 2012

	Part number	Pro- cessor	\ Memory	Videscreen display	Cam- era	Integrated graphics	SATA disk GB <sup>®</sup> rpm	SATA optical	PCle Mini Card 802.11	Top color o		Blue- tooth		Win8 preload	Avail date (mm/yy)
	59345756	E-300	2GBx1	15.6" HD	720p	Radeon HD 6310	320GB 5400	DVD±RW	11b/g/n <sup>28</sup>	Black	None	None	6-cell	Win8 64	11/12
	59345757	E-300	4GBx1	15.6" HD	720p	Radeon HD 6310	320GB 5400	<b>DVD</b> ±RW	11b/g/n	Black	None	None	6-cell	Win8 64	11/12
13F	59359143	E1-1500	4GBx1	15.6" HD	720p	Radeon HD 7310	320GB 5400	DVD±RW	11b/g/n	Black	None	None	6-cell	Win8 64	02/13

- 15.6" widescreen, glossy display
- Integrated 0.3 megapixel or 720P HD camera
- Lenovo Rescue System provides OneKey recovery and OneKey Antivirus without booting into Windows

Positioning Processor	Widescreen flexibility; two-spindle  AMD Accelerated Processor E-300 (2 cores, 1.30GHz, 1MB L2 cache), integrated AMD Radeon™ HD 6310 Graphics, integrated DDR3 memory controller (up to 1066MHz)  AMD Accelerated Processor E1-1500 (2 cores, 1.48GHz, 1MB L2 cache), integrated AMD Radeon HD 7310 Graphics, integrated DDR3 memory controller (up to 1066MHz)	Preloaded operating system <sup>20</sup> - Windows® 8 64-bit Preloaded applications¹⁴ (only some listed) - Traditional Desktop apps - Lenovo OneKey Recovery - Lenovo Cloud Storage by SugarSync
Memory	8GB max <sup>7</sup> / <b>PC3-12800 1600MHz DDR3*</b> , non-parity, single-channel capable, one 204-pin SO-DIMM sockets * System automatically clocks down for processors with 1066MHz DDR3 memory controller	Lenovo Cloud Storage by SugarSyric     Lenovo Solution Center     PokeTALK     McAfee® Internet Security
Diskette drive SATA optical SATA disk SATA controller	None DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in 320GB (5400 rpm) / SATA 3.0Gb/s, 7mm or 9.5mm high Serial ATA, SATA 6.0Gb/s, integrated in chipset	(30-Day Trial)  Nitro Pro (90-Day Trial)  CyberLink YouCam  Cyberlink PowerDVD (DVD±RW)
Widescreen display Camera	15.6" (396.2mm) HD (1366x768) TFT color, VibrantView (glossy), LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio HD720p Camera on top of screen, 1.0-megapixel, fixed focus, LED indicator	Cyberlink Power2Go (DVD±RW)     Microsoft Office preloaded;     purchase product key to activate     Lenovo Energy Management
Integrated graphics	AMD Radeon HD 6310 or HD 7310 graphics, integrated in processor; external monitor support via analog VGA DB-15 connector	<ul> <li>Intel AppUp®</li> <li>Windows Store apps (Metro-style)</li> </ul>
Keyboard Numeric keypad Touch pad	Full-size keyboard, multimedia Fn keys, recovery key Numeric keypad on right of keyboard Two-button touch pad with scroll feature (no TrackPoint®), multi-touch	AccuWeather     Evernote     Skype
Dimensions <sup>3</sup> Weight <sup>2</sup> Case color	(WxDxH): 14.80" x 9.65" x 1.35"; 376mm x 245mm x 34.3mm with optical drive and battery: 6-cell: from 5.73 lb (2.6kg) Top: Black (matt); bottom: Black	McAfee     Lenovo Support     Lenovo Companion     Cyberlink PowerDVD
Case material Battery - type Battery - life <sup>10</sup>	Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic Lithium Ion <b>6-cell</b> , 48Wh Integrated models: up to 6 hr	Integrated models: 40-watt AC adapter EPEAT™ Gold rating ENERGY STAR® qualified
Chipset ExpressCard/34 Multicard reader Ports	AMD A68M FCH None 2-in-1 reader (MMC, Secure Digital Card) One USB 2.0 and two USB 3.0, external monitor (VGA DB-15), ethernet (RJ-45)	RoHS-compliant  Limited Warranty¹²  ≈ 1-year warranty*:
TV tuner PCIe Mini Card 11b/g/n²8 Bluetooth™ Modem Ethernet Audio support  Security Fingerprint reader	None One PCI Express Half Mini Card slot 11b/g/n wireless⁴, PCIe Half Mini Card adapter, Broadcom® or Atheros® chip, 1x1 None None 10/100M ethernet, Realtek RTL8105E High Definition (HD) Audio, Conexant® CX20671 / stereo speakers (1.5 watt x 2), Dolby® Advanced Audio™ v2 / integrated microphone, headphone / microphone combo jack (3.5 mm) Hard disk password, administrator password, security lockhole None	* 1- year on major electronic components (including battery), 90-day on keyboard, hinges, plastics, power cord, AC adapter Mail In repair service Service upgrade options <sup>58</sup> (in eligible locations): <sup>9</sup> • 3-year Depot warranty 78Y1538 • 1-year Mail In with accidental damage protection 55Y2511  Toll-free support for warranty issues during the warranty period <sup>12</sup> via 877-453-6686

See footnotes for important warranty information US model(s) announced February 21, 2013; previous model(s) on November 28, 2012

© Lenovo (CHCH2-2) February 2013

Part number	Pro- cessor	\ Memory	Widescreen display	Cam- era	Integrated graphics	SATA disk GB <sup>8</sup> rpm	SATA optical	PCIe Mini Card 802.11	Top color		Blue- Batter tooth cells		Avail date (mm/yy)
2181-9EU	E-300	2GBx1	15.6" HD	720p	Radeon HD 6310	320GB 5400	DVD±RW	/ 11b/g/n <sup>28</sup>	Black	None	None 6-cel	Win8 64	11/12
2181-98U	E-300	4GBx1	15.6" HD	720p	Radeon HD 6310	500GB 5400	DVD±RW	/ 11b/g/n	Black	None	None 6-cel	Win8 64	11/12
2181-9FU	E1-1200	4GBx1	15.6" HD	720p	Radeon HD 7310	500GB 5400	DVD±RW	/ 11b/g/n	Black	None	None 6-cel	Win8 64	11/12
2181-99U	E1-1200	4GBx1	15.6" HD	720p	Radeon HD 7310	1TB 5400	DVD±RW	/ 11b/g/n	Black	None	None 6-cel	Win8 64	11/12

- 15.6" widescreen, glossy display
- Integrated 0.3 megapixel or 720P HD camera
   Lenovo Rescue System provides OneKey recovery and OneKey Antivirus without

Positioning Processor	Widescreen flexibility; two-spindle  AMD Accelerated Processor E-300 (2 cores, 1.30GHz, 1MB L2 cache), integrated AMD Radeon™ HD 6310 Graphics, integrated DDR3 memory controller (up to 1066MHz)  AMD Accelerated Processor E1-1200 (2 cores, 1.40GHz, 1MB L2 cache), integrated AMD Radeon HD 7310 Graphics, integrated DDR3 memory controller (up to 1066MHz)	Preloaded operating system <sup>20</sup> - Windows® 8 64-bit Preloaded applications¹⁴ (only some listed) - Traditional Desktop apps - Lenovo OneKey Recovery - Lenovo Cloud Storage by SugarSync
Memory	8GB max <sup>7</sup> / <b>PC3-12800 1600MHz DDR3</b> *, non-parity, single-channel capable, one 204-pin SO-DIMM sockets * System automatically clocks down for processors with 1066MHz DDR3 memory controller	Lenovo Cloud Storage by SugarSync     Lenovo Solution Center     PokeTALK     McAfee® Internet Security
Diskette drive SATA optical SATA disk SATA controller	None DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in 320GB (5400 rpm), 500GB (5400 rpm), or 1TB (5400 rpm) / SATA 3.0Gb/s, 7mm or 9.5mm high Serial ATA, SATA 6.0Gb/s, integrated in chipset	(30-Day Trial)  Nitro Pro (90-Day Trial)  CyberLink YouCam  Cyberlink PowerDVD (DVD±RW)  Cyberlink Power2Go (DVD±RW)
Widescreen display Camera	15.6" (396.2mm) HD (1366x768) TFT color, VibrantView (glossy), LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio HD720p Camera on top of screen, 1.0-megapixel, fixed focus, LED indicator	Microsoft Office preloaded; purchase product key to activate     Lenovo Energy Management     Intel AppUp®
Integrated graphics	AMD Radeon HD 6310 or HD 7310 graphics, integrated in processor; external monitor support via analog VGA DB-15 connector	<ul><li>Windows Store apps (Metro-style)</li><li>AccuWeather</li></ul>
Keyboard Numeric keypad Touch pad	Full-size keyboard, multimedia Fn keys, recovery key Numeric keypad on right of keyboard Two-button touch pad with scroll feature (no TrackPoint®), multi-touch	Evernote     Skype     McAfee     Lenovo Support
Dimensions <sup>3</sup> Weight <sup>2</sup> Case color	(WxDxH): 14.80" x 9.65" x 1.35"; 376mm x 245mm x 34.3mm with optical drive and battery: 6-cell: from 5.73 lb (2.6kg) Top: Black (matt);	Lenovo Companion     Cyberlink PowerDVD
Case material Battery - type Battery - life <sup>10</sup>	bottom: Black Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic Lithium Ion 6-cell, 48Wh Integrated models: up to 6 hr	Integrated models: 40-watt AC adapter EPEAT™ Gold rating ENERGY STAR® qualified RoHS-compliant
Chipset ExpressCard/34 Multicard reader Ports	AMD A68M FCH None 2-in-1 reader (MMC, Secure Digital Card) One USB 2.0 and two USB 3.0, external monitor (VGA DB-15), ethernet (RJ-45)	Limited Warranty¹²  ≈ 1-year warranty*:  * 1- year on major electronic
TV tuner PCIe Mini Card 11b/g/n²8 Bluetooth™ Modem Ethernet Audio support  Security Fingerprint reader	None One PCI Express Half Mini Card slot 11b/g/n wireless⁴, PCIe Half Mini Card adapter, Broadcom® or Atheros® chip, 1x1 None None 10/100M ethernet, Realtek RTL8105E High Definition (HD) Audio, Conexant® CX20671 / stereo speakers (1.5 watt x 2), Dolby® Advanced Audio™ v2 / integrated microphone, headphone / microphone combo jack (3.5 mm) Hard disk password, administrator password, security lockhole None	components (including battery), 90-day on keyboard, hinges, plastics, power cord, AC adapter  Mail In repair service Service upgrade options <sup>58</sup> (in eligible locations): <sup>9</sup> • 3-year Depot warranty 78Y1538 • 1-year Mail In with accidental damage protection 55Y2511  Toll-free support for warranty issues during the warranty period <sup>12</sup> via 877-453-6686

See footnotes for important warranty information US model(s) announced November 28, 2012

© Lenovo (CHCH2-3) November 2012

## lenovo





Lenovo G770

Lenovo G770





Lenovo G770

Lenovo G770





Lenovo G770

Lenovo G770

Type-model	Pro- cessor		Max turbo (GHz)	Memory	Widescreen display	Cam- era	Integrated graphics	SATA disk	Optical	PCIe Mini Card 802.11	Top color	HDMI connector	Blue- tooth	Battery cells	Win7 preload
1037-2MU	i3-2310M	1 2.10		2GBx2	17.3" HD+	2.0M	Intel HD	750GB8	Blu-ray	11b/g/n <sup>28</sup>	Dark brown	HDMI		6-cell	Prem 64
1037-28U	i3-2310M	1 2.10		2GBx2	17.3" HD+	2.0M	Intel HD	500GB	DVD±ŘW	11b/g/n	Dark brown	HDMI		6-cell	Prem 64
1037-2LU	i5-2410M	1 2.30	2.90	2GBx2	17.3" HD+	2.0M	Intel HD	750GB	DVD±RW	11b/g/n	Dark brown	HDMI	BT2.1	6-cell	Prem 64
1037-2WU	i3-2330M	1 2.20		4GBx1	17.3" HD+	2.0M	Intel HD	500GB	DVD±RW	11b/g/n	Dark brown	HDMI		6-cell	Prem 64
1037-2UU	i3-2330M	1 2.20		4GBx1	17.3" HD+	2.0M	Intel HD	750GB	Blu-ray	11b/g/n	Dark brown	HDMI		6-cell	Prem 64
1037-2VU	i5-2430M	1 2.40	3.00	4+2GB	17.3" HD+	2.0M	Intel HD	750GB	DVD±ŘW	11b/g/n	Dark brown	HDMI	BT2.1	6-cell	Prem 64
1037-2XU	i5-2430M	1 2.40	3.00	4GBx2	17.3" HD+	2.0M	Intel HD	750GB	Blu-ray	11b/g/n	Dark brown	HDMI	BT2.1	6-cell	Prem 64
1037-5FU	i3-2350M	1 2.30		4GBx1	17.3" HD+	2.0M	Intel HD	500GB	DVD±ŘW	11b/g/n	Dark brown	HDMI		6-cell	Prem 64
1037-5WU	i5-2450M	1 2.50	3.10	4+2GB	17.3" HD+	2.0M	Intel HD	500GB	DVD±RW	11b/g/n	Dark brown	HDMI	BT2.1	6-cell	Prem 64
			170		oroon aloo	di-	m/our			-					

- 17.3" widescreen, glossy display
- Integrated 2.0 megapixel camera and Lenovo's VeriFace facial recognition software helps control access to your notebook by recognizing your face

  • Lenovo Rescue System provides OneKey recovery and OneKey Antivirus without
- booting into Windows
- These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

	These systems are microsoft. Office 2010 Floudet Rey Heady (Office Rif)	
Positioning Processor	Widescreen flexibility; two-spindle Intel® Core™ i3-2310M processor (dual-core, 2.10GHz, 3MB cache), DDR3 memory controller (up to 1333MHz) Intel Core i3-2330M processor (dual-core, 2.20GHz, 3MB cache), DDR3 memory controller (up to 1333MHz) Intel Core i3-2350M processor (dual-core, 2.30GHz, 3MB cache), DDR3 memory controller (up to 1333MHz) Intel Core i5-2410M processor (dual-core, 2.30GHz, 3MB cache), DDR3 memory controller (up to 1333MHz), Intel Turbo Boost 2.0 (2.90GHz), HT technology Intel Core i5-2430M processor (dual-core, 2.40GHz, 3MB cache), DDR3 memory controller (up to 1333MHz), Intel Turbo Boost 2.0 (3.00GHz), HT technology Intel Core i5-2450M processor (dual-core, 2.50GHz, 3MB cache), DDR3 memory controller (up to 1333MHz), Intel Turbo Boost 2.0 (3.10GHz), HT technology Intel Core i5-2450M processor (dual-core, 2.50GHz, 3MB cache), DDR3 memory controller (up to 1333MHz), Intel Turbo Boost 2.0 (3.10GHz), HT technology	Preloaded operating system <sup>20</sup> - Genuine Windows® 7 Home Premium 64  Preloaded applications¹⁴ (only some listed) • Lenovo OneKey Recovery • Lenovo ReadyComm • ooVoo™ • McAfee® VirusScan® Plus (60 days of virus definitions) • Adobe® Reader® • Windows Live™ Essentials • CyberLink YouCam • Microsoft Office 2010 preloaded;
Memory	8GB max <sup>7</sup> / <b>PC3-10600 1333MHz DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets	purchase product key to activate  ■ VeriFace™
Diskette drive Optical SATA disk	None Some: DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in Some: Blu-ray™ Disc reader (no Blu-ray burning), DVD recordable, 12.7mm, tray-in 500GB (5400 rpm) or 750GB (5400 rpm) / SATA 3.0Gb/s, 7mm or 9.5mm high	Lenovo Energy Management Software Lenovo DirectShare Cyberlink Power2Go (DVD±RW)
Widescreen display Camera	17.3" (439.4mm) HD+ (1600x900) TFT color, VibrantView (glossy), LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio Camera on top of screen, 2.0-megapixel, fixed focus	
Integrated graphics	Intel HD Graphics 3000 in processor, external analog monitor support via VGA DB-15 connector and digital monitor support via HDMI connector (HDCP-compliant)	
Keyboard Numeric keypad Touch pad	Full-size keyboard, multimedia Fn keys, recovery key Numeric keypad on right of keyboard Two-button touch pad with scroll feature, multi-touch	65-watt AC adapter Wireless on/off switch EPEAT™ Gold rating ENERGY STAR® qualified
Dimensions <sup>3</sup> Weight <sup>2</sup> Case color	(WxDxH): 16.38" x 10.71" x 1.42" to 1.77"; 416mm x 272mm x 36.1 to 44.9mm with optical drive and battery: 6-cell: from 6.61 lb (3.0kg)  Dark brown top, black bottom	RoHS-compliant
Case material Battery - type Battery - life <sup>10</sup>	Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic Lithium Ion 6-cell Integrated models: up to 5 hr	Limited Warranty¹²
Chipset ExpressCard/34 Multicard reader Ports	Mobile Intel HM65 Express Chipset None 5-in-1 reader (MMC, Memory Stick®, Memory Stick PRO™, Secure Digital Card, xD-Picture Card™) Four USB 2.0, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)	90-day on keyboard, hinges, plastics, power cord, AC adapter
TV tuner PCIe Mini Card 11b/g/n²8 Bluetooth™ Modem Ethernet Audio support	None One PCI Express Mini Card slot 11b/g/n wireless <sup>4</sup> , PCIe Mini Card adapter, Broadcom® or Atheros® chip Some: Bluetooth 2.1 wireless + EDR, USB 2.0 interface None 10/100 ethernet, Atheros AR8152L High Definition (HD) Audio, Conexant® CX20671 codec / stereo speakers (1.5 watt x 2) / microphone, microphone input jack (3.5 mm), headphone jack (3.5 mm)	(in eligible locations):9  • 3-year Depot warranty 78Y1538 • 1-year Mail In with accidental damage protection 55Y2511 • 3-year Mail In with accidental damage protection 78Y1539 • 3-year Onsite warranty 78Y1540 • 1-year Onsite with accidental damage protection 78Y1533  Toll-free support for warranty period?
Security Fingerprint reader	Hard disk password, user password, administrator password, security lockhole r None	issues during the warranty period <sup>12</sup> via 877-453-6686

US models announced January 18, 2012; previous models on July 6 or October 13, 2011

© Lenovo

(BUD1-1) January 2012

Pro Type-model ces		Max turbo z (GHz)		Widescreen display		Integrated graphics	SATA disk GB <sup>8</sup> rpm	SATA optical	PCle Mini Card 802.11	Top color	HDMI con- nector	Blue- tooth	Battery cells	Win7 preload
1037-2GU i5-2	2410M 2.3	0 2.90	4GBx2	17.3" HD+	2.0M	Intel HD	750G 5400	DVD±RW	11b/g/n <sup>28</sup>	Dark brown	HDMI	BT2.1	6-cell	Prem 64
1037-2HU i5-2	2410M 2.3	0 2.90	2GBx2	17.3" HD+	2.0M	Intel HD	500G 5400	<b>DVD</b> ±RW	11b/g/n	Dark brown	HDMI	BT2.1	6-cell	Prem 64
1037-52U i5-2	2410M 2.3	0 2.90	4+2GB	17.3" HD+	2.0M	Intel HD	750G 5400	<b>DVD</b> ±RW	11b/g/n	Dark brown	HDMI	BT2.1	6-cell	Prem 64
1037-53U i5-2	2410M 2.3	0 2.90	4+2GB	17.3" HD+			750G 5400			Dark brown	HDMI	BT2.1	6-cell	Prem 64
1037-2YU i3-2		0		17.3" HD+			500G 5400			Dark brown				Prem 64
1037-5NU i5-2	2430M 2.4	0 3.00	4GBx1	17.3" HD+	2.0M	Intel HD	500G 5400	DVD±RW	11b/g/n	Dark brown	HDMI	BT2.1	6-cell	Prem 64
1037-5MU i5-2	2430M 2.4			17.3" HD+	2.0M	Intel HD	750G 5400	DVD±RW	11b/g/n	Dark brown	HDMI	BT2.1	6-cell	Prem 64
1037-5KU i5-2		0 3.00		17.3" HD+			750G 5400			Dark brown				Prem 64
1037-56U B80				17.3" HD+			500G 5400			Dark brown		BT2.1		Prem 64
				17.3" HD+			500G 5400			Dark brown		BT2.1		Prem 64
				17.3" HD+			750G 5400			Dark brown		BT2.1		Prem 64
1037-5PU i5-2				17.3" HD+			750G 5400			Dark brown		BT2.1		Prem 64
<sup>-</sup> 1037-5TU i5-2	2430M 2.4	0 3.00	4GBx2	17.3" HD+	2.0M	Intel HD	500G 7200	DVD±RW	11b/g/n	Dark brown	HDMI	BT2.1	6-cell	Prem 64

- 17.3" widescreen, glossy display
- Integrated 2.0 megapixel camera and Lenovo's VeriFace facial recognition software helps control access to your notebook by recognizing your face
- Lenovo Rescue System provides OneKey recovery and OneKey Antivirus without booting into Windows
- These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

Positioning Processor	Widescreen flexibility; two-spindle Intel® Celeron® B800 processor (2 cores / 2 threads, 1.50GHz, 2MB cache), DDR3 memory controller (up to 1333MHz) Intel Core™ i3-2330M processor (dual-core, 2.20GHz, 3MB cache), DDR3 memory controller (up to 1333MHz), HT technology Intel Core i5-2410M processor (dual-core, 2.30GHz, 3MB cache), DDR3 memory controller (up to 1333MHz), Intel Turbo Boost 2.0 (2.90GHz), HT technology Intel Core i5-2430M processor (dual-core, 2.40GHz, 3MB cache), DDR3 memory controller (up to 1333MHz), Intel Turbo Boost 2.0 (3.00GHz), HT technology Intel Core i5-2450M processor (dual-core, 2.50GHz, 3MB cache), DDR3 memory controller (up to 1333MHz), Intel Turbo Boost 2.0 (3.10GHz), HT technology	Preloaded operating system <sup>20</sup> - Genuine Windows® 7 Home Premium 64  Preloaded applications¹⁴ (only some listed) ■ Lenovo OneKey Recovery ■ Lenovo ReadyComm ■ ooVoo™ ■ McAfee® VirusScan® Plus (60 days of virus definitions) ■ Adobe® Reader®
Memory	8GB max <sup>7</sup> / <b>PC3-10600 1333MHz DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets;	Windows Live™ Essentials     CyberLink YouCam
Diskette drive Optical SATA disk	None Some: DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in Some: Blu-ray™ Disc reader (no Blu-ray burning), DVD recordable, 12.7mm, tray-in 500GB (5400 rpm) or 750GB (5400 rpm) / SATA 3.0Gb/s, 7mm or 9.5mm high	Microsoft Office 2010 preloaded; purchase product key to activate     VeriFace™     Lenovo Energy Management
Widescreen display Camera	17.3" (439.4mm) HD+ (1600x900) TFT color, VibrantView (glossy), LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio Camera on top of screen, 2.0-megapixel, fixed focus	Software Lenovo DirectShare Cyberlink Power2Go (DVD±RW)
Integrated graphics	Intel HD Graphics in processor, external analog monitor support via VGA DB-15 connector and digital monitor support via HDMI connector (HDCP-compliant)	
Keyboard Numeric keypad Touch pad	Full-size keyboard, multimedia Fn keys, recovery key Numeric keypad on right of keyboard Two-button touch pad with scroll feature, multi-touch	65-watt AC adapter Wireless on/off switch - EPEAT™ Gold rating
Dimensions <sup>3</sup> Weight <sup>2</sup> Case color	(WxDxH): 16.38" x 10.71" x 1.42" to 1.77"; 416mm x 272mm x 36.1 to 44.9mm with optical drive and battery: 6-cell: from 6.61 lb (3.0kg)  Dark brown top, black bottom	ENERGY STAR® qualified RoHS-compliant
Case material Battery - type Battery - life <sup>10</sup>	Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic Lithium Ion <b>6-cell</b> Integrated models: up to 5 hr	Limited Warranty¹²
Chipset ExpressCard/34 Multicard reader Ports	Mobile Intel HM65 Express Chipset None 5-in-1 reader (MMC, Memory Stick®, Memory Stick PRO™, Secure Digital Card, xD-Picture Card™) Four USB 2.0, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)	* 1- year on major electronic components (including battery), 90-day on keyboard, hinges, plastics, power cord, AC adapter Mail In repair service Service upgrade options <sup>58</sup>
TV tuner PCIe Mini Card 11b/g/n²8 Bluetooth™ Modem Ethernet Audio support  Security Fingerprint reader	None One PCI Express Mini Card slot 11b/g/n wireless <sup>4</sup> , PCIe Mini Card adapter, Broadcom® or Atheros® chip Bluetooth 2.1 wireless + EDR, USB 2.0 interface None 10/100 ethernet, Atheros AR8152L High Definition (HD) Audio, Conexant® CX20671 codec / stereo speakers (1.5 watt x 2) / microphone, microphone input jack (3.5 mm), headphone jack (3.5 mm) Hard disk password, user password, administrator password, security lockhole	(in eligible locations):³  • 3-year Depot warranty 78Y1538 • 1-year Mail In with accidental damage protection 55Y2511 • 3-year Mail In with accidental damage protection 78Y1539 • 3-year Onsite warranty 78Y1540 • 1-year Onsite with accidental damage protection 78Y1533  □ Toll-free support for warranty issues during the warranty period¹² via 877-453-6686

See footnotes for important warranty information

🖙 US model(s) announced June 6, 2012; previous models on June 08, October 13, or December 21, 2011 or January 18, 2012

© Lenovo (BUD1-2) June 2012

Pro- Type-model cessor	GHz	Max turbo (GHz)	Widescre Memory display		SATA disk	Optical	PCle Mini Card 802.11	Top color	HDMI connector	Blue- tooth	Battery cells	Win7 preload
1037-2KU i5-2410M	2.30	2.90	4+2GB 17.3" HI		750GB <sup>8</sup>		11b/g/n <sup>28</sup>	Dark brown	n HDMI	BT2.1		Prem 64

- 17.3" widescreen, glossy display
- Integrated 2.0 megapixel camera and Lenovo's VeriFace facial recognition software helps control access to your notebook by recognizing your face
- Lenovo Rescue System provides OneKey recovery and OneKey Antivirus without booting into Windows
- This system is Microsoft® Office 2010 Product Key Ready (O10PKR)

		<u> </u>
Positioning Processor	Widescreen flexibility; two-spindle Intel® Core™ i5-2410M processor (dual-core, 2.30GHz, 3MB cache), integrated Intel HD Graphics 3000, DDR3 memory controller (up to 1333MHz), Intel Turbo Boost 2.0 (2.90GHz), HT technology	Preloaded operating system <sup>20</sup> - Genuine Windows <sup>®</sup> 7 Home Premium 64  Preloaded applications <sup>14</sup> (only some
Memory	8GB max <sup>7</sup> / <b>PC3-10600 1333MHz DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets	listed)  • Lenovo OneKey Recovery
Diskette drive Optical SATA disk	None Blu-ray™ Disc reader (no Blu-ray burning), DVD recordable, 12.7mm, tray-in <b>750GB</b> (5400 rpm) / SATA 3.0Gb/s, 7mm or 9.5mm high	<ul> <li>Lenovo ReadyComm</li> <li>ooVoo™</li> <li>McAfee® VirusScan® Plus</li> </ul>
Widescreen display Camera	17.3" (439.4mm) HD+ (1600x900) TFT color, VibrantView (glossy), LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio Camera on top of screen, 2.0-megapixel, fixed focus	(60 days of virus definitions)  • Adobe® Reader®  • Windows Live™ Essentials  • CyberLink YouCam
Graphics	AMD Radeon™ HD 6650M, PCI Express® x16, 1GB DDR3 memory, DirectX® 11, external analog monitor support via VGA DB-15 connector and digital monitor support via HDMI connector (HDCP-compliant)	<ul> <li>Microsoft Office 2010 preloaded; purchase product key to activate</li> <li>VeriFace™</li> </ul>
Keyboard Numeric keypad Touch pad	Full-size keyboard, multimedia Fn keys, recovery key Numeric keypad on right of keyboard Two-button touch pad with scroll feature, multi-touch	Lenovo Energy Management     Software     Lenovo DirectShare     Cyberlink Power2Go (Blu-ray)
Dimensions <sup>3</sup> Weight <sup>2</sup> Case color Case material Battery - type Battery - life <sup>10</sup>	(WxDxH): 16.38" x 10.71" x 1.42" to 1.77"; 416mm x 272mm x 36.1 to 44.9mm with optical drive and battery: 6-cell: from 6.61 lb (3.0kg) Dark brown top, black bottom Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic Lithium Ion 6-cell Discrete models: up to 4.5 hr	90-watt AC adapter Wireless on/off switch EPEAT™ Gold rating ENERGY STAR® qualified RoHS-compliant
Chipset ExpressCard/34 Multicard reader Ports	Mobile Intel HM65 Express Chipset None 5-in-1 reader (MMC, Memory Stick®, Memory Stick PRO™, Secure Digital Card, xD-Picture Card™) Four USB 2.0, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)	Limited Warranty¹²
TV tuner PCIe Mini Card 11b/g/n²8 Bluetooth™ Modem Ethernet Audio support	None One PCI Express Mini Card slot 11b/g/n wireless <sup>4</sup> , PCIe Mini Card adapter, Broadcom® or Atheros® chip Bluetooth 2.1 wireless + EDR, USB 2.0 interface None 10/100 ethernet, Atheros AR8152L High Definition (HD) Audio, Conexant® CX20671 codec / stereo speakers (1.5 watt x 2) / microphone, microphone input jack (3.5 mm), headphone jack (3.5 mm)	90-day on keyboard, hinges, plastics, power cord, AC adapter  Mail In repair service  Service upgrade options⁵  (in eligible locations):  • 3-year Depot warranty 78Y1538  • 1-year Mail In with accidental damage protection 55Y2511  • 3-year Mail In with accidental
Security Fingerprint reade	Hard disk password, user password, administrator password, security lockhole	damage protection 78Y1539  • 3-year Onsite warranty 78Y1540  • 1-year Onsite with accidental damage protection 78Y1533  Toll-free support for warranty issues during the warranty period¹² via 877-453-6686

See footnotes for important warranty information US model announced July 6, 2011

© Lenovo (BUD1-4) July 2011

Type-model	Pro- cessor	GHz	Max turbo (GHz)	Memory	Widescreen display	Cam- era	Graphics	SATA disk	SATA optical	PCle Mini Card 802.11	Top color	HDMI connector	Blue- tooth	Battery cells	Win7 preload
1037-5LU i	i5-2430M	2.40	3.00	4GBx2	17.3" HD+	2.0M	HD 6650M HD 6650M HD 6650M	750GB	Blu-ray	11b/g/n	Dark brown Dark brown Dark brown	n HDMI	BT2.1	6-cell	Prem 64 Prem 64 Prem 64

- 17.3" widescreen, glossy display
- Integrated 2.0 megapixel camera and Lenovo's VeriFace facial recognition software helps control access to your notebook by recognizing your face
- Lenovo Rescue System provides OneKey recovery and OneKey Antivirus without booting into Windows
- These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

Widescreen flexibility; two-spindle Intel® Core™ i5-2410M processor (dual-core, 2.30GHz, 3MB cache), DDR3 memory controller (up to 1333MHz), Intel Turbo Boost 2.0 (2.90GHz), HT technology Intel Core i5-2430M processor (dual-core, 2.40GHz, 3MB cache), DDR3 memory controller (up to 1333MHz), Intel Turbo Boost 2.0 (3.00GHz), HT technology Intel Core i5-2450M processor (dual-core, 2.50GHz, 3MB cache), DDR3 memory controller (up to 1333MHz), Intel Turbo Boost 2.0 (3.10GHz), HT technology	Preloaded operating system <sup>20</sup> - Genuine Windows® 7 Home Premium 64 Preloaded applications¹⁴ (only some listed) - Lenovo OneKey Recovery - Lenovo ReadyComm
8GB max <sup>7</sup> / <b>PC3-10600 1333MHz DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets;	ooVoo™     McAfee® VirusScan® Plus
None Some: DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in Some: Blu-ray™ Disc reader (no Blu-ray burning), DVD recordable, 12.7mm, tray-in 750GB (5400 rpm) / SATA 3.0Gb/s, 7mm or 9.5mm high	(60 days of virus definitions)  • Adobe® Reader®  • Windows Live™ Essentials  • CyberLink YouCam
17.3" (439.4mm) HD+ (1600x900) TFT color, VibrantView (glossy), LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio Camera on top of screen, 2.0-megapixel, fixed focus	Microsoft Office 2010 preloaded; purchase product key to activate     VeriFace™     Lenovo Energy Management
AMD Radeon™ HD 6650M, PCI Express® x16, 1GB DDR3 memory, DirectX® 11, external analog monitor support via VGA DB-15 connector and digital monitor support via HDMI connector (HDCP-compliant)	Software Lenovo DirectShare Cyberlink Power2Go (DVD±RW)
Full-size keyboard, multimedia Fn keys, recovery key Numeric keypad on right of keyboard Two-button touch pad with scroll feature, multi-touch	90-watt AC adapter Wireless on/off switch EPEAT™ Gold rating
with optical drive and battery: 6-cell: from 6.61 lb (3.0kg) Dark brown top, black bottom	ENERGY STAR® qualified RoHS-compliant
Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic Lithium Ion <b>6-cell</b> <i>Discrete models:</i> up to 4.5 hr	Limited Warranty¹²
Mobile Intel HM65 Express Chipset None 5-in-1 reader (MMC, Memory Stick®, Memory Stick PRO™, Secure Digital Card, xD-Picture Card™)  Four LISP 2.0 experied monitor (VGA DR 15, HDMI), othernet (R L45)	components (including battery), 90-day on keyboard, hinges, plastics, power cord, AC adapter
None One PCI Express Mini Card slot 11b/g/n wireless <sup>4</sup> , PCIe Mini Card adapter, Broadcom® or Atheros® chip Bluetooth 2.1 wireless + EDR, USB 2.0 interface None 10/100 ethernet, Atheros AR8152L High Definition (HD) Audio, Conexant® CX20671 codec / stereo speakers (1.5 watt x 2) / microphone, microphone input jack (3.5 mm), headphone jack (3.5 mm) Hard disk password, user password, administrator password, security lockhole	<ul> <li>Service upgrade options<sup>58</sup>         (in eligible locations):<sup>9</sup> <ul> <li>3-year Depot warranty 78Y1538</li> <li>1-year Mail In with accidental damage protection 55Y2511</li> <li>3-year Mail In with accidental damage protection 78Y1539</li> <li>3-year Onsite warranty 78Y1540</li> <li>1-year Onsite with accidental damage protection 78Y1533</li> <li>Toll-free support for warranty issues during the warranty period¹²</li> </ul> </li> </ul>
	Intel® Core™ I5-2410M processor (dual-core, 2.30GHz, 3MB cache), DDR3 memory controller (up to 1333MHz), Intel Turbo Boost 2.0 (2.90GHz), HT technology Intel Core i5-2430M processor (dual-core, 2.40GHz, 3MB cache), DDR3 memory controller (up to 1333MHz), Intel Turbo Boost 2.0 (3.00GHz), HT technology Intel Core i5-2450M processor (dual-core, 2.50GHz, 3MB cache), DDR3 memory controller (up to 1333MHz), Intel Turbo Boost 2.0 (3.10GHz), HT technology Intel Core i5-2450M processor (dual-core, 2.50GHz, 3MB cache), DDR3 memory controller (up to 1333MHz), Intel Turbo Boost 2.0 (3.10GHz), HT technology Intel® Edward Processor (dual-core, 2.50GHz, 3MB cache), DDR3 memory controller (up to 1333MHz), Intel Turbo Boost 2.0 (3.10GHz), HT technology Intel® Edward Processor (dual-core, 2.50GHz, 3MB cache), DDR3 memory controller (up to 1333MHz), Intel Turbo Boost 2.0 (3.10GHz), HT technology Intel® Edward Processor (dual-core, 2.50GHz, 3MB cache), DDR3 memory controller (up to 1333MHz), Intel Turbo Boost 2.0 (3.00GHz), HT technology Intel® Edward Processor 2.0 (3.10GHz), Intel® Edward Processor 2.0 (3.10GHz), HT technology Intel® Edward Processor 2.0 (3.10GHz), Intel® Edward Processor 2.0 (3.10GHz), HT technology Intel® Edward Processor 2.0 (3.10GHz), Intel® Edward Processor 2.0 (3.10GHz), HT technology Intel® Edward Processor 2.0 (3.10GHz), Intel® Edward Processor 2.0 (3.10GHz), HT technology Intel® Edward Processor 2.0 (3.10GHz), Intel® Edward Processor 2.0 (3.10GHz), HT technology Intel® Edward Processor 2.0 (3.10GHz), HT technology Intel® Edward Processor 2.0 (3.10GHz), Intel® Edward Processor 2.0 (3.10GHz), HT technology Intel® Edward Processor 2.0 (3.10GHz), Intel® Edward Processor 2.0 (3.10GHz), HT technology Intel® Edward Processor 2.0 (3.10GHz), Intel® Edward Processor 2.0 (3.10GHz), HT technology Intel® Edward Processor 2.0 (3.10GHz), Intel® Edward Processor 2.0

See footnotes for important warranty information

us model(s) announced January 18, 2012; previous models on June 8 or December 21, 2011

© Lenovo (BUD1-3) January 2012

## lenovo



Lenovo G780



Lenovo G780



Lenovo G780



Lenovo G780



Lenovo G780



Lenovo G780

Pro- Type-model cessor	Widescreen Cam- Memory display era Graphics	SATA disk GB <sup>®</sup> rpm Optical	PCle Mini Card 802.11 Top color	Battery cells	Win7 preload	Avail date (mm/yy)
	4GBx1 17.3" HD+ 720p Intel HD 30 4+2GB 17.3" HD+ 720p Intel HD 40				Prem 64 Prem 64	

- 17.3" widescreen, glossy display
- Integrated 0.3 megapixel or 720P HD camera and Lenovo's VeriFace facial recognition software helps control access to your notebook by recognizing your face
- Lenovo Rescue System provides OneKey recovery and OneKey Antivirus without booting into Windows
- These system are Microsoft® Office 2010 Product Key Ready (O10PKR)

Positioning Processor	Widescreen flexibility; two-spindle Intel® Core™ i3-2370M processor (2 cores / 4 threads, 2.40 GHz, 3MB cache), DDR3 memory controller (up to 1333MHz), integrated Intel HD Graphics 3000 Intel Core i5-3210M processor (2 cores / 4 threads, 2.50 GHz, 3MB cache), DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (up to 3.10GHz), integrated Intel HD Graphics 4000	Preloaded operating system <sup>20</sup> - Genuine Windows® 7 Home Premium 64  Preloaded applications <sup>14</sup> (only some listed) • Lenovo OneKey Recovery
Memory	8GB max <sup>7</sup> / <b>PC3-12800 1600MHz DDR3</b> *, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets * System automatically clocks down for processors with 1333MHz DDR3 memory controller	Lenovo Solution Center     ooVoo™     PokeTALK
Diskette drive Optical SATA disk SATA controller	None DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in 500GB (5400 rpm) or 750GB (5400 rpm) / SATA 3.0Gb/s, 9.5mm high Serial ATA, SATA 6.0Gb/s, integrated in chipset	McAfee® Internet Security (30-Day Trial)     Adobe® Reader®     CyberLink YouCam
Widescreen display Camera	17.3" (439.4mm) HD+ (1600x900) TFT color, VibrantView (glossy), LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio Camera on top of screen, 0.3-megapixel or 720p HD, fixed focus	<ul> <li>Microsoft Office 2010 preloaded; purchase product key to activate</li> <li>VeriFace™</li> <li>Lenovo Energy Management</li> </ul>
Graphics	Intel HD Graphics 3000 or Intel HD Graphics 4000, integrated in processor; external monitor support via analog VGA DB-15 connector / digital HDMI connector	Software  • Cyberlink Power2Go (DVD±RW)
Keyboard Numeric keypad Touch pad	Full-size keyboard, multimedia Fn keys, recovery key Numeric keypad on right of keyboard Two-button touch pad with scroll feature, multi-touch	Integrated models: 65-watt AC adapter Optimus models: 90-watt AC adapter
Dimensions <sup>3</sup> Weight <sup>2</sup> Case color	(WxDxH): 16.38" x 10.75" x 1.42" to 1.77"; 416mm x 273mm x 36.1 to 44.9mm with optical drive and battery: 6-cell: from 6.6 lb (3.0kg)  Top: Dark Brown (metal-like, hairline cover finishing);	EPEAT™ Gold rating ENERGY STAR® qualified RoHS-compliant
Case material Battery - type Battery - life <sup>10</sup>	bottom: Black Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic Lithium Ion 6-cell, 48Wh Optimus models: up to 4.5 hr; Integrated models: up to 5 hr	Limited Warranty¹²
Chipset ExpressCard/34 Multicard reader Ports	Mobile Intel HM76 Express Chipset None 2-in-1 reader (MMC, Secure Digital Card) Two USB 2.0, two USB 3.0, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)	90-day on keyboard, hinges, plastics, power cord, AC adapter  Mail In repair service  Service upgrade options®
TV tuner PCIe Mini Card 11b/g/n²8 Bluetooth™ Modem Ethernet Audio support  Security Fingerprint reader	None One PCI Express Mini Card slot 11b/g/n wireless⁴, PCIe Mini Card adapter, Broadcom® or Atheros® chip Some: Bluetooth wireless None 10/100M ethernet, Atheros AR8162 High Definition (HD) Audio, Conexant® CX20671 / stereo speakers (1.5 watt x 2), Dolby® Advanced Audio™ v2 / integrated microphone, headphone jack (3.5 mm), microphone jack (3.5 mm) Hard disk password, administrator password, security lockhole None	(in eligible locations):  • 3-year Depot warranty 78Y1538 • 1-year Mail In with accidental damage protection 55Y2511 • 3-year Mail In with accidental damage protection 78Y1539 • 3-year Onsite warranty 78Y1540 • 1-year Onsite with accidental damage protection 78Y1533  □ Toll-free support for warranty issues during the warranty period¹² via 877-453-6686

See footnotes for important warranty information US model(s) announced August 17, 2012

© Lenovo (BUD2-2) August 2012

ß

Pro- Part number cessor	Widescreen Memory display	Cam- era Graphics	SATA disk GB <sup>®</sup> rpm	PCle Mini Card Optical 802.11	Top color	HDMI connector		Battery cells	Win8 preload	Avail date (mm/yy)
59344005 i5-3210M							BT4.0			
59344004 i3-3110M 59359249 i5-3230M							BT4.0	6-cell 6-cell		11/12 03/13

- 17.3" widescreen, glossy display
- Integrated 0.3 megapixel or 720P HD camera
   Lenovo Rescue System provides OneKey recovery and OneKey Antivirus without booting into Windows

Positioning Processor	Widescreen flexibility; two-spindle Intel® Core™ i3-3110M processor (2 cores / 4 threads, 2.40 GHz, 3MB cache), DDR3 memory controller (up to 1600MHz), integrated Intel HD Graphics 4000 Intel Core i5-3210M processor (2 cores / 4 threads, 2.50 GHz, 3MB cache), DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (up to 3.10GHz), integrated Intel HD Graphics 4000 Intel Core i5-3230M processor (2 cores / 4 threads, 2.60 GHz, 3MB cache), DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (up to 3.20GHz), integrated Intel HD Graphics 4000	Preloaded operating system <sup>20</sup> - Windows® 8 64-bit  Preloaded applications¹⁴ (only some listed) - Traditional Desktop apps - Lenovo OneKey Recovery - Lenovo Cloud Storage by SugarSync - PokeTALK - McAfee® Internet Security
Memory	8GB max <sup>7</sup> / <b>PC3-12800 1600MHz DDR3*</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets * System automatically clocks down for processors with 1333MHz DDR3 memory controller	(30-Day Trial) CyberLink YouCam Cyberlink PowerDVD (DVD±RW)
Diskette drive Optical SATA disk SATA controller	None DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in 500GB (5400 rpm), 750GB (5400 rpm), or 1TB (5400 rpm) / SATA 3.0Gb/s, 9.5mm high Serial ATA, SATA 6.0Gb/s, integrated in chipset	Cyberlink Power2Go (DVD±RW)     Microsoft Office preloaded;     purchase product key to activate     Lenovo Energy Management     Windows Store apps (Metro-style)
Widescreen display Camera	17.3" (439.4mm) HD+ (1600x900) TFT color, VibrantView (glossy), LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio Camera on top of screen, 0.3-megapixel or 720p HD, fixed focus	AccuWeather     Evernote     Skype
Graphics	Intel HD Graphics 3000 or Intel HD Graphics 4000, integrated in processor; external monitor support via analog VGA DB-15 connector / digital HDMI connector	McAfee     Lenovo Support
Keyboard Numeric keypad Touch pad	Full-size keyboard, multimedia Fn keys, recovery key Numeric keypad on right of keyboard Two-button touch pad with scroll feature, multi-touch	Lenovo Companion      Integrated models: 65-watt AC adapter     Optimus models: 90-watt AC adapter
Dimensions <sup>3</sup> Weight <sup>2</sup> Case color	(WxDxH): 16.38" x 10.75" x 1.42" to 1.77"; 416mm x 273mm x 36.1 to 44.9mm with optical drive and battery: 6-cell: from 6.6 lb (3.0kg)  Top: Dark Brown; bottom: Black	EPEAT™ Gold rating ENERGY STAR® qualified RoHS-compliant
Case material Battery - type Battery - life <sup>10</sup>	Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic Lithium Ion <b>6-cell</b> , 48Wh  Optimus models: up to 4.5 hr; Integrated models: up to 5 hr	Limited Warranty¹²  ⇒ 1-year warranty*:  * 1- year on major electronic
Chipset ExpressCard/34 Multicard reader Ports	Mobile Intel HM76 Express Chipset None 2-in-1 reader (MMC, Secure Digital Card) Two USB 2.0, two USB 3.0, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)	components (including battery), 90-day on keyboard, hinges, plastics, power cord, AC adapter Mail In repair service
TV tuner PCIe Mini Card 11b/g/n²8 Bluetooth™ Modem Ethernet Audio support  Security Fingerprint reader	None One PCI Express Mini Card slot 11b/g/n wireless <sup>4</sup> , PCIe Mini Card adapter, Broadcom® or Atheros® chip Some: Bluetooth 4.0 wireless None 10/100M ethernet, Atheros AR8162 High Definition (HD) Audio, Conexant® CX20671 / stereo speakers (1.5 watt x 2), Dolby® Advanced Audio™ v2 / integrated microphone, headphone jack (3.5 mm), microphone jack (3.5 mm) Hard disk password, administrator password, security lockhole None	Service upgrade options <sup>58</sup> (in eligible locations): <sup>9</sup> • 3-year Depot warranty 78Y1538 • 1-year Mail In with accidental damage protection 55Y2511 • 3-year Mail In with accidental damage protection 78Y1539 • 3-year Onsite warranty 78Y1540 • 1-year Onsite with accidental damage protection 78Y1533  ▼ Toll-free support for warranty issues during the warranty period¹² via 877-453-6686

See footnotes for important warranty information

US model(s) announced March 6, 2013; previous model(s) on November 8, 2012

© Lenovo (BUD2-3) March 2013

Pro- Part number cessor	Widescreen Memory display	Cam- era	Graphics		TA sk rpm	Optical	PCIe Mini Card 802.11	Top color			Battery cells	Win8 preload	Avail date (mm/yy)
59347664 i5-3210M	4GBx1 17.3" HD+	720p G	T 635M 2G	500G	5400	DVD±RW	11b/g/n <sup>28</sup>	Dark brown	n HDMI	BT4.0	6-cell	Win8 64	11/12
59347663 i7-3520M	4+2GB 17.3" HD+	720p G	T 635M 2G	750G	5400	DVD±RW	11b/g/n	Dark brown	n HDMI	BT4.0	6-cell	Win8 64	11/12
59347662 i7-3520M	4GBx2 17.3" HD+	720p G	T 635M 2G	1TB	5400	DVD±RW	11b/g/n	Dark brown	n HDMI	BT4.0	6-cell	Win8 64	11/12
59352497 i7-3632QM	1 4+2GB 17.3" HD+	720p G	T 635M 2G	750G	5400	$DVD \pm RW$	11b/g/n	Dark brown	n HDMI	BT4.0	6-cell	Win8 64	11/12
59352498 i7-3632QM	1 4GBx2 17.3" HD+	720p G	T 635M 2G	1TB	5400	$DVD \pm RW$	11b/g/n	Dark brown	n HDMI	BT4.0	6-cell	Win8 64	11/12

- 17.3" widescreen, glossy display
  Integrated 0.3 megapixel or 720P HD camera
- Lenovo Rescue System provides OneKey recovery and OneKey Antivirus without booting into Windows

Positioning Processor	Widescreen flexibility; two-spindle Intel® Core™ i5-3210M processor (2 cores / 4 threads, 2.50GHz, 3MB cache), DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (up to 3.10GHz), integrated Intel HD Graphics 4000 Intel Core i7-3520M processor (2 cores / 4 threads, 2.90GHz, 4MB cache), DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (up to 3.60GHz), integrated Intel HD Graphics 4000 Intel Core i7-3632QM processor (4 cores / 8 threads, 2.20GHz, 6MB cache), DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (up to 3.20GHz), integrated Intel HD Graphics 4000	Preloaded operating system <sup>20</sup> - Windows® 8 64-bit Preloaded applications¹⁴ (only some listed) - Traditional Desktop apps - Lenovo OneKey Recovery - Lenovo Cloud Storage by SugarSync - PokeTALK - McAfee® Internet Security
Memory	8GB max <sup>7</sup> / <b>PC3-12800 1600MHz DDR3</b> *, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets  * System automatically clocks down for processors with 1333MHz DDR3 memory controller	(30-Day Trial)     CyberLink YouCam     Cyberlink PowerDVD (BD burner)     Cyberlink Power2Go (BD burner)
Diskette drive Optical SATA disk SATA controller	None DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in 500GB (5400 rpm), 750GB (5400 rpm), or 1TB (5400 rpm) / SATA 3.0Gb/s, 9.5mm high Serial ATA, SATA 6.0Gb/s, integrated in chipset	Microsoft Office preloaded; purchase product key to activate     Lenovo Energy Management     Windows Store apps (Metro-style)
Widescreen display Camera	17.3" (439.4mm) HD+ (1600x900) TFT color, VibrantView (glossy), LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio Camera on top of screen, 0.3-megapixel or 720p HD, fixed focus	AccuWeather     Evernote     Skype     McAfee
Graphics	NVIDIA® Optimus™ technology, auto-switch between discrete and integrated graphics, Intel HD Graphics 4000 in processor, and NVIDIA GeForce® GT 635M Graphics, PCI Express® x16, 2GB DDR3, DirectX® 11, external monitor support via analog VGA DB-15 connector / digital HDMI connector	Lenovo Support     Lenovo Companion
Keyboard Numeric keypad Touch pad	Full-size keyboard, multimedia Fn keys, recovery key Numeric keypad on right of keyboard Two-button touch pad with scroll feature, multi-touch	Integrated models: 65-watt AC adapter Optimus models: 90-watt AC adapter EPEAT™ Gold rating
Dimensions <sup>3</sup> Weight <sup>2</sup> Case color	(WxDxH): 16.38" x 10.75" x 1.42" to 1.77"; 416mm x 273mm x 36.1 to 44.9mm with optical drive and battery: 6-cell: from 6.6 lb (3.0kg)  Top: Dark Brown (metal-like, hairline cover finishing);	ENERGY STAR® qualified RoHS-compliant
Case material Battery - type Battery - life <sup>10</sup>	bottom: Black Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic Lithium Ion 6-cell, 48Wh Optimus models: up to 4.5 hr; Integrated models: up to 5 hr	Limited Warranty¹²
Chipset ExpressCard/34 Multicard reader Ports	Mobile Intel HM76 Express Chipset None 2-in-1 reader (MMC, Secure Digital Card) Two USB 2.0, two USB 3.0, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)	90-day on keyboard, hinges, plastics, power cord, AC adapter
TV tuner PCIe Mini Card 11b/g/n <sup>28</sup>	None One PCI Express Mini Card slot 11b/g/n wireless <sup>4</sup> , PCIe Mini Card adapter, Broadcom® or Atheros® chip, Wi-Fi + Bluetooth combo adapter	(in eligible locations):9 • 3-year Depot warranty 78Y1538 • 1-year Mail In with accidental damage protection 55Y2511
Bluetooth™ Modem Ethernet Audio support	Bluetooth 4.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter None 10/100M ethernet, Atheros AR8162 High Definition (HD) Audio, Conexant® CX20671 / stereo speakers (1.5 watt x 2), Dolby® Advanced Audio™ v2 / integrated microphone,	<ul> <li>3-year Mail In with accidental damage protection 78Y1539</li> <li>3-year Onsite warranty 78Y1540</li> <li>1-year Onsite with accidental damage protection 78Y1533</li> <li>Toll-free support for warranty</li> </ul>
Security Fingerprint reade	headphone jack (3.5 mm), microphone jack (3.5 mm) Hard disk password, administrator password, security lockhole r None	issues during the warranty period <sup>12</sup> via 877-453-6686

See footnotes for important warranty information US model(s) announced November 28, 2012

© Lenovo (BUD2-6) November 2012

Pro- Type-model cessor	Widescreen Memory display		Graphics		TA sk rpm	Optical	PCle Mini Card 802.11	Top color	HDMI connector		Battery cells	Win7 preload	Avail date (mm/yy)
	4GBx2 17.3" HD+	720p Inte	I HD 4000	1TB	5400	<b>DVD</b> ±RW	11b/g/n	Dark brown	n HDMI	BT BT BT	6-cell	Prem 64 Prem 64 Prem 64	08/12

- 17.3" widescreen, glossy display
- Integrated 0.3 megapixel or 720P HD camera and Lenovo's VeriFace facial recognition software helps control access to your notebook by recognizing your face
- Lenovo Rescue System provides OneKey recovery and OneKey Antivirus without booting into Windows
- These system are Microsoft® Office 2010 Product Key Ready (O10PKR)

Positioning Processor	Widescreen flexibility; two-spindle Intel® Core™ i5-3210M processor (2 cores / 4 threads, 2.50 GHz, 3MB cache), DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (up to 3.10GHz), integrated Intel HD Graphics 4000 Intel Core i7-3612QM processor (4 cores / 8 threads, 2.10 GHz, 6MB cache), DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (up to 3.10GHz), integrated Intel HD Graphics 4000	Preloaded operating system <sup>20</sup> - Genuine Windows® 7 Home Premium 64 Preloaded applications <sup>14</sup> (only some listed) • Lenovo OneKey Recovery			
Memory	8GB max <sup>7</sup> / <b>PC3-12800 1600MHz DDR3</b> *, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets * System automatically clocks down for processors with 1333MHz DDR3 memory controller	Lenovo Solution Center     ooVoo™     PokeTALK     McAfee® Internet Security			
Diskette drive Optical SATA disk SATA controller	None DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in 500GB (7200 rpm) or 1TB (5400 rpm) / SATA 3.0Gb/s, 9.5mm high Serial ATA, SATA 6.0Gb/s, integrated in chipset	(30-Day Trial)  • Adobe® Reader®  • CyberLink YouCam  • Microsoft Office 2010 preloaded;			
Widescreen display Camera	17.3" (439.4mm) HD+ (1600x900) TFT color, VibrantView (glossy), LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio Camera on top of screen, 0.3-megapixel or 720p HD, fixed focus	purchase product key to activate  • VeriFace™  • Lenovo Energy Management Software			
Graphics	Intel HD Graphics 4000, integrated in processor; external monitor support via analog VGA DB-15 connector / digital HDMI connector	Cyberlink Power2Go (DVD±RW)			
Keyboard Numeric keypad Touch pad	Full-size keyboard, multimedia Fn keys, recovery key Numeric keypad on right of keyboard Two-button touch pad with scroll feature, multi-touch	Integrated models: 65-watt AC adapte Optimus models: 90-watt AC adapte EPEAT™ Gold rating ENERGY STAR® qualified			
Dimensions <sup>3</sup> Weight <sup>2</sup>	(WxDxH): 16.38" x 10.75" x 1.42" to 1.77"; 416mm x 273mm x 36.1 to 44.9mm with optical drive and battery: 6-cell: from 6.6 lb (3.0kg)	RoHS-compliant			
Case color  Case material  Battery - type  Battery - life <sup>10</sup>	Top: Dark Brown (metal-like, hairline cover finishing); bottom: Black Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic Lithium Ion 6-cell, 48Wh Optimus models: up to 4.5 hr; Integrated models: up to 5 hr	Limited Warranty¹²                1-year warranty*:			
Chipset ExpressCard/34 Multicard reader Ports	Mobile Intel HM76 Express Chipset None 2-in-1 reader (MMC, Secure Digital Card) Two USB 2.0, two USB 3.0, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)	90-day on keyboard, hinges, plastics, power cord, AC adapter ⇒ Mail In repair service ⇒ Service upgrade options <sup>58</sup> (in eligible locations): <sup>9</sup>			
TV tuner PCIe Mini Card 11b/g/n² Bluetooth™ Modem Ethernet Audio support  Security Fingerprint reade	None One PCI Express Mini Card slot 11b/g/n wireless⁴, PCIe Mini Card adapter, Broadcom® or Atheros® chip Bluetooth wireless None 10/100M ethernet, Atheros AR8162 High Definition (HD) Audio, Conexant® CX20671 / stereo speakers (1.5 watt x 2), Dolby® Advanced Audio™ v2 / integrated microphone, headphone jack (3.5 mm), microphone jack (3.5 mm) Hard disk password, administrator password, security lockhole r None	3-year Depot warranty 78Y1538     1-year Mail In with accidental damage protection 55Y2511     3-year Mail In with accidental damage protection 78Y1539     3-year Onsite warranty 78Y1540     1-year Onsite with accidental damage protection 78Y1533     Toll-free support for warranty issues during the warranty period¹² via 877-453-6686			

See footnotes for important warranty information US model(s) announced August 17, 2012

© Lenovo (BUD2-1) August 2012

	Type-model part number			Widescreen display	Cam- era	Graphics	di	TA sk rpm	Optical	PCle Mini Card 802.11	Top color	HDMI connector		Battery cells	Win8 preload	Avail date (mm/yy)
	2182-9SU	i5-3210M	4GBx2	17.3" HD+	720p	Intel HD 4000	750G	5400	DVD±RW	11b/g/n <sup>28</sup>	Dark brown	n HDMI	BT4.0	6-cell	Win8 64	11/12
	2182-9UU i	i5-3210M	4GBx2	17.3" HD+	720p	Intel HD 4000	1TB	5400	DVD±RW	11b/g/n	Dark brown	n HDMI	BT4.0	6-cell	Win8 64	11/12
	2182-9RU	i7-3520M	4GBx2	17.3" HD+	720p	Intel HD 4000	1TB	5400	DVD±RW	11b/g/n	Dark brown	n HDMI	BT4.0	6-cell	Win8 64	11/12
	59371424	i5-3230M	4+2GB	17.3" HD+	720p	Intel HD 4000	500G	5400	DVD±RW	11b/g/n	Dark brown	n HDMI	BT4.0	6-cell	Win8 64	03/13
	59371425	i5-3230M	4GBx2	17.3" HD+	720p	Intel HD 4000	1TB	5400	DVD±RW	11b/g/n	Dark brown	n HDMI	BT4.0	6-cell	Win8 64	03/13
-	59381095	i7-3612QM	4GBx2	17.3" HD+	720p	Intel HD 4000	500G	5400	DVD±RW	11b/g/n	Dark brown	n HDMI	BT4.0	6-cell	Win8 64	06/13
P	59381094	i7-3612QM	4GBx2	17.3" HD+	720p	Intel HD 4000	1TB	5400	DVD±RW	11b/g/n	Dark brown	n HDMI	BT4.0	6-cell	Win8 64	06/13

- 17.3" widescreen, glossy display
  Integrated 0.3 megapixel or 720P HD camera
  Lenovo Rescue System provides OneKey recovery and OneKey Antivirus without booting into Windows

Positioning Processor	Widescreen flexibility; two-spindle Intel® Core™ i5-3210M processor (2 cores / 4 threads, 2.50 GHz, 3MB cache), DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (up to 3.10GHz), integrated Intel HD Graphics 4000 Intel Core i5-3230M processor (2 cores / 4 threads, 2.60 GHz, 3MB cache), DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (up to 3.20GHz), integrated Intel HD Graphics 4000 Intel Core i7-3520M processor (2 cores / 4 threads, 2.90GHz, 4MB cache), DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (up to 3.60GHz), integrated Intel HD Graphics 4000 Intel Core i7-3612QM processor (4 cores / 8 threads, 2.10GHz, 6MB cache), DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (up to 3.10GHz), integrated Intel HD Graphics 4000	Preloaded operating system <sup>20</sup> - Windows® 8 64-bit  Preloaded applications¹⁴ (only some listed) - Traditional Desktop apps - Lenovo OneKey Recovery - Lenovo Cloud Storage by SugarSyr - PokeTALK - McAfee® Internet Security (30-Day Trial) - CyberLink YouCam - Cyberlink PowerDVD (DVD±RW)			
Memory	8GB max <sup>7</sup> / <b>PC3-12800 1600MHz DDR3</b> *, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets * System automatically clocks down for processors with 1333MHz DDR3 memory controller	Cyberlink Power2Go (DVD±RW)     Microsoft Office preloaded;     purchase product key to activate     Lenovo Energy Management			
Diskette drive Optical SATA disk SATA controller	None DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in 750GB (5400 rpm) or 1TB (5400 rpm) / SATA 3.0Gb/s, 9.5mm high Serial ATA, SATA 6.0Gb/s, integrated in chipset	<ul> <li>Windows Store apps (Metro-style)</li> <li>AccuWeather</li> <li>Evernote</li> <li>Skype</li> </ul>			
Widescreen display Camera	17.3" (439.4mm) HD+ (1600x900) TFT color, VibrantView (glossy), LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio Camera on top of screen, 0.3-megapixel or 720p HD, fixed focus	McAfee     Lenovo Support     Lenovo Companion			
Graphics	Intel HD Graphics 4000, integrated in processor, external monitor support via analog VGA DB-15 connector / digital HDMI connector				
Keyboard Numeric keypad Touch pad	Full-size keyboard, multimedia Fn keys, recovery key Numeric keypad on right of keyboard Two-button touch pad with scroll feature, multi-touch	Integrated models: 65-watt AC adapter Optimus models: 90-watt AC adapter EPEAT™ Gold rating			
Dimensions <sup>3</sup> Weight <sup>2</sup> Case color	(WxDxH): 16.38" x 10.75" x 1.42" to 1.77"; 416mm x 273mm x 36.1 to 44.9mm with optical drive and battery: 6-cell: from 6.6 lb (3.0kg)  Top: Dark Brown (metal-like, hairline cover finishing);	ENERGY STAR® qualified RoHS-compliant			
Case material Battery - type Battery - life <sup>10</sup>	bottom: Black Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic Lithium Ion <b>6-cell</b> , 48Wh Optimus models: up to 4.5 hr; Integrated models: up to 5 hr	Limited Warranty <sup>12</sup> 1-year warranty*:  1- year on major electronic components (including battery),			
Chipset ExpressCard/34 Multicard reader Ports	Mobile Intel HM76 Express Chipset None 2-in-1 reader (MMC, Secure Digital Card) Two USB 2.0, two USB 3.0, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)	90-day on keyboard, hinges, plastics, power cord, AC adapter			
TV tuner PCIe Mini Card 11b/g/n <sup>28</sup>	None One PCI Express Mini Card slot 11b/g/n wireless <sup>4</sup> , PCIe Mini Card adapter, Broadcom® or Atheros® chip, Wi-Fi + Bluetooth combo adapter	(in eligible locations):9 • 3-year Depot warranty 78Y1538 • 1-year Mail In with accidental damage protection 55Y2511			
Bluetooth™ Modem Ethernet Audio support	Bluetooth 4.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter None 10/100M ethernet, Atheros AR8162 High Definition (HD) Audio, Conexant® CX20671 / stereo speakers (1.5 watt x 2), Dolby® Advanced Audio™ v2 / integrated microphone, headphone jack (3.5 mm), microphone jack (3.5 mm)	<ul> <li>3-year Mail In with accidental damage protection 78Y1539</li> <li>3-year Onsite warranty 78Y1540</li> <li>1-year Onsite with accidental damage protection 78Y1533</li> <li>Toll-free support for warranty</li> </ul>			
Security Fingerprint reade	Hard disk password, administrator password, security lockhole	issues during the warranty period <sup>12</sup> via 877-453-6686			

See footnotes for important warranty information

US model(s) announced June 5, 2013; previous model(s) on November 28, 2012 or March 27, 2013

© Lenovo (BUD2-4) June 2013

		SATA	PCle				Avail
Pro- Widescreen		disk	Mini Card	HDMI	Blue- Batter	y Win8	date
Type-model cessor Memory display	era Graphics	GB <sup>8</sup> rpm Optical	802.11 Top color	connector	tooth cells	preload	(mm/yy)
2182-9TU i7-3632QM 4GBx2 17.3" HD+	720n GT 635M 2G	1TB 5400 BD hurne	r 11h/g/n <sup>28</sup> Dark brow	n HDMI	BT4.0 6-ce	II Win8 64	11/12

- 17.3" widescreen, glossy display
- Integrated 0.3 megapixel or 720P HD camera
   Lenovo Rescue System provides OneKey recovery and OneKey Antivirus without

Positioning	Widescreen flexibility; two-spindle	Preloaded operating system <sup>20</sup>			
Processor	Intel® Core™ i7-3632QM processor (4 cores / 8 threads, 2.20GHz, 6MB cache), DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (up to 3.20GHz),	- Windows® 8 64-bit  Preloaded applications¹⁴ (only some			
	integrated Intel HD Graphics 4000	listed)			
Memory	8GB max <sup>7</sup> / <b>PC3-12800 1600MHz DDR3</b> *, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets  * System automatically clocks down for processors with 1333MHz DDR3 memory controller	<ul> <li>Traditional Desktop apps</li> <li>Lenovo OneKey Recovery</li> <li>Lenovo Cloud Storage by SugarSync</li> </ul>			
Diskette drive Optical SATA disk SATA controller	None Blu-ray™ burner, Blu-ray and DVD disk recordable, 12.7mm, tray-in 1TB (5400 rpm) / SATA 3.0Gb/s, 9.5mm high Serial ATA, SATA 6.0Gb/s, integrated in chipset	PokeTALK McAfee® Internet Security (30-Day Trial) CyberLink YouCam  Open Company  CyberLink YouCam  Open Company  Open Company			
Widescreen display Camera	17.3" (439.4mm) HD+ (1600x900) TFT color, VibrantView (glossy), LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio Camera on top of screen, 0.3-megapixel or 720p HD, fixed focus	Cyberlink PowerDVD (BD burner)     Cyberlink Power2Go (BD burner)     Microsoft Office preloaded;     purchase product key to activate			
Graphics	NVIDIA® Optimus™ technology, auto-switch between discrete and integrated graphics, Intel HD Graphics 4000 in processor, and NVIDIA GeForce® GT 635M Graphics, PCI Express® x16, 2GB DDR3, DirectX® 11, external monitor support via analog VGA DB-15 connector / digital HDMI connector	Lenovo Energy Management     Windows Store apps (Metro-style)     AccuWeather     Evernote			
Keyboard Numeric keypad Touch pad	Full-size keyboard, multimedia Fn keys, recovery key Numeric keypad on right of keyboard Two-button touch pad with scroll feature, multi-touch	Skype     McAfee     Lenovo Support     Lenovo Companion			
Dimensions <sup>3</sup> Weight <sup>2</sup> Case color Case material	(WxDxH): 16.38" x 10.75" x 1.42" to 1.77"; 416mm x 273mm x 36.1 to 44.9mm with optical drive and battery: 6-cell: from 6.6 lb (3.0kg)  Top: Dark Brown (metal-like, hairline cover finishing);  bottom: Black Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic	Integrated models: 65-watt AC adapter Optimus models: 90-watt AC adapter EPEAT™ Gold rating ENERGY STAR® qualified			
Battery - type Battery - life <sup>10</sup>	Lithium Ion <b>6-cell</b> , 48Wh  Optimus models: up to 4.5 hr; Integrated models: up to 5 hr	RoHS-compliant ·			
Chipset ExpressCard/34 Multicard reader Ports	Mobile Intel HM76 Express Chipset None 2-in-1 reader (MMC, Secure Digital Card) Two USB 2.0, two USB 3.0, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)	Limited Warranty <sup>12</sup> 1-year warranty*:  1- year on major electronic components (including battery),			
TV tuner PCIe Mini Card 11b/g/n <sup>28</sup>	None One PCI Express Mini Card slot 11b/g/n wireless <sup>4</sup> , PCIe Mini Card adapter, Broadcom® or Atheros® chip, Wi-Fi + Bluetooth combo adapter	90-day on keyboard, hinges, plastics, power cord, AC adapter			
Bluetooth™ Modem Ethernet Audio support	Bluetooth 4.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter None 10/100M ethernet, Atheros AR8162 High Definition (HD) Audio, Conexant® CX20671 /	(in eligible locations):9  • 3-year Depot warranty 78Y1538  • 1-year Mail In with accidental damage protection 55Y2511			
	stereo speakers (1.5 watt x 2), Dolby® Advanced Audio™ v2 / integrated microphone, headphone jack (3.5 mm), microphone jack (3.5 mm)	3-year Mail In with accidental damage protection 78Y1539			
Security Fingerprint reader	Hard disk password, administrator password, security lockhole  None	3-year Onsite warranty 78Y1540     1-year Onsite with accidental damage protection 78Y1533     Toll-free support for warranty issues during the warranty period¹² via 877-453-6686			

See footnotes for important warranty information US model(s) announced November 28, 2012

© Lenovo (BUD2-5) November 2012 Partial list of Lenovo® Services<sup>22</sup> for Lenovo Essential notebooks

For more information see:

http://www.lenovo.com/services\_warranty/us/en/index.html

© Lenovo (S-VLN) March 2009

**Availability:** All offers subject to availability. Lenovo reserves the right to alter product offerings and specifications at any time, without notice. Lenovo is not responsible for photographic or typographic errors.

**Warranty:** For a copy of applicable product warranties, write to: Warranty Information, P.O. Box 12195, RTP, NC, 27709, Attn: Dept ZPYA/B676. Lenovo makes no representation or warranty regarding third party products or services.

## Footnotes:

- Power management, including Intel® SpeedStep® Technology, reduces processor speed when in battery mode.
- Weight includes battery and standard optical drive; weight may vary due to vendor components, manufacturing process and options.
- Thinness may vary at certain points on the system.
- Wireless capability: Requires compatible wireless-enabled options sold separately.
- Post-warranty annual maintenance agreement: Service begins at the end of the base warranty or the end of any other applied warranty and maintenance option, whichever occurs last. Service delivery is not available the same day the maintenance agreement is purchased. Maintenance agreements must be purchased and the registration successfully completed prior to the service being available.
- Public network download modem speeds are limited to 53Kbps. Upload speeds are limited to 48Kbps for V92 modems. Actual speeds depend on many factors and are often less than the maximum possible. V92 functions and speeds require compatible phone line and server equipment. Check with your telephone and ISP service providers for availability.
- Maximum memory capacity may require the replacement of standard component with largest supported component available. Even though it is possible to physically install 4GB of memory, the actual amount of memory addressable by a 32-bit operating system will be limited to 3GB. This limitation does not exist with 64-bit operating systems.

- B Hard drive: GB = billion bytes, TB = trillion bytes. Accessible capacity is less; up to 4GB is service partition.
- <sup>9</sup> Service upgrade options: Upgrades do not apply to components covered for 90 days. Those remain at 90-day warranty
- Battery: These model numbers achieved Battery Rundown Time of at least the time shown during testing. A description of the testing available at lenovo.com/ pc/ww/thinkpad/batterylife. Battery life (and recharge times) will vary based on many factors including screen brightness, applications, features, power management, battery conditioning, and other customer preferences.
- Wireless: Based on IEEE 802.11a, 802.11b, and 802.11g respectively. An adapter with 11a/b, 11b/g, or 11a/b/g can communicate on either/any of these listed formats respectively, the actual connection will be based on the access point to which it connects.
- <sup>12</sup> Limited warranty: Support unrelated to a warranty issue may be subject to additional charges.
- Onsite Service: If a machine is listed as having "On-site", this means that on-site service is available for the replacement of parts for warranty repairs. Certain parts, referred to as Customer Replaceable Unit ("CRU") parts, are easy to install and require little or no tools or technical knowledge. Some examples of CRU parts are mice, keyboards, hard disk drives, speakers, and memory. If your problem can be resolved with a CRU, the Support Center will offer to ship the part to you for you to install.
- <sup>14</sup> Included software may differ from its retail version (if available), and may not include user manuals or all program functionality. Software license agreements may apply.
- Modem speeds: Public network download speeds are limited to 53Kbps. Upload speeds are limited to 48Kbps for V.92 modems. Actual speeds depend on many factors and are often less than the maximum possible. V.92 functions and speeds require compatible phone line and server equipment. Check with your telephone and ISP service providers for availability.

- <sup>18</sup> Telephone support may be subject to additional charges, even during the limited warranty period. Response times may vary and may exclude some holidays.
- EasyServ depot repair: The customer may be asked certain diagnostic questions before a courier is sent. Your purchase includes this depot repair service, available in the U.S. during the limited warranty period.
- Operating System: Level of support varies by operating system. Operating systems not preloaded on the system may not provide full feature functionality. Refer to lenovo.com/pc/support and enter your machine type and model number for more information.
- For combination drives, maximum possible speeds only are given in the following order: CD write, CD rewrite, CD read, DVD read.
- <sup>22</sup> Lenovo Services: These services are available for machines normally used for business, professional, or trade purposes, rather than personal, family, or household purposes. Not all machine types and models are covered. Service period begins with the equipment date of purchase. Service must be purchased during the original limited product warranty period. Service levels are response time objectives and are not guarantees. If the machine problem turns out to be a Customer Replaceable Unit (CRU), a part can be express shipped to you for quick replacement. For notebooks requiring LCD or other component replacement, Lenovo may choose to perform service at the depot repair center. Calls must be received by 5 pm local time in order to qualify for Next Business Day service. P&L means parts and labor. P/U means pick-up. See terms and conditions for complete details and restrictions.
- Wireless WAN Cards: Wireless data service requires separate agreement with Verizon Wireless. Verizon Wireless, not Lenovo, is solely responsible for service. Monthly and airtime charges may apply. Service may not be available in all areas; purchaser is responsible for verifying with Verizon Wireless that service is available for the intended location before the purchase of the card. For complete details, including service plans, additional required hardware or software, and service coverage, visit www.verizonwireless.com.

- The IEEE 802.11n specification (MIMO) has been finalized and is currently in IEEE 802.11n-2009 release. The maximum speed depends on the access point device and the number of integrated antenna used for connection. An adapter with 11a/b, 11a/b/g, 11b/g/n, or 11a/b/g/n can communicate on any of its supported formats.
- Service upgrade options for Split Warranty: (1) Mail In upgrades cover all components except power adapter, keyboard, plastics, and hinges after 90 days through end of first year. The "Mail-In" upgrades require customer to pay the leg of shipping into the depot repair center. (2) Onsite upgrades cover all components except power adapter, keyboard, plastics, and hinges after 90 days through end of term selected. (3) Accidental Damage Protection covers all components through the end of the term selected.

This publication was developed for products and services offered in the United States. Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS," WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to you.



Trademarks: Lenovo, the Lenovo logo, New World. New Thinking., Access Connections, Rescue and Recovery, ThinkCentre, ThinkPad, ThinkStation, ThinkVantage, and ThinkVision are trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside logo, Intel Core and Core Inside are trademarks of Intel Corporation in the US and other countries. Other company, product, or service names may be trademarks or service marks of others.

**ENERGY STAR:** As an ENERGY STAR Partner, Lenovo has determined that this product meets the ENERGY STAR guidelines for energy efficiency.

Visit www.lenovo.com/safecomputing periodically for the latest information on safe and effective computing.

Visit www.lenovo.com/psref for the latest version of Personal Systems Reference.

© Lenovo, 2013. All rights reserved.

> Lenovo 1009 Think Place Morrisville, NC 27560 U.S.A.

June 2013 3book.pdf Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com