Lenovo® N200 15W (0769) - October 2007

| | | | 14/1-1 | 0 | Orreght | 0.471 | FIRE | Mini PCle | | Finger- | | | A 11 |
|---|---|---|--|--|--|--|---|---|--|--|---|--|--|
| | | Hz Memory | Widescreen display | era | controller | disk | EIDE optical | 802.11 wireless | tooth | print reader | set | Preload | Avail date |
| 0769-ALU Celero 0769-ANU Celero 0769-ANU Pentiui 0769-ASU Celero 0769-ASU Celero 0769-AUU Pentiui 0769-AVU Pentiui 0769-F8U Celero 0769-F8U Celero 0769-F8U Celero 0769-F8U Celero 0769-F8U Celero 0769-F8U Pentiui | n 530 1.7 m T2310 1.4 m T2310 1.4 n 540 1.8 m T2330 1.6 m T2330 1.6 m T2330 1.6 m T2390 1.8 m T2390 1.8 m T2390 1.8 m T2390 1.8 | 73 512MB 46 1GB 46 1GB 86 512MB 86 512MB 60 1GB 60 1GB 60 1GB 86 1GB | 15.4" WXGA 15.4" WXGA 000015 use a <u>1</u> 000000000000000000000000000000000000 | Cam Cam | GMA GMA GMA GMA GMA GMA GMA GMA GMA | 80GB 120G 160G 80GB 80GB 120G 120G 80GB 120G 120G 80GB 160G | DVD±RW DVD±RW Combo DVD±RW DVD±RW Combo DVD±RW DVD±RW Combo DVD±RW | Lenovo 11b/g Lenovo 11b/g Lenovo 11b/g | Blue Blue | Finger Finger Finger Finger Finger | GM GM GM GM GM GM GM GM GM GM | Home Basic XP Pro XP Pro Home Basic XP Pro Home Prem Home Prem Business 32 Business 32 XP Pro | Oct 07 Oct 07 Oct 07 Dec 07 Dec 07 Dec 07 Dec 07 Apr 08 Apr 08 |
| Positioning | Widescreer | n flexibility; t | wo-spindle | | | | | | Pre | loaded | opera | ating system | 20 |
| Processor Memory | Intel® Cele Intel 64 Teo Intel Pentiu Intel 64 Teo 533MHz sy 512MB or 1 | ron [®] Proces chnology, 53 um [®] Proces chnology, Ex /stem bus, a 1GB std / 40 | ssor 530, 54 3MHz system sor T2310, T ecute Disable nd 1MB shar 3B max ⁷ / PC2 two 200-pin S | n bus, 2330 e Bit, I ed L2 2-5300 | and 1MB or T2390 EIST, cache 0 667MHz | L2 cach with du DDR2, | ne or I al-core , | Disable Bit, | - S - S | ome: N X ome: N H ome: N H | licroso P Pro ith Vis licroso ome I licroso ome I | oft Windows fessional sta® COA oft Windows \ Basic Edition oft Windows \ Premium Ed (| /ista (32-bit) /ista (32-bit) |
| Diskette drive EIDE Combo EIDE DVD±RW SATA disk | Non-italics: None (use Some: DV Some: DV | standard optional US /D-ROM/CD /D burner, d | memory in c B-based disk | one so ette d 4X/24 port, f | rive) X/8X ²¹ spe ixed, not r | eed, fixe | d, not remo le, 12.7mm | vable, 12.7mm high | ⇒ V. Pre | B ista mo | usine: <i>dels:</i> \ appli | oft Windows \ ss Edition (32 Vista Basic Ic cations ¹⁴ (all Tools | 2-bit) ogo |
| Widescreen display Camera | SATA 1.5GI 15.4" (391. CCFL back | b/s, 9.5mm l .1mm) WXG dight, 185 ni | nigh, removal A (1280x800 ts, 16:10 asp of screen, 1 | blé an) TFT ect rai | d upgrada color, Vit tio, 400:1 | ible orantVic contrast | ew (glossy) ratio | | | Rescue System Passwo Access | and F Upda rd Ma Conn | Recovery™ ite | |
| Graphics | • | | Accelerator | | • | | 0 001 | | (9 | | of viru | is definitions) | |
| Keyboard Touch pad | Full-size ke Two-button | touch pad v | ow, 84-key, m vith scroll fea | ultime ture (r | no TrackPo | /s, Lenc bint®) | ovo Care ^{s™} i | outton | (0 | n fingei | print r | models) | |
| Dimensions ³ Weight ² Case color Case material Battery - type Battery - life ¹⁰ | 9-cell (WxL with optical Silver top; s ABS plastic Lithium Ion | <i>DxH):</i> 14.2"x drive and ba silver bottom c 6-cell , sma | | o 1.5" 6.02 lb | ; 360.1mm to 6.34 lb | n x 286. | 6mm x 31.4 | | • A • Pi • Di • Di • C | dobe® F icasa fro iskeepe iskeepe orel® Sr ith Word | Reader om Go r® Lite r Horr nall Br Perfe | | Íels) er™ |
| Chipset ExpressCard/54 Multicard Reader Ports | ICH8M I/O PCI 2.3), LI One slot (E 5-in-1 reade Secure Dig Four USB 2 S-video out | Controller H PC bus (EN ExpressCard er (MultiMed jital, xD-Picto 2.0, external t port (TV ou | E KB925 Sup /34, Express lia Card, Mer |)Gb/s, per I/C Card/5 nory 5 A DB- ndust | ATA-100)) 54) Stick®, Mei 15), mode ry standar | EIDE, U mory St em (RJ- d conne | ISB 2.0, PC ick PRO™, 11), etherne ctor), | CI Express® 1.1, | • N • W • W • Q • M • E | etwork /indows /indows uickBoo nly) icrosoft | Vagic Live™ Live S oks Fin Office | ™ (Vista only ′ Toolbar |) r (Vista 60-day) |
| Mini PCI Express Lenovo 11b/g ¹¹ Intel 11a/b/g ¹¹ Intel 11n ²⁸ | Some: 11t Some: 11a Some: 11a MIN | b/g wireless⁴ a/b/g wireles a/b/g/n wirele MO 2x3 (Keo | s⁴, Mini PCI E ess⁴, Mini PC Iron) | /g Mir Expres le ada | ni PCI Exp ss adapter upter, Intel | ress Ac , Intel P Wireles | RO/Wireles s WiFi Link | 4965AGN, | | | | | |
| Bluetooth™ Modem Ethernet Audio support Security Fingerprint reader Limited warranty ¹² | 56K V.92 ⁶ n 10/100 ethe Intel High E stereo spea stereo micr Power-on p <i>Some:</i> Fi | nodem, not ernet, Broad Definition (Hl akers, 1.5 wa ophone, mic bassword, ha ngerprint re | | essib 906M, alTek® up, do ut jack word, m res | le PCI 2.3 ALC861V wn, mute ((3.5 mm) superviso t, swipe se | /D code button / , headp r passw ensor, n | c / hone jack (ord, securit o preboot s | 3.5 mm) y keyhole upport | g Wir Rol Inte 24 I d | raphics eless or IS-com rnation nour x 7 | mode n/off si pliant al War day ¹⁸ e wari | witch rranty Service toll-free sup ranty period ¹² | e ¹⁷ port |
| 1GB PC2-5300 DI 2GB PC2-5300 DI USB 2.0 Essentia USB 2.0 Ultra See USB 2.0 Ultra See USB 2.0 Lenovo I Lenovo Laser Mo ExpressCard Ger Other accessories | DR2 SODIM DR2 SODIM Il Memory K cure Memor ulti-Burner I Enhanced P use (USB, F nplus Smart | IM (TopSelle IM (TopSelle ey 32GB 7y Key 8GB Drive ort Replicato PS/2) t Card Read |) 43R1999) 43R2000 45K1258 45J5918 41N5565 or 43R8770 41U3074 r 41N3043 | Lenov Lenov Thinkl 90W S Think Think Lenov Lenov | o C200/N o N200 15 Pad® and I Slim AC/D Vision® L2 Vision L24 o Carrying o Case - F | 200 15V 5W Li-lo Lenovo C Comb 240p W 40p Wi g Case Perform | V Battery 6 n Battery 9 65W AC Ac to Adapter ide 22" Mon de 24" Mon | -cell 40Y8322 -cell 41U5027 lapter 40Y7696 41N8460 nitor 4422HB6 itor 4420HB2 r Max 41U5254 | Len Len Len | iovo Ca iovo Ca iovo Ca | re 2-ye re 2-ye re 3-ye | ear LOR 9x5 4 ear P&L PU [4 ear LOR 9x5 4 ear P&L PU [4 | 1K0547 NBD 1K0548 Depot 1K0545 NBD 1K0549 |

See footnotes for important warranty information See JUS model announced June 24, 2008; previous models on Oct 2, Dec 4, 2007, Apr 8, or May 6, 2008 See JUS models withdrawn effective December 2007

Lenovo® N200 Accessories

| Partial list of accessories supported on: | | | |
|--|--|--|---|
| Lenovo N200 14W originally announced of Lenovo N200 15W originally announced of | | | |
| Memory 1GB PC2-5300 DDR2 SODIMM (TopSeller) 2GB PC2-5300 DDR2 SODIMM (TopSeller) | | ann 03/25/08 ann 03/25/08 | Power Accessories N200 14W (0687) only: Lenovo N200 14W Li-lon Battery 6-cell Lenovo N200 14W Li-lon Battery 9-cell 41U5025 ann 05/22/0. 41U5026 ann 05/22/0. |
| Storage and removable storage USB 2.0 Essential Memory Key 2GB USB 2.0 Essential Memory Key 4GB USB 2.0 Essential Memory Key 8GB USB 2.0 Essential Memory Key 32GB USB 2.0 Security Memory Key 4GB USB 2.0 Ultra Secure Memory Key 2GB USB 2.0 Ultra Secure Memory Key 2GB USB 2.0 Ultra Secure Memory Key 8GB USB 2.0 Ultra Secure Memory Key 8GB USB 2.0 Ultra Secure Memory Key 8GB USB 2.0 Super Multi-Burner Drive | 45J7904 45J7905 45K1258 41U5120 45J5915 45J5916 45J5917 45J5918 | ann 10/28/08 ann 07/17/07 ann 08/26/08 ann 08/26/08 ann 08/26/08 | N200 15W (0769) only: Lenovo C200/N200 15W Li-lon Battery 6-cell40Y8322 Lenovo N200 15W Li-lon Battery 9-cellann 10/17/00 41U5027All models: ThinkPad and Lenovo 65W AC Adapter4540Y7696 40Y7696 40Y7696ann 09/20/03 40Y7659 ann 09/20/03 40Y7659 ann 09/20/03 41Na60 ann 11/27/03 31P7659Belkin 1 outlet Notebook Surge31P7658 |
| Expansion USB 2.0 Lenovo Enhanced Port Replicator ThinkPad Adjustable Notebook Stand Keyboard | | ann 02/26/08 ann 09/20/05 | Carrying Cases Lenovo Carrying Case - Messenger Max 41U5253 ann 05/01/0 Lenovo Carry Case - Performance Backpack 41U5254 ann 05/01/0 Lenovo Standard Case 45K1697 ann 11/25/0 Lenovo Standard Backpack 45K1698 ann 11/25/0 |
| USB Numeric Keypad Preferred Pro USB Keyboard Enhanced Performance USB Keyboard Wireless Kybd & Opt Wheel Mouse (via USB) USB Keyboard with UltraNav USB Travel Keyboard with UltraNav | 73P4067 31P8950 | ann 06/21/05 ann 03/23/04 ann 12/07/04 | Monitors 9227AE1 ann 04/15/0 ThinkVision® L174 17" Monitor 9417HE2 ann 09/17/0 ThinkVision L1700p 17" Monitor 9417HE2 ann 09/17/0 ThinkVision L1900p 19" Monitor 4431HE1 ann 11/11/0 ThinkVision L1940p Wide 19" Monitor 4424HB6 ann 09/17/0 ThinkVision L200p Wide 20.1" Monitor 4438HB6 ann 09/17/0 |
| Mouse Optical Wheel Mouse (USB) Optical ScrollPoint® Mouse (USB, PS/2) Optical Wheel Travel Mouse (USB, PS/2) Laser Tilt Wheel Mouse (USB, PS/2) Lenovo Wireless Laser Mouse (blk, via USB) Lenovo Wireless Laser Mouse (red, via USB) Laser Tilt Wheel Travel Mouse (Bluetooth) Wireless Kybd & Opt Wheel Mouse (via USB) | 31P7405 31P7410 41U3074 45K1696 51J0198 41U5008 | ann 01/22/08 | ThinkVision L2240p Wide 22" Monitor4422HB6ann 09/17/0ThinkVision L2440p Wide 24" Monitor4420HB2ann 09/17/0ThinkVision L2440x Wide 24" Monitor4421HB2ann 09/17/0Monitor Accessories464421HB2ann 09/17/0ThinkVision USB Soundbar40Y7616ann 08/23/0ThinkVision Soundbar45K1263ann 09/16/0Kensington Cable Lock73P2582ann 12/20/0Kensington Twin Head Cable Lock45K1620ann 09/30/0ThinkPad Convertible Monitor Stand40Y7620ann 01/05/0 |
| Security Kensington [®] Cable Lock from Lenovo Kensington Twin Head Cable Lock USB Gemplus GemPC Smart Card Reader | 45K1620 | ann 12/29/03 ann 09/30/08 ann 02/21/06 | Radial Arm 19K4464 ann 05/05/00 ⁴⁶ Compatible on selected Lenovo and ThinkVision monitors. More information at www.lenovo.com/support/monitoraccessories |
| ExpressCard/54 slot: ExpressCard Gemplus Smart Card Reader Multimedia USB 2.0 Lenovo Multimedia Headset USB 2.0 Lenovo Webcam | 40Y8518 | ann 06/27/06 ann 06/27/06 ann 08/29/06 | Other accessories at www.lenovo.com/accessories Accessories Guide pdf at www.lenovo.com/accessoriesguide |
| | | | Lenovo Care ^{ss} maintenance services |
| | | | Warranty service upgrade: ²² 1-year Lenovo Onsite Repair (LOR) 9x5 Next Business Day 41K054 2-year Lenovo Onsite Repair (LOR) 9x5 Next Business Day 41K054 2-year Parts and Labor (P&L) Pickup Depot 41K054 3-year Lenovo Onsite Repair (LOR) 9x5 Next Business Day 41K054 3-year Parts and Labor (P&L) Pickup Depot 41K054 2-year Parts and Labor (P&L) Pickup Depot 41K054 |
| | | | Post-warranty maintenance services: ⁵ 1-year maintenance Parts and Labor Pickup Depot SBD 1-year maintenance 9x5 Next Business Day response 2-year maintenance 9x5 Next Business Day response [SBD=Second Business Day average response] 41K055 41K055 41K055 |
| | | | Lenovo Care maintenance services at www.lenovo.com/warranty |

© Lenovo (O-N200) February 2009





Lenovo N500



Lenovo® N500 15W (4233)

Personal Systems Reference (PSREF)

| Proc- Type-model essor | Wide- screen GHz Memory display | Screen Can type era | Inte- n- grated a graphics | Disk SATA GB [®] rpm | SATA optical | Mini PCle 802.11 wireless | Mini PC WWAN | | Blue/ t | Bat- ery Vista ells preload | Ava d da |
|---|---|--|------------------------------------|--|--------------------------------------|--|---|--|---|--|-------------------------------------|
| 4233-53U T3200 4233-54U T3400 4233-62U T3200 4233-63U T3400 | 2.00 1GB 15.4" WXGA 2.00 1GB 15.4" WXGA 2.16 2GB 15.4" WXGA 2.00 1GB 15.4" WXGA 2.16 2GB 15.4" WXGA 2.16 1GB 15.4" WXGA | A Glossy Car A Glossy Car A Glossy Car A Glossy Car | n GMA n GMA n GMA n GMA | 160G 5400 250G 5400 160G 5400 250G 5400 | DVD±RW DVD±RW DVD±RW DVD±RW | Lenovo 11b/g Lenovo 11b/g Lenovo 11b/g Lenovo 11b/g | ¹ None None None None None | None None None None | No No No No | 6 Home B 6 Bus 32 6 Bus 32 6 XP Pro 6 XP Pro 6 XP Pro 6 XP Pro | Nov Nov Nov Nov |
| | • These Lenovo N500 n | nodels use a | 15.4" wide | <u>escreen</u> disp | olay | | | | | | |
| Processor | Intel [®] Celeron [®] Proces 667MHz system bus, at Intel Pentium [®] proces 667MHz system bus, a | nd 1MB L2 ca sor T3200 or | ache or • T3400 wi | , | Э, | | Pre - : | Some: Mic XP | crosoft Profe | ng system [®] Windows ssional t [®] COA | 20 ® |
| Memory | 1GB or 2GB std / 4GB dual-channel capable, t <i>Non-italics:</i> standard r | max ⁷ / PC2-5 wo 200-pin S | 300 667N O-DIMM : | sockets; | | | | Some: Mie Ho Some: Mie | crosoft me Ba crosoft | Windows V sic Edition Windows V | (32-b √ista |
| SATA DVD±RW SATA disk | DVD burner, SATA 1.50 160GB ⁸ (5400 rpm) or 2 SATA 1.5Gb/s, 9.5mm h | 250GB (5400 |) rpm) / | | /able, tray-ir | n | Pre | /ista Basic eloaded a | : logo pplica | | 2-bit) |
| Widescreen display Camera | 15.4" (391.2mm) WXG CCFL backlight, 185 nit Camera on top of scree | s, 16:10 aspe | ect ratio, 4 | 00:1 contras | (glossy), st ratio | | • F | Lenovo Ca Rescue an Access Co System Up | d Reco nnectio | overy™ | |
| Integrated graphics | Intel Graphics Media A HDMI port supporting H Max external resolution | IDCP to outp | ut protect | ed content | | (HDMI port) | 1 • • | Vorton Inte (90 days PC-Doctor | ernet S of viru: ™ (diag | s definition: gnostics) | , |
| Keyboard Touch controls Touch pad | Full-size keyboard, 6-ro Touch-sensitive audio c Two-button touch pad w | ontrol panel | (Mute, vol | up, vol dow | | | eys | ThinkPad L and Preser Adobe® Re Vindows L | Utilities ntation eader | (Power Ma Director) | anag |
| Dimensions ³ Weight ² Case color Case material Battery - type Battery - life ¹⁰ | 6-cell 15.4W" (WxDxH) 6-cell: starting at 5.95 Silver top cover; black b Scratch-resistant ABS p Lithium Ion 6-cell 6-cell: up to 3.8 hr | lb (2.7kg) ottom | " x 1.22–1 | 1.46"; 358.5 | x 256.5mm | x 31–37mm | • \ • [• [| Vindows L Microsoft C Roxio® Cre Edition | ive Se Office 2 ator® \$ | | |
| Chipset | Mobile Intel GL40 Exp ICH9M I/O Controller H security chip, ethernet I | ub (SATA [*] 3.0 /IAC) | Gb/s, USI | | | | | | | | |
| PC Card | One slot (ExpressCard/ 4-in-1 reader (MultiMed None None | | | , Memory St | ick PRO™, | Secure Digital) | | | | | |
| Smart Card read Ports Mini PCI Express Lenovo 11b/g ¹¹ | Four USB 2.0, external One Mini PCI Express 11b/g wireless ⁴ , Lenovo | lot | | | | | 5) | | | | |
| WWAN upg 2G Turbo UWB Modem | None None S6K V.92 ⁶ modem | , , , , , , , , , , , , , , , , , , , | | | Dioudooini | ompoor | EN | | AŘ® 4. | hics) AC ao .0-compliar | |
| Bluetooth™ Ethernet Intel AMT | None 10/100 ethernet, Broad None | | | | | | Int 24 | ernational hour x 7 c during the | Warra lay ¹⁸ to warrar | nty Service III-free supp ty period ¹² | oort |
| Audio support Security Security chip | High Definition (HD) Au down, mute buttons / m Power-on password, ha None | icrophone, m | ic input ja | ck, headpho | ne jack | | · – | via 800-42 novo Care | | ar LOR 9x | 5 NB 1 <i>K05</i> |
| Fingerprint reader | | epot repair s | ervice / se | ervice upgrad | des ²² availal | ble | | | | r LOR 9x5 | NBD 1 <i>K05</i> - |
| 2GB PC2-5300 D USB 2.0 Essentia | DR2 SODIMM (TopSelle DR2 SODIMM (TopSelle I Memory Key 8GB | r) 43R2000 45J7905 | Lenovo 9 Lenovo 9 | 0W AC Ada 0W AC Ada | pter for N50 pter for Y Se | 0 Series 41R48 eries 41R43 | 26 515 Lei 322 | novo Care | 3-yea | 4 r LOR 9x5 4 | 1 <i>K05</i> NBD 1 <i>K05</i> |
| USB 2.0 Essentia USB 2.0 Portable USB 2.0 Lenovo V USB 2.0 Lenovo E | I Memory Key 32GB Secure 320GB Hard Dis | sk 43R2019 40Y8519 r 43R8770 | Deluxe E ThinkVisi ThinkVisi | Topload Ca xpander Cas on® L2240p on L2440x V | se Wide 22" M Vide 24" Mc | | 178 1B6 Po 1B2 http | st-warranty | y agree | | 1K054 |

See footnotes for important warranty information ^{IIII} US model announced January 6, 2009; previous models on November 11 or November 25, 2008 ^{IIIII} US models withdrawn effective January 2009

© Lenovo (DOV1-1) February 2009

Lenovo® V200 12W (0764)

| Type-model Pro | Widescreen Screen Cam- grated SATA EIDE | ini PCle Finger-Bat- 802.11 Blue- print tery Ava vireless tooth reader cells Preload dat |
|--|--|--|
| 0764-2CU Core 2 0764-2DU Core 2 0764-2NU Core 2 0764-2PU Core 2 0764-2WU Core 2 0764-2XU Core 2 | Duo T7100 1.80 <i>1GB</i> 12.1" WXGA Glossy Cam GMA 160GB DVD±RW *Int Duo T7300 2.00 <i>1GB</i> 12.1" WXGA Glossy Cam GMA 160GB DVD±RW *Int Duo T7300 2.00 <i>2GB</i> 12.1" WXGA Glossy Cam GMA 160GB DVD±RW *Int Duo T5250 1.50 <i>2GB</i> 12.1" WXGA Glossy Cam GMA 160GB DVD±RW *Int Duo T5250 1.50 1GB 12.1" WXGA Glossy Cam GMA 160GB DVD±RW *Int Duo T5550 1.83 <i>2GB</i> 12.1" WXGA Glossy Cam GMA 160GB DVD±RW *Int Duo T5550 1.83 <i>2GB</i> 12.1" WXGA Glossy Cam GMA 160GB DVD±RW *Int Duo T5750 2.00 1GB 12.1" WXGA Glossy Cam GMA 160GB DVD±RW *Int Duo T5750 2.00 1GB 12.1" WXGA Glossy Cam GMA 160GB DVD±RW *Int Duo T5750 2.00 1GB 12.1" WXGA Glossy Cam GMA 160GB DVD±RW *Int Duo T5750 2.00 1GB 12.1" WXGA Glossy Cam GMA 160GB DVD±RW *Int | tel 11a/b/g Blue Fing 6 Business 32 May tel 11n ²⁸ Blue Fing 6 Ultimate 32 May tel 11n Blue Fing 6 Ultimate 32 July tel 11a/b/g Blue Fing 6 XP Pro Oct tel 11a/b/g Blue Fing 3 XP Pro Jan tel 11a/b/g Blue Fing 6 Business 32 Jan |
| | Two-spindle (disk and optical) in an ultraportable Multimedia ready: press button to load InterVideo InstantON music and movil | ie player without loading OS |
| Positioning Processor | Widescreen ultraportable; two spindles Intel® Core™ 2 Duo processor T5250, T5550, or T5750 with dual-core, Intel 64 Technology, Enhanced Intel SpeedStep® technology ¹ , Execute Disable Bit, 667MHz system bus, and 2MB shared L2 cache or Intel Core 2 Duo processor T7100 or T7300 with dual-core, Intel 64 Technology, Enhanced Intel SpeedStep technology ¹ , Intel Dynamic Acceleration, Execute Disable Bit, Virtualization Technlogy, and 800MHz system T7100: 2MB L2 cache (shared); T7300: 4MB L2 cache (shared) | Business Edition (32-bit) |
| Memory | 1GB or 2GB std / 4GB max ⁷ / PC2-5300 667MHz DDR2 , non-parity, dual-channel capable, two 200-pin SO-DIMM sockets; <i>Italics:</i> standard memory in both sockets; no sockets available; <i>Non-italics:</i> standard memory in one socket; one socket available | Some: Microsoft Windows Vista Ultimate Edition (32-bit) 2YU model: Vista Basic logo Other Vista models: Vista Premiur logo |
| Diskette drive EIDE DVD±RW SATA disk Widescreen display | None (use optional USB-based diskette drive) DVD burner, DL support, fixed, not removable, 12.7mm high 160GB ⁸ (5400 rpm) / SATA 1.5Gb/s, 9.5mm high, removable and upgradable 12.1" (307.3mm) WXGA (1280x800) TFT color, VibrantView (glossy), CCFL backlight, 180 nits, 16:9 aspect ratio, 400:1 contrast ratio, no latch open-close mechanism | Preloaded applications ¹⁴ (all OSes) Eenovo Care sM Tools – Rescue and Recovery [™] – System Update – Password Manager – Access Connections [™] |
| Camera Graphics | Camera on top of screen, 1.3-megapixel, fixed focus, internal USB 2.0 Intel Graphics Media Accelerator X3100, in GM965 | Lenovo Multimedia Center (Vista) |
| Keyboard Touch pad InstantON | Full-size keyboard, 6-row, 84-key, multimedia Fn keys; Buttons across top: on-off, Lenovo Care SM , instant on, mute, volume down, volur Two-button touch pad with scroll feature (no TrackPoint [®]) Press button to load InterVideo InstantON music and movie player without loadi | (on fingerprint models) |
| Dimensions ³ Weight ² Case color Case material Battery - type Battery - life ¹⁰ | <i>3-cell (WxDxH)</i> : 12.01"x 8.94"x 1.25"; 305.1mm x 227.0mm x 31.7mm <i>6-cell (WxDxH)</i> : 12.01"x 9.68"x 1.25"; 305.1mm x 246.0mm x 31.7mm with optical drive and battery: 4.0 lb (1.81kg) to 4.4 lb (1.99kg) Silver top; black bottom ABS plastic Lithium Ion 3-cell or 6-cell, 2600 mAH, smart battery <i>3-cell</i> : up to 2.1 hr; <i>6 cell</i> : up to 4.2 hr | Windows Live™ Toolbar Windows Live Search Adobe® Reader Picasa from Google Diskeeper® Home Corel® Small Business Center™ |
| Chipset ExpressCard/54 Multicard reader Ports Mini PCI Express Intel 11a/b/g ¹¹ Intel 11n ²⁸ | Mobile Intel GM965 Express Chipset (Graphics Memory Controller Hub); ICH8M I/O Controller Hub (SATA 3.0Gb/s, ATA-100 EIDE, USB 2.0, PCI Express PCI 2.3), LPC bus (ENE KB925 Super I/O) One slot (ExpressCard/34, ExpressCard/54) 5-in-1 reader (MultiMedia Card, Memory Stick [®] , Memory Stick PRO [™] , Secure Digital, xD-Picture Card [™]) Three USB 2.0, external monitor (VGA DB-15), modem (RJ-11), ethernet (RJ-44 IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard) One Mini PCI Express slot, not customer upgradable <i>Some:</i> 11a/b/g wireless ⁴ , Mini PCI Express adapter, Intel PRO/Wireless 3945AB <i>Some:</i> 11a/b/g/n wireless ⁴ , Mini PCI Express adapter, Intel Wireless WiFi Link 4965AGN, MIMO 2x3 (Kedron) | EarthLink (Vista Home Basic and Home Premium models only) InterVideo InstantON Roxio Digital Media LE (DVD±RW for XP only) Corel WinDVD® (DVD±RW for XP only) |
| | Bluetooth 2.0 wireless, USB 2.0 interface via ICH8M, LED indicator 56K V.92 ⁶ modem 10/100 ethernet, Broadcom [®] BCM5906M, PCI Express x1 Intel High Definition (HD) Audio, Conexant [®] CX20549 codec / stereo speakers, 1 watt / volume, up, down, mute button / stereo microphone, microphone input jack (3.5 mm), headphone jack (3.5 mm) Power-on password, hard disk password, supervisor password, security keyhole Fingerprint reader on palm rest , swipe sensor, no preboot support 1-year - EasyServ ^{™.19} depot repair service / service upgrades ²² available | e Universal 65-watt AC adapter Wireless on/off switch RoHS-compliant ENERGY STAR [®] 4.0-compliant International Warranty Service ¹⁷ 24 hour x 7 day ¹⁸ toll-free support during the warranty period ¹² via 800-426-7378 |
| 1GB PC2-5300 D 2GB PC2-5300 D USB Portable Dis USB 2.0 Lenovo USB 2.0 Essentia USB 2.0 Lenovo USB 2.0 Super M 160GB Disk 9.5m Laser Tilt Wheel I | DR2 SODIMM (TopSeller) 43R1999 UDR2 SODIMM (TopSeller) 43R2000 kette Drive 05K9276 Multimedia Headset 40Y8518 Il Memory Key 8GB 45J7905 Enhanced Port Replicator 43R8770 Lulti-Burner Drive 41N5565 m SATA 1.5Gb/s (5400 rpm) 41N5692 ThinkVision® L2240p Wide 22" Monitor 44 | OV8319 Lenovo Care [™] 1-year LOR 9x5 NBD .0Y8321 41K054 .0Y7696 Lenovo Care 2-year LOR 9x5 NBD .0Y7659 41K054 .0Y7659 41K054 .1N8460 Lenovo Care 2-year P&L PU Depot .1U5253 41K054 .1U5254 Lenovo Care 3-year LOR 9x5 NBD |

See footnotes for important warranty information * Intel Centrino® processor technology ^{IIII} US model announced March 18, 2008; previous models on May 22, July 17, October 2, 2007, or January 8, 2008 ^{IIIII} US models withdrawn effective December 2007 or May 2008

© Lenovo (FS2-1) February 2009

| Partial list of accessories supported on: • Lenovo V200 announced on May 22, 2007 | | | | |
|--|--|--|---|---|
| Memory 1GB PC2-5300 DDR2 SODIMM (TopSeller) 2GB PC2-5300 DDR2 SODIMM (TopSeller) | | ann 03/25/08 ann 03/25/08 | | 0Y8319 ann 05/16/06 0Y8321 ann 05/16/06 |
| Storage and removable storage USB 2.0 Essential Memory Key 2GB USB 2.0 Essential Memory Key 4GB USB 2.0 Essential Memory Key 8GB USB 2.0 Essential Memory Key 32GB USB 2.0 Security Memory Key 4GB USB 2.0 Ultra Secure Memory Key 2GB USB 2.0 Ultra Secure Memory Key 4GB | 45J7904 45J7905 45K1258 41U5120 45J5915 45J5916 | ann 07/15/08 ann 10/28/08 ann 07/17/07 ann 08/26/08 ann 08/26/08 | ThinkPad and Lenovo 90W AC Adapter4Lenovo 90W Slim AC/DC Combo Adapter4Belkin Surge Protector3Belkin 1 outlet Notebook Surge3Carrying Cases | 0Y7696 ann 09/20/05 0Y7659 ann 09/20/05 1N8460 ann 11/27/07 11P7659 11P7658 11U5253 ann 05/01/07 11U5254 ann 05/01/07 |
| USB 2.0 Ultra Secure Memory Key 8GB USB Portable Diskette Drive | | ann 08/26/08 ann 06/05/00 | Lenovo Standard Backpack 4 | 5K1697 ann 11/25/08 5K1698 ann 11/25/08 |
| USB 2.0 CD-RW/DVD-ROM Combo II Drive USB 2.0 Portable 160GB Hard Disk USB 2.0 Portable 320GB Hard Disk USB 2.0 Portable Secure 160GB Hard Disk USB 2.0 Portable Secure 320GB Hard Disk USB 2.0 Super Multi-Burner Drive | 43R1784 45K1689 43R2018 43R2019 41N5565 | ann 01/05/06 ann 09/23/08 ann 03/17/09 ann 11/18/08 ann 11/18/08 ann 01/23/07 | ThinkVision L1700p 17" Monitor94ThinkVision L1900p 19" Monitor44ThinkVision L1940p Wide 19" Monitor44ThinkVision L200p Wide 20.1" Monitor44 | 227AE1 ann 04/15/08 417HE2 ann 09/17/08 431HE1 ann 11/11/08 424HB6 ann 09/17/08 438HB6 ann 04/15/08 422HB6 ann 09/17/08 |
| 160GB Disk 9.5mm SATA 1.5Gb/s (5400 rpm) Expansion | 41N5692 | ann 03/20/07 | ThinkVision L2440p Wide 24" Monitor 4 | 42211B6 ann 09/17/08 420HB2 ann 09/17/08 421HB2 ann 09/17/08 |
| USB 2.0 Lenovo Enhanced Port Replicator ThinkPad Adjustable Notebook Stand Keyboard | | ann 02/26/08 ann 09/20/05 | ThinkVision Soundbar 4 | 0Y7616 ann 08/23/05 5K1263 ann 09/16/08 |
| USB Numeric Keypad Preferred Pro USB Keyboard Enhanced Performance USB Keyboard Wireless Kybd & Opt Wheel Mouse (via USB) USB Keyboard with UltraNav USB Travel Keyboard with UltraNav | 73P2620 73P4067 31P8950 | ann 06/21/05 ann 03/23/04 | Kensington Twin Head Cable Lock 4 ThinkPad Convertible Monitor Stand 4 | |
| Mouse Optical Wheel Mouse (USB) Optical ScrollPoint® Mouse (USB, PS/2) Optical Wheel Travel Mouse (USB, PS/2) Laser Tilt Wheel Mouse (USB, PS/2) Lenovo Wireless Laser Mouse (blk, via USB) Laser Tilt Wheel Travel Mouse (red, via USB) Laser Tilt Wheel Travel Mouse (Bluetooth) Wireless Kybd & Opt Wheel Mouse (via USB) | 31P7405 31P7410 41U3074 45K1696 51J0198 41U5008 | ann 01/22/08 | Medialess License Key (MLK) Microsoft® Office 2007 Basic, English 4 Microsoft Office 2007 Small Business, Engl 4 Microsoft Office 2007 Professional, English 4 | |
| Security Kensington® Cable Lock from Lenovo Kensington Twin Head Cable Lock USB Gemplus GemPC Smart Card Reader | 45K1620 | ann 12/29/03 ann 09/30/08 ann 02/21/06 | | |
| ExpressCard/54 slot: ExpressCard Gemplus Smart Card Reader | 41N3043 | ann 06/27/06 | Other accessories at www.lenovo.com/acces | ssories |
| Multimedia USB 2.0 Lenovo Multimedia Headset USB 2.0 Lenovo Webcam | | ann 06/27/06 ann 08/29/06 | Accessories Guide pdf at www.lenovo.com/ac | cessoriesguide |
| | | | Lenovo Care ^s maintenance services | |
| | | | Warranty service upgrade: ²² 1-year Lenovo Onsite Repair (LOR) 9x5 Next I 2-year Lenovo Onsite Repair (LOR) 9x5 Next I 2-year Parts and Labor (P&L) Pickup Depot 3-year Lenovo Onsite Repair (LOR) 9x5 Next I 3-year Parts and Labor (P&L) Pickup Depot | Business Day 41K0548 41K0545 |
| | | | Post-warranty maintenance services: ⁵ 1-year maintenance Parts and Labor Pickup D 1-year maintenance 9x5 Next Business Day re 2-year maintenance Parts and Labor Pickup D 2-year maintenance 9x5 Next Business Day re [SBD=Second Business Day average response | esponse 41K0551 Depot SBD 41K0552 esponse 41K0553 |
| | | | Lenovo Care maintenance services at www.le | novo.com/warranty |

© Lenovo (O-V200) February 2009





Lenovo® G530 (4151) - GMA

| Type-model Proces | sor GHz | Memory | Widescreen display | Cam- era | Integrated graphics | SATA disk | SATA optical | Mini PCle 802.11 wireless | | Blue- tooth | Battery cells | Vista preload | Avail date |
|--|--|---|--|--|---------------------------------------|---|---|---|---|---|---|--|--|
| 4151-X2U T340 4151-38U T340 4151-3BU T340 4151-X3U T340 | 0 2.16 0 2.16 | 2GB <mark>3GB</mark> 3GB 3GB | 15.4" WXGA 15.4" WXGA 15.4" WXGA 15.4" WXGA | Cam Cam | GMA <mark>GMA</mark> GMA GMA | 160GB ⁸ 160GB 250GB 250GB | DVD±RW DVD±RW | Lenovo 11b/g ¹ Lenovo 11b/g Lenovo 11b/g Lenovo 11b/g | Black Black | None None None | 4-cell | Basic Prem 32 Prem 32 Prem 32 | Mar (|
| | Bold I Integr helps Lenov | black col ated 0.3 control | access to you le System pro | finish mera ır note | and Lenov book by re | ecognizin | g your face | cognition soft e. ⁄ Antivirus with | | | | | |
| Positioning Processo | Intel [®] Pe | entium® I | <i>ility; two-spind</i> Processor T3 4 bus, and 1MB I | 100 wit | | e, | | | - Son | ne: Mic Hoi | rosoft® V me Basic | system ²⁰ Vindows® \ Edition (3 | 32-bit) |
| Memory | | nnel cap | 4GB max ³¹ / F able, two 200-j ard memory in | pin SC | -DIMM soc | kets; | | | | Hoi (32 | me Prem -bit) | indows Vis ium Editio | n |
| Diskette drive SATA DVD±RW SATA disk | DVD bur | ner, dual | al USB-based layer support, n) or 250GB (5 | fixed, | not remova | | | | ♦ Oth Preloa | ers: | Vista I | Basic logo Premium lo ns 14 (only | ogo |
| Widescreen display Camera | CCFL ba | cklight, 2 | WXGA (1280) 200 nits, 16:10 screen, 0.3-m | aspéc | t ratio, 400 | 1 contras | | , | Len | iovo Re | DneKey F adyCom ernet Sec | | |
| Integrated graphics | | | edia Accelera | | | | in GL40, | | (90 | | f virus de | efinitions) | |
| Keyboard Multimedia controls Touch pad Dimensions ³ | sTouch-se Two-butt | ensitive v on touch | d, 6-row, 84-ke plume control pad with scrol 10.1" x 1.22" | panel I featu | with one us re (no Track | er defined (Point®) | button | 37mm | EasVeriLen | sy Capt iFace™ iovo En | Facial R | olbar ecognitior nagement | |
| Weight ² Case color | | al drive a | and battery: 6-a | | | | | | | tware berlink l | Power2G | o (DVD±R | W) |
| Case material Battery - type Battery - life ¹⁰ | Lithium I | on 4-cell | o <i>rest:</i> ABS pla or 6-cell hr; <i>6-cell:</i> up | | hr | | | | | ovo.con | າese reta າ | ilers | |
| Chipset ExpressCard/54 | ICH9M I/ ethernet | O Contro MAC) | 0 Express Ch oller Hub (SAT/ SCard/34, Expr | 4 3.0G | b/s, USB 2 | | | PCI 2.3, | Wirele | tt AC ac ss on/o -compli | off switch | | |
| Multicard reader Ports | None | 、 1 | ternal monitor | | , | odem (RJ- | 11), etherne | et (RJ-45) | | | | rranty ¹² | |
| TV tuner Mini PCI Express Lenovo 11b/g ¹¹ Bluetooth™ Modem Ethernet Audio support Security Fingerprint reader | None One Mini 11b/g win None 56K ⁶ V.92 10/100 e High Def micropho Power-or | i PCI Exp reless ⁴ , L 2 ¹⁵ mode thernet, l inition (H one, micr | oress slot enovo 11b/g N | 1ini PC 20561- 20561- ack (3) | 6M 15Z codec 5 mm), hea | Adapter, B / two mair adphone ja | roadcom® E speakers (ack (3.5 mm | 3CM4312 (2 watt) / | → Dep → Ser (in • 1 • 3 • 9 • 4 | oot repa vice up eligible -year a rotecti -year L x5 Nex -year L x5 Nex vith acc | on via d enovo C t Busine enovo Or t Busines idental | e ¹⁹ otions us): ⁹ al damage epot 4; Onsite Rep ess Day 4; nsite Repa as Day | 3R888 5 air ¹³ 3R888 ir ¹³ |
| | | | | | | | | | ⇔ 24x iss | 7 ¹⁶ toll- | ring the v | on 43 port for wa varranty p | |

See footnotes for important warranty information I US models announced March 17, 2001; previous model on January 27, 2009 See US model withdrawn effective March 2009

© Lenovo (ACN1-1) March 2009

Lenovo® G530 (4446) - GMA

| Proc- Type-model essor | GHz Memor | Widescreen | Camera (mega- pixel) | Integrated graphics | Chipset | Disk SATA GB [®] rpm | SATA optical | Mini P 802. ⁻ wirele | 11 | Blue- tooth | Battery cells | Preload | Avail date |
|---|---|---|--|--|---|--|--|---|--|--|--|---|--|
| 4446-23U T3400 4446-24U T3400 4446-25U T6400 | 2.16 <i>3GB</i> | 15.4" WXGA 15.4" WXGA 15.4" WXGA | 0.3 GN | 1A 4500M | | 250G 540 |) DVD±RW) DVD±RW) DVD±RW | RealTe RealTe * Intel 51 | k b/g | None None None | 6 6 6 | Home B Prem 32 XP Pro | Mar 09 |
| | 15.4" widMatte bla | escreen, glos ck finish | ssy disp | lay | | | | | | | | | |
| Processor | 667MHz sys Intel Core™ | um [®] Process stem bus, and I 2 Duo proce stem bus, and | 1MB L2 ssor T64 | cache or 100 with du a | , | | | | | <i>ne:</i> Mic XP | | | |
| Memory | 2GB or 3GE dual-channe <i>Italics:</i> | std / 4GB ma capable, two standard me standard me | ax ⁷ / PC2 200-pin mory in I | -5300 667M SO-DIMM ooth sockets | sockets; s; no soci | kets availabl | | | | Hoi <i>ne:</i> Mic Hoi | me Bas crosoft V | Vindows V ic Edition Vindows V mium Edit | (32-bit) /ista |
| SATA DVD±RW SATA disk | 160GB ⁸ (54 | , SATA 1.5Gb/ 00 rpm) or 25 //s, 9.5mm hig | 0GB (54) | 00 rpm) / | , | novable, tra | y-in | | <i>♦ Othe</i> | 6-25̀U: ers: | Viśta F Vista E | Premium la Basic logo | |
| Widescreen display Camera | CCFL backl Some: carr | 2mm) WXGA ight, 200 nits, iera on top of iera on top of | `16:10 as screen, (| péct ratio, 4).3-megapix | 00:1 con el, fixed f | trast ratio | | | Lend - Re - Action | ovo Ca scue a cess C | oplicati re™ Toc nd Reco onnectio ion Dire | ls overy™ ons™ | |
| Integrated graphics | Some: Inte | I Graphics M I Graphics M c external reso | edia Aco | celerator 45 | 00MHD | (GMA 4500 | | 145, | EasyAdol | y Captı be® Re | ure ader | curity™ | |
| Keyboard Touch controls Touch pad | Touch-sens | /board, 6-row, itive volume co touch pad with | ontrol pai | nel with one | user def | ined button | , Windows/A | oppl keys | Wind Wind | dows L dows L | ive™ To ive Sea | rch | |
| Dimensions ³ Weight ² Case color Case material Battery - type Battery - life ¹⁰ | | 6-cell | | 0.1" x 1.22– ⁻ | 1.46"; 358 | 3.5 x 256.5n | nm x 31–37n | nm | Microsoft Office 2007 Trial (60 Roxio® Creator® Small Busine Edition InterVideo WinDVD® (DVD±R⁴ | | | | |
| Chipset ExpressCard/54 Multicard reader PC Card Smart Card read Ports Mini PCI Express RealTek b/g ¹¹ | Mobile Inte ICH9M I/O (ethernet MA One slot (Ex 4-in-1 reade None Four USB 2 One Mini PC Some: 11b | I GL40/GM45 Controller Hub CO (pressCard/34 rr (Memory St .0, external m CI Express slc /g wireless ⁴ , M |) (SATA 3 I, Expres ick, Mem onitor (V onitor (V Iini PCI E | 8.0Gb/s, US sCard/54) ory Stick Pf GA DB-15), Express Ada | B 2.0, PC RO™, Seo <u>modem (</u> apter, Rea | CI Express® cure Digital, (RJ-11), eth alTek chipse | 1.1, PCI 2.3, xD-Picture (ernet (RJ-45 t | Card™) | | | | | |
| Intel 5100 ²⁸ WWAN upg UWB Modem Bluetooth™ | Some: 11a None S6K V.92 ⁶ m None | /b/g/n wireless odem | ⁵, Mini P | Cle adapter | , Intel Wil | Fi Link 5100 | , 1x2 (Shirle | y Peak) | Wirele | | off switc | ics) AC ao h | dapter |
| Ethernet Intel AMT Audio support Security Security chip Fingerprint reader | 10/100 ethe None High Definit down, mute Power-on pa None | rnet, Broadco ion (HD) Audi buttons / mic assword, hard | o, CX205 ophone, | i61-15Z cod mic input ja | ck, head | phone jack | | | * 1- cc 90 pl | ear war year o ompone O-day o astics, | ranty*: n major ents (inc n keybo power o | rranty ¹² electroni cluding ba bard, hing cord, AC a | ttery), es, |
| 1GB PC2-5300 E 2GB PC2-5300 E USB 2.0 Essentia USB 2.0 Essentia USB 2.0 Lenovo USB 2.0 Lenovo USB 2.0 Lenovo Optical Wheel Tra Lenovo Wireless Lenovo Wireless | DR2 SODIM al Memory Ke Al Memory Ke Multimedia H Webcam Enhanced Po avel Mouse (L Laser Mouse | M (TopSeller) ay 4GB ay 32GB eadset ort Replicator JSB, PS/2) e (blk, USB) | 43R2000 45J7904 45K1258 40Y8518 40Y8519 | Lenovo 9 Lenovo C Lenovo C Kensingto Kensingto Kensingto ThinkVisi ThinkVisi Other acc | 0W AC A carrying C case - Pel on® Cable on Twin H on® L224 on L2440 | Case - Mess rformance E e Lock from lead Cable I Op Wide 22 0x Wide 24" | 4 enger Max 4 ackpack 4 Lenovo 7 _ock 4 ' Monitor 4 | 1U5254 /3P2582 5K1620 422HB6 421HB2 | ⇒ Ser (in 0 • 2 • 2 • 2 • 2 • 2 • 2 | vice up eligible -year M -year L varranty -year L varranty | locatio Mail In v enovo (y 9x5 enovo (y 9x5 wi warrant | options ns): ⁹ Warranty Dnsite Re 5 Dnsite Re 1th ADP 5 y support | 5Y2506 pair 5Y2509 pair 5Y2515 |

See footnotes for important warranty information US models announced March 31, 2009

* Intel Centrino[®] processor technology

© Lenovo (DOV2-1) April 2009

Lenovo[®] Value Line Notebooks - Lenovo CareSM Services

Personal Systems Reference (PSREF)

| r more information see: | | | |
|--|--------------------|---|--|
| p://www.lenovo.com/services_warranty/us/e | n/index.html | | |
| enovo Care service upgrade options | | | |
| enovo Value Line notebooks with 1-year Dep | od warrantv | | |
| lail in = Mail In repair. ADP = Accidental Damao | | | |
| year Mail In warranty 9x5 | 55Y2506 | | |
| vear Mail In warranty 9x5 with ADP | 55Y2507 55Y2511 | | |
| -year Mail In warranty 9x5 with ADP | 55Y2512 | | |
| -year Mail In warranty 9x5 with ADP | 55Y2513 | | |
| OR = Lenovo Onsite Repair, ADP = Accidental | Damage Protection | | |
| year LOR warranty 9x5 year LOR warranty 9x5 | 55Y2508 55Y2509 | | |
| year LOR warranty 9x5 | 55Y2510 | | |
| year LOR warranty 9x5 with ADP year LOR warranty 9x5 with ADP | 55Y2514 55Y2515 | | |
| | 55Y2516 | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | 1 | |

© Lenovo (S-VLN) March 2009 **Availability:** All offers subject to availability. Lenovo reserves the right to alter product offerings and specifications at any time, without notice. Lenovo is not responsible for photographic or typographic errors.

Warranty: For a copy of applicable product warranties, write to: Warranty Information, P.O. Box 12195, RTP, NC, 27709, Attn: Dept ZPYA/B676. Lenovo makes no representation or warranty regarding third party products or services.

Footnotes:

- Power management, including Intel® SpeedStep® Technology, reduces processor speed when in battery mode.
- ² Weight includes battery and standard optical drive; weight may vary due to vendor components, manufacturing process and options.
- ³ **Thinness** may vary at certain points on the system.
- ⁴ Wireless capability: Requires compatible wireless-enabled options sold separately.
- ⁵ Post-warranty annual maintenance agreement: Service begins at the end of the base warranty or the end of any other applied warranty and maintenance option, whichever occurs last. Service delivery is not available the same day the maintenance agreement is purchased. Maintenance agreements must be purchased and the registration successfully completed prior to the service being available.
- ⁶ Public network download modem speeds are limited to 53Kbps. Upload speeds are limited to 48Kbps for V.92 modems. Actual speeds depend on many factors and are often less than the maximum possible. V.92 functions and speeds require compatible phone line and server equipment. Check with your telephone and ISP service providers for availability.
- ⁷ Maximum memory capacity may require the replacement of standard component with largest supported component available. On ThinkPad systems, even though it is possible to physically install 4GB of memory, the actual amount of memory addressable by a 32-bit operating system will be limited to 3GB. This limitation does not exist with 64-bit operating systems Windows XP Professional 64-bit and Windows Vista 64-bit Editions.

- ⁸ Hard drive: GB = billion bytes, TB = trillion bytes. Accessible capacity is less; up to 4GB is service partition.
- ¹⁰ Battery: These model numbers achieved Battery Rundown Time of at least the time shown during testing. A description of the testing available at **lenovo.com**/ pc/ww/thinkpad/batterylife. Battery life (and recharge times) will vary based on many factors including screen brightness, applications, features, power management, battery conditioning, and other customer preferences.
- ¹¹ Wireless: Based on IEEE 802.11a, 802.11b, and 802.11g respectively. An adapter with 11a/b, 11b/g, or 11a/b/g can communicate on either/any of these listed formats respectively, the actual connection will be based on the access point to which it connects.
- ¹² Limited warranty: Support unrelated to a warranty issue may be subject to additional charges.
- ¹³ Onsite Service: If a machine is listed as having "On-site", this means that on-site service is available for the replacement of parts for warranty repairs. Certain parts, referred to as Customer Replaceable Unit ("CRU") parts, are easy to install and require little or no tools or technical knowledge. Some examples of CRU parts are mice, keyboards, hard disk drives, speakers, and memory. If your problem can be resolved with a CRU, the Support Center will offer to ship the part to you for you to install.
- ¹⁴ Included software may differ from its retail version (if available), and may not include user manuals or all program functionality. Software license agreements may apply.
- ¹⁵ Modem speeds: Public network download speeds are limited to 53Kbps. Upload speeds are limited to 48Kbps for V.92 modems. Actual speeds depend on many factors and are often less than the maximum possible. V.92 functions and speeds require compatible phone line and server equipment. Check with your telephone and ISP service providers for availability.
- ¹⁷ International Warranty Service is available for most products in any country in which this product is sold and serviced. Service delivery methods and parts availability vary by country, may be different from that in the country of purchase, and are subject to change without notice. Fees and restrictions may apply in some countries.

- ¹⁸ Telephone support may be subject to additional charges, even during the limited warranty period. Response times may vary and may exclude some holidays.
- ¹⁹ EasyServ depot repair: The customer may be asked certain diagnostic questions before a courier is sent. Your purchase includes this depot repair service, available in the U.S. during the limited warranty period.
- ²⁰ Operating System: Level of support varies by operating system. Operating systems not preloaded on the system may not provide full feature functionality. Refer to lenovo.com/pc/support and enter your machine type and model number for more information.
- ²¹ For combination drives, maximum possible speeds only are given in the following order: CD write, CD rewrite, CD read, DVD read.
- ²² Lenovo Care Services: These services are available for machines normally used for business, professional, or trade purposes, rather than personal, family, or household purposes. Not all machine types and models are covered. Service period begins with the equipment date of purchase. Service must be purchased during the original limited product warranty period. Service levels are response time objectives and are not guarantees. If the machine problem turns out to be a Customer Replaceable Unit (CRU), a part can be express shipped to you for quick replacement. For notebooks requiring LCD or other component replacement, Lenovo may choose to perform service at the depot repair center. Calls must be received by 5 pm local time in order to qualify for Next Business Day service. P&L means parts and labor. P/U means pick-up. See terms and conditions for complete details and restrictions.
- ²⁵ Wireless WAN Cards: Wireless data service requires separate agreement with Verizon Wireless. Verizon Wireless, not Lenovo, is solely responsible for service. Monthly and airtime charges may apply. Service may not be available in all areas; purchaser is responsible for verifying with Verizon Wireless that service is available for the intended location before the purchase of the card. For complete details, including service plans, additional required hardware or software, and service coverage, visit www.verizonwireless.com.

²⁸ The IEEE 802.11n specification (MIMO) has not been finalized and is currently in draft release. The Lenovo 11a/b/g/n (11n) Wireless LAN Mini PCI Express Adapters are based on the Draft Release, Version 1.0, of the IEEE 802.11n specification. The maximum speed depends on the access point device and the number of integrated antenna used for connection. An adapter with 11a/b, 11a/b/g, or 11a/b/g/n can communicate on any of its supported formats. This publication was developed for products and services offered in the United States. Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS," WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to you.



Trademarks: Lenovo, the Lenovo logo, New World. New Thinking, Access Connections, Rescue and Recovery, ThinkCentre, ThinkPad, ThinkStation, ThinkVantage, and ThinkVision are trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside logo, Intel Core and Core Inside are trademarks of Intel Corporation in the US and other countries. Other company, product, or service names may be trademarks or service marks of others.

ENERGY STAR: As an ENERGY STAR Partner, Lenovo has determined that this product meets the ENERGY STAR guidelines for energy efficiency.

Visit **www.lenovo.com/safecomputing** periodically for the latest information on safe and effective computing.

Visit **www.lenovo.com/psref** for the latest version of Personal Systems Reference.

© Lenovo, 2009. All rights reserved.

> Lenovo 1009 Think Place Morrisville, NC 27560 U.S.A.

April 2009 3book.pdf Free Manuals Download Website <u>http://myh66.com</u> <u>http://usermanuals.us</u> <u>http://www.somanuals.com</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.com</u> <u>http://www.404manual.com</u> <u>http://www.luxmanual.com</u> <u>http://aubethermostatmanual.com</u> Golf course search by state

http://golfingnear.com Email search by domain

http://emailbydomain.com Auto manuals search

http://auto.somanuals.com TV manuals search

http://tv.somanuals.com