


website http://www.lgservice.com e-mail http//www.lgeservice.com/techsup.html



MULTI V[™] System Indoor Unit (2 Series)

OWNER'S MANUAL

Type: Ceiling Cassette - 4Way



OPERATING TEMPERATURE(°C)

COOLING MODE					
INDOOR		OUTDOOR			
MAX.	MIN.	MAX.	MIN.		
32°C	21°C	43°C	21°C		
	HEATING MODE				
INDOOR		OUTDOOR			
MAX.	MIN.	MAX.	MIN.		
27°C	20°C	24°C	1°C		

FRANÇAIS

ENGLISH

ITALIANO

ESPAÑOL

- Please read this owner's manual carefully and thoroughly before installing and operating your room air conditioner.
- · Please retain this owner's manual for future reference after

Download from Www.Somanuals.com. All Manuals Search And Download.

MULTI V. Ceiling Cassette - 4Way Type Indoor Unit Owner's Manual

TABLE OF CONTENTS

Safety Precautions3

Prior to Operation8

Operating Instructions......9

Maintenance and Service12 Before you Call for Service14

J FOR YOUR RECORDS

Write the model and serial numbers here:

Model

Serial #

You can find them on a label on the side of each unit.

Dealer's Name

Date Purchased

Staple your receipt to this page in the event you need it to prove date of purchase or for warranty issues.

OREAD THIS MANUAL

Inside you will find many helpful hints on how to use and maintain your air conditioner properly. Just a little preventive care on your part can save you a great deal of time and money over the life of your air conditioner.

You'll find many answers to common problems in the chart of troubleshooting tips. If you review our chart of

Troubleshooting Tips first, you may not need to call for service at all.

PRECAUTION


- Contact the authorized service technician for repair or maintenance of this unit.
- · Contact the installer for installation of this unit.
- The air conditioner is not intended for use by young children or invalids without supervision.
- Young children should be supervised to ensure that they do not play with the air conditioner.
- When the power cord is to be replaced, replacement work shall be performed by authorized personnel only using only genuine replacement parts.
- Installation work must be performed in accordance with the National Electric Code by qualified and authorized personnel only.



Safety Precautions

To prevent injury to the user or other people and property damage, the following instructions must be followed.

Incorrect operation due to ignoring instruction will cause harm or damage. The seriousness is classified by the following indications.



Do not modify or extend the power cable.

• There is risk of fire or electric shock.



For installation, always contact the dealer or an Authorized Service Center.

• There is risk of fire, electric shock, explosion, or injury.



Do not let the air conditioner run for a long time when the humidity is very high and a door or a window is left open.

• Moisture may condense and wet or damage furniture.



Do not plug or unplug the power supply plug during operation.

There is risk of fire or electric shock.



Do not install, remove, or re-install the unit by yourself (customer).

• There is risk of fire, electric shock, explosion, or injury.



Do not install the product on a defective installation stand.

• It may cause injury, accident, or damage to the product.



Operation

Take care to ensure that power cable could not be pulled out or damaged during operation.

• There is risk of fire or electric shock.



Do not touch(operate) the product with wet hands.

• There is risk of fire or electrical shock.



Be cautious when unpacking and installing the product.

• Sharp edges could cause injury. Be especially careful of the case edges and the fins on the condenser and evaporator.



Be sure the installation area does not deteriorate with age.

• If the base collapses, the air conditioner could fall with it, causing property damage, product failure, and personal injury.



Do not place anything on the power cable.

• There is risk of fire or electric shock.



Do not place a heater or other appliances near the power cable.

• There is risk of fire and electric shock.



4 MULTI V Indoor Unit

Download from Www.Somanuals.com. All Manuals Search And Download.

Do not allow water to run into electric parts.

• It may cause There is risk of fire, failure of the product, or electric shock.



When flammable gas leaks, turn off the gas and open a window for ventilation before turn the product on.

• Do not use the telephone or turn switches on or off. There is risk of explosion or fire



Do not open the inlet grill of the product during operation. (Do not touch the electrostatic filter, if the unit is so equipped.)

• There is risk of physical injury, electric shock, or product failure.



Ventilate the product from time to time when operating it together with a stove, etc.

• There is risk of fire or electric shock.



Do not store or use flammable gas or combustibles near the product.

• There is risk of fire or failure of product.



If strange sounds, or small or smoke comes from product. Turn the breaker off or disconnect the power supply cable.

• There is risk of electric shock or fire.



When the product is soaked (flooded or submerged), contact an Authorized Service Center.

• There is risk of fire or electric shock.



Do not use the product in a tightly closed space for a long time.

• Oxygen deficiency could occur.



Stop operation and close the window in storm or hurricane. If possible, remove the product from the window before the hurricane arrives.

• There is risk of property damage, failure of product, or electric shock.



Be cautious that water could not enter the product.

• There is risk of fire, electric shock, or product damage.



Turn the main power off when cleaning or maintaining the product.

• There is risk of electric shock.



When the product is not be used for a long time, disconnect the power supply plug or turn off the breaker.

• There is risk of product damage or failure, or unintended operation.

Take care to ensure that nobody could step on or fall onto the outdoor unit.

• This could result in personal injury and product damage.



Installation

Always check for gas (refrigerant) leakage after installation or repair of product.

• Low refrigerant levels may cause failure of product.



Do not install the product where the noise or hot air from the outdoor unit could damage the neighborhoods.

• It may cause a problem for your neighbors.



Operation

Do not expose the skin directly to cool air for long periods of time. (Don't sit in the draft.)

• This could harm to your health.



Install the drain hose to ensure that water is drained away properly.


• A bad connection may cause water leakage.



Use two or more people to lift and transport the product.

Avoid personal injury.





To avoid vibration or water leakage.



Do not install the product where it will be exposed to sea wind (salt spray) directly.

 It may cause corrosion on the product. Corrosion, particularly on the condenser and evaporator fins, could cause product malfunction or inefficient operation.



Do not use the product for special purposes, such as preserving foods, works of art, etc. It is a consumer air conditioner, not a precision refrigeration system.

• There is risk of damage or loss of property.

6 MULTI V. Indoor Unit

Download from Www.Somanuals.com. All Manuals Search And Download.

Do not block the inlet or outlet of air flow.

• It may cause product failure.



Do not step on or put anyting on the product. (outdoor units)

• There is risk of personal injury and failure of product.



Do not drink the water drained from the product.

• It is not sanitary and could cause serious health issues.



Do not recharge or disassemble the batteries. Do not dispose of batteries in a fire.

• They may burn or explode.



Use a soft cloth to clean. Do not use harsh detergents, solvents, etc.

• There is risk of fire, electric shock, or damage to the plastic parts of the product.



Always insert the filter securely. Clean the filter every two weeks or more often if necessary.

 A dirty filter reduces the efficiency of the air conditioner and could cause product malfunction or damage.



Use a firm stool or ladder when cleaning or maintaining the product.

• Be careful and avoid personal injury.



If the liquid from the batteries gets onto your skin or clothes, wash it well with clean water. Do not use the remote if the batteries have leaked.

• The chemicals in batteries could cause burns or other health hazards.





Do not touch the metal parts of

Do not insert hands or other objects through the air inlet or outlet while the product is operated.

 There are sharp and moving parts that could cause personal injury.



Replace the all batteries in the remote control with new ones of the same type. Do not mix old and new batteries or different types of batteries.

• There is risk of fire or explosion





ENGLISH

Prior to Operation

Preparing for operation

- 1. Contact an installation specialist for installation.
- 2. Use a dedicated circuit.

Usage

- 1. Being exposed to direct airflow for an extended period of time could be hazardous to your health. Do not expose occupants, pets, or plants to direct airflow for extended periods of time.
- 2. Due to the possibility of oxygen deficiency, ventilate the room when used together with stoves or other heating devices.
- 3. Do not use this air conditioner for non-specified special purposes (e.g. preserving precision devices, food, pets, plants, and art objects). Such usage could damage the items.

Cleaning and maintenance


- 1. Do not touch the metal parts of the unit when removing the filter. Injuries can occur when handling sharp metal edges.
- 2. Do not use water to clean inside the air conditioner. Exposure to water can destroy the insulation, leading to possible electric shock.
- 3. When cleaning the unit, first make sure that the power and breaker are turned off. The fan rotates at a very high speed during operation. There is a possibility of injury if the unit's power is accidentally triggered on while cleaning inner parts of the unit.

Service

For repair and maintenance, contact your authorized service dealer.

Operating Instructions

Name and function of wired remote controller(Optional)




 Remote Controller Model: PQRCUSA0


- 1. Operation indication screen
- 2. Set temperature button
- 3. Wireless remote controller Receiver • Some kind of product could not receive
 - Some kind of product could not receive wireless signal.
- 4. Ventilation button
- 5. Operation mode selection button
- 6. Sub-function button
- 7. Function setting button
- 8. Exit button
- 9. On/ Off button

- 10. Room temperature button
- 11. Fan speed button
- 12. Air flow button
- 13. Reservation/ Time setting button
- 14. Setting/ Cancel button
- 15. Up, Down, Left, Right

Name and function of wired remote controller(Optional)



PQWRCDF0 (Heat pump) PQWRHDF0 (Cooling only)




- Plasma button (optional) Used to start or stop the plasma-purification function.
- 2. Jet cool button Speed cooling operates super high fan speed.
- **3. Operation mode selection button** Used to select the operation mode.
- 4. Function setting button Used to set or clear auto clean or smart clean.
- 5. LCD luminosity button (optional) Used to adjust LCD luminosity
- 6. Smart clean button (optional) Used to start or stop smart clean.
- 7. Clear all button Used to clear all timer.
- 8. Room temperature setting button Used to select the room temperature.
- 9. ON/OFF button Used to turn off/on the unit.
- 10. Indoor fan speed selection button Used to select fan speed in four steps low, medium, high and chaos.
- 11. Auto swing button Used to stop or start louver movement and set the desired up/down airflow direction.
- 12. Horizontal airflow direction control button (optional) Used to set the desired horizontal airflow direction.
- **13. Timer and time setting button** Used to set the time of starting or stopping and sleeping operation.
- **14. Room temperature checking button** Used to check the room temperature.
- **15.** °C/°Fswitch button Used to switch temperature reading from Celsius to Fahrenheit.
- 16. Reset button

Used to reset the remote controller.

Forced Operation(TE only)

Operation procedures when the remote control can't be used. Press the tact switch (Forced operation) for 2 seconds. If you want to stop operation, press again the tact switch. In case the power comes on again after power failure on the Forced Operation mode, the operating conditions are automatically set as follows:

During Forced Operation, the initial mode continues.



	Cooling Model	Heat pump Model	
		Room Temp. ≥ set Temp2°C	Room Temp. < set Temp2°C
Operating mode	Cooling	Cooling	Heating
Indoor FAN Speed	High	set available	set available
Setting Temperature	22°C	set available	set available

Auto Restart Function

In case the power comes on again after a power failure, Auto Restarting Operation is the function to operate procedures automatically to the previous operating conditions.

Tips for Filter sign LED

- 1. Filter sign lamp (LED) is ON.
- 2. If LED indicating filter sign lamp is ON, clean the filter.
- 3. After cleaning the filter, press the Timer button and ◀ button of wired remote controller at the same time for 3 sec. Then filter sign LED is OFF.

Maintenance and Service



CAUTION: Before performing any maintenance, turn off the main power to the system.

Grille, Case, and Remote Control


□ Turn the system off before cleaning. To clean, wipe with a soft, dry cloth. Do not use bleach or abrasives.



Supply power must be disconnected before cleaning the indoor unit.


Air Filters

The air filters behind the front grille should be checked and cleaned once every 2 weeks or more often if neccessary.



- Never use any of the followings:
 - Water hotter than 40°C. Could cause deformation and/or discoloration.
 - Volatile substances. Could damage the surfaces of the air conditioner.





1. Remove the Air filters.

Take hold of the tab and pull slightly forward to remove the filter.

CAUTION: When the air filter is to be removed, do not touch the metal parts of the indoor unit. It may cause an injury.

- 2. Clean dirt from the air filter using a vacuum cleaner or washing with water.
- If dirt is conspicuous, wash with a neutral detergent in lukewarm water.
- If hot water (50°C or more) is used, it may be deformed.
- 3. After washing with water, dry well in the shade.
 - Do not expose the air filter to direct sunlight or heat from a fire when drying it.
- 4. Install the air filter.

When the air conditioner is not going to be used for a long time.

When it is not going to be used for a long time. Operate the air conditioner at the following settings for 2 to 3 hours. • Type of operation: Fan operation mode. • This will dry out the internal mechanisms.	When the air conditioner is to be used again. Clean the air filter and install it in the indoor unit. (Refer to page 12 for cleaning it.)
Z Turn off the breaker. CAUTION Turn off the breaker when the air conditioner is not going to be used for a long time. Did may called and may cause a fire	2 Check that the air inlet and outlet of the indoor/outdoor unit are not blocked.
Dirt may collect and may cause a fire. Helpful information The air filters and your electiric bill. If the air filters become clogged with dust, the cooling capacity will drop, and 6% of the electricity used to operate the air conditioner will be wasted.	Check that the ground wire is connected correctly. It may be connect to the indoor unit side.

Operation Tips

Do not overcool the room. This is not good for the health and wastes electricity.	Keep blinds or curtains closed. Do not let direct sunshine enter the room when the air conditioner is in operation.	Keep the room temperature uniform. Adjust the vertical and horizontal airflow direction to ensure a uniform temperature in the room.
Make sure that the doors	Clean the air filter regularly.	Ventilate the room
and windows are shut tight.	Blockages in the air filter	occasionally.
Avoid opening doors and	reduce the airflow and lower	Since windows are kept
windows as much as possible	cooling and dehumidifying	closed, it is a good idea to
to keep the cool air in the	effects. Clean at least once	open them and ventilate the
room.	every two weeks.	room now and then.

Before you call for service...



Troubleshooting Tips! Save time and money!

Check the following points before requesting repairs or service.... If the malfunction persist, please contact your dealer.

The air conditioner does not operate.	The room has a peculiar odor.	It seems that condensation is leaking from the air conditioner.	Air conditioner does not operate for about 3 minutes when restart.
 Have you made a mistake in timer operation? Has the fuse blown or has the circuit breaker been tripped? 	• Check that this is not a damp smell exuded by the walls, carpet, furniture or cloth items in the room.	 Condensation occurs when the airflow from the air conditioner cools the warm room air. 	 This is the protector of the mechanism. Wait about three minutes and operation will begin.
Does not cool or heat effectively.	The air conditioner operation is noisy.	Crack sound is heard.	Remote control display is faint, or no display at all.
 Is the air filter dirty? See air filter cleaning instructions. The room may have been very hot when the room air conditioner was first turned on. Allow time for it to cool down. Has the temperature been set incorrectly? Are the indoor unit's air inlet or outlet vents obstructed? 	 For a noise that sounds like water flowing. This is the sound of freon flowing inside the air conditioner unit. For a noise that sounds like the compressed air releasing into atmosphere. This is the sound of the dehumidifying water being processed inside the air conditioning unit. 	 This sound is generated by the expansion/ constriction of the front panel, etc. due to changes of temperature. Filter sign tamp (LED) is ON. Cleaning the filter, press the Timer button and	 Are the batteries depleted? Are the batteries inserted in the opposite (+) and (-) directions?

NOTICE

WATER RESISTANT: The outdoor side of this appliance is WATER RESISTANT. The indoor side is not water resistant and should not be exposed to excess water. Free Manuals Download Website <u>http://myh66.com</u> <u>http://usermanuals.us</u> <u>http://www.somanuals.com</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.com</u> <u>http://www.404manual.com</u> <u>http://www.luxmanual.com</u> <u>http://aubethermostatmanual.com</u> Golf course search by state

http://golfingnear.com Email search by domain

http://emailbydomain.com Auto manuals search

http://auto.somanuals.com TV manuals search

http://tv.somanuals.com