







## **DLE2701V DLG2702V**

Electric/Gas Dryers



As a leader in high efficiency front load laundry, LG is changing the industry with leading edge style and design, introducing the Graphite Steel designer color, larger capacity, and a bigger door opening.

#### Available colors:



### **PERFORMANCE**

- XL Load Capacity with NeveRust<sup>™</sup> Stainless Steel Drum (7.4 cu.ft.)
- Sensor Dry System for Intelligent Fabric Care and Energy Efficiency
- 12 Drying Programs
- 5 Temperature Levels
- Precise Temperature Control with Variable Heat Source
- Drying Rack
- Wrinkle Care Option
- Delicate and Ultra Delicate Cycles
- Custom Program

### STYLE AND DESIGN

- Upfront Electronic Control Panel
   with Dual LED Display and Dial-A-Cycle™
- Large Chrome Rimmed Door with Glass
- Stackable with Matching Washer
- Optional Matching Drawer Pedestal

### **TECHNOLOGY BENEFITS**

LoDecibel<sup>™</sup> Quiet Operation



LGusa.com

### **DLE2701V DLG2702V**

# Electric/Gas Dryers



# Intelligent Electronic Controls with Dual LED Display and Dial-A-Cycle™

Intuitive controls allow you to 'set it and go'. You can also save your favorite dry cycle by pressing Custom Program. You'll have optimized drying performance with the push of a button.

### FlowSense™ Duct Clogging Indicator

Detects lint build-up and decreased airflow in the duct system and signals that the duct should be cleaned.

### Sensor Dry System

Measures moisture in the drum during the cycle, then automatically adjusts the drying time and temperature for enhanced fabric care.

### Stackable or Side by Side?

Your choice. Less space? Try stacking the washer and dryer. More space? Place them side by side or under a counter. Don't want to bend down so far to load or unload clothing? Add our 13.7" high drawer pedestals. They're also a great place to store laundry detergent supplies.



Design and specifications are subject to change without notice.

© 2009 LG Electronics U.S.A., Inc., Englewood Cliffs, N.J.
All Rights Reserved. LG Design and Life's Good are trademarks of LG Electronics Inc.
All other trademarks are the property of their respective owners.

### LG Electronics U.S.A., Inc.

1000 Sylvan Avenue, Englewood Cliffs, NJ 07632 Customer Service and Technical Support: (800) 243-0000

Front Loader	•
Design Look	Front Control
Intelligent Electronic Contro	Is with Dual LED Display
Dial-A-Cycle™	•
Capacity	7.4 cu.ft.
Dry Linen Capacity	>10.1 kg
DRYING PROGRAMS	10.1 Kg
12 Programs	Sensor Dry: Heavy Duty, Cotton/Towels, Normal
12 i logiallis	Perm Press, Delicates, Ultra Delicate,
6 Options	Bulky/Large, Anti Bacterial, Small Load
	Manual Dry: Speed Dry, Air Dry, Freshen Up
6 Options	Custom Program, Damp Dry Beep,
	Wrinkle Care, Rack Dry, More Time, Less Time
5 Temperature Levels	High, Medium High,
- D	Medium, Low, Ultra Low
5 Drying Levels	Very Dry, More Dry, Normal Dry,
	Less Dry, Damp Dry
Dry Times	60 min., 50 min., 40 min., 30 min.,
	20 min., More Time/Less Time
Custom Program	
FABRIC CARE FEATURES	
Sensor Dry	•
Precise Temperature Contro	ol with Variable Heater •
CONVENIENCE FEATURES	
End of Cycle Beeper	Variable
Child Lock	***************************************
Venting Option	Electric: 4 Way Venting
verning Opnon	Gas: 3 Way Venting
Reversible Door	Gas: 5 Way Verning
Remaining Time Display/St	• 1 1 P 1 /- \
Leveling Legs	
Leveling Legs Drying Rack	4 Adjustable Legs
Leveling Legs Drying Rack LoDecibel™ Quiet Operation	4 Adjustable Legs
Leveling Legs Drying Rack LoDecibel™ Quiet Operation MATERIALS AND FINISHES	4 Adjustable Legs
Leveling Legs Drying Rack LoDecibel™ Quiet Operation MATERIALS AND FINISHES NeveRust™ Stainless Steel I	4 Adjustable Legs  1
Leveling Legs Drying Rack LoDecibel™ Quiet Operation MATERIALS AND FINISHES NeveRust™ Stainless Steel I	4 Adjustable Legs  1
Leveling Legs Drying Rack LoDecibel™ Quiet Operation MATERIALS AND FINISHES NeveRust™ Stainless Steel I Top Plate	4 Adjustable Legs  10 15 15 16 17 17 18 18 19 19 19 19 19 19 19 19 19 19 19 19 19
Leveling Legs Drying Rack LoDecibel™ Quiet Operation MATERIALS AND FINISHES NeveRust™ Stainless Steel I Top Plate Cabinet	4 Adjustable Legs  Drum Porcelain (V) Painted Steel
Leveling Legs Drying Rack LoDecibel™ Quiet Operation MATERIALS AND FINISHES NeveRust™ Stainless Steel I Top Plate Cabinet Control Panel	4 Adjustable Legs  Drum Porcelain (V) Painted Steel
Leveling Legs Drying Rack LoDecibel™ Quiet Operation MATERIALS AND FINISHES NeveRust™ Stainless Steel I Top Plate Cabinet Control Panel Transparent Door Glass	4 Adjustable Legs  Drum Porcelain (V) Painted Steel Plastic
Leveling Legs Drying Rack LoDecibel™ Quiet Operation MATERIALS AND FINISHES NeveRust™ Stainless Steel I Top Plate Cabinet Control Panel Transparent Door Glass Door Rim	4 Adjustable Legs  Drum Porcelain (V) Painted Steel Plastic Chrome with Silver Edge
Leveling Legs Drying Rack LoDecibel™ Quiet Operation MATERIALS AND FINISHES NeveRust™ Stainless Steel I Top Plate Cabinet Control Panel Transparent Door Glass Door Rim Available Colors	4 Adjustable Legs  Drum Porcelain (V) Painted Steel Plastic Chrome with Silver Edge
Leveling Legs Drying Rack LoDecibel™ Quiet Operation MATERIALS AND FINISHES NeveRust™ Stainless Steel I Top Plate Cabinet Control Panel Transparent Door Glass Door Rim Available Colors POWER SOURCE	4 Adjustable Legs  Drum Porcelain (V) Painted Steel Plastic Chrome with Silver Edge Graphite Steel (V)
Leveling Legs Drying Rack LoDecibel™ Quiet Operation MATERIALS AND FINISHES NeveRust™ Stainless Steel I Top Plate Cabinet Control Panel Transparent Door Glass Door Rim Available Colors POWER SOURCE Ratings	4 Adjustable Legs  A Adjustable Legs  Porcelain (V) Painted Steel Plastic Chrome with Silver Edge Graphite Steel (V)  UL Listed
Leveling Legs Drying Rack LoDecibel™ Quiet Operation MATERIALS AND FINISHES NeveRust™ Stainless Steel I Top Plate Cabinet Control Panel Transparent Door Glass Door Rim Available Colors POWER SOURCE Ratings Requirements	4 Adjustable Legs  Drum Porcelain (V) Painted Steel Plastic Chrome with Silver Edge Graphite Steel (V)  UL Listed 120V, 15 Amps/240V, 30 Amps
Leveling Legs Drying Rack LoDecibel™ Quiet Operation MATERIALS AND FINISHES NeveRust™ Stainless Steel I Top Plate Cabinet Control Panel Transparent Door Glass Door Rim Available Colors POWER SOURCE Ratings Requirements Type	4 Adjustable Legs  Drum Porcelain (V) Painted Steel Plastic Chrome with Silver Edge Graphite Steel (V)  UL Listed 120V, 15 Amps/240V, 30 Amps
Leveling Legs Drying Rack LoDecibel™ Quiet Operation MATERIALS AND FINISHES NeveRust™ Stainless Steel I Top Plate Cabinet Control Panel Transparent Door Glass Door Rim Available Colors POWER SOURCE Ratings Requirements Type OPTIONS	4 Adjustable Legs  Drum Porcelain (V) Painted Steel Plastic Chrome with Silver Edge Graphite Steel (V)  UL Listed 120V, 15 Amps/240V, 30 Amps Gas / Electric
Leveling Legs Drying Rack LoDecibel™ Quiet Operation MATERIALS AND FINISHES NeveRust™ Stainless Steel I Top Plate Cabinet Control Panel Transparent Door Glass Door Rim Available Colors POWER SOURCE Ratings Requirements Type OPTIONS Pedestal	4 Adjustable Legs  Drum Porcelain (V) Painted Steel Plastic Chrome with Silver Edge Graphite Steel (V)  UL Listed 120V, 15 Amps/240V, 30 Amps Gas / Electric
Leveling Legs Drying Rack LoDecibel™ Quiet Operation MATERIALS AND FINISHES NeveRust™ Stainless Steel I Top Plate Cabinet Control Panel Transparent Door Glass Door Rim Available Colors POWER SOURCE Ratings Requirements Type OPTIONS Pedestal Pedestal Pedestal Pedestal Pedestal	4 Adjustable Legs  Drum Porcelain (V) Painted Steel Plastic Chrome with Silver Edge Graphite Steel (V)  UL Listed 120V, 15 Amps/240V, 30 Amps Gas / Electric WDP3V 27" x 13 3/5" x 28 2/5"
Leveling Legs Drying Rack LoDecibel™ Quiet Operation MATERIALS AND FINISHES NeveRust™ Stainless Steel I Top Plate Cabinet Control Panel Transparent Door Glass Door Rim Available Colors POWER SOURCE Ratings Requirements Type OPTIONS Pedestal Pedestal Pedestal Pedestal Pedestal	4 Adjustable Legs  Drum Porcelain (V) Painted Steel Plastic Chrome with Silver Edge Graphite Steel (V)  UL Listed 120V, 15 Amps/240V, 30 Amps Gas / Electric WDP3V 27" x 13 3/5" x 28 2/5"
Leveling Legs Drying Rack LoDecibel™ Quiet Operation MATERIALS AND FINISHES NeveRust™ Stainless Steel I Top Plate Cabinet Control Panel Transparent Door Glass Door Rim Available Colors POWER SOURCE Ratings Requirements Type OPTIONS Pedestal Pedestal Pedestal (WxHxD) Stacking Noiet Operation	4 Adjustable Legs  Drum Porcelain (V) Painted Steel Plastic Chrome with Silver Edge Graphite Steel (V)  UL Listed 120V, 15 Amps/240V, 30 Amps Gas / Electric WDP3V 27" x 13 3/5" x 28 2/5"
Leveling Legs Drying Rack LoDecibel™ Quiet Operation MATERIALS AND FINISHES NeveRust™ Stainless Steel I Top Plate Cabinet Control Panel Transparent Door Glass Door Rim Available Colors POWER SOURCE Ratings Requirements Type OPTIONS Pedestal Pedestal Pedestal (WxHxD) Stacking Kit DIMENSIONS	4 Adjustable Legs  Drum Porcelain (V) Painted Steel Plastic Chrome with Silver Edge Graphite Steel (V)  UL Listed 120V, 15 Amps/240V, 30 Amps Gas / Electric WDP3V 27" x 13 3/5" x 28 2/5" SSTK1
Leveling Legs Drying Rack LoDecibel™ Quiet Operation MATERIALS AND FINISHES NeveRust™ Stainless Steel I Top Plate Cabinet Control Panel Transparent Door Glass Door Rim Available Colors POWER SOURCE Ratings Requirements Type OPTIONS Pedestal Pedestal Pedestal (WxHxD) Stacking Kit DIMENSIONS	4 Adjustable Legs  Drum Porcelain (V) Painted Steel Plastic Chrome with Silver Edge Graphite Steel (V)  UL Listed 120V, 15 Amps/240V, 30 Amps Gas / Electric WDP3V 27" x 13 3/5" x 28 2/5" SSTK1
Leveling Legs Drying Rack LoDecibel™ Quiet Operation MATERIALS AND FINISHES NeveRust™ Stainless Steel I Top Plate Cabinet Control Panel Transparent Door Glass Door Rim Available Colors POWER SOURCE Ratings Requirements Type OPTIONS Pedestal Pedestal (WxHxD) Stacking Kit DIMENSIONS Product (WxHxD)	4 Adjustable Legs  Drum Porcelain (V) Painted Steel Plastic Chrome with Silver Edge Graphite Steel (V)  UL Listed 120V, 15 Amps/240V, 30 Amps Gas / Electric WDP3V 27" x 13 3/5" x 28 2/5" SSTK1  27" x 38 11/16" x 30" (50"D with door open)
Leveling Legs Drying Rack LoDecibel™ Quiet Operation MATERIALS AND FINISHES NeveRust™ Stainless Steel I Top Plate Cabinet Control Panel Transparent Door Glass Door Rim Available Colors POWER SOURCE Ratings Requirements Type OPTIONS Pedestal Pedestal (WxHxD) Stacking Kit DIMENSIONS Product (WxHxD) Carton (WxHxD) Carton (WxHxD) Carton (WxHxD)	4 Adjustable Legs  Drum Porcelain (V) Painted Steel Plastic Chrome with Silver Edge Graphite Steel (V)  UL Listed 120V, 15 Amps/240V, 30 Amps Gas / Electric  WDP3V 27" x 13 3/5" x 28 2/5" SSTK1  27" x 38 11/16" x 30" (50"D with door open) 29 1/2" x 43" x 31 1/4"
Leveling Legs Drying Rack LoDecibel™ Quiet Operation MATERIALS AND FINISHES NeveRust™ Stainless Steel I Top Plate Cabinet Control Panel Transparent Door Glass Door Rim Available Colors POWER SOURCE Ratings Requirements Type OPTIONS Pedestal Pedestal (WxHxD) Stacking Kit DIMENSIONS Product (WxHxD) Carton (WxHxD) Weight: Product / Shipping	4 Adjustable Legs  Drum Porcelain (V) Painted Steel Plastic Chrome with Silver Edge Graphite Steel (V)  UL Listed 120V, 15 Amps/240V, 30 Amps Gas / Electric  WDP3V 27" x 13 3/5" x 28 2/5" SSTK1  27" x 38 11/16" x 30" (50"D with door open) 29 1/2" x 43" x 31 1/4"
Leveling Legs Drying Rack LoDecibel™ Quiet Operation MATERIALS AND FINISHES NeveRust™ Stainless Steel I Top Plate Cabinet Control Panel Transparent Door Glass Door Rim Available Colors POWER SOURCE Ratings Requirements Type OPTIONS Pedestal Pedestal (WxHxD) Stacking Kit DIMENSIONS Product (WxHxD) Carton (WxHxD) Weight: Product / Shipping	4 Adjustable Legs  Drum Porcelain (V) Painted Steel Plastic Chrome with Silver Edge Graphite Steel (V)  UL Listed 120V, 15 Amps/240V, 30 Amps Gas / Electric WDP3V 27" x 13 3/5" x 28 2/5" SSTK1  27" x 38 11/16" x 30" (50"D with door open) 29 1/2" x 43" x 31 1/4" 126.8 lbs. / 145.5 lbs.
Leveling Legs Drying Rack LoDecibel™ Quiet Operation MATERIALS AND FINISHES NeveRust™ Stainless Steel I Top Plate Cabinet Control Panel Transparent Door Glass Door Rim Available Colors POWER SOURCE Ratings Requirements Type OPTIONS Pedestal Pedestal (WxHxD) Stacking Kit DIMENSIONS Product (WxHxD) Carton (WxHxD) Carton (WxHxD) Weight: Product / Shipping WARRANTY	4 Adjustable Legs  Drum  Porcelain (V)  Painted Steel  Plastic  Chrome with Silver Edge  Graphite Steel (V)  UL Listed  120V, 15 Amps/240V, 30 Amps  Gas / Electric  WDP3V  27" x 13 3/5" x 28 2/5"  SSTK1  27" x 38 11/16" x 30"  (50"D with door open)  29 1/2" x 43" x 31 1/4"  126.8 lbs. / 145.5 lbs.
Leveling Legs Drying Rack LoDecibel™ Quiet Operation MATERIALS AND FINISHES NeveRust™ Stainless Steel I Top Plate Cabinet Control Panel Transparent Door Glass Door Rim Available Colors POWER SOURCE Ratings Requirements Type OPTIONS Pedestal (WxHxD) Stacking Kit DIMENSIONS Product (WxHxD) Carton (WxHxD) Weight: Product / Shipping WARRANTY UPC CODES	4 Adjustable Legs  Drum Porcelain (V) Painted Steel Plastic Chrome with Silver Edge Graphite Steel (V)  UL Listed 120V, 15 Amps/240V, 30 Amps Gas / Electric WDP3V 27" x 13 3/5" x 28 2/5" SSTK1  27" x 38 11/16" x 30" (50"D with door open) 29 1/2" x 43" x 31 1/4" 126.8 lbs. / 145.5 lbs.
Leveling Legs Drying Rack LoDecibel™ Quiet Operation MATERIALS AND FINISHES NeveRust™ Stainless Steel I Top Plate Cabinet Control Panel Transparent Door Glass Door Rim Available Colors POWER SOURCE Ratings Requirements Type OPTIONS Pedestal Pedestal Pedestal (WxHxD) Stacking Kit DIMENSIONS Product (WxHxD) Carton (WxHxD) Weight: Product / Shipping WARRANTY  UPC CODES DLE2701V	4 Adjustable Legs  Drum Porcelain (V) Painted Steel Plastic Chrome with Silver Edge Graphite Steel (V)  UL Listed 120V, 15 Amps/240V, 30 Amps Gas / Electric WDP3V 27" x 13 3/5" x 28 2/5" SSTK1  27" x 38 11/16" x 30" (50"D with door open) 29 1/2" x 43" x 31 1/4" 126.8 lbs. / 145.5 lbs.  1 Year Parts and Labor
Leveling Legs Drying Rack LoDecibel™ Quiet Operation MATERIALS AND FINISHES NeveRust™ Stainless Steel I Top Plate Cabinet Control Panel Transparent Door Glass Door Rim Available Colors POWER SOURCE Ratings Requirements Type OOPTIONS Pedestal Pedestal (WxHxD) Stacking Kit DIMENSIONS Product (WxHxD) Carton (WxHxD) Weight: Product / Shipping WARRANTY UPC CODES DUES 701V DLG2702V	4 Adjustable Legs  A Adjustable Legs  A Adjustable Legs  B A A Adjustable Legs  Porcelain (V) Painted Steel Plastic  Chrome with Silver Edge Graphite Steel (V)  UL Listed 120V, 15 Amps/240V, 30 Amps Gas / Electric  WDP3V 27" x 13 3/5" x 28 2/5" SSTK1  27" x 38 11/16" x 30" (50"D with door open) 29 1/2" x 43" x 31 1/4" 126.8 lbs. / 145.5 lbs.  1 Year Parts and Labor  048231 010214 048231 010238
Leveling Legs Drying Rack LoDecibel™ Quiet Operation MATERIALS AND FINISHES NeveRust™ Stainless Steel I Top Plate Cabinet Control Panel Transparent Door Glass Door Rim Available Colors POWER SOURCE Ratings Requirements Type OPTIONS Pedestal Pedestal Pedestal (WxHxD) Stacking Kit DIMENSIONS Product (WxHxD) Carton (WxHxD) Weight: Product / Shipping WARRANTY  UPC CODES DLE2701V	4 Adjustable Legs

LGusa.com

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com