ELECTRIC/GAS DRYERS







DLGX8000 DLGX8001

Performance

 9.0 cu.ft. Mega Capacity with NeveRust™ Stainless Steel Drum

Intelligent Fabric Care

- TrueSteam[™] Technology
- SteamFresh[™] Cycle
- SteamSanitary™ Cycle
- SpotClean[™] Cycle
- ReduceStatic™ Option
- Easylron[™] Option
- Sensor Dry System for Intelligent Fabric Care and Energy Efficiency
- Precise Temperature Control with Variable Heat Source
- SmartDiagnosis™
- 14 Drying Programs
- 5 Temperature Settings
- 3 Minute Installation Check
- FlowSense™ Duct Clogging Indicator
- Drying Rack
- Wrinkle Care Option
- Delicates Cycle
- Anti-Bacterial Cycle
- Custom Program
- Damp Dry Signal

Style and Design

- Upfront Electronic Control Panel with Dual LED Display and Dial-A-Cycle™
- Large Chrome Square Rimmed Glass Door with Dark Blue Tinted Cover

Technology Benefits

LoDecibel[™] Quiet Operation



ELECTRIC/GAS DRYERS

Mega Capacity Dryer

At 9.0 cu.ft. it's the largest capacity dryer available. You will find yourself drying less loads and will enjoy the benefits and convenience of washing and drying large bulky items at home.

Harness the Power of Steam

LG TrueSteam™ technology uses a steam generator to produce real steam right into in the dyer giving you unique cycle options that remove wrinkles, odours, static and allergens.

See Spots Run

Need to remove a spot in a hurry? The LG SpotCleanTM cycle enhances the performance of stain removal treatments by harnessing the power of steam to gently loosen soil, and penetrate fabrics.

The Quick Fix

Late for the party and no time to iron your favourite outfit? The SteamFresh™ cycle refreshes and reduces wrinkles in up to five garments at a time with one 20-minute dryer cycle.

Refresh and Sanitize

SteamSanitary™ cycle refreshes and sanitizes dry items in the SteamDryer. The SteamSanitary™ cycle kills bacteria on your clothes and is great for decorative pillows and other non-washable items.

Less Time with Your Iron

Who likes ironing? No one. The Easylron™ option lightly moistens clothes to make ironing easier and more efficient.

Never Clingy

That stowaway sock won't be attached to your pant leg any longer. The ReduceStatic™ option virtually eliminates static cling.





LG ELECTRONICS CANADA INC.

550 Matheson Blvd. East, Mississauga, ON L4Z 4G3
Tel: 905.568.6800 | Fax: 905.507.9649 | LG.com
Customer Service & Parts
1-888-542-2623

DIFX8000 / DIGX8001

TYPE	DLEX8000 / DLGX8001
Front Loader	Front Control
Design Look	Front Control
Intelligent Electronic Controls with Dual LED	
Dial-A-Cycle [™]	•
Capacity	9.0 cu.ft.
DRYING PROGRAMS	
14 Programs	Sensor Dry: Cotton/Normal, Perm. Press, Towels Delicates, Heavy Duty, Anti-Bacterial, SteamFresh™, SteamSanitary™, SpotClean™, Jumbo Dry, Wool, Super Dry Manual Dry: Speed Dry, Air Dry
11 Options	More Time, Less Time, Custom Program, Damp Dry Signal, Wrinkle Care, Child Lock ReduceStatic™, Easylrom', Drum Light, Rack Dry, End of Cycle Signal
5 Temperature Settings	High, Medium High, Medium, Low, Ultra Lov
5 Drying Levels	Very Dry, More Dry, Normal Dry,
	Less Dry, Damp Dry
Dry Times	60 min., 50 min., 40 min., 30 min., 20 min., More Time/Less Time
FARRIC CARE FEATURES	20 min, More Time, Eess Time
FABRIC CARE FEATURES SteamFresh™ Cycle	
	•
SteamSanitary™ Cycle	•
SpotClean™ Cycle	•
ReduceStatic™ Option	
Easylron™ Option	•
Sensor Dry	•
Precise Temperature Control and Variable H	eater •
CONVENIENCE FEATURES	
SmartDiagnosis™	•
FlowSense™ Duct Clogging Indicator	•
Anti-Bacterial Cycle	•
Wrinkle Care Option	•
Remaining Time Display/Status Indicator(s)	•
End of Cycle Signal	•
Child Lock	•
Drying Rack	•
Drum Light	•
Reversible Door	•
Leveling Legs	4 Adjustable Legs
Venting Option	Electric: 4 Way Venting / Gas: 3 Way Venting
3 Minute Installation Check	•
LoDecibel™ Quiet Operation	•
MATERIALS AND FINISHES	
NeveRust™ Stainless Steel Drum	•
Cabinet	Painted Steel
Control Panel	Plastic
Top Plate	Painted
<u>'</u>	rainted
Transparent Glass Door Door Rim	
Door Nill	Large Square Chrome Rimmed Glass Door with Dark Blue Tinted Cover
Available Colours	Graphite Steel (V)
POWER SOURCE	. (/
Ratings	UL Listed
Electrical Requirements	Electric: 240V, 30 Amps / Gas: 120V, 15 Amp:
	·
Type	Electric: DLEX8000 / Gas: DLGX8001
OPTIONS	
Pedestal	WDP5V
Pedestal (WxHxD)	29" x 13 9/10" x 29 2/5"
Stacking Kit	KSTK2
DIMENSIONS	
Product (WxHxD)	29" x 40 4/5" x 32 3/10" (57" D with door open)
	31 3/10" x 44 2/3" x 33 3/4"
Carton (WxHxD)	158 lbs/181 lbs
Carton (WxHxD) Weight (Product/Carton)	
Weight (Product/Carton)	130 183, 101 183
Weight (Product/Carton) UPC CODES	
Weight (Product/Carton) UPC CODES DLEX8000V	772454 058912
Weight (Product/Carton) UPC CODES DLEX8000V DLGX8001V	
Weight (Product/Carton) UPC CODES DLEX8000V	772454 058912
Weight (Product/Carton) UPC CODES DLEX8000V DLGX8001V	772454 058912 772454 058936

Design, features and specifications are subject to change without notice. Non-metric weights and measurements are approximate. All trademarks are property of their respective owners.

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com