

LCD Color Television OWNER'S MANUAL

MODEL: RU-17LZ50C

Please read this manual carefully before operating your set. Retain it for future reference.

Record model number and serial number of the set. See the label attached on the back cover and quote this information to your dealer when you require service.

Internet Home Page: http://www.lgcommercial.com

P/NO: 3828TUL270D (0410-REV02)

Printed in Korea

Warning



CAUTION RISK OF ELECTRIC SHOCK DO NOT OPEN



WARNING:

TO REDUCE THE RISK OF ELECTRIC SHOCK DO NOT REMOVE COVER (OR BACK). NO USER SERVICEABLE PARTS INSIDE. REFER TO QUALIFIED SERVICE PERSONNEL.



The lightning flash with arrowhead symbol, within an equilateral triangle, is intended to alert the user to the presence of uninsulated "dangerous voltage" within the product's enclosure that may be of sufficient magnitude to constitute a risk of electric shock to persons.



The exclamation point within an equilateral triangle is intended to alert the user to the presence of important operating and maintenance (servicing) instructions in the literature accompanying the appliance.

NOTE TO CABLE/TV INSTALLER:

This reminder is provided to call the CATV system installer's attention to Article 820-40 of the National Electric Code (U.S.A.). The code provides guidelines for proper grounding and, in particular, specifies that the cable ground shall be connected to the grounding system of the building, as close to the point of the cable entry as practical.

REGULATORY INFORMATION

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

CAUTION:

Do not attempt to modify this product in any way without written authorization from LG Electronics Corporation. Unauthorized modification could void the user's authority to operate this product.

U.S.A. only -----

COMPLIANCE:

The responsible party for this product's compliance is:

LG Electronics U.S.A., Inc.

1000 Sylvan Avenue, Englewood Cliffs, NJ 07632

Phone: 1-201-816-2000 http://www.lgusa.com

2

Safety Instructions

WARNING:

To reduce the risk of fire or electric shock, DO NOT expose this apparatus to rain or moisture.

Apparatus shall not be exposed to dripping or splashing and no objects filled with liquids, such as vases, shall be placed on the apparatus.

CAUTION:

These servicing instructions are for use by qualified service personnel only. To reduce the risk of electric shock, do not perform any servicing other than that contained in the operating instructions unless you are qualified to do so.

IMPORTANT SAFETY INSTRUCTIONS

- 1. Read these instructions.
- 2. Keep these instructions.
- 3. Heed all warnings.
- 4. Follow all instructions.
- 5. Do not use this apparatus near water.
- 6. Clean only with a dry cloth.
- 7. Do not block any of the ventilation openings. Install in accordance with the manufacturer's instructions.
- 8. Do not install near any heat sources such as radiators, heat registers, stoves, or other apparatus (including amplifiers) that produce heat.
- 9. Do not defeat the safety purpose of the polarized or grounding type plug. A polarized plug has two blades with one wider than the other. A grounding type plug has two blades and a third grounding prong. The wide blade or the third prong is provided for your safety. When the provided plug does not fit into your outlet, consult an electrician for replacement of the obsolete outlet.
- 10. Protect the power cord from being walked on or pinched particularly at plugs, convenience receptacles, and the point where they exit from the apparatus.
- 11. Only use the attachments / accessories specified by the manufacturer.

Safety Instructions continued

12. Use only with a cart, stand, tripod, bracket, or table specified by the manufacturer, or sold with the apparatus. When a cart is used, use caution when moving the cart / apparatus combination to avoid injury from tip-over.



- 13. Unplug this apparatus during lightning storms or when unused for long periods of time.
- 14. Refer all servicing to qualified service personnel. Servicing is required when the apparatus has been damaged in any way, such as power supply cord or plug is damaged, liquid has been spilled or objects have fallen into the apparatus, the apparatus has been exposed to rain or moisture, does not operate normally, or has been dropped.

On Disposal

- a. The fluorescent lamp used in this product contains a small amount of mercury.
- b. Do not dispose of this product with general household waste.
 Disposal of this product must be carried out in accordance to the regulations of your local authority.


Contents

Warnings
Introduction Controls and Connection Options6~7 Remote Control Key Functions
Installation
Accessories
Kensington Security System
Installation Instruction
External Equipment Connections11~14
Antenna Connection
VCR Setup
Cable TV Setup
External A/V Source Setup
PC Setup
Operation
PC Menu Options
TV Operation Overview15
Menu Language Selection
Channel Menu Options
Memorizing the Channels with EZ Scan
Favorite Channels Setup
Picture Menu Options
EZ Video17
Manual Picture Control (User option)
Picture format (ARC)


Sound Menu Options
EZ Audio
Equalizer Adjustments18
AVL (Auto Volume Leveler)18
Sound Balance
Stereo/SAP Broadcasts Setup18
Time Menu Options
Auto Clock Setup19
Manual Clock Setup19
On/Off Timer Setup20
Sleep Timer Setup
Auto Off
Special Menu Options
Closed Captions
Caption/Text
Captions
Key Lock22
Lock Options
Lock Menu Setup
External Control Device Setup25
ID and an
IR codes
Maintenance31
waintenance
Product Specifications31
Froduct Opecifications
Troubleshooting Checklist32

Introduction

Controls




Connection Options



Remote Control Key Functions

- When using the remote control, aim it at the remote control sensor on the TV.



Installing Batteries



- Open the battery compartment cover on the back side and insert the batteries with correct polarity.
- Install two 1.5V batteries of AAA type. Don't mix used batteries with new batteries.

Installation


Accessories Owner's Manual AAA Batteries Power Cord Remote Control PC Signal Cable Tie Holder - Arrange the wires with the tie holder.

Kensington Security System

- The TV is equipped with a Kensington Security System connector on the back panel. Connect the Kensington Security System cable as shown below.
- For the detailed installation and use of the Kensington Security System, refer to the user's guide provided with the Kensington Security System.

For further information, contact http://www.kensington.com, the internet homepage of the Kensington company. Kensington sells security systems for expensive electronic equipment such as notebook PCs and LCD projectors.

- Note: The Kensington Security System is an optional accessory.




NOTES

- a. If the TV feels cold to the touch, there may be a small "flicker" when when it is turned on. This is normal, there is nothing wrong with TV.
- b. Some minute dot defects may be visible on the screen, appearing as tiny red, green, or blue spots. However, they have no adverse effect on the monitor's performance.
- c. Avoid touching the LCD screen or holding your finger(s) against it for long periods of time. Doing so may produce some temporary distortion effects on the screen.

Installation Instruction

Rear A/V Cover

- * The connection panel is hidden behind the A/V cover.
- a. Remove the cover.
- b. Install wires as necessary.
- c. Reinstall the cover. Align the holes on the TV back panel with the two tabs on the rear A/V cover as shown.
- d. Close cover.



Wire Holders

- Thread, then pull the wires through the hole on the TV stand.



Adjusting the TV Viewing Angle

- You can adjust the vertical angle of the TV between -3° and 15°.








External Equipment Connections

Antenna Connection


- For optimum picture quality, adjust antenna direction.

Connecting to an Inside Antenna Setup




- If you have a 75Ω round cable, insert the bronze wire and then tighten the connection nut. If you have a 300Ω flat wire, connect the twisted wire to the antenna converter and then connect the converter to the antenna jack on the TV.
- If using 75 Ω round cable, do not bend the bronze wire. It may cause poor picture quality.

Connecting to an Outdoor Antenna Setup



- In poor signal areas, to get better picture quality, install a signal amplifier to the antenna as shown to the right.
- If signal needs to be split for two TVs, use an antenna signal splitter for connection.



External Equipment Connections Continued

VCR Setup


 In Video mode, TV automatically reverts to TV mode if the FCR button or FLASHBK buttons are pressed.

Connection 1

Set VCR switch to 3 or 4 and then tune TV to the same channel number.

Connection 2

- Connect the audio/video output jacks on VCR to the corresponding input jacks on the TV. When connecting the TV to a VCR, match the jack colors (Video = yellow, Audio Left = white, and Audio Right = red).
- 2. Insert a video tape into the VCR and press PLAY on the VCR. (Refer to the VCR owner's manual.)
- Use the TV/VIDEO button on the remote control to select Video1, Video2 or S-Video.



Cable TV Setup

- After subscribing to a local cable TV service and installing a converter, you can watch cable TV programming.
- For further cable TV information, contact a local cable service provider.

Connection 1

- 1. Select 3 or 4 with channel switch on cable box.
- Tune the TV channel to the same selected output channel of cable box.
- Select channels at the cable box or with the cable box remote control.

Connection 2

- Connect the audio/video output jacks on Cable Box to the corresponding input jacks on the TV. When connecting the TV to Cable Box, match the jack colors (Video = yellow, Audio Left = white, and Audio Right = red).
- Use the TV/VIDEO button on the remote control to select Video1 or Video2.
- 3. Select channels with the cable box remote control.

AC NPUT RS-222C HIP S-VIDEO CURREN PC INPUT ANTIN REMOTE CONTROL.


External A/V Source Setup

Connections

Connect the audio/video output jacks on the external A/V equipment to the corresponding input jacks on the TV. When connecting the TV to external A/V equipment, match the jack colors (Video = yellow, Audio Left = white, and Audio Right = red).


Viewing Setup

- 1. Turn on the external A/V equipment.
- 2. Use the TV/VIDEO button on the remote control to select Video1 or Video2.
- 3. Operate the corresponding external equipment. Refer to external equipment operating guide.



Using Headphones

- Plug headphones in to H/P jack as shown.
- Adjust sound level to a headphone using the volume (◄, ►) buttons. While you are listening to sound through a headphone(s), TV speakers will not be heard.



PC Setup


- After setup, be sure to select PC source on TV.

Connections

- 1. Set the monitor output resolution on the PC before connecting to the TV.
- 2. Connect the TV to the PC with the PC cable.
- Connect the PC audio output to the VIDEO IN's L/R jacks.

Viewing Setup

- 1. Turn on the PC.
- Use the TV/VIDEO or MULTIMEDIA button on the remote control to select PC.



Monitor Display Specifications

Resolution	Horizontal Frequency(kHz)	Vertical Frequency(Hz)
	31.47	60
640x480	35.00	66.67
	37.50	75
	35.16	56.25
000000	37.88	60
800x600	48.08	72.19
	46.88	75
	48.36	60
1024x768	56.48	70
	60.02	75
1280x768	47.78	60

NOTES

- a. For optimum picture quality, use standard WXGA (1280x768) computer output at a 60Hz refresh rate. Using other formats (VGA, SVGA, etc.) or refresh rates may result in reduced picture quality. (To change the computer video output format, please refer to the operating manual for the computer you are using).
- b. If the message "Out of range" appears on the screen, adjust the PC output to a format listed in the 'Displayable Monitor Output Format Specifications' chart above.
- c. The synchronization input form for Horizontal and Vertical frequencies is separate.

DPM (Display Power Management) mode

If the PC goes to power saving mode, the monitor automatically switches to DPM mode.

DPM mode may not work if you don't use the PC cable provided.

Operation

PC Menu Options

- After setup, be sure to select PC source to see the PC image on TV screen.



- 1. Press the **MENU** button and then use ▲ / ▼ button to select the **PC** menu.
- 2. Press the ▶ button and then use ▲ / ▼ button to select desired item.
- 3. Use the ◀ / ▶ button to make appropriate adjustments.
- H-position/V-position
 - Adjusts picture left/right and up/down.
 - The adjustment ranges of H-Position is 0~100.
 - (Based on the input mode, the adjustment range may change.)
- Clock
 - Minimizes any vertical bars or stripes appearing on the screen background.
 - The adjustment range is 0~100. (Based on the input mode, the adjustment range may change.)
- Phase
 - Remove any horizontal noise and clear up or sharpen the character images.
 - The range adjustment is 0~100. (Based on the input mode, the adjustment range may change.)
- Auto-configure
 - Automatically adjusts the screen position, clock, and clock phase.
 - (The displayed image will disappear for a few seconds while Auto-configuration is in progress.)
- Reset
 - Returns to the default settings programmed at the factory; default settings cannot be changed.
- 4. Press the ENTER button to save.

TV Operation Overview

- 1. First, make all equipment connections. Plug the AC Adapter into the TV, then plug the AC Adapter into a power outlet. At this time, the TV is switched to standby mode.
 - In standby mode, press the POWER, CH (▲,▼), TV/VIDEO, MULTIMEDIA or number button on the remote control or ON/OFF, CH (▲,▼), TV/VIDEO located on the TV to turn the TV on.
- 2. Select the viewing source by pressing TV/VIDEO or MULTIMEDIA repeatedly.
 - Note: See page 17 if you have not auto programmed the TV to receive channels in your local broadcast area.
- After viewing, press the **POWER** button on the remote control or **ON/OFF** located on the TV. The TV reverts to standby mode.

NOTE

• If you want to turn the TV off, press the on/off button located on the TV. If you intend to be away on vacation, disconnect the power plug from the wall power outlet.

Menu Language Selection

- The menus can be shown on the screen in the selected language. First select your language.
- 1. Press the **MENU** button and then use ▲ / ▼ button to select the **Special** menu.
- Press the ▶ button and then use ▲ / ▼ button to select Language.
- Press the ▶ button and then use ▲ / ▼ button to select your desired language.
 From this point on, the on-screen menus will be shown in the language of your choice.
- 4. Press the **EXIT** button to save and return to TV viewing.

Channel Menu Options

Memorizing the Channels with EZ Scan

- For Auto program to work, the programming source must be connected to the TV and the TV must be receiving programming signals either over-the-air or from a cable-type service provider.
- 1. Press the **MENU** button and then use ▲ / ▼ button to select the **Channel** menu.
- 2. Press the ▶ button and then use ▲ / ▼ button to select EZ Scan.
- 3. Press the ▶ button to begin the channel search.
 - Wait for auto program to complete the channel search cycle before choosing a channel. The TV scans for over-the-air channels and then channels provided by a cable service.



NOTES

- When the channel search is complete, use the ▲ / ▼ buttons to review the memorized channels.
- If you press the ENTER button in auto programming, the function will stop and only channels programming up to that time will remain.
- Auto program function can memorize only the channels which are being received at that time.

Add/Delete Channels with Manual Program

- You can manually include or erase individual channels.
- Press the MENU button and then use ▲ /▼ button to select the Channel menu.
- 2. Press the ▶ button and then use ▲ / ▼ button to select **Manual prog.**.
- Press the ▶ button and then use ◄ / ▶ button to select a channel you want to add to memory or erase.
- Press the ▼ button and then use ◀ / ► button to select Memory (add) or Erase (delete).
- Press the ENTER button to save. The current channel is added to Memory or Erased from the channel list.


The current channel number is displayed.



Favorite Channels Setup

 Favorite Channel lets you quickly tune in up to 8 channels of your choice without having to wait for the TV to scan through all the in-between channels.





- 1. Press the **MENU** button and then use ▲ / ▼ button to select the **Channel** menu.
- 2. Press the ▶ button and then use ▲ / ▼ button to select **Favorite Ch.**.
- 3. Press the ▶ button and then use ▲ / ▼ button to select the first favorite channel position.
- 4. Use the ◀ / ▶ button to set the desired channel number for first favorite channel.
- 5. Repeat steps 3 to 4 to memorize other channels.
- 6. Press the ENTER button to save.
 - To tune to a favorite channel, press the FCR (Favorite Channel Review) button repeatedly. The 8 favorite channels appear on the screen one-by-one.

Picture Menu Options

EZ Video

- This function adjusts the TV for the best picture appearance.
- 1. Press the VIDEO button repeatedly to select the picture appearance setup option as shown below.



- · You can also adjust EZ Video in the Picture menu.
- · Clear, Optimum and Soft are preset for good picture quality at the factory and cannot be changed.

Manual Picture Control (User option)

- You can adjust picture contrast, brightness, color, sharpness and tint to the levels you prefer.
- 1. Press the **MENU** button and then use ▲ / ▼ button to select the **Picture** menu.
- Press the button and then use A / ▼ button to select the desired picture option (Contrast, Brightness, Color, Sharpness, Tint).
- 3. Use the ◀ / ▶ button to make appropriate adjustments.
 - Contrast, Brightness, Color, and Sharpness are adjustable from 0 to 100.
 - Tint is adjustable from -50 to +50.
- 4. Press the ENTER button to save.



Picture format (ARC)

You can watch TV in various picture formats; 16:9, Zoom, 4:3.
 Repeatedly press the ARC button to select your desired picture format.

• 16:9

You can enjoy the cinema (the picture format of 16:9) or general TV programme through the 16:9 mode.

The screen 16:9 is viewed just like that but the screen 4:3 is magnified to the left and right so that the screen 16:9 is full.

• Zoom

You can enjoy the cinema in a vast screen through the Zoom mode.

The screen 4:3 is magnified to the upper / lower and left / right sides so that the screen 16:9 is full. The bottom and top of the picture may be lost.

• 4:3

This picture format is 4 to 3 of general TV.

NOTES

16:9 and 4:3 are available in PC mode only.

Sound Menu Options

EZ Audio

 This function lets you enjoy the best sound without any special adjustment because the TV selects the appropriate sound option based on the program content.

EZ Audio

1. Use the AUDIO button to select the appropriate sound setup as shown below.



• You can also adjust EZ Audio in the Sound menu.

Equalizer Adjustments

- Press the MENU button and then use ▲ / ▼ button to select the Sound menu.
- 2. Press the ▶ button and then use ▲ / ▼ button to select **EZ Audio**.
- Press the ► button and then use ▲ / ▼ button to select User.
- Press the ► button and then use ◄ / ► button to select the band you want to adjust. Then, use ▲ / ▼ button to adjust the band level.
- 5. Press the ENTER button to save.






AVL (Auto Volume Leveler)

- AVL maintains an equal volume level automatically even if the channel is changed.
- 1. Press the **MENU** button and then use ▲ / ▼ button to select the **Sound** menu.
- 2. Press the ▶ button and then use ▲ / ▼ button to select **AVL**.
- 3. Press the ▶ button and then use ▲ / ▼ button to to select **On** or **Off**.
- 4. Press the ENTER button to save.

Sound EZ Audio AVL Balance On Off

Sound Balance

- 1. Press the **MENU** button and then use ▲ /▼ button to select the **Sound** menu.
- 2. Press the ▶ button and then use ▲ / ▼ button to select **Balance**.
- 3. Press the ▶ button and then use ◀ / ▶ button to adjust the sound balance.
 - Balance is adjustable from Left 50 to Right 50.
- 4. Press the **ENTER** button to save.



Stereo/SAP Broadcasts Setup

- The TV can receive MTS stereo programs and any SAP (Secondary Audio Program) that accompanies the stereo program, if the broadcaster transmits an additional sound signal as well as the original one.
- Mono: The primary language is heard from left and right speakers. Signal mode is mono.
- Stereo: The primary language is heard from left and right speakers. Signal mode is stereo.
- SAP: The secondary language is heard from left and right speakers.
- 1. Press the MTS button repeatedly.




- Select mono sound mode if the signal is not clear or in poor signal reception areas.
- Stereo, SAP mode are available only if included on the broadcast signal.

Timer Menu Options

Auto Clock Setup

- The time is set automatically through from a PBS broadcast signal.
- The PBS channel signal includes information for the correct time and daylight saving time.





- 1. Press the **MENU** button and then use ▲ / ▼ button to select the **Timer** menu.
- 2. Press the ▶ button and then use ▲ / ▼ button to select **Clock**.
- 3. Press the ▶ button and then use ▲ / ▼ button to select **Auto**.
- Press the ► button and then use ▲ /▼ button to select the time zone for your viewing area. Your choices are:
 Auto, E.S.T. (Eastern Standard Time), C.S.T. (Central Standard Time), M.S.T. (Mountain Standard Time),
 P.S.T. (Pacific Standard Time), Alaska, and Hawaii.
- 5. Press the ▶ button and then use ▲ / ▼ button to set **PBS channel**.
- 6. Press the ▶ button and then use ▲ / ▼ button to set **D.S.T.** (**Daylight Savings Time**) **Auto**, **Off** or **On**, depending on whether or not your viewing area observes Daylight Savings Time.
- 7. Press the **ENTER** button to save.

Manual Clock Setup

- If the time on the clock is incorrect, reset the clock manually.
- Press the MENU button and then use ▲ /▼ button to select the Timer menu.
- 2. Press the ▶ button and then use ▲ / ▼ button to select Clock.
- 3. Press the ▶ button and then use ▲ / ▼ button to select Manual.
- 4. Press the ▶ button and then use ▲ / ▼ button to set the hour.
- 5. Press the ▶ button and then use ▲ / ▼ button to set the minutes.
- 6. Press the ENTER button to save.



On/Off Timer Setup

- Timer function operates only if current time is set.
- Off-Timer function overrides On-Timer function if they are set to the same time.
- The TV must be in standby mode for the On-Timer to work.
- If you don't press any button within 2 hours after turning on the TV with the On-Timer function, the TV will automatically revert to standby mode.
- Press the MENU button and then use ▲ /▼ button to select the Timer menu.
- Press the button and then use ▲ / ▼ button to select Off timer or On timer
- 3. Press the ▶ button and then use ▲ / ▼ button to set the hour.
- 4. Press the ▶ button and then use ▲ / ▼ button to set the minutes.
- 5. For On timer function only:
 - Press the ▶ button and then use ▲ / ▼ button to set the channel at turn-on. Then, press the ▶ button and then use ▲ / ▼ button to set the turn-on sound level.
- 6. Press the ▶ button and then use ▲ / ▼ button to select **Run** or **Hold**.
 - Hold: Off timer/On timer will not work.
 Run: Off timer/On timer are active.
- 7. Press the **ENTER** button to save.



Sleep Timer Setup

- The Sleep Timer turns the TV off at a preset time.
- 1. Press the **SLEEP** button repeatedly to select the number of minutes. First the **Sleep** --- option appears on the screen, followed by the following sleep timer options: 10, 20, 30, 60, 90, 120, 180, and 240 minutes.
- 2. When the number of minutes you want is displayed on the screen, press the **ENTER** button. The timer begins to count down from the number of minutes selected.
- 3. To check the remaining minutes before the TV turns off, press the **SLEEP** button once.
- 4. To cancel the Sleep Timer, press the SLEEP button repeatedly until Sleep --- appears.

Auto Off

- If Auto Off is active and there is no input signal, the TV switches to Standby mode automatically after 10 minutes.
- Press the MENU button and then use ▲ / ▼ button to select the Timer menu.
- 2. Press the ▶ button and then use ▲ / ▼ button to select **Auto off**.
- 3. Press the ▶ button and then use ▲ / ▼ button to select **On** or **Off**.
- 4. Press the ENTER button to save.




Special Menu Options

Closed Captions

Closed captioning is a process which converts the audio portion of a television program into written words which then appear as subtitles on the television screen. Closed captions allow viewers to read the dialogue and narration of television programs.

Using Closed Captions



Captions are the subtitles of the dialogue and narration of television programs. For prerecorded programs, program dialogue can be arranged into captions in advance. Its possible to caption a live program by using a process called real-time captioning, which creates captions instantly. Real-time captioning is normally done by professional reporters using a machine shorthand system and computer for translation into English.

Captioning is an effective system for the hearing-impaired, and it can also aid in teaching language skills.

· The picture at left shows a typical caption.

Caption Tips

- · Not all TV broadcasts include closed caption signals.
- Sometimes TV stations broadcast four different caption signals on the same channel. By selecting From CC1 to CC4, you can
 choose which signal you view. CC1 is usually the signal with the captions, while Another mode might show demonstration or
 programming information.
- Your TV might not receive caption signals normally in the following situations.
- 1. Poor reception conditions are encountered:



IGNITION:

Picture may flutter, drift, suffer from black spots, or horizontal streaking. Usually caused by interference from automobile ignition systems, neon lamps, electrical drills, and other electrical appliances.



GHOSTS:

Ghosts are caused when the TV signal splits and follows two paths. One is the direct path and the other is reflected off tall buildings, hills or other objects. Changing the direction or position of the antenna may improve reception.



SNOW:

If your receiver is located at the weak, fringe area of a TV signal, your picture may be marred by small dots. It may be necessary to install a special antenna to improve the picture.

- 2. An old, bad, or illegally recorded tape is being played.
- 3. Strong, random signals from a car or airplane interfere with the TV signal.
- 4. The signal from the antenna is weak.
- 5. The program wasn't captioned when it was produced, transmitted, or taped.

Caption/Text

- Press the MENU button and then use ▲ / ▼ button to select the SPECIAL menu.
- 2. Press the ▶ button and then use ▲ / ▼ button to select Caption / Text.
- Press the ► button and then use ▲ / ▼ button to select caption: CC1, CC2, CC3, CC4, Text1, Text2, Text3, or Text4.


CAPTION

The term for the words that scroll across the bottom of the TV screen; usually the audio portion of the program provided for the hearing impaired.

• TEXT

The term for the words that appear in a large black frame and almost cover the entire screen; usually messages provided by the broadcaster.

4. Press the ENTER button to save.




Captions

- 1. Use the CC button repeatedly to select Caption Off, EZ Mute, or On.
 - EZ Mute shows the selected captions option (if available on program) when the TV sound is muted
- 2. Press the ENTER button to save.

Key Lock

- The TV can be set up so that it can only be used with the remote control.
- This feature can prevent unauthorized viewing.
- 1. Press the **MENU** button and then use ▲ /▼ button to select the **Special** menu.
- 2. Press the ▶ button and then use ▲ / ▼ button to select **Key lock**.
- 3. Use the ▲ / ▼ button to select **On** or **Off**.
- 4. Press the **ENTER** button to save.



Lock Options

Parental Control can be used to block specific channels, ratings and other viewing sources.

The Parental Control Function (V-Chip) is used to block program viewing based on the ratings sent by the broadcast station. The default setting is to allow all programs to be viewed. Viewing can be blocked by the type of program and by the categories chosen to be blocked. It is also possible to block all program viewing for a time period. To use this function, the following must be set:

- 1. Ratings and categories to be blocked.
- 2. Set a password
- 3. Enable the lock

V-Chip rating and categories

Rating guidelines are provided by broadcast stations. Most television programs and television movies can be blocked by TV Rating and/or Individual Categories. Movies that have been shown at the theaters or direct-to-video movies use the Movie Rating System (MPAA) only.

For Movies previously shown in theaters:

Movie Ratings:

Unblocked

• G and Above (general audience)

• PG and Above (parental guidance suggested)

• PG-13 and Above (13 years and older)

• R and above (restricted)

• NC-17 and Above (18 years and older)

• X (adult)

If you set PG-13 and Above: G and PG movies will be available, PG-13, R, NC-17 and X will be blocked.

For Television programs including made-for-TV movies:

General TV Ratings:

Unblocked

• TV-G and Above (general audience) (individual categories do not apply)

• TV-PG and Above (parental guidance suggested)

TV-14 and Above (14 years and older)TV-MA (mature audience)

Children TV Ratings:

Unblocked

• TV-Y and Above (youth) (individual content categories do not apply)

• TV-Y7 (youth, 7 years and up)

Content Categories:

Dialog - sexual dialogue (applies to TV-PG and Above, TV-14)

Language - adult language
 Sex scenes - sexual situations
 Violence
 (applies to TV-PG and Above, TV-14 and Above, TV-MA)
 (applies to TV-PG and Above, TV-14 and Above, TV-MA)
 (applies to TV-PG and Above, TV-14 and Above, TV-MA)

F Violence - fantasy violence
 No Rating
 (applies only to TV-Y7)
 (blocks all viewing)

For Canadian English/French language rating system:

Canadian English language rating system:

C and Above (Children)C8+ (8 years and older)

• G and Above (General programming. Suitable for all audiences.)

PG and Above (Parental guidance suggested)
 14+ (Viewer 14 years and older)
 18+ (Adult programming)

Canadian French language rating system:

• G and Above (General)

8 ans+ (8 years and older)
13 ans+ (13 years and older)
16 ans+ (16 years and older)
18 ans+ (Adults only)

Lock Menu Setup





- 1. Press the **MENU** button and then use ▲ / ▼ button to select the **Special** menu.
- 2. Press the ▶ button and then use ▲ / ▼ button to select **Parental**. Then, press the ▶ button.
 - If Lock is already set, enter the password requested.
 - The TV is set with the initial password "0-0-0-0".
- 2. Setting Lock on/off:

Press the ▲ / ▼ button to select **Lock on/off**.

Press the ▶ button and then use ▲ / ▼ button to select **on** or **off**.

3. Set password:


Press the ▲ / ▼ button to select **Set password**. Press the ▶ button and then enter a four digit password. Enter it again when requested.

- 4. Press the \blacktriangle / \blacktriangledown button to select type of blocking to be set . 5. Press the ▶ button and then use ▲ / ▼ button to select type of ratings to block .
 - Age block, and Content block, and Canadian (option) menus, also have sub menus. So, repeat steps 4 and 5 in the sub menu, to set the types of blocking and ratings.

External Control Device Setup


- Connect the RS-232C input jack to an external control device (such as a computer or an A/V control system) and control the Monitor's functions externally.
- Connect the serial port of the control device to the RS-232C jack on the Monitor back panel.
- RS-232C connection cables are not supplied with the Monitor.

RS-232C Setup




Type of Connector; D-Sub 9-Pin Male

No.	Pin name
1	No connection
2	RXD (Receive data)
3	TXD (Transmit data)
4	DTR (DTE side ready)
5	GND
6	DSR (DCE side ready)
7	RTS (Ready to send)
8	CTS (Clear to send)
9	No Connection



RS-232C Configurations

3-Wire Configurations (Not standard)



Set ID

- Use this function to specify a monitor ID number.
- Refer to 'Real Data Mapping 1'. See page 27.
- Press the MENU button and then use ▲ / ▼ button to select the Special menu.
- 2. Press the ▶ button and then use ▲ / ▼ button to select Set ID.
- 3. Press the ▶ button and then use ▲ / ▼ button to adjust **Set ID** to choose the desired monitor ID number. The adjustment range of **Set ID** is 1 ~ 99.
- 4. Press the ENTER button to save.



Communication Parameters

• Baud rate: 9600 bps (UART)

Data length: 8 bitsParity: None

• Stop bit: 1 bit

· Communication code : ASCII code

Command Reference List

		COMMAND		DATA 2
	1	2	(Hexa)	(Hexa)
01. Power	k	а	0 ~ 1	
02. Input Select	k	b	0 ~ 6	
03. Aspect Ratio	k	С	1 ~ 4	
04. Screen Mute	k	d	0 ~ 1	
05. Volume Mute	k	е	0 ~ 1	
06. Volume Control	k	f	0 ~ 64	
07. Contrast	k	g	0 ~ 64	
08. Brightness	k	h	0 ~ 64	
09. Color	k	i	0 ~ 64	
10. Tint	k	j	0 ~ 64	
11. Sharpness	k	k	0 ~ 64	
12. OSD Select	k	1	0 ~ 1	
13. Key Lock	k	m	0 ~ 1	
14. Tune Command	m	а	01 ~ 7D	0~1
15. Add/Delete	m	b	0~1	
16. Key	m	С	Key Code)
17. Auto Configure	j	u	1	

Transmission / Receiving Protocol

Transmission

[Command1][Command2][][Set ID][][Data][Cr]

- * [Command 1]: First command. (j or k)
- * [Command 2]: Second command.
- * [Set ID]: You can adjust the set ID to choose desired monitor ID number in Special menu. Adjustment range is 1 ~ 99. When selecting Set ID '0', every connected TV set is controlled. Set ID is indicated as decimal (1~99) on menu and as Hexa decimal (0x0~0x63) on transmission/receiving protocol.
- * [DATA]: To transmit command data.

 Transmit 'FF' data to read status of command.
- * [Cr]: Carriage Return ASCII code '0x0D'
- * []: ASCII code 'space (0x20)'

OK Acknowledgement

[Command2][][Set ID][][OK][Data][x]

* The Monitor transmits ACK (acknowledgement) based on this format when receiving normal data. At this time, if the data is data read mode, it indicates present status data. If the data is data write mode, it returns the data of the PC computer.

Error Acknowledgement

[Command2][][Set ID][][NG][Data][x]

* The Monitor transmits ACK (acknowledgement) based on this format when receiving abnormal data from non-viable functions or communication errors.

Data 1: Illegal Code

2: Not supported function

3: Wait more time

01. Power On (Command:a)

► To control Power On/Off of the TV.

Transmission

[k][a][][Set ID][][Data][Cr]

Data 0 : Power Off 1 : Power On

Acknowledgement

[a][][Set ID][][OK][Data][x]

► To show Power On/Off.

Transmission

[k][a][][Set ID][][FF][Cr]

Acknowledgement

[a][][Set ID][][OK][Data][x]

Data 0 : Power Off 1 : Power On

02. Input Select (Command:b) (Main Picture Input)

To select input source for the TV. You can also select an input source using the TV/VIDEO button on the TV's remote control.

Transmission

[k][b][][Set ID][][Data][Cr]

Data 0 : TV 6 : PC

1 : Video 2 2 : Video 1 3 : S-Video Acknowledgement

[b][][Set ID][][OK][Data][x]

03. Aspect Ratio (Command:c) (Main picture format)

To adjust the screen format.

You can also adjust the screen format using the ARC (Aspect Ratio Control) button on remote control or in the Screen menu.

Transmission

[k][c][][Set ID][][Data][Cr]

Data 1: Normal screen (4:3)

2 : Wide screen (16:9)

4 : Zoom

* Zoom is not available in PC mode.

Acknowledgement

[c][][Set ID][][OK][Data][x]

04. Screen Mute (Command:d)

To select screen mute on/off.

Transmission

[k][d][][Set ID][][Data][Cr]

Data 0 : Screen mute off (Picture on)

1 : Screen mute on (Picture off)

Acknowledgement

[d][][Set ID][][OK][Data][x]

05. Volume Mute (Command:e)

► To control volume mute on/off.

You can also adjust mute using the MUTE button on remote control.

Transmission

[k][e][][Set ID][][Data][Cr]

Data 0 : Volume mute on (Volume off)

1 : Volume mute off (Volume on)

Acknowledgement

[e][][Set ID][][OK][Data][x]

06. Volume Control (Command:f)

To adjust volume.

You can also adjust volume with the volume buttons on remote control.

Transmission

[k][f][][Set ID][][Data][Cr]

Data Min: 0 ~ Max: 64

• Refer to 'Real data mapping 1' as shown below.

Acknowledgement

[f][][Set ID][][OK][Data][x]

07. Contrast (Command:g)

► To adjust screen contrast.

You can also adjust contrast in the Picture menu.

Transmission

[k][g][][Set ID][][Data][Cr]

Data Min: 0 ~ Max: 64

• Refer to 'Real data mapping 1' as shown below.

Acknowledgement

[g][][Set ID][][OK][Data][x]

08. Brightness (Command:h)

To adjust screen brightness.

You can also adjust brightness in the Picture menu.

Transmission

[k][h][][Set ID][][Data][Cr]

Data Min: 0 ~ Max: 64

• Refer to 'Real data mapping 1' as shown below.

<u>Acknowledgement</u>

[h][][Set ID][][OK][Data][x]

Real data mapping 1

0 : Step 0

: A : Step 10

: F : Step 15

10 : Step 15

10 : Step 16

64: Step 100

*Tint : -50 ~ +50

09. Color (Command:i)

To adjust the screen color. You can also adjust color in the Picture menu.

Transmission

[k][i][][Set ID][][Data][Cr]

Data Min: 0 ~ Max: 64

• Refer to 'Real data mapping 1'. See page 27. Acknowledgement

[i][][Set ID][][OK][Data][x]

10. Tint (Command:j)

To adjust the screen tint. You can also adjust tint in the Picture menu.

Transmission

[k][j][][Set ID][][Data][Cr]

Data Green: 0 ~ Red: 64

• Refer to 'Real data mapping 1'. See page 27.

Acknowledgement

[j][][Set ID][][OK][Data][x]

11. Sharpness (Command:k)

► To adjust the screen sharpness. You can also adjust sharpness in the Picture menu.

Transmission

[k][k][][Set ID][][Data][Cr]

Data Min: 0 ~ Max: 64

• Refer to 'Real data mapping 1'. See page 27.

Acknowledgement

[k][][Set ID][][OK][Data][x]

12. OSD Select (Command:I)

To select OSD (On Screen Display) mute on/off.

Transmission

[k][l][][Set ID][][Data][Cr]

Data 0: OSD mute on 1: OSD mute off

Acknowledgement

[I][][Set ID][][OK][Data][x]

13. Key Lock (Command:m)

To lock the remote control and the front panel controls on the TV.

Transmission

[k][m][][Set ID][][Data][Cr]

Data 0: Lock off

1: Lock on

Acknowledgement

[m][][Set ID][][OK][Data][x]

 If you're not using the remote control and front panel controls on the monitor, use this mode. When main power is on/off, remote control lock is released.

14. Tune Command (Command:m a)

Tune channel to following Physical/major/minor number.

Transmission

[m][a][][Set ID][][Data0][][Data1][Cr]

Data0: Channel Number

Min: 1 ~ Max: 0x7D(transmit by Hexadecimal code) Data1:TV-0, CATV-1 (transmit by Hexadecimal code)

Acknowledgement

[a][][Set ID][][OK][Data0][Data1][x] [a][][Set ID][][NG][Data0][x]

15. Channel Add/Del (Command:m b)

To add and delete the channels.

Transmission

[m][b][][Set ID][][Data 0][Cr]

Data0: (Channel)Delete-0, (Channel)Add-1

Acknowledgement

[b][][Set ID][][OK][Data0][x] [b][][Set ID][][NG][Data0][x]

16. Key (Command:m c)

To send IR remote key code.

Transmission

[m][c][][Set ID][][Data][Cr]

Data: Key code- Refer User's Manual

Acknowledgement

[c][][Set ID][][OK][Data][x]

17. Auto Configure (Command:j u)

Automatically adjusts the screen position, clock and clock phase.

Transmission

[j][u][][Set ID][][Data][Cr]

Data 1: To set

Acknowledgement

[u][][Set ID][][OK][Data][x]

IR Codes

How to Connect

Connect your wired remote control to the Remote Control port on the Monitor.

Remote Control IR Code

► Output waveform

Single pulse, modulated with 37.917KHz signal at 455KHz




► Configuration of frame


• 1st frame

Lead	1	Low custom code					High custom code							Data code						Data code														
		C0	C1	C2	СЗ	C4	C5	C6	C7	C0	C1	C2	СЗ	C4	C5	C6	C7	D0	D1	D2	D3	D4	D5	D6	D7	D0	D1	D2	D3	D4	D5	D6	D7	ĺ

• Repeat frame



► Lead code




▶ Bit description



Frame interval : Tf

The waveform is transmitted as long as a key is depressed.



Code (Hexa)	Function	Note
` ,	DOWED	
08H	POWER	R/C Button (Power On/Off)
C4H	POWER ON	Discrete IR Code
C5H	POWER OFF	Discrete IR Code
OBH	TV/VIDEO	R/C Button (TV/Video1-2/S-video/RGB)
98H	MULTIMEDIA	R/C Button (RGB)
D6H	TV	Discrete IR Code (Input TV Selection)
5AH	Video1	Discrete IR Code (Input Video1 Selection)
D0H	Video2	Discrete IR Code (Input Video2 Selection)
D8H	S-video	Discrete IR Code (Input S-video Selection)
D5H	RGB (PC)	Discrete IR Code (Input RGB Selection)
OOH	CH (▲)	R/C Button
01H	CH (▼)	R/C Button
03H	VOL (◀)	R/C Button
02H	VOL (►)	R/C Button
43H	MENU	R/C Button
44H	ENTER	R/C Button
5BH	EXIT	R/C Button
79H	ARC	R/C Button (4:3/16:9/Zoom mode Selection)
76H	ARC (4:3)	Discrete IR Code
77H	ARC (16:9)	Discrete IR Code
AFH	ARC (Zoom)	Discrete IR Code
0AH	MTS	R/C Button
99H	Auto Configure	Discrete IR Code
0EH	SLEEP	R/C Button
1AH	FLASHBACK	R/C Button
39H	CC	R/C Button
52H	AUDIO	R/C Button
4DH	VIDEO	R/C Button
10H~19H	Number Keys 0~9	R/C Button
1EH	FCR	R/C Button
09H	MUTE	R/C Button

Maintenance

- Early malfunctions can be prevented. Careful and regular cleaning can extend the amount of time you will have your new TV. Be sure to turn the power off and unplug the power cord before you begin any cleaning.

Cleaning the Screen

- Here's a great way to keep the dust off your screen for a while. Wet a soft cloth in a mixture of lukewarm water and a little fabric softener or dish washing detergent. Wring the cloth until it's almost dry, and then use it to wipe the screen.
- 2. Make sure the excess water is off the screen, and then let it air-dry before you turn on your TV.

Cleaning the Cabinet

To remove dirt or dust, wipe the cabinet with a soft, dry, lint-free cloth. Please be sure not to use a wet cloth.

Extended Absence



If you leave your TV dormant for a long time (such as a vacation), it's a good idea to unplug the power cord to protect against possible damage from lightning or power surges.

Product Specifications

Power Requirement	AC100-240V~ 50/60Hz 1.0A
Power Consumption	65W
Audio Output	5 W + 5 W
Television System	NTSC
Television Channel	VHF : 2 ~ 13, UHF : 14 ~ 69, Cable : 01 ~ 125
Television Screen	LCD Panel
External Antenna Impedance	75 Ω

Troubleshooting Checklist

SYMPTOMS No power No picture or sound Poor picture but good sound Poor reception Lines in picture Ghosts (multiple images) Remote control does not work. Cannot tune desired channel. **CHECK THESE THINGS** Is power cord plugged in ? Is television turned on ? Check batteries in remote control. Try another channel (station trouble). Check antenna connectings. Check for local interference. Adjust the antenna. Adjust the picture control. Program channel using EZ Scan.

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com