

ELECTRIC RANGE



LRE30757

Cooking Performance

- 5.6 cu.ft. Capacity
- True Convection
- Dual Convection System
- Convection Bake
- Convection Roast
- 5 Cooktop Elements with Warming Zone

Style and Design

- Elegant Blue Interior
- WideView[™] Window
- Available in Premium Stainless Steel finish

Convenience Features

- IntuiTouch™ Control System
- IntuiScroll™ Scrolling Display
- Auto Recipe Conversion
- Self-Cleaning
- 2 Full-Width / 1 Split Racks with 7 Rack Positions
- GoCook™ Smart Oven Light
- Warming Drawer









ELECTRIC RANGE

LG Design

This range is comprised with an abundance of stainless steel for a striking presentation. The stainless steel backsplash, control panel, cooktop surface, door and handle all add to the contemporary and modern look.

Spacious 5.6 cu.ft. Capacity

Cooking for a full house is no longer a tight squeeze with LG's 5.6 cu.ft. electric range. Not only can you cook a large turkey, but you'll have room for biscuits and a casserole too. The elegant blue interior complements the exterior styling and gives your range a more premium look.

Dual Convection System

Twin Fan and dual heating elements delivers a 30% faster preheat time* and insures even heat distribution for uniform baking.



IntuiTouch™ Control System

Easy to use and easy to clean, the IntuiTouch™ Control System makes operating your range a snap. The left side of the panel mirrors the cooktop elements, while the right side controls the oven functions.

Warming Drawer


While preparing the rest of your meal, the warming drawer can be used to keep already cooked foods at serving temperature. With 5 heat settings, you can warm everything from rolls to porkchops so they can be served but and



they can be served hot and fresh.

Installation Reference

(see chart at right for measurements)



LG ELECTRONICS INC.
1000 Sylvan Ave., Englewood Cliffs, NJ 07632
800.243.0000 | LGusa.com

	LRE30757
Гуре	Freestanding Electric
Capacity (cu.ft.)	5.6
CONTROLS	
Oven / Cooktop	Keypad
.ayout	IntuiTouch™ Control System
Display	IntuiScroll™ Scrolling Display
Electronic Clock & Timer Control Lock Function	•
Control Lock Function	(Except Kitchen Timer, Clock Set, Oven Light)
Audible Preheat Signal	•
Special Functions (7 Options)	Clock (12 hr, 24 hr), Temperature Unit of Measure (F/C), Beeper Volume (High, Low, Mute), GoCook™ Smart Oven Light On/Off, Convection On/Off, Thermostat Adjustme
SOOKTOR	Language: English or Spanish
COOKTOP	
Ceramic	•
No. of Radiant Elements	5
No. of Radiant Heat Settings	25
Warming Zone	•
eft Rear and Right Rear	6"/ 1200W
Left Rear and Right Rear	7"/ 100W
Center Rear (Warming Zone) Left Front	9"/ 2500W
ert Front Right Front	9"/12" / 1700W/2700W
OVEN	7 / 12 / 1/00W/2/00W
Self-Cleaning	•
Variable Cleaning Time (2 hr, 3 hr & 4 hr)	•
Variable Broil (High, Low)	•
Broil Element	6 Pass / 4000W
Bake Element	Hidden Bake (6 Pass / 3400W)
Convection Conversion	Inducti bake (0 1 ass / 5400 W)
Convection Conversion	Dual Convection
Convection System Convection Bake	Dual Convection
Convection Bake Convection Roast	•
Convection Roast Convection Element	2 (700W each)
No. of Rack Positions	2 (700 w each) 7
No. of Racks	3 (2 Full-Width, 1 Split)
VideView™ Window	5 (2 ruii middi, 1 Spiit)
Automatic Shut-Off	After 12 Hours
nterior Oven Light (Auto/Manual adjustment)	1 Incandescent
GoCook™ Smart Oven Light	•
Delay Bake / Delay Clean	•
Proofing	•
Cook & Warm	•
avorites	3 (Bread, Meat, Chicken)
DRAWER	
Гуре	Warming
Heating Element	600W
Temperature Settings	5 (131°F, 149°F, 167°F, 185°F, 203°F)
Warming Rack	•
Capacity / Dimensions (WxHxD)	1.19 (cu.ft.) / 23" x 5" x 17 3/4"
SAFETY FEATURES	· · ·
Door Lock	•
MATERIALS/FINISHES	
Available Colors	White (SW), Black (SB), Stainless Steel (S
Handles	SW (White Finish), SB (Black Finish),
	ST (Stainless Steel)
POWER SOURCE	
Requirements	120/240 VAC, 120/208 VAC
DIMENSIONS	
A: Width	29 7/8"
	36"
3: Height (to top of cooktop)	
3: Height (to top of cooktop) C: Height (to top of backguard)	47 5/8"
3: Height (to top of cooktop) C: Height (to top of backguard) D: Depth (including door)	25 11/16"
3: Height (to top of cooktop) C: Height (to top of backguard) D: Depth (including door) Depth (including handle)	25 11/16" 28"
3: Height (to top of cooktop) C: Height (to top of backguard) D: Depth (including door) Depth (including handle) Oven Cavity (WxHxD)	25 11/16" 28" 24 1/2" x 20 1/4" x 19 3/8"
3: Height (to top of cooktop) C: Height (to top of backguard) D: Depth (including door) Depth (including handle) Oven Cavity (WxHxD) WideView™ Window (WxH)	25 11/16" 28" 24 1/2" x 20 1/4" x 19 3/8" 20 1/4" x 12 1/4"
3: Height (to top of cooktop) C: Height (to top of backguard) D: Depth (including door) Depth (including handle) Dven Cavity (WxHxD) WideView** Window (WxH) Net Weight / Shipping Weight	25 11/16" 28" 24 1/2" x 20 1/4" x 19 3/8" 20 1/4" x 12 1/4" 181 lbs / 205 lbs
3: Height (to top of cooktop) C: Height (to top of backguard) D: Depth (including door) Depth (including handle) Doven Cavity (WxHxD) WideView** Window (WxH) Net Weight / Shipping Weight Package Dimensions (WxHxD)	25 11/16" 28" 24 1/2" x 20 1/4" x 19 3/8" 20 1/4" x 12 1/4" 181 lbs / 205 lbs 33" x 30" x 51"
3: Height (to top of cooktop) C: Height (to top of backguard) D: Depth (including door) Depth (including handle) Dven Cavity (WxHxD) WideView™ Window (WxH) Net Weight / Shipping Weight Package Dimensions (WxHxD) Stuffing Quantity (53 ft. High)	25 11/16" 28" 24 1/2" x 20 1/4" x 19 3/8" 20 1/4" x 12 1/4" 181 lbs / 205 lbs
3: Height (to top of cooktop) C: Height (to top of backguard) D: Depth (including door) Depth (including handle) Dven Cavity (WxHxD) WideView Window (WxH) Net Weight / Shipping Weight Package Dimensions (WxHxD) Stuffing Quantity (53 ft. High)	25 11/16" 28" 24 1/2" x 20 1/4" x 19 3/8" 20 1/4" x 12 1/4" 181 lbs / 205 lbs 33" x 30" x 51" 108 units
3: Height (to top of cooktop) C: Height (to top of backguard) D: Depth (including door) Depth (including handle) Dven Cavity (WxHxD) WideView™ Window (WxH) Net Weight / Shipping Weight Package Dimensions (WxHxD) Stuffing Quantity (53 ft. High) ACCESSORIES Broiler Pan	25 11/16" 28" 24 1/2" x 20 1/4" x 19 3/8" 20 1/4" x 12 1/4" 181 lbs / 205 lbs 33" x 30" x 51"
3: Height (to top of cooktop) C: Height (to top of backguard) D: Depth (including door) Depth (including handle) Dven Cavity (WxHxD) WideView Window (WxH) Net Weight / Shipping Weight Package Dimensions (WxHxD) Stuffing Quantity (53 ft. High)	25 11/16" 28" 24 1/2" x 20 1/4" x 19 3/8" 20 1/4" x 12 1/4" 181 lbs / 205 lbs 33" x 30" x 51" 108 units
3: Height (to top of cooktop) C: Height (to top of backguard) D: Depth (including door) Depth (including handle) Dven Cavity (WxHxD) WideView™ Window (WxH) Net Weight / Shipping Weight Package Dimensions (WxHxD) Stuffing Quantity (53 ft. High) ACCESSORIES Broiler Pan	25 11/16" 28" 24 1/2" x 20 1/4" x 19 3/8" 20 1/4" x 12 1/4" 181 lbs / 205 lbs 33" x 30" x 51" 108 units
3: Height (to top of cooktop) C: Height (to top of backguard) D: Depth (including door) Depth (including handle) Dven Cavity (WxHxD) WideView™ Window (WxH) Net Weight / Shipping Weight Package Dimensions (WxHxD) Stuffing Quantity (53 ft. High) ACCESSORIES Broiler Pan	25 11/16" 28" 24 1/2" x 20 1/4" x 19 3/8" 20 1/4" x 12 1/4" 181 lbs / 205 lbs 33" x 30" x 51" 108 units
3: Height (to top of cooktop) C: Height (to top of backguard) D: Depth (including door) Depth (including handle) Doven Cavity (WxHxD) WideView** Window (WxH) Net Weight / Shipping Weight Package Dimensions (WxHxD) Stuffing Quantity (53 ft. High) ACCESSORIES Broiler Pan WARRANTY	25 11/16" 28" 24 1/2" x 20 1/4" x 19 3/8" 20 1/4" x 12 1/4" 181 lbs / 205 lbs 33" x 30" x 51" 108 units
3: Height (to top of cooktop) C: Height (to top of backguard) D: Depth (including door) Depth (including handle) Doen Cavity (WxHxD) WideView™ Window (WxH) Net Weight / Shipping Weight Package Dimensions (WxHxD) Stuffing Quantity (53 ft. High) ACCESSORIES Broiler Pan	25 11/16" 28" 24 1/2" x 20 1/4" x 19 3/8" 20 1/4" x 12 1/4" 181 lbs / 205 lbs 33" x 30" x 51" 108 units 1 Year Parts and Labor (In Home Servic 5 Years Limited on Cooktop and Radiant Surface Units

Design and specifications are subject to change without notice.

©2008 LG Electronics U.S.A., Inc., Englewood Cliffs, NJ
All Rights Reserved. LG Design and Life's Good are trademarks of LG Electronics Inc.
All other trademarks are property of their respective owners.

 $^{^{\}ast}$ Based on testing results comparing standard LG convection range to the dual convection range (325 $^{\circ}\text{F})$ mode.

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com