

# BOTTOM FREEZERS





# LBC22520

22.4 Cu.Ft. Total Capacity Swing Freezer Door

# Style and Design

- Premium Finishes in Stainless Steel, Titanium, and Smooth White
- Contour Doors
- Matching Commercial Handles

## Organization

- 5 Gallon Size Design-A-Door Bins
- 4 Split Tempered Glass Shelves
- 1 Freezer Drawer (1 Full-Width Wire)
- 1 Wire Freezer Shelf
- Snack Bin

## Performance

- Upfront Digital Temperature Controls
- 2 Humidity Crispers
- Multi-Air Flow Cooling
- IcePlus<sup>™</sup> Accelerated Freezing Function
- CustomCube<sup>™</sup> Ice Maker
- LoDecibel<sup>™</sup> Quiet Operation



ENERGYSTAR<sup>®</sup> qualified models use at least 15% less energy than required by current federal standards. LG's Energy Star refrigerators allow consumers to save money, energy and protect the environment.



# BOTTOM FREEZERS

## **Bottom Freezer Refrigerators Have**

**Always Been About Convenience** 

With the fresh food section above the freezer, bottom freezer refrigerators put the food you use most at eye level. The Swing Door freezer is designed to provide maximum capacity.

#### **Design-A-Door**

Our unique flexible shelving system allows you to slide the gallon door bins horizontally and vertically for infinite organization possibilities. The shelves are also dishwasher safe for easy cleaning.

## **Digital Temperature Controls**

Provides precise temperature control in the refrigerator and freezer compartments. Located up front, the digital temperature controls are easy to reach and adjust. There are two temperature adjusters controlling the refrigerator and freezer compartments separately.

## lcePlus<sup>™</sup>

Provides accelerated freezing for up to 24 hours to produce 6 lbs. of ice (4.5 lbs. without IcePlus<sup>™</sup>) and lock-in freshness of all your frozen foods.



	LBC22520
CAPACITY	LBC22520
	15.5 cu.ft.
Refrigerator	6.9 cu.ft.
Freezer Total	22.4 cu.ft.
FEATURES	22.4 cu.it.
	Suite
Freezer Door Type	Swing
Energy Star	•
Multi-Air Flow Cooling	•
Digital Temperature Controls	•
Digital Temperature Sensors	3
LoDecibel <sup>™</sup> Operation	42dB
Door Alarm	•
REFRIGERATOR	
No. of Shelves	4 Split
Cantilevered Shelves	•
Shelf Construction	Tempered Glass
Crisper Bins	2 Humidity Crispers
Snack Bin	•
Refrigerator Light	2 x 60W
REFRIGERATOR DOOR	
No. of Bins	5
Dairy Bin	•
FREEZER	
Freezer Drawer	1 Full-Width Wire
Freezer Shelves	1 Wire
lcePlus™	۹
CustomCube™ Ice Maker	•
Ice Bin	٠
Freezer Light	40W
MATERIALS/FINISHES/STYLE	
Foam Door Insulation	•
Contour Doors	٠
Available Colors	Smooth White (SW), Stainless Steel (ST), Titanium (TT)
Handles	Matching Commercial Handles
Reversible Doors	•
Toe Grille	•
Surface	Stainless Steel / Coated Metal
Back	Flush & Metal cover over mechanical parts
DIMENSIONS/CLEARANCES/WEIGHT	Г
Depth (Including Handles)	34 1/4"
Depth (Without Handles)	31 3/4"
Depth (Without Door)	28 1/4"
Depth (Total w/Door open)	62"
Height (To Top of Case)	67 7/8"
Height (To Top of Door Hinge)	68 1/2"
Width	32 7/8″
Width (Door open 90° w/o Handle)	34″
Installation Clearance	Side 1/8", Top 1", Back 1"
Package Dimensions (WxHxD)	35 1/8" x 72 1/2"x 36"
Weight (lbs): Unit/Carton	237/264
UPC CODE	
Smooth White (SW)	048231 782555
Stainless Steel (ST)	048231 782486
Titanium (TT)	048231 782586
WARRANTY	
	1 Year Parts and Labor

Design and specifications are subject to change without notice. ©2008 LG Electronics U.S.A., Inc., Englewood Cliffs, NJ All Rights Reserved. LG Design and Life's Good are trademarks of LG Electronics Inc. All other trademarks are property of their respective owners.

Free Manuals Download Website <u>http://myh66.com</u> <u>http://usermanuals.us</u> <u>http://www.somanuals.com</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.com</u> <u>http://www.404manual.com</u> <u>http://www.luxmanual.com</u> <u>http://aubethermostatmanual.com</u> Golf course search by state

http://golfingnear.com Email search by domain

http://emailbydomain.com Auto manuals search

http://auto.somanuals.com TV manuals search

http://tv.somanuals.com