Lexmark <mark>X264dn</mark> Lexmark <mark>X360 Series</mark>	PRINT COPY SCAN FAX	UP TO 35 PPM DUPLEX NETWORK	
Lexmark X264dn Lexmark X363dn	Lexmark X364dn	Lexmark X364dv	V

Compact and convenient monochrome MFPs for small workgroups





Print Less. Save More.

Print less? This may seem like a surprising message for a company dedicated solely to printing. But when you consider that businesses spend, on average, up to 6% of their revenue on printing and active print management can cut office print costs by up to 30%¹, it makes a lot of sense. Lexmark products, solutions and services provide innovative ways to save you time, drive down costs and reduce your impact on the environment. We are committed to helping you print less and save more.

⁽¹⁾ Source: InfoTrends/CapVentures, Network Document Solutions Forecast 2007-2012, Network Document Solutions Consulting Service, August 2008

Designed especially for small workgroups that want big-time results, Lexmark X264dn and X360 Series MFPs unite your most essential office functions into one compact, high-performance solution. In addition to speed, quality and simplicity, these devices offer you competitive features to save time and money, such as duplex scanning models and high-yield toner cartridges for an attractive cost per page.

Big-league performance

Office efficiency is important to the success of your business, so Lexmark makes sure small workgroups can get in on the action too. Now you can enjoy rapid output up to 35 ppm and the first page out in as fast as 7 seconds. What's more, you'll have the tools to race through your workloads at record speeds.

- Load up to 850-sheet input capacity with an optional paper drawer
- Stack up to 50 sheets† in the automatic document feeder, then scan two-sided† documents in a single step
- Scan and send documents to various destinations, including e-mail
- Dispatch faxes quickly and reliably with the fast fax modem (standard on some models)

[†]Available on Lexmark X360 Series models

Quality where it counts

With their robust, high-quality design, Lexmark MFPs deliver reliability that makes a difference. They bring excellence to every aspect of the multifunction experience – from the invoices you're scanning to the important documents you need printed for the next meeting.

- Achieve superior scan resolution with the 24-bit color CCD scanner
- Add a professional touch with up to 1200 x 1200 dpi print quality
- Get great results on various media types, including card stock and labels
- Enhance the quality of your work environment with Quiet Mode



Surprisingly simple

You'll be up and running quickly with little or virtually no training. Copying and scanning are as easy as a few touches of a button, and the intuitive backlit operator panel offers two lines of text to guide newcomers through printing and maintenance with ease.

- Load up to 50 pages in the multipurpose feeder† to print forms, labels or specialty paper without reloading the main drawer
- Print image files straight from a flash drive with the Direct USB port† – you can scan to it as well!
- Manage your scanned documents easily with the Lexmark Scan Center
- Load supplies in just seconds with convenient front-loading access

[†]Available on Lexmark X360 Series models

Print black, think green

Consolidating all your document functions into one efficient network device helps you reduce energy, hardware and supplies consumption. Lexmark takes eco-accountability further to help you print responsibly throughout your workday.

- Conserve resources with 9,000*-page high-yield replacement cartridges
- Save paper with built-in duplex printing standard on all models
- Save energy with the instant warm-up fuser
- Recycle easily and free of charge with the Lexmark Cartridge
 Collection Program

* Declared yield value in accordance with ISO/IEC 19752

Lexmark X264dn and X360 Series

Explore the features that keep you moving



Hands-free copying Load and scan up to 50 pages at a time with the automatic document feeder.



Intuitive messaging With two lines of text, your MFP conveys clear maintenance instructions.



Direct USB printing† Just walk up, insert a flash drive, select a PDF or image file and start printing†.

[†]Available on Lexmark X360 Series models



Duplex scanning†

work for you.

No need to turn your originals

manually - the MFP does the

*Available on Lexmark X360 Series models

Multipurpose feeder† Print envelopes or other media types without having to open the paper drawer.

[†]Available on Lexmark X360 Series models



Optional extra input Boost your total input capacity by adding a second drawer (up to 250 or 550 sheets).





Low intervention High-capacity cartridges deliver thousands of pages before replacing.



Wireless freedom Break free from network cables with the Lexmark X364dw, a Wi-Fi CERTIFIED 802.11n draft 2.0 wireless printer.

Peace-of-mind service

The Lexmark X264dn and X360 Series MFPs come standard with Lexmark's 1-Year Onsite Service warranty, which provides you with next-business-day response. You can also extend your warranty with a customized offering to match your specific needs.

The Productivity Checklist If you've got all these, then you've got a Lexmark!



to 4,500 pages

Instant Warm Up

With Lexmark's instant warm-up fuser, your MFP will be racing through documents in the time it takes many other devices to wake up. In addition to getting your print jobs in your hands faster – just seconds from standby – you'll also benefit from increased efficiency. So you can save time, energy and money all at once!

Superior scanning

The Lexmark Scan Center offers a complete range of features for creating digital documents and integrating them into your daily workflow with ease. Preview your image, adjust contrast and colors, and save your scan in multiple file formats. Then send your scan to various destinations, either straight to e-mail or over your network to a shared drive, PC or business application. With built-in software for optical character recognition (OCR), you can even transform hardcopy text into editable form – a useful tool that will save you from having to retype text.

Smart supplies

Lexmark hardware and supplies are made for each other. When used together, they ensure optimal performance, protecting the quality of your documents and your device. Lexmark cartridges help protect the environment too. Using Lexmark high-yield toner cartridges conserves resources by reducing the number of cartridges you will use over the life of your printer. Lexmark practices zero landfill for cartridges, reusing or recycling 100% of all returns through the free-of-charge Lexmark Cartridge Collection Program.

Effortless manageability

Take a load off your IT department. These devices are network-ready and very easy to set up. If you have multiple Lexmark devices installed, the Lexmark Universal Driver offers even easier deployment. Once up and running, step-by-step on-screen messaging provides users with clear information. What's more, Lexmark MarkVision Professional software provides simplified remote management and automated tools to keep your workday flowing!

Get exactly the performance you need



Product specifications

exmark X264dn & X360 Series

	Lexmark X264dn	Lexmark X363dn	Lexmark <mark>X364dn</mark>		
Printing					
Print Technology		Monochrome Laser			
Print Speed (Letter, Black): Up to	30 ppm	35 ppm	35 ppm		
Time to First Page (Black)	As fast as 7.5 seconds	As fast as 7 seconds	As fast as 7 seconds		
Print Resolution, Black	1200 Image Quality, 1200 x 1200 dpi, 2400 Image Quality, 600 x 600 dpi				
Memory, Standard	64 MB	128 MB	128 MB		
Memory, Maximum	64 MB	128 MB	128 MB		
Print Noise Level, Operating		54 dBA	-		
Noise Level, Idle		27 dBA			
Maximum Monthly Duty Cycle: Up to	50000 pages per month	80000 pages per month	80000 pages per month		
Recommended Monthly Page Volume	250 - 4500 pages	750 - 5000 pages	750 - 5000 pages		
Supplies	200 4000 pages	100 0000 pages	100 0000 pages		
Supplies Yield (*Average standard page yield value declared in accordance with ISO/IEC 19752.)	9,000*-page High Yield Toner Cartridge, 3,500*-page Toner Cartridge				
Cartridge(s) Shipping with Product	1,500*-page Starter Return Program Toner Cartridge	3,000*-page Starter Return Program Toner Cartridge	3,000*-page Starter Return Program Toner Cartridge		
Copying					
Copy Speed (Letter, Black): Up to	30 cpm	35 cpm	35 cpm		
ADF Scan	Simplex	RADF (reversing Duplex)	RADF (reversing Duplex)		
Scanning Resolution		600 X 600 dpi (black)	· · · · · · · · · · · · · · · · · · ·		
Reduce / Enlarge Range		25 - 400 %			
Faxing					
Modem Speed	33.6 Kbps		33.6 Kbps		
Paper Handling					
Paper Handling Standard	150-Sheet Output Bin, Integrated Duplex, Single Sheet Exit, Single Sheet Manual Feed, 250-Sheet Input Tray	150-Sheet Output Bin, Integrated Duplex, Single Sheet Exit, 250-Sheet Input Tray, 50-Sheet Multipurpose Feeder	150-Sheet Output Bin, Integrated Duplex, Single Sheet Exit, 250-Sheet Input Tray, 50-Sheet Multipurpose Feeder		
Paper Handling Optional	550-Sheet Drawer, Only one drawer may be installed at a time, 250-Sheet Drawer				
Paper Input Capacity, Standard: Up to	250+1 pages 20 lb or 75 gsm bond	300 pages 20 lb or 75 gsm bond	300 pages 20 lb or 75 gsm bond		
Paper Input Capacity, Maximum: Up to	800+1 pages 20 lb or 75 gsm bond	850 pages 20 lb or 75 gsm bond	850 pages 20 lb or 75 gsm bond		
Paper Output Capacity, Standard: Up to	150 pages 20 lb or 75 gsm bond				
Paper Output Capacity, Maximum: Up to	150 pages 20 lb or 75 gsm bond				
ADF Paper Input Capacity : Up to		50 pages 20 lb or 75 gsm bond			
	50 pages 20 lb or 75 gsm bond Card Stock, Envelopes, Paper Labels, Plain Paper, Transparencies, Refer to the Card Stock & Label Guide				
	Card Stock Envelopes Pa				
Media Types Supported Media Sizes Supported		aper Labers, Pain Paper, Iransparencies, Reier to the 5 Envelope, C5 Envelope, DL Envelope, A6 Card, Exe sal, Oficio			
Media Types Supported		5 Envelope, C5 Envelope, DL Envelope, A6 Card, Exe			
Media Types Supported Media Sizes Supported		5 Envelope, C5 Envelope, DL Envelope, A6 Card, Exe			
Media Types Supported Media Sizes Supported Compatibility	10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, B	5 Envelope, C5 Envelope, DL Envelope, A6 Card, Exe sal, Oficio	cutive, Folio, JIS-B5, Legal, Letter, Statement, Unive		
Media Types Supported Media Sizes Supported Compatibility Network Protocol Support	10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, B TCP/IP IPv4, TCP/IP IPv6, TCP, UDP PCL 5e Emulation, PCL 6 Emulation, Personal	5 Envelope, C5 Envelope, DL Envelope, A6 Card, Exe sal, Oficio TCP/IP IPv4, AppleTalk™, TCP/IP IPv6, TCP, UDP PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3	cutive, Folio, JIS-B5, Legal, Letter, Statement, Unive TCP/IP IPv4, AppleTalk™, TCP/IP IPv6, TCP, UDF PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3		
Media Types Supported Media Sizes Supported Compatibility Network Protocol Support Printer Languages (Standard)	10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, B TCP/IP IPv4, TCP/IP IPv6, TCP, UDP PCL 5e Emulation, POL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation Ethemet 10/100BaseTX (RJ-45), USB 2.0 Specification HI-Speed Certified (Type B) 2000, XP, Server 2003, XP x64, Server 2003 runnii	5 Envelope, C5 Envelope, DL Envelope, A6 Card, Exe sal, Oficio TCP/IP IPv4, AppleTalk™, TCP/IP IPv6, TCP, UDP PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, PDF 1.6 Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified (Type B), Front USB port Compatible with USB 2.0 Specification	cutive, Folio, JIS-B5, Legal, Letter, Statement, Unive TCP/IP IPv4, AppleTalk™, TCP/IP IPv6, TCP, UDF PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, PDF 1.6 Ethemet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified (Type B), Front USB port Compatible with USB 2.0 Specification (Type A) arvices, Server 2003 x64, Server 2003 x64 running		
Media Types Supported Media Sizes Supported Compatibility Network Protocol Support Printer Languages (Standard) Standard Ports	10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, B TCP/IP IPv4, TCP/IP IPv6, TCP, UDP PCL 5e Emulation, POL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation Ethemet 10/100BaseTX (RJ-45), USB 2.0 Specification HI-Speed Certified (Type B) 2000, XP, Server 2003, XP x64, Server 2003 runnii	5 Envelope, C5 Envelope, DL Envelope, A6 Card, Exe sal, Oficio TCP/IP IPv4, AppleTalk™, TCP/IP IPv6, TCP, UDP PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, PDF 1.6 Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified (Type B), Front USB port Compatible with USB 2.0 Specification (Type A) ng Terminal Services, 2000 Server running Terminal Ser	cutive, Folio, JIS-B5, Legal, Letter, Statement, Unive TCP/IP IPv4, AppleTalk™, TCP/IP IPv6, TCP, UDF PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, PDF 1.6 Ethemet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified (Type B), Front USB port Compatible with USB 2.0 Specification (Type A) arvices, Server 2003 x64, Server 2003 x64 running		
Media Types Supported Media Sizes Supported Compatibility Network Protocol Support Printer Languages (Standard) Standard Ports Microsoft Windows Operating Systems Supported	10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, B TCP/IP IPv4, TCP/IP IPv6, TCP, UDP PCL 5e Emulation, POL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation Ethemet 10/100BaseTX (RJ-45), USB 2.0 Specification HI-Speed Certified (Type B) 2000, XP, Server 2003, XP x64, Server 2003 runnii	5 Envelope, C5 Envelope, DL Envelope, A6 Card, Exe sal, Oficio TCP/IP IPv4, AppleTalk™, TCP/IP IPv6, TCP, UDP PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, PDF 1.6 Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified (Type B), Front USB port Compatible with USB 2.0 Specification (Type A) ng Terminal Services, 2000 Server running Terminal Services 2008 x64, Server 2008 running Terminal Services	cutive, Folio, JIS-B5, Legal, Letter, Statement, Unive TCP/IP IPv4, AppleTalk™, TCP/IP IPv6, TCP, UDF PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, PDF 1.6 Ethemet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified (Type B), Front USB port Compatible with USB 2.0 Specification (Type A) arvices, Server 2003 x64, Server 2003 x64 running		
Media Types Supported Media Sizes Supported Compatibility Network Protocol Support Printer Languages (Standard) Standard Ports Microsoft Windows Operating Systems Supported Apple Macintosh Operating Systems Supported	10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, B TCP/IP IPv4, TCP/IP IPv6, TCP, UDP PCL 5e Emulation, POL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation Ethemet 10/100BaseTX (RJ-45), USB 2.0 Specification HI-Speed Certified (Type B) 2000, XP, Server 2003, XP x64, Server 2003 runnii	5 Envelope, C5 Envelope, DL Envelope, A6 Card, Exe sal, Oficio TCP/IP IPv4, AppleTalk™, TCP/IP IPv6, TCP, UDP PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, PDF 1.6 Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification HI-Speed Certified (Type B), Front USB port Compatible with USB 2.0 Specification (Type A) ng Terminal Services, 2000 Server running Terminal Serv Mac OS X (10.2 or later), Mac OS 9.x	cutive, Folio, JIS-B5, Legal, Letter, Statement, Unive TCP/IP IPv4, AppleTalk™, TCP/IP IPv6, TCP, UDF PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, PDF 1.6 Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified (Type B), Front USB port Compatible with USB 2.0 Specification (Type A) rvices, Server 2003 x64, Server 2003 x64 running ces, Server 2008 x64 running Terminal Services		
Media Types Supported Media Sizes Supported Compatibility Network Protocol Support Printer Languages (Standard) Standard Ports Microsoft Windows Operating Systems Supported Apple Macintosh Operating Systems Supported General Function	 10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, B3 TCP/IP IPv4, TCP/IP IPv6, TCP, UDP PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification HI-Speed Certified (Type B) 2000, XP, Server 2003, XP x64, Server 2003 runnin Terminal Services, Vista, Vista x64, Server 2008, 	5 Envelope, C5 Envelope, DL Envelope, A6 Card, Exe sal, Oficio TCP/IP IPv4, AppleTalk™, TCP/IP IPv6, TCP, UDP PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, PDF 1.6 Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified (Type B), Front USB port Compatible with USB 2.0 Specification (Type A) ng Terminal Services, 2000 Server running Terminal Serv Mac OS X (10.2 or later), Mac OS 9.x Copying, Network Scanning, Printing	cutive, Folio, JIS-B5, Legal, Letter, Statement, Unive TCP/IP IPv4, AppleTalk™, TCP/IP IPv6, TCP, UDF PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, PDF 1.6 Ethemet 10/100BaseTX (RJ-45), USB 2.0 Specification HI-Speed Certified (Type B), Front USB port Compatible with USB 2.0 Specification (Type A) arvices, Server 2003 x64, Server 2003 x64 running		
Media Types Supported Media Sizes Supported Compatibility Network Protocol Support Printer Languages (Standard) Standard Ports Microsoft Windows Operating Systems Supported Apple Macintosh Operating Systems Supported General Function Product Warranty	 10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, B3 TCP/IP IPv4, TCP/IP IPv6, TCP, UDP PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification HI-Speed Certified (Type B) 2000, XP, Server 2003, XP x64, Server 2003 runnin Terminal Services, Vista, Vista x64, Server 2008, 	5 Envelope, C5 Envelope, DL Envelope, A6 Card, Exe sal, Oficio TCP/IP IPv4, AppleTalk™, TCP/IP IPv6, TCP, UDP PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, PDF 1.6 Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified (Type B), Front USB port Compatible with USB 2.0 Specification (Type A) ng Terminal Services, 2000 Server running Terminal Server 2008 x64, Server 2008 running Terminal Serv Mac OS X (10.2 or later), Mac OS 9.x Copying, Network Scanning, Printing 1-Year Onsite Service, Next Business Day	cutive, Folio, JIS-B5, Legal, Letter, Statement, Unive TCP/IP IPv4, AppleTalk™, TCP/IP IPv6, TCP, UDF PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, PDF 1.6 Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified (Type B), Front USB port Compatible with USB 2.0 Specification (Type A) rvices, Server 2003 x64, Server 2003 x64 running ces, Server 2008 x64 running Terminal Services		
Media Types Supported Media Sizes Supported Compatibility Network Protocol Support Printer Languages (Standard) Standard Ports Microsoft Windows Operating Systems Supported Apple Macintosh Operating Systems Supported General Function Product Warranty Product Certifications	 10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, B3 TCP/IP IPv4, TCP/IP IPv6, TCP, UDP PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified (Type B) 2000, XP, Server 2003, XP x64, Server 2003 runni Terminal Services, Vista, Vista x64, Server 2008, Copying, Faxing, Network Scanning, Printing 	5 Envelope, C5 Envelope, DL Envelope, A6 Card, Exe sal, Oficio TCP/IP IPv4, AppleTalk™, TCP/IP IPv6, TCP, UDP PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, PDF 1.6 Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified (Type B), Front USB port Compatible with USB 2.0 Specification (Type A) ng Terminal Services, 2000 Server running Terminal Serv Server 2008 x64, Server 2008 running Terminal Serv Mac OS X (10.2 or later), Mac OS 9.x Copying, Network Scanning, Printing 1-Year Onsite Service, Next Business Day www.lexmark.com	cutive, Folio, JIS-B5, Legal, Letter, Statement, Unive TCP/IP IPv4, AppleTalk™, TCP/IP IPv6, TCP, UDF PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, PDF 1.6 Ethemet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified (Type B), Front USB port Compatible with USB 2.0 Specification (Type A) arvices, Server 2003 x64, Server 2003 x64 running ices, Server 2008 x64 running Terminal Services		
Media Types Supported Media Sizes Supported Compatibility Network Protocol Support Printer Languages (Standard) Standard Ports Microsoft Windows Operating Systems Supported Apple Macintosh Operating Systems Supported General Function Product Warranty	 10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, B3 TCP/IP IPv4, TCP/IP IPv6, TCP, UDP PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification HI-Speed Certified (Type B) 2000, XP, Server 2003, XP x64, Server 2003 runnin Terminal Services, Vista, Vista x64, Server 2008, 	5 Envelope, C5 Envelope, DL Envelope, A6 Card, Exe sal, Oficio TCP/IP IPv4, AppleTalk™, TCP/IP IPv6, TCP, UDP PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, PDF 1.6 Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified (Type B), Front USB port Compatible with USB 2.0 Specification (Type A) ng Terminal Services, 2000 Server running Terminal Server 2008 x64, Server 2008 running Terminal Serv Mac OS X (10.2 or later), Mac OS 9.x Copying, Network Scanning, Printing 1-Year Onsite Service, Next Business Day	cutive, Folio, JIS-B5, Legal, Letter, Statement, Unive TCP/IP IPv4, AppleTalk™, TCP/IP IPv6, TCP, UDF PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, PDF 1.6 Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified (Type B), Front USB port Compatible with USB 2.0 Specification (Type A) rvices, Server 2003 x64, Server 2003 x64 running ces, Server 2008 x64 running Terminal Services		

Maximum Monthly Duty Cycle


«Maximum Monthly Duty Cycle» is defined as the maximum number of pages a device could deliver in a month. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs.

Recommended Monthly Page Volume

«Recommended Monthly Page Volume» is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage.

Trademarks Lexmark and Lexmark with the diamond design are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. All other trademarks are the property of their respective owners. PCL is a registered trademark of Hewlett-Packard Company. AppleTalk, Mac and Macintosh are trademarks of Apple Computer, Inc., registered in the United States and other countries. MarkNet and MarkVision are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. The USB-IF logos are trademarks of Universal Serial Bus Implementers Forum, Inc. ENERGY STAR® is a U.S. registered mark. Microsoft, Windows, the Windows logo, Windows Vista, and the Windows Vista logo are trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries. Citrix, MetaFrame and MetaFrame XP are registered trademarks or trademarks of Citrix Systems, Inc. in the U.S. and other countries. Information in this document is subject to change without notice.

Lexmark X264dn



exmark X264dn & X360 Series

Part # 13B0500 Model Lexmark X264dn Laser Toner/Print Cartridge X264, X363, X364 High Yield Return Program Toner Cartridge X264, X363, X364 High Yield Return Program Toner Cartridge X264, X363, X364 High Yield Toner Cartridge X264, X363, X364 Toner Cartridge Part # X264H11G X264A11G X264H21G X264A21G E260, E360, E460 Photoconductor Kit E260X22G Part # 70X7240 Paper & Transparencies Laser Printer Transparencies (Letter) Part # Paper Handling 34\$0550 550-Sheet Draw 34S0250 250-Sheet Drawe Memory Options Part # 64MB Flash Card Part # Connectivity USB (2: Meter) Cable Lexmark N4050e 802.11g Wireless Print Server Markket™ N7020e Gigabit Ethernet Print Server Markket™ N7000e Fast Ethernet Print Server - USB Lexmark N4000e for Ethernet 10/100BaseTX 1021294 14T0145 14T0220 14T0230 14T0030 Extended Warranties 2-Years Total Onsite Service, Next Business Day 3-Years Total Onsite Service, Next Business Day Part # 2350933 2350936 1-Year Onsite Service Renewal, Next Business Day Part # **User Replaceable Parts** 40X5535 ADF Flatbed Cushion ADF Separator Pad ADF Separator Roll 40X5472 40X5471

In the box

Model Lexmark X363dn

Laser Toner/Print Cartridge

Paper & Transparencies

550-Sheet Drawe

250-Sheet Drawe Memory Options

64MB Flash Card

Extended Warranties

User Replaceable Parts

ADF Flatbed Cushion

ADF Separator Pad ADF Separator Roll

Connectivity

E260, E360, E460 Photoconductor Kit

Laser Printer Transparencies (Letter) Paper Handling

2264, X363, X364 High Yield Return Program Toner Cartridge X264, X363, X364 Return Program Toner Cartridge X264, X363, X364 High Yield Toner Cartridge X264, X363, X364 Toner Cartridge

USB (2. Meter) Cable Lexmark N4050e 802.11g Wireless Print Server MarkNetTM N7020e Gigabit Ethernet Print Server MarkNetTM N7000e fast Ethernet Print Server - USB Lexmark N4000e for Ethernet 10/100BaseTX

2-Years Total Onsite Service, Next Business Day 3-Years Total Onsite Service, Next Business Day 1-Year Onsite Service Renewal, Next Business Day

Part # 13B0501

X264H11G X264A11G X264H21G X264A21G

F260X22G Part #

70X7240

34S0250

Part # 1021209

Part #

1021294

14T0145 14T0220

14T0030

Part #

2350974 2350975 2350978

Part #

40X5535

40X5472


40X5471

Part # 34S0550

Part #

Lexmark X264dn Multifunction Laser Printer, up to 1,500 pages* starter Return Program Cartridge, Photoconductor Kit, software and documentation CD, setup guide or sheet (network and local attachment), power cord(s), RJ-11 phone cable or adapter (country dependent), Statement of Limited Warranty, operator panel language overlay, safety sheet or booklet, Lexmark Cartridge Collection Program information

Lexmark X363dn



Paper Handling Standard

Paper Handling Optiona

Other models available

In the hox

13B0502 - Lexmark X364dn: Lexmark X363dn + fax Lexmark X363dn Multifunction Laser Printer, up to 3,000 pages* starter Return Program Cartridge, Photoconductor Kit, software and documentation CD, setup 13B0503 - Lexmark X364dw: Lexmark X364dn + built-in wireless guide or sheet (network and local attachment), power cord(s). Statement of Limited Warranty, operator panel language overlay, safety sheet or booklet. Lexmark Cartridge Collection Program information

Lexmark's guarantee to you

reduce recove reuse recyce

At Lexmark, we're always working hard to ensure you achieve maximum productivity and minimum downtime. For greater level of peace of mind, you can opt for one of our Lexmark service offerings detailed on www.lexmark.com/services



Lexmark believes that the environment is a critical component of responsible business management and clearly demonstrates it by implementing the "4R" strategy: Reduce, Recover, Reuse and Recycle. To learn more about these programs please visit www.lexmark.com/recycle

Cost-saving and environmental features

- Energy Star compliant - Instant warm-up fuser reduces power consumption
- Duplex printing, multi-up and support of recycled paper help reduce paper consumption
- Eco-Mode reduces power consumption and Quiet-Mode reduces noise



LEXMARK

www.lexmark.com

Free Manuals Download Website <u>http://myh66.com</u> <u>http://usermanuals.us</u> <u>http://www.somanuals.com</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.com</u> <u>http://www.404manual.com</u> <u>http://www.luxmanual.com</u> <u>http://aubethermostatmanual.com</u> Golf course search by state

http://golfingnear.com Email search by domain

http://emailbydomain.com Auto manuals search

http://auto.somanuals.com TV manuals search

http://tv.somanuals.com