

















Lexmark X651de Lexmark X652de Lexmark X654de Lexmar

Lexmark X656de

Lexmark X656dte





# Print Less. Save More.

Print less? This may seem like a surprising message for a company dedicated solely to printing. But when you consider that businesses spend, on average, up to 6% of their revenue on printing and active print management can cut office print costs by up to 30%<sup>1</sup>, it makes a lot of sense. Lexmark products, solutions and services provide innovative ways to save you time, drive down costs and reduce your impact on the environment. We are committed to helping you print less and save more.

(1) Source: InfoTrends/CapVentures, Network Document Solutions Forecast 2007-2012, Network Document Solutions Consulting Service, August 2008

The Lexmark X650 Series packs more benefits than ever into a high-performance, space-saving multifunction laser. Power up your workgroup with reliable, ultra-fast printing and copying. Boost productivity with superior color-scanning capabilities and efficient workflow solutions. And experience smart, new ways to lower costs while reducing the environmental impact of printing.



### **Enhance workflow performance!**

There are enough things that can slow you down in a day – your documents shouldn't be one of them. Powerful print speeds and intelligent time-saving features team up to make your workday fully efficient and productive.

- Delivers up to 55 prints, copies or scans per minute
- Rapid high-quality duplex scanning in monochrome and color
- Optimized workflow capabilities with flexible scan destinations and formats
- Hard-disk models support advanced features, like on-screen scan previews

• Includes advanced faxing with time-saving shortcuts (fax is optional on Lexmark X651de)



### **Outstanding versatility**

One size never fits all. That's why Lexmark offers you more options, more versatility and more functionality for a truly customized solution. Choose from a wide range of flexible features to achieve a perfect fit for your business.

- Input options let you load up to 3,200 sheets
- Customizable touch screen for simple one-touch operation
- MyMFP lets users personalize the touch screen with the functions and shortcuts they use most
- Lexmark's Embedded Solutions Framework enables your MFP to be tailored for workflow efficiency



#### **Cutting-edge security**

The Lexmark X650 Series is equipped with state-of-the-art security to protect your valuable corporate data. It also features customizable user-access controls, allowing you to enable or disable functions with ease.

- IPSec, SNMPv3 and 802.1x network security
- Secure data encryption and disk wiping
- Industry-leading access restrictions, including LDAP
- Proactively tracks and identifies security risks



### Prints black, thinks green

Lexmark multifunction technology makes it easy to reduce the amount of information you print, copy and distribute in hardcopy format. You'll save time, costs and office space, while powering fewer devices. You can also significantly reduce cartridge waste by using Lexmark's high-yield and extra-high-yield print cartridges, which boast extraordinary page yields – up to 36,000\* pages.

- Eco-Mode reduces power consumption
- Built-in duplex printing saves paper
- 25,000\*-page and 36,000\*-page print cartridges reduce waste as well as keep your cost per page low
- Lexmark Cartridge Collection Program offers fast, free and easy recycling



# Explore the features that keep you moving



# Loads of benefits packed into one device!

#### What can device consolidation do for your business?

If you're still struggling between multiple devices across your office – printers, scanners, copiers and fax machines – then your true productivity potential is still far out of reach. But with Lexmark, there's an easy fix!

Solidly robust and competitively fast, Lexmark's industry-leading MFPs allow you to unite all your critical document functions into one high-performance device.

#### And the benefits go far!

You'll optimize office space and save money on hardware, consumables, service contracts and even electricity.

# The Productivity Checklist If you've got all these, then you've got a Lexmark!



#### **Enormously intuitive touch screen**

The incredibly large, fully featured color touch screen gives you fast, easy access to document capture and workflow functions. Tailor it to your business requirements with the icons and shortcuts you need most. You can even change the background image to whatever suits you best, like your own loan.



#### Efficient traffic shaping

When you e-mail a large file from your Lexmark X650 Series MFP, it won't cause a traffic jam on your network. That's because traffic-shaping technology can partition your network traffic and designate lower bandwidth for outbound flows. This is especially useful for busy networks and externally hosted Web servers.

#### On-screen scan previews

Before you scan and e-mail an important image file, see how it looks and fits on the page. Should it be in color or black and white? Is the page orientation correct? Are you sure you scanned the correct side of the page? You may also want to check the file size of the scanned document before you save it or forward it. The Lexmark X650 Series lets you preview your scan and note the file size, saving you time and eliminating errors (hard disk required).

#### **Multitalented copying**

Benefit from a rich range of advanced copy functions to boost your productivity, such as Priority Copy to temporarily interrupt long print runs; ID Card Copy to copy both sides of a card on a single sheet; Sample Copy to proof the first copy set before printing the remaining copies; and Remote Copy, which you can use to scan color documents on your monochrome Lexmark X650 Series MFP and retrieve them from a Lexmark color laser printer.

#### Personalized user settings

A real efficiency booster, Lexmark's new MyMFP feature lets multiple users save and re-access their personal settings on a simple flash drive, including their local address book, personal fax numbers, individual copy settings, and even their own touch-screen configuration. They simply walk up to the MFP, slide in their flash drive and the MFP literally transforms into their own personal device. A warm welcome each time they use it!

#### **Effortless manageability**

Take a load off your help desk. These printers are network-ready and very easy to set up. If you're installing multiple Lexmark laser devices, the Lexmark Universal Driver offers even easier deployment. Once you're up and running, Lexmark's free remote management software, Lexmark MarkVision™ Professional, keeps the workday flowing.

#### **Lexmark's Embedded Solutions Framework**

Experience more productivity than you could ever imagine! Lexmark new MFPs come solutions-ready, so you can easily opt for one of Lexmark's leading workflow-enhancing applications, such as Remote Copy, embedded Document Accounting Solution, and more. These solutions are specially designed to help you lower costs, analyze usage patterns, expand your functionality and move information more efficiently throughout your enterprise. To find out how multifunction solutions can boost your performance, call your Lexmark representative today.



# Get exactly the performance you need









## Lexmark X651de

- Includes print, copy and scan functions
- Up to 45 ppm, as fast as 8 seconds to first page
- Customizable 7" color touch screen
- Recommended monthly volume: 3,000 to 20,000 pages
- 650-sheet standard input, 550sheet output capacity
- Ships with 7,000\*-page Return Program Print Cartridge
- Lexmark High Yield Print Cartridge available (25,000\* pages)

## Lexmark X652de

Same as X651de but also includes: High-speed faxing

## Lexmark X654de

- Up to 55 ppm, as fast as 9.5 seconds to first page
- Automatic document feeder holds up to 75 sheets and scans both sides of your document in one pass
- Extra-large 9" color touch screen
- Recommended monthly volume:
- 5,000 to 30,000 pages Ships with an 18,000\*-page Return Program Print Cartridge
- Cartridge available (36,000\* pages)

# • Lexmark Extra High Yield Print

## Lexmark X656de

Same as X654de but also includes: • 80GB hard disk for expanded functionality

## Lexmark X656dte

Same as X656de but also includes: • Added 550-sheet drawer for 1,200-sheet total input capacity

Download from Www.Somanuals.com. All Manuals Search And Download.

Printing         Monochrome Laser           Print Technology         Monochrome Laser           Print Speed (Letter, Black): Up to         45 ppm         55 ppm         55 ppm		Layres and WOFO dis	Lovenord VCECdo	Layrond VCECalta
Pict Technology		Lexmark X652de	Lexmark X656de	Lexmark X656dte
Print Speed (Letter, Black): Up to   45 com   55 com	Printing			
Time to Fine Page (Back)	Print Technology		Monochrome Laser	
Pint Resolution, Black	Print Speed (Letter, Black): Up to	45 ppm	55 ppm	55 ppm
Memory, Mariandard	Time to First Page (Black)	As fast as 8.0 seconds	As fast as 9.5 seconds	As fast as 9.5 seconds
Memory, Maintains	Print Resolution, Black	1200 lma	ge Quality, 1200 x 1200 dpi, 2400 lmage Quality, 600	x 600 dpi
Memory Assimum	Memory, Standard			·
Print Notes Level, Up to   20.0000 pages per morth   27.0000 pages per per morth   27.0000 pages per	Memory, Maximum			
Noise Level, Iride		54 dBA		56 dBA
Maximum Monthly Duty Outs (19 to 10000 pages per month   275000 pages per month   20000 pages per month   20000 pages   200000 pages   20000 pages   20000 pages   200000 pages   20000 pages   200000 pages   20000 pages   20000 pages   20000 pages   200	<u> </u>	0.00.		00 45.1
Recommended Monthly Page Volume   2007 - 20070 pages   2007 - 20070 pages   20070 pages   20070 - 20070 pages   20070 pages   20070 - 20070 pages   20	· · · · · · · · · · · · · · · · · · ·	200000 pages per month		275000 nages per month
Supplies Yield			1 0 1	
20.007_sage High Yeal Print Cardioge		3000 - 20000 pages	5000 - 30000 pages	5000 - 30000 pages
standard rapp yeld wise declared in accordance with SC/IEC 19782, 7,000-page Pitra Carridge and SC/IEC 19782, 7,000-page Pitra High Yeld Pitra Carridge and Sc/IEC 19782, 7,000-page Pitra High Yeld Pitra Carridge and Sc/IEC 19782, 7,000-page Pitra High Yeld Pitra Pit		T		
with SOURC 19782, 7,0000-page Prior Cardidge 80.000-page Eras High Yeals Print Cardidge 80.000-page Eras High Yeal Print Cardid	Supplies Yield			
Cartridge(s) Shipping with Product  7,000*-page Return Program Pert Cartridge 18,000*-page Stater Return Program Pert Cartridge Copying  Copy Speed (Letter, Black): Up to  45 cpm 55 cpm 55 cpm 55 cpm 55 cpm 55 cpm 55 cpm 56 cpm 57 cpm 58 cp				
Cartridge(s) Shipping with Product		with ISO/IEC 19752., 7,000*-page Print Cartridge	with ISO/IEC 19752., 7,000*-page Print Cartridge,	with ISO/IEC 19752., 7,000*-page Print Cartride
Copying  Copy Speed (Letter, Black): Up to 45 cpm 55 cpm 55 cpm 55 cpm  Scanning  Scanning Resolution 50 00 00 00 00 00 00 00 00 00 00 00 00			36,000*-page Extra High Yield Print Cartridge	36,000*-page Extra High Yield Print Cartridge
Copying  Copy Speed (Letter, Black): Up to 45 cpm 55 cpm 55 cpm 55 cpm  Scanning  Scanning Resolution 50 00 00 00 00 00 00 00 00 00 00 00 00				
Copying  Copy Speed (Letter, Black): Up to 45 cpm 55 cpm 55 cpm 55 cpm 55 cpm  Scanning  Scanning  Reduce / Enlarge Range 525 400 %  Fashing  Modem Speed 9 33.6 ktpps  Paper Handling  Paper Handling Standard 1 Registed Duplex, 100-Sheet Multipurpose Fasiotic, 550-Sheet Input Ting, 550-	Cartridge(s) Shipping with Product	7,000*-page Return Program Print Cartridge	18,000*-page Starter Return Program Print	18,000*-page Starter Return Program Print
Second   S			Cartridge	Cartridge
Scanning Resolution Reduce / Enlarge Range Faxing  Reduce / Enlarge Range Scanning  Reduce / Enlarge Range Scanning Standard Scanning Reduce / Enlarge Range Reduce / Enlarge Re	Copying			
Seaning Resolution	Copy Speed (Letter, Black): Up to	45 cpm	55 cpm	55 cpm
Seaning Resolution	Scanning			
Reduce / Enlarge Range Faxing  Modem Speed  3.6 Kbps  Paper Handling Paper Handling Paper Handling Standard  Paper Handling Optional  4.00 Sheet Input Tiay, 550 Sheet Output Bin  650 pages 20 bor 75 gem bond  400 Sheet Universally Adjustable Tiay with Drawer, 550 Sheet Drawer, 250		CADAN I AND CORE V CORE		
Faxing   Modem Speed   33.6 Kips   Paper Handling   Paper Handling   Standard   Integrated Duplex, 100-Sheet Multipurpose   Feeder, 550-Sheet Duplex, 100-She		+		
Modem Speed   33.6 kt/ps   Paper Handling   Paper Handling   Paper Handling   Standard   Integrated Duplex, 100-Sheet Multipurpose   Feeder, 550-Sheet Input Tray, 550-Sheet Output   Feeder, 550-			23 - 400 %	
Paper Handling Paper Handling Standard    Integrated Duplex, 100-Sheet Multipurpose   Feeder, 550-Sheet Dupl	-			
Paper Handling Standard   Integrated Duplex, 100 Sheet Multipurpose Feeder, 550 Sheet Multipurpose Feeder, 550 Sheet Input Tray, 550-Sheet Input Tray, 550-Sheet Input Tray, 550-Sheet Multipurpose Feeder, 550-Sheet Drawer, 550-Sh	· · · · · · · · · · · · · · · · · · ·		33.6 Kbps	
Feeder, 550-Sheet Input Tray, 550-Sheet Output In South In South Input Tray, 550-Sheet I		T		
Bin   Bin   Bin   Bin   550 Sheet Output Bin	Paper Handling Standard		-	
Paper Handling Optional  400 Sheet Universally Adjustable Tray with Drawer, 250 Sheet Drawer, 250 Sheet Drawer, Optional furniture required., 2,000 Sheet High-capacity Feeder Paper Input Capacity, Standard Paper Input Capacity, Maximum 3200 pages 20 lb or 75 gsm bond 4500 pages 20 lb				
Paper Input Capacity, Standard Paper Input Capacity, Maximum Sacopages 20 lb or 75 gsm bond Scopages 20 lb or 75 gsm bond Paper Output Capacity, Maximum Scopages 20 lb or 75 gsm bond Scopages 20 lb or 75 gsm bond Paper Output Capacity, Maximum Scopages 20 lb or 75 gsm bond Paper Output Capacity, Maximum Scopages 20 lb or 75 gsm bond Paper Output Capacity, Windows Paper Output Capacity, Windows Paper Output Capacity, Windows Operating Systems Supported Card Stock, Dual Web Labels, Envelopes, Integrated Labels, Paper Labels, Pan Paper, Polyester Labels, Transparencies, Virty Labels, Pefer to the Card Stock Bedia Sizes Supported Card Stock, Dual Web Labels, Envelopes, Integrated Labels, Paper Labels, Pan Paper, Polyester Labels, Transparencies, Virty Labels, Pefer to the Card Stock Bedia Sizes Supported Compatibility Network Protocol Support Printer Languages (Standard) PCL 5e Emulation, PCL 6 Emulation, Personal Pinter Data Stream (PPDS), PostScript 3 Emulation, xHTML, PDF 1.6, Direct Image, Microsoft XPS (MML Paper) Specification Standard Ports Elment 10/100BaseTX (RJ-45), One Internal Card Stot, USB 2.0 Specification H-Speed Cartified, USB port (Type A) compatible with USB 2.0 Specification Microsoft Windows Operating Systems Supported  Microsoft Windows Operating Systems Supported  Mac OS X, Mac OS 9.x Other Operating Systems Supported  Mac OS X, Mac OS 9.x Other Operating Systems Supported  Mac OS X, Mac OS 9.x Other Operating Systems Supported  Mac OS X, Mac OS 9.x  Other Operating Systems Supported  Mac OS X, Mac OS 9.x  Other Operating Systems Supported  Mac OS X, Mac OS 9.x  Other Operating Systems Supported  Mac OS X, Mac OS 9.x  Other Operating Systems Supported  Mac OS X, Mac OS 9.x  Other Operating Systems Supported  Mac OS X, Mac OS 9.x  Other Operating Systems Supported  Mac OS X, Mac OS 9.x  Other Operating Systems Supported  Mac OS X, Mac OS 9.x  Other Operating Systems Supported  Mac OS X, Mac OS 9.x  Other Operating Systems Supported  Mac OS X, Mac OS 9.x  Mac OS X, Mac OS 9.x  Mac OS X, Mac OS				'
Paper Input Capacity, Maximum Paper Output Capacity, Standard Paper Output Capacity, Standard Paper Output Capacity, Maximum S50 pages 20 lb or 75 gsm bond Paper Putput Capacity, Maximum ADF Paper Input Capacity, Maximum S50 pages 20 lb or 75 gsm bond ADF Paper Input Capacity; Up to T6 pages 20 lb or 75 gsm bond Media Types Supported Card Stock, Dual Web Labels, Envelopes, Integrated Labels, Paper Labels, Pain Paper, Polyester Labels, Transparencies, Viryl Labels, Refer to the Card Ste & Label Guide Media Sizes Supported 10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, DL Envelope, Executive, Folio, JIS-85, Legal, Letter, Statement, Universal Compatibility Network Protocol Support TCP/IP IPv4, IPVXSPX, AppleTak™, LexLink (DLC), TCP/IP IPv6, TCP, UDP Printer Languages (Standard) PCL 5e Emulation, PCL 6 Emulation, Pensonal Printer Data Stream (IPPDS), PostScript 3 Emulation, xHTML, PDF 1.6, Direct Image, Microsoft XPS (VML Pay Specification) Standard Ports Ethemet 10/100BaseTX (RJ-45), One Internal Card Stot, USB 2.0 Specification (Type A) compatible with USB 2.0 Specification (Type A) Microsoft Windows Operating Systems Supported 2000, XP, Server 2003, XP x64, Server 2003 running Terminal Services, Server 2003 x64, server 2003 x64 running Terminal Services, Server 2003 x64, server 2003 x64 vurning Terminal Services, Server 2003 x64, server 2003 x64 vurning Terminal Services, Server 2008 x64 running Terminal Services, Serv	Paper Handling Optional	400-Sheet Universally Adjustable Tray with Drawe	r, 550-Sheet Drawer, 250-Sheet Drawer, Optional furn	iture required., 2,000-Sheet High-capacity Feeder
Paper Input Capacity, Maximum Paper Output Capacity, Standard Paper Output Capacity, Standard Paper Output Capacity, Maximum S50 pages 20 lb or 75 gsm bond Paper Putput Capacity, Maximum ADF Paper Input Capacity, Maximum S50 pages 20 lb or 75 gsm bond ADF Paper Input Capacity; Up to T6 pages 20 lb or 75 gsm bond Media Types Supported Card Stock, Dual Web Labels, Envelopes, Integrated Labels, Paper Labels, Pain Paper, Polyester Labels, Transparencies, Viryl Labels, Refer to the Card Ste & Label Guide Media Sizes Supported 10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, DL Envelope, Executive, Folio, JIS-85, Legal, Letter, Statement, Universal Compatibility Network Protocol Support TCP/IP IPv4, IPVXSPX, AppleTak™, LexLink (DLC), TCP/IP IPv6, TCP, UDP Printer Languages (Standard) PCL 5e Emulation, PCL 6 Emulation, Pensonal Printer Data Stream (IPPDS), PostScript 3 Emulation, xHTML, PDF 1.6, Direct Image, Microsoft XPS (VML Pay Specification) Standard Ports Ethemet 10/100BaseTX (RJ-45), One Internal Card Stot, USB 2.0 Specification (Type A) compatible with USB 2.0 Specification (Type A) Microsoft Windows Operating Systems Supported 2000, XP, Server 2003, XP x64, Server 2003 running Terminal Services, Server 2003 x64, server 2003 x64 running Terminal Services, Server 2003 x64, server 2003 x64 vurning Terminal Services, Server 2003 x64, server 2003 x64 vurning Terminal Services, Server 2008 x64 running Terminal Services, Serv	Paner Innut Canacity Standard	650 pages 20 lb or 75 gem band	650 pages 20 lb or 75 gem band	1200 pages 20 lb or 75 gem band
Paper Output Capacity, Standard  Paper Output Capacity, Maximum  ADF Paper Input Capacity, Maximum  ADF Paper Input Capacity : Up to  Redia Types Supported  Card Stock, Dual Web Labels, Envelopes, Integrated Labels, Paper Labels, Flain Paper, Polyester Labels, Transparencies, Vinyl Labels, Refer to the Card Stock Budies Sizes Supported  Card Stock, Dual Web Labels, Envelopes, Integrated Labels, Paper Labels, Flain Paper, Polyester Labels, Transparencies, Vinyl Labels, Refer to the Card Stock Budies Sizes Supported  Compatibility  Network Protocol Support  Printer Languages (Standard)  Standard Ports  Ethernet 10/1008aseTX (RJ-45), One Internal Card Stot, USB 2.0 Specification, X-HTML, PDF 1.6, Direct Image, Microsoft XPS (MIL Paper)  Standard Ports  Ethernet 10/1008aseTX (RJ-45), One Internal Card Stot, USB 2.0 Specification, Internal Services, Vista, Vista x64, Server 2003 running Terminal Services, Server 2003 x64, Server 2008 x64, Server 2008 running Terminal Services, Server 2008 x64 running Terminal Services, Server 2003 x64 running Terminal Services, Server 2008 x64 running Terminal Services, Se		000 pages 20 lb 01 70 gsi ii borid		1200 pages 20 lb 01 73 gsi11 borid
Paper Output Capacity, Maximum  550 pages 20 lb or 75 gsm bond  ADF Paper Input Capacity: Up to  75 pages 20 lb or 75 gsm bond  Media Types Supported  Card Stock, Dual Web Labels, Envelopes, Integrated Labels, Paper Labels, Flain Paper, Polyester Labels, Transparencies, Vinyl Labels, Refer to the Card Stock Stable Guide  Media Sizes Supported  10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, DL Envelope, Executive, Folio, JIS-B5, Legal, Letter, Statement, Universal  Compatibility  Network Protocol Support  Printer Languages (Standard)  PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, xHTML, PDF 1.6, Direct Image, Microsoft XPS (XML Paper)  Standard Ports  Ethemet 10/1008aseTX (RJ-45), One Internal Card Stot, USB 2.0 Specification H-Speed Certified, USB port (Type A) compatible with USB 2.0 Specification)  Standard Ports  Ethemet 10/1008aseTX (RJ-45), One Internal Card Stot, USB 2.0 Specification (Type A)  Microsoft Windows Operating Systems Supported  2000, XP, Sever 2003, XP X84, Server 2003 running Terminal Services, 2000 Server running Terminal Services, Server 2003 x84 runnin				
ADF Paper Input Capacity: Up to  Media Types Supported  Card Stock, Dual Web Labels, Envelopes, Integrated Labels, Paper Labels, Pain Paper, Polyester Labels, Transparencies, Vinyl Labels, Refer to the Card Stock Budie Media Sizes Supported  10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, DL Envelope, Executive, Folio, JIS-85, Legal, Letter, Statement, Universal  Compatibility  Network Protocol Support  Printer Languages (Standard)  Standard Ports  Ethernet 10/100BaseTX (PJ-45), One Internal Card Stot, USB 2.0 Specification, JIS-86, Legal, Capacity Willowship Compatible with USB 2.0 Specification (Front USB port Compatible with USB 2.0 Specification Services, Server 2003 x64, Server 2003 x64, Server 2008 x64, Server 2008 running Terminal Services, Server 2003 x64 running Terminal Services, Server 2008 running Terminal Services, Server 2008 running Terminal Services, Server 2008 run				
Media Types Supported       Card Stock, Dual Web Labels, Envelopes, Integrated Labels, Paper Labels, Paper, Polyester Labels, Transparencies, Vinyl Labels, Refer to the Card Str. & Label Guide         Media Sizes Supported       10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, DL Envelope, Executive, Folio, JIS-B5, Legal, Letter, Statement, Universal         Compatibility       10 Envelope Type Pv4, IPX/SPX, AppleTak™, LexLink (DLO), TCP/IP IPv6, TCP, UDP         Printer Languages (Standard)       10 Envelope, PcL 5e Emulation, PcL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, xHTML, PDF 1.6, Direct Image, Microsoft XPS (XML Pap Specification)         Standard Ports       Ethernet 10/100BaseTX (RJ-45), One Internal Card Stot, USB 2.0 Specification H-Speed Certified, USB port (Type A) compatible with USB 2.0 Specification (Type A)         Microsoft Windows Operating Systems Supported       2000, XP, Server 2003, XP x64, Server 2003 running Terminal Services, 2000 Server running Terminal Services, Server 2003 x64 running Terminal Services, Server 2008 x64 running Terminal Services         Apple Macintosh Operating Systems Supported       Mac CS X, Mac CS 9,x         Other Operating Systems Supported       Mac CS X, Mac CS 9,x         Other Operating Systems Supported       Mac CS X, Mac CS 9,x         Other Operating Systems Supported       Color Scanning, Copying, Faxing, Network Scanning, Printing         Froduct Warranty       Product Certifications       Weight (Ib.)       34.8 x 21.6 x 24.1 in.       34.8 x 21.6 x 24.1 in.         Weight (Ib.) </td <td></td> <td></td> <td>550 pages 20 lb or 75 gsm bond</td> <td></td>			550 pages 20 lb or 75 gsm bond	
Media Sizes Supported  10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, DL Envelope, Executive, Folio, JIS-B5, Legal, Letter, Statement, Universal  Compatibility  Network Protocol Support  Printer Languages (Standard)  PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, xHTML, PDF 1.6, Direct Image, Microsoft XPS (XML Par Specification)  Standard Ports  Ethernet 10/100BaseTX (RJ-45), One Internal Card Slot, USB 2.0 Specification H-Speed Certified, USB port (Type A) compatible with USB 2.0 Specification (Type A)  Microsoft Windows Operating Systems Supported  Microsoft Windows Operating Systems Supported  Apple Macintosh Operating Systems Supported  Other Operating	ADF Paper Input Capacity : Up to		75 pages 20 lb or 75 gsm bond	
Media Sizes Supported       10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, DL Envelope, Executive, Folio, JIS-B5, Legal, Letter, Statement, Universal         Compatibility       TCP/IP IPv4, IPX/SPX, AppleTalk™, LexLink (DLC), TCP/IP IPv6, TCP, UDP         Printer Languages (Standard)       TCP/IP IPv4, IPX/SPX, AppleTalk™, LexLink (DLC), TCP/IP IPv6, TCP, UDP         Printer Languages (Standard)       PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, xHTML, PDF 1.6, Direct Image, Microsoft XPS (XML Par Specification)         Standard Ports       Ethemet 10/100BaseTX (RJ-45), One Internal Card Slot, USB 2.0 Specification HI-Speed Certified, USB port (Type A) compatible with USB 2.0 Specification (Type A)         Microsoft Windows Operating Systems Supported       2000, XP, Server 2003, XP x64, Server 2003 running Terminal Services, 2000 Server running Terminal Services, Server 2003 x64 running Terminal Services, Server 2008 x64 runnin	Media Types Supported	Card Stock, Dual Web Labels, Envelopes, Integrated	Labels, Paper Labels, Plain Paper, Polyester Labels,	Transparencies, Vinyl Labels, Refer to the Card Sto
Network Protocol Support    Compatibility   Network Protocol Support   TCP/IP IPv4, IPX/SPX, AppleTalk™, LexLink (DLC), TCP/IP IPv6, TCP, UDP     Printer Languages (Standard)   PCL 5e Emulation, Pcl 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, xHTML, PDF 1.6, Direct Image, Microsoft XPS (XML Par Specification)			& Label Guide	
Network Protocol Support   TCP/IP IPv4, IPX/SPX, AppleTalk™, LexLink (DLC), TCP/IP IPv6, TCP, UDP	Media Sizes Supported	10 Envelope, 7 3/4 Envelope, 9 En	velope, A4, A5, DL Envelope, Executive, Folio, JIS-B5	i, Legal, Letter, Statement, Universal
Printer Languages (Standard)  PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, xHTML, PDF 1.6, Direct Image, Microsoft XPS (XML Par Specification)  Standard Ports  Ethernet 10/100BaseTX (RJ-45), One Internal Card Slot, USB 2.0 Specification Hi-Speed Certified, USB port (Type A) compatible with USB 2.0 Specification Front USB port Compatible with USB 2.0 Specification (Type A)  Microsoft Windows Operating Systems Supported  2000, XP, Server 2003, XP x64, Server 2003 running Terminal Services, 2000 Server running Terminal Services, Server 2003 x64, Server 2003 x64 running Terminal Services, Server 2008 x64 running Terminal Services  Apple Macintosh Operating Systems Supported  Apple Macintosh Operating Systems Supported  Other Operating Systems Supported  Color Scanning, Copying, Faxing, Network Scanning, Printing  Product Warranty  Product Warranty  1-Year Onsite Service, Next Business Day  Product Certifications  Size (in H x W x D)  29.7 x 21.6 x 24.1 in.  29.7 x 21.6 x 24.1 in.  34.8 x 21.6 x 24.1 in.  Weight (lb.)	Compatibility			
Printer Languages (Standard)  PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, xHTML, PDF 1.6, Direct Image, Microsoft XPS (XML Par Specification)  Standard Ports  Ethernet 10/100BaseTX (RJ-45), One Internal Card Slot, USB 2.0 Specification Hi-Speed Certified, USB port (Type A) compatible with USB 2.0 Specification Front USB port Compatible with USB 2.0 Specification (Type A)  Microsoft Windows Operating Systems Supported  2000, XP, Server 2003, XP x64, Server 2003 running Terminal Services, 2000 Server running Terminal Services, Server 2003 x64, Server 2003 x64 running Terminal Services, Server 2008 x64 running Terminal Services, Server 2008 x64 running Terminal Services  Apple Macintosh Operating Systems Supported  Mac OS X, Mac OS 9.x  Other Operating Systems Supported  Color Scanning, Copying, Faxing, Network Scanning, Printing  Product Warranty  Product Warranty  1-Year Onsite Service, Next Business Day  Product Certifications  34.8 x 21.6 x 24.1 in.  Weight (lb.)	Network Protocol Support	TCP/IP IP	4, IPX/SPX, AppleTalk™, LexLink (DLC), TCP/IP IPv6,	TCP, UDP
Specification)  Standard Ports  Ethemet 10/100BaseTX (RJ-45), One Internal Card Slot, USB 2.0 Specification Hi-Speed Certified, USB port (Type A) compatible with USB 2.0 Specification Front USB port Compatible with USB 2.0 Specification (Type A)  Microsoft Windows Operating Systems Supported  2000, XP, Server 2003, XP x64, Server 2003 running Terminal Services, 2000 Server running Terminal Services, Server 2003 x64, Server 2003 x64 running Terminal Services, Server 2008 x64 running Terminal Services, Server 2008 x64 running Terminal Services  Apple Macintosh Operating Systems Supported  Mac OS X, Mac OS 9.x  Other Operating Systems Supported  Mac OS X, Mac OS 9.x  Other Operating Systems Supported  Color Scanning, Copying, Faxing, Network Scanning, Printing  Product Warranty  1-Year Onsite Service, Next Business Day  Product Certifications  Size (in H x W x D)  29.7 x 21.6 x 24.1 in.  29.7 x 21.6 x 24.1 in.  34.8 x 21.6 x 24.1 in.  Weight (lb.)	Printer Languages (Standard)			
Ethernet 10/100BaseTX (RJ-45), One Internal Card Slot, USB 2.0 Specification Hi-Speed Certified, USB port (Type A) compatible with USB 2.0 Specification Front USB port Compatible with USB 2.0 Specification (Type A)  Microsoft Windows Operating Systems Supported  2000, XP, Server 2003, XP x64, Server 2003 running Terminal Services, 2000 Server running Terminal Services, Server 2003 x64, Server 2003 x64 running Terminal Services, Server 2008 x64 running Terminal Services, Server 2008 x64 running Terminal Services Service Server 2008 x64 running Terminal Services Server 2008 x64 running Terminal Services Service	,			-, · - · · · · · , - · · · · · · · · · ·
Front USB port Compatible with USB 2.0 Specification (Type A)  Microsoft Windows Operating Systems Supported  2000, XP, Server 2003, XP x64, Server 2003 running Terminal Services, 2000 Server running Terminal Services, Server 2003 x64, Server 2003 x64 running Terminal Services, Server 2008 x64 running Terminal Services  Apple Macintosh Operating Systems Supported  Mac OS X, Mac OS 9.x  Other Operating Systems Supported  Www.lexmark.com  General  Function  Color Scanning, Copying, Faxing, Network Scanning, Printing  Product Warranty  Product Certifications  Size (in H x W x D)  29.7 x 21.6 x 24.1 in.  29.7 x 21.6 x 24.1 in.  34.8 x 21.6 x 24.1 in.  Weight (lb.)	Standard Ports			
Microsoft Windows Operating Systems Supported  2000, XP, Server 2003, XP x64, Server 2003 running Terminal Services, 2000 Server running Terminal Services, Server 2003 x64, Server 2003 x64 running Terminal Services, Server 2003 x64 running Terminal Services, Server 2008 x64 running Terminal Services, Server 2003 x64 running Terminal Services, Server 2008 x64 running Terminal Services, Server 2003 x64 running Terminal Services, Server 2008 x64 running				
Terminal Services, Vista, Vista x64, Server 2008, Server 2008 x64, Server 2008 running Terminal Services, Server 2008 x64 running Terminal Services  Apple Macintosh Operating Systems Supported  Mac OS X, Mac OS 9,x  Other Operating Systems Supported  www.lexmark.com  General  Function  Color Scanning, Copying, Faxing, Network Scanning, Printing  Product Warranty  1-Year Onsite Service, Next Business Day  Product Certifications  www.lexmark.com  Size (in H x W x D)  29.7 x 21.6 x 24.1 in.  29.7 x 21.6 x 24.1 in.  34.8 x 21.6 x 24.1 in.  Weight (lb.)	Microsoft Windows Operating Systems Supported	2000, XP, Server 2003, XP x64, Server 2003 running Terminal Services, 2000 Server running Terminal Services, Server 2003 x64, Server 2003 x64 run		
Apple Macintosh Operating Systems Supported  Mac OS X, Mac OS 9.x  Other Operating Systems Supported  Www.lexmark.com  General  Function  Color Scanning, Copying, Faxing, Network Scanning, Printing  Product Warranty  Product Certifications  Size (in H x W x D)  29.7 x 21.6 x 24.1 in.  Weight (lb.)  Mac OS X, Mac OS 9.x  Www.lexmark.com  Scanning (Printing Printing Printing Printing Product Scanning (Printing Printing Product Scanning (Printing Product Scanning (Printing Product Scanning (Printing Printing Product Scanning (Printing Printing Product Scanning (Printing Printing Printing Printing Printing Product Scanning (Printing Printing Pr	microsoft windows Operating Systems Supported			
Other Operating Systems Supported     www.lexmark.com       General     Color Scanning, Copying, Faxing, Network Scanning, Printing       Product Warranty     1-Year Onsite Service, Next Business Day       Product Certifications     yww.lexmark.com       Size (in H x W x D)     29.7 x 21.6 x 24.1 in.     34.8 x 21.6 x 24.1 in.       Weight (lb.)     100 lb.		Terminal Services, Visia, Visia X04, Server 2006,	, Server 2006 x64, Server 2006 furilling Terminal Serv	ices, server 2006 x64 furifiling Terminal Services
Other Operating Systems Supported     www.lexmark.com       General     Color Scanning, Copying, Faxing, Network Scanning, Printing       Product Warranty     1-Year Onsite Service, Next Business Day       Product Certifications     yww.lexmark.com       Size (in H x W x D)     29.7 x 21.6 x 24.1 in.     34.8 x 21.6 x 24.1 in.       Weight (lb.)     100 lb.	Apple Macintosh Operating Systems Supported		Mac OS X, Mac OS 9.x	
General           Function         Color Scanning, Copying, Faxing, Network Scanning, Printing           Product Warranty         1-Year Onsite Service, Next Business Day           Product Certifications         www.lexmark.com           Size (in H x W x D)         29.7 x 21.6 x 24.1 in.         34.8 x 21.6 x 24.1 in.           Weight (lb.)         100 lb.				
Function         Color Scanning, Copying, Faxing, Network Scanning, Printing           Product Warranty         1-Year Onsite Service, Next Business Day           Product Certifications         www.lexmark.com           Size (in H x W x D)         29.7 x 21.6 x 24.1 in.         29.7 x 21.6 x 24.1 in.         34.8 x 21.6 x 24.1 in.           Weight (lb.)         100 lb.				
Product Warranty         1-Year Onsite Service, Next Business Day           Product Certifications         www.lexmark.com           Size (in H x W x D)         29.7 x 21.6 x 24.1 in.         29.7 x 21.6 x 24.1 in.         34.8 x 21.6 x 24.1 in.           Weight (lb.)         100 lb.		Color Scanning, Copying, Faxino. Network Scanning. Printing		
Product Certifications         www.lexmark.com           Size (in H x W x D)         29.7 x 21.6 x 24.1 in.         29.7 x 21.6 x 24.1 in.         34.8 x 21.6 x 24.1 in.           Weight (lb.)         100 lb.				
Size (in H x W x D)     29.7 x 21.6 x 24.1 in.     29.7 x 21.6 x 24.1 in.     34.8 x 21.6 x 24.1 in.       Weight (lb.)     100 lb.				
Weight (lb.) 100 lb.				
	· · · · · · · · · · · · · · · · · · ·	∠⊎. / X ∠ I. O X ∠4. I III.		04.0 X Z 1.0 X Z 4.1 III.

Maximum Monthly Duty Cycle

«Maximum Monthly Duty Cycle» is defined as the maximum number of pages a device could deliver in a month. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs.


#### **Recommended Monthly Page Volume**

«Recommended Monthly Page Volume» is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage.

Radelinans
Lexmark and Lexmark with the diamond design are trademarks of Lexmark International, Inc., registered in the United States and/or other countries.

All other trademarks are the property of their respective owners. PCL is a registered trademark of Hewlett-Packard Company. AppleTalk, Mac and Macintosh are trademarks of Apple Computer, Inc., registered in the United States and other countries. MarkNet and MarkVision are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. The USB-IF logos are trademarks of Universal Serial Bus Implementers Forum, Inc. ENERGY STAR® is a U.S. registered mark. Microsoft, Windows, the Windows logo, Windows Vista, and the Windows Vista logo are trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries. Citrix, MetaFrame and MetaFrame XP are registered trademarks or trademarks of Citrix Systems, Inc. in the U.S. and other countries. Information in this document is subject to change

## Lexmark X652de MFP




Part #	Model	14
16M1260	Lexmark X652de MFP	14 14
Part #	Laser Toner/Print Cartridge	14
X651H11A X651A11A X651H04A X651H21A X651A21A	X65x High Yield Return Program Print Cartridge X65x Return Program Print Cartridge X65x High Yield Return Program Print Cartridge for Labels X65x High Yield Print Cartridge X65x Print Cartridge	Pa 23 23 23 23
Part #	Paper & Transparencies	23
70X7240	Laser Printer Transparencies (Letter)	Pa
Part #	Paper Handling	40
30G0800 30G0802 30G0804 30G0871 30G0860	250-Sheet Drawer 550-Sheet Drawer 2000-Sheet High Capacity Feeder 200-Sheet Universally Adjustable Tray with Drawer 400-Sheet Universally Adjustable Tray with Drawer	40 40 40 40 40
Part #	Furniture	40
16M1216	MFP Caster Base	
Part #	Memory Options	
1025041 1025042	256MB DDR2-DRAM 512MB DDR2-DRAM	
1025043	1024MB DDR2-DRAM 256MB Flash Card	
14F0245 14F0102	200MB Flash Card 80+GB Hard Disk	
30G0828	Japanese Font Card	
30G0825 30G0826	Korean Font Card Simplified Chinese Font Card	
30G0827	Traditional Chinese Fort Card	
Part #	Application Solutions	
30G0829	Lexmark PrintCryption Card	
16M1254 16M1253	X65x Card for IPDS and SCS/TNe X65x Forms and Bar Code Card	
Part # 1021294	Connectivity USB (2 Meter) Cable	
1021294	Parallel (10') Cable	
14F0037	MarkNet N8120 Gigabit Ethernet Print Server	
14F0042 14F0040	MarkNet N8130 Fiber Ethernet 100BaseFX, 10BaseFL Print Server MarkNet N8150 802.11b/g/n Wireless Print Server	

Lexmark N4050e 802.11g Wireless Print Server MarkNet™ N7020e Gigabit Ethernet Print Server Parallel 1284-B Interface Card RS-232C Serial Interface Card 4T0220 2-Years Total Onsite Service, Next Business Day 3-Years Total Onsite Service, Next Business Day 4-Years Total Onsite Service, Next Business Day 4-Years Total Onsite Service, Next Business Day 1-Year Total Onsite Service, Next Business Day 1-Year Onsite Service Renewal, Next Business Day 2350539 2350540 2350541 2350542 2350543 User Replaceable Parts
T65x, X654e, X656e, X658e Fuser Maintenance Kit 110-120V Part # 40X4724 10X2665 Oil Fuser Winer 10X2666 Wax Fuser Wiper 40X5852 40X1886 40X4308 40X4769 Dual Charge Roll Assembly Transfer Roll Assembly Pick Roll Assembly X65x ADF Maintenance Kit

Lexmark X651de: Print, copy and scan functions only, Part #16M1255

Lexmark X652de Multifunction Laser Printer, Up to 7,000\*-page Return Program Print Cartridge, Software and documentation CD, Setup guide or sheet (network and local attachment), Power cord(s), RJ-11 Phone cable or adapter (country dependent), Statement of limited warranty, Safety sheet or booklet, Lexmark Cartridge Collection Program Information, Safety stability sheet, Blue Angel sheet

# Lexmark X656de MFP



Paper Handling Standard	
Paper Handling Optional	

Part #	Model	14F0042
16M1797	Lexmark X656de MFP	14F0040
Part #	Laser Toner/Print Cartridge	14T0145 14T0220
X654X11A X651H11A	X654, X656, X658 Extra High Yield Return Program Print Cartridge X65x High Yield Return Program Print Cartridge	14F0000 14F0100
X651A11A X654X04A	X65x Return Program Print Cartridge X654, X656, X658 Extra High Yield Return Program Print Cartridge for Labels	Part #
X651H04A	X65x High Yield Return Program Print Cartridge for Labels	2350557
X654X21A X651H21A	X654, X656, X658 Extra High Yield Print Cartridge X65x High Yield Print Cartridge	2350558 2350559
X651A21A	X65x Print Cartridge	2350560
Part #	Paper & Transparencies	2350561
70X7240	Laser Printer Transparencies (Letter)	Part #
Part #	Paper Handling	40X4724 40X2665
30G0800	250-Sheet Drawer	40X2666
30G0802	550-Sheet Drawer	40X5852
30G0804 30G0871	2000-Sheet High Capacity Feeder 200-Sheet Universally Adjustable Tray with Drawer	40X1886 40X4308
30G0860	400-Sheet Universally Adjustable Tray with Drawer	40X4769
Part #	Furniture	
16M1216	MFP Caster Base	
Part #	Memory Options	
1025041	256MB DDR2-DRAM	
1025042	512MB DDR2-DRAM	
1025043 14F0245	1024MB DDR2-DRAM 256MB Flash Card	
30G0828	Japanese Font Card	
30G0825	Korean Font Card	
30G0826 30G0827	Simplified Chinese Font Card Traditional Chinese Font Card	
Part # 30G0829	Application Solutions Lexmark PrintCryotion Card	
16M1254	X65x Card for IPDS and SCS/TNe	
16M1253	X65x Forms and Bar Code Card	
Part #	Connectivity	
1021294	USB (2 Meter) Cable	

Parallel (10') Cable
MarkNet N8120 Gigabit Ethernet Print Server

MarkNet N8130 Hiber Ethernet 1 Ublasset X, 104sas MarkNet N8150 802.11b(yn Wireless Print Server Lexmark N4050e 802.11g Wireless Print Server MarkNet™ N7020e Gigabit Ethernet Print Server Parallel 1284 el Interface Card RS-232C Serial Interface Card Extended Warranties
2-Years Total Onsite Service, Next Business Day
3-Years Total Onsite Service, Next Business Day
4-Years Total Onsite Service, Next Business Day 350558 350559 5-Years Total Onsite Service, Next Business Day 1-Year Onsite Service Renewal, Next Business Day User Replaceable Parts Oser neprocedure Parts
T65x, X654e, X656e, X656e Fuser Maintenance Kit 110-120V
Oil Fuser Wiper
Wax Fuser Wiper
Wax Fuser Wiper
Dual Charge Roll Assembly
Transfer Roll Assembly
Pick Roll Assembly
X65x ADF Maintenance Kit

MarkNet N8130 Fiber Ethernet 100BaseEX, 10BaseEL Print Server


Lexmark X654de: Excludes 80GB hard disk, Part #16M1265

Lexmark X656de Multifunction Laser Printer, Up to 18,000\*-page Return Program Print Cartridge, Software and documentation CD, Setup guide or sheet (network and local attachment), Power cord(s), RJ-11 Phone cable or adapter (country dependent), Statement of limited warranty, Safety sheet or booklet, Lexmark Cartridge Collection Program Information, Safety stability sheet, Blue Angel sheet

14F0042

MarkNet N8130 Fiber Ethernet 100BaseEX. 10BaseEL Print Server

# Lexmark X656dte MFP



F	Paper Handling Standard	
F	Paper Handling Optional	

		1 1500 10	
16M1270	Lexmark X656dte MFP	14F0040 14T0145	MarkNet N8150 802.11b/g/n Wireless Print Server Lexmark N4050e 802.11q Wireless Print Server
Part #	Laser Toner/Print Cartridge	14T0145	MarkNet™ N7020e Gigabit Ethernet Print Server
X654X11A	X654, X656, X658 Extra High Yield Return Program Print Cartridge	14F0000	Parallel 1284-B Interface Card
X651H11A	X65x High Yield Return Program Print Cartridge	14F0100	RS-232C Serial Interface Card
X651A11A	X65x Return Program Print Cartridge	Part #	Extended Warranties
X654X04A X651H04A	X654, X656, X658 Extra High Yield Return Program Print Cartridge for Labels X65x High Yield Return Program Print Cartridge for Labels	2350557	2-Years Total Onsite Service, Next Business Day
X654X21A	X654, X656, X658 Extra High Yield Print Cartridge	2350558	3-Years Total Onsite Service, Next Business Day
X651H21A	X65x High Yield Print Cartridge	2350559	4-Years Total Onsite Service, Next Business Day
X651A21A	X65x Print Cartridge	2350560	5-Years Total Onsite Service, Next Business Day
Part #	Paper & Transparencies	2350561	1-Year Onsite Service Renewal, Next Business Day
70X7240	Laser Printer Transparencies (Letter)	Part #	User Replaceable Parts
Part #	Paper Handling	40X4724 40X2665	T65x, X654e, X656e, X658e Fuser Maintenance Kit 110-
30G0802	550-Sheet Drawer	40X2666	Oil Fuser Wiper Wax Fuser Wiper
30G0800	250-Sheet Drawer	40X5852	Dual Charge Roll Assembly
30G0804	2000-Sheet High Capacity Feeder	40X1886	Transfer Roll Assembly
30G0871	200-Sheet Universally Adjustable Tray with Drawer	40X4308	Pick Roll Assembly
30G0860	400-Sheet Universally Adjustable Tray with Drawer	40X4769	X65x ADF Maintenance Kit
Part #	Furniture		
16M1216	MFP Caster Base		
Part #	Memory Options		
1025041	256MB DDR2-DRAM		
1025042	512MB DDR2-DRAM		
1025043 14F0245	1024MB DDR2-DRAM 256MB Flash Card		
30G0828	Japanese Font Card		
30G0825	Korean Font Card		
30G0826	Simplified Chinese Font Card		
30G0827	Traditional Chinese Font Card		
Part #	Application Solutions		
30G0829	Lexmark PrintCryption Card		
16M1254	X65x Card for IPDS and SCS/TNe		
16M1253	X65x Forms and Bar Code Card		
Part #	Connectivity		
1021294	USB (2 Meter) Cable		
1021231 14F0037	Parallel (10') Cable MarkNet N8120 Gigabit Ethernet Print Server		
141 0037	Markivet NO120 digabit Effethet Fillt Selvel		

Lexmark X656dte Multifunction Laser Printer, Additional 550-sheet drawer, Up to 18,000\*-page Return Program Print Cartridge, Software and documentation CD, Setup guide or sheet (network and local attachment), Power cord(s), RJ-11 Phone cable or adapter (country dependent), Statement of limited warranty, Safety sheet or booklet, Lexmark Cartridge Collection Program Information, Safety stability sheet, Blue Angel sheet

Lexmark's 1-Year Onsite Service, Next Business Day warranty provides added peace of mind. Enhanced service offerings may be available by contacting your Lexmark representative or visiting www.lexmark.com. Optimize your printer's performance and investment value by using Original Lexmark Supplies, Service and Parts.



Lexmark believes that the environment is a critical component of responsible business management and clearly demonstrates it by implementing the "4R" strategy: Reduce, Recover, Reuse and Recycle. To learn more about these programs please visit www. lexmark.com/recycle

#### Cost-saving and environmental features

- Duplex models are Energy Star compliant
- Duplex printing, Print and Hold, multi-up and support of recycled paper help reduce paper consumption
   Eco-Mode reduces power consumption and Quiet Mode reduces noise
- High Yield Cartridges and Lexmark Cartridge Collection Program help reduce waste





Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com