

Ready for Business.

Full Feature Fax with Built-in Handset.



- RELIABILITY: Virtually jam-free with Accu-Feed™ paper handling system
- QUALITY: Permanent laser sharp text, crisp graphics and vibrant photos with evercolor™ inks
- EFFICIENCY: Save time and cost with high yield cartridges
- PERFORMANCE: Business class speeds up to 24 ppm, up to 30 page ADF, built-in handset(2)



Professional
X5075 4-in-1

Print. Scan. Copy. Fax.



LEXMARK
TM

The Professional Lexmark X5075 All-in-One provides business class speeds, easy copy and scan functionality along with full feature fax capabilities.



Product Functionality

Print

- Print Fast! Up to 24 ppm black and 17 ppm color printing
- Professional print quality text and graphics; up to 4800x1200 dpi on glossy photo paper

Fax

- Standalone black and color faxing with 33.6 Kbps modem speed
- Full feature fax with 99 speed dials, caller ID and automatic redial
- Fax forward, broadcast and junk fax blocking (where applicable)



Copy

- 1-Touch, PC-free copying (color or black)
- Reduction/enlargement capacity from 25% to 400%
- Up to 16 cpm black and 12 cpm color (standalone copy mode)
- 1-99 copies at a time
- Borderless photo copying

Scan

- Up to 30 sheet capacity
- 48-bit color scanning; 16-bit grayscale scanning
- Optical Character Recognition (OCR) software allows you to easily scan hard copy text documents into soft copy format
- Up to 600 x 1200 dpi optical resolution



Photo Printing

- Direct photo printing from PictBridge™ compatible digital cameras
- Create brilliant photos with optional 6-color printing
- Print borderless photos on popular sizes
- Lexmark Productivity Studio software makes it easy to scan documents to PDF or editable format or use photo edit and project tools to enhance your pictures



Cartridge Compatibility

- Black: 28(1), 28A, 34 High Yield
- Color: 29(1), 29A, 35 High Yield
- Photo: 31

Photo Paper Compatibility

- Lexmark Premium Photo Paper and Lexmark Photo Paper
- Buy Lexmark Genuine Ink and Paper for Best Results!



(1) Non-refillable cartridge licensed for single use only. Return empty cartridges only to Lexmark for remanufacturing, refilling or recycling. A variable amount of ink remains when this cartridge must be replaced. Replacement cartridges (28A, 29A) sold without these terms are available through www.lexmark.com

(2) Black printing in draft mode.

Lexmark and Lexmark with the diamond design are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. All other trademarks are the property of their respective owners. The USB-IF logos are trademarks of Universal Serial Bus Implementers Forum, Inc. Mac and Macintosh are trademarks of Apple Computer, Inc., registered in the United States and other countries. Accu-feed is a trademark of Lexmark International, Inc. Microsoft, Windows, the Windows logo, Windows Vista, and the Windows Vista logo are trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries. evercolor is a trademark of Lexmark International, Inc. registered in the United States and/or other countries.

All other trademarks are the property of their respective owners. Information in this document is subject to change without notice.
© 2008 Lexmark International, Inc. 740 West New Circle Road, Lexington, KY 40550. As of 1/08.

Technical Specifications

Operating Systems Supported

- Microsoft Windows XP, XP Professional x64, Vista, 2000 5.00.2195 or later, Vista x64
- Apple Mac OS X (10.4.4-10.5.x Intel), OS X (10.3.9 Power PC)

Acoustics/Noise level (Operating mode)

- 50 dBA

Duty Cycle, Maximum

- 3000 Pages per month

Product Guarantee

- One Year Replace

Connectivity

- Connectivity (standard): USB 2.0 Specification Hi-Speed Certified, PictBridge Certified Port, USB pass-through via PictBridge port

Print (ASF) Paper Input Capacity (Maximum)

- 100 pages 20 lb or 75 gsm bond

Print (ASF) Paper Output Capacity (Maximum)

- 25 pages 20 lb or 75 gsm bond

Media Sizes Supported

- 10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, B5 Envelope, C5 Envelope, DL Envelope, 6 3/4 Envelope, A2 Baronial, A6 Card, B5, C6 Envelope, Custom, Hagaki Card, Index Card, Executive, Legal, Letter, 4 x 6", Statement, L, 2L, Chokey 3, Chokey 4, Chokey 40, Kakugata 3, Kakugata 4, Kakugata 5, Kakugata 6, 5 x 7", 13 x 18 cm, 10 x 15 cm, 10 x 20 cm, 4 x 8"

Borderless Printing Media Sizes

- 4" x 6", A4, Letter, A6, Hagaki Card, L, 2L, A5, 5" x 7", 89 x 127 mm, 10 x 15 cm, 13 x 18 cm

Dimensions

- Size (H x W x D): 193 x 454 x 325 mm
- Size, Trays Extended (H x W x D): 285 x 454 x 498 mm
- Weight : 5.09 kg
- Packaged Size (H x W x D): 285 x 541 x 399 mm
- Packaged Weight : 6.81 kg
- Pallet Size (H x W x D): 1257 x 1219 x 1016 mm
- Pallet Weight : 154 kg
- Pallet Quantity : 20

Product Delivery Date

January 2008

Standard Box Contents[^]

- X5075 All-in-One Printer
- One high color cartridge(35)** and one high yield black cartridge(34)**
- One power supply and line cord
- User's Guide and Setup Sheet
- Windows/Mac Installation CD
- Service and Guarantee Information
- 2 Return program envelopes

[^]Some models may include additional promotional items

** Licensed return program cartridge



MAC OS X
Support
10.3-10.3.X
10.4-10.4.X

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>