

Liebherr refrigeration is available at retailers who will help you make the right choice!



Everything you need to know about built-in refrigeration from Liebherr, as well as fridges for food and drinks, can be found in the relevant main catalogues. These additional specialist brochures contain extensive information and images of the Wine Cabinets and BioFresh.

Your dealer will be pleased to provide you with all the advice you need to select the right Liebherr appliance.




Liebherr Domestic Appliances - Online Advice

At www.liebherr.com you can quickly find advice and help online. The site will guide you to the appliance to suit your personal needs. Ideas, modern design and well thought out solutions for optimal convenience are the hallmarks of the comprehensive range of Liebherr domestic appliances. The range includes table-height and upright fridges, fridge-freezers, table-height and upright freezers and chest freezers. For drinks, you will find wine storage and multi-temperature wine cabinets, as well as fridges and freezers for commercial use. Liebherr domestic appliances are the symbol of the highest quality in Europe and beyond.



Subject to modification. Printed in Germany by Bechtie. 6/230/25/1.08

Freestanding Refrigeration 2008



LIEBHERR

Design, Quality & Innovation

Liebherr Coolelectric LTD, Interchange Point, Renny Park Road, Newport Pagnell, Bucks, MK16 0HA
National Salesline 08444 122655 National Free Fax 0800 197 6591
Email sales@coolelectric.co.uk Web www.liebherr.com

Download from www.Somanuals.com. All Manuals Search And Download.



Innovative ideas in outstanding design and superior quality

Individuality in home furnishing is more than just a trend; it is part of a modern lifestyle. And your own kitchen is just the right place to realise your ideas and fulfil your dreams.

An imaginative combination of materials, colours and shapes creates a place of pleasure and distinctive charm.

For kitchens with personality, the highlights are the attractive appliances from the Liebherr Design range.



BioFresh appliances

BioFresh fridge-freezers	4
BioFresh refrigerators	8



Fridge-freezers

NoFrost fridge-freezers	12
SmartFrost fridge-freezers and NoFrost fridge-freezer	20
Top mount fridge-freezers	30



Upright fridges

38



Table-height fridges

44



Side-by-Side fridge-freezers

50



Upright freezers

NoFrost freezers	56
SmartFrost freezers	60
Table-height freezers	62



Chest freezers

66



Multi-temperature and wine storage cabinet

72

BioFresh fridge-freezer

Bio Fresh Plus

At a temperature of just above 0°C, the humidity of both drawers can be set for DrySafe or HydroSafe use, as required. The low humidity **DrySafe** is ideal for storing meat, fish and dairy products. Fruit and vegetables are best kept in the **HydroSafe** with a high level of humidity.



The new **BioFreshPlus** technology provides yet more flexibility for tailored storage. The separate BioFreshPlus electronic control system means, for example, that the temperature in the top drawer can be lowered to -2°C for storing fish. Together with the DrySafe setting, fish is kept fresh even longer.



Exotic fruits find ideal storage conditions in the top adjustable safe at +6 °C and a high level of humidity.



No Frost

Liebherr's **NoFrost** appliances provide expert refrigeration technology for securing long-term freshness. The food is frozen with chilled forced air and any humidity that is generated is quickly expelled. As a result, the freezer is always free from ice and the food never frosts over. With NoFrost defrosting is a thing of the past.



Illustration:
CBNes 3967



The **integrated glass shelf** can be used as a storage area. Alternatively, the bottle shelf under the glass plate can be used by simply removing the glass shelf and stowing it away underneath. Should you need to store very tall bottles, the bottle rack in the inner door can be moved upwards allowing the entire depth of the appliance to be used.



The new **electronic LCD display** features an innovative design, clear menu navigation and the SoftTouch control system to provide yet more information and convenience for tailored storage conditions. The **SoftTouch navigation** ensures convenient selection and use of the numerous control functions.



The **SoftSystem** feature provides added safety and convenience. Integrated on the door, the SoftSystem cushions movement when the door is closed. This SoftSystem ensures that the door closes very gently even when fully loaded inside. What is more, the door is closed automatically from an opening angle of approx. 30°.

Electronic control system

- LCD display in door with SoftTouch
- Automatic SuperCool function
- Quantity controlled automatic SuperFrost function
- Visual alarm for mains, SuperCool, SuperFrost, FrostControl and Child Lock
- Audible and visual temperature alarm
- Audible door alarm

Fridge compartment

- Automatic defrosting
- Glassline storage shelves - 1 sectioned, with slide under half shelf option
- Egg tray
- Easy-to-use, removable VarioBoxes

BioFreshPlus compartment

- Automatic defrosting
- BioFreshPlus, adjustable temperature range -2° C for fish and sea food, 0° C for fruit, vegetable, meat and dairy products, +6° C for tropical fruits for optimal, longer storage
- Pull-out BioFresh drawers on telescopic rails
- Drysafe with low humidity
- Hydrosafe with adjustable humidity

NoFrost freezer compartment with IceMaker

- Forced air cooling
- FrostSafe system with completely enclosed transparent drawers

Features

- Slimline door handles with integrated opening mechanism
- Reversible doors
- Flush with wall and with front ventilation suitable for installation in a row of kitchen units
- Height adjustable feet at front, castors and handles at back



BioFresh fridge-freezer

Total net capacity	Fridge compartment
	BioFresh compartment
Total net capacity	Freezer compartment
Energy efficiency class (kWh in 365 days)	<A>
Climate rating	SN-T
Exterior dimensions in cm (h/w/d)	201.1/60/63
Separately adjustable cooling circuits	3
Finish	stainless steel

CBNes 3967 PremiumPlus



150 litre
79 litre
85 litre
<A> (330 kWh)
SN-T
201.1/60/63
3
stainless steel

BioFresh fridge-freezers

Electronic control system

- CBNes 5067 with LCD-display in door
- MagicEye control with SoftTouch (CBN(es) 3956)
- Automatic SuperCool and SuperFrost
- Control lamps for mains, alarm, SuperCool, SuperFrost, FrostControl and Child Lock
- Audible and visual temperature alarm
- Audible door alarm

Fridge compartment

- Forced air cooling
- Glassline storage shelves - 1 sectioned, with slide under half shelf option
- Egg tray (with 60 cm models)
- Easy-to-use, removable VarioBoxes (with 60 cm models)

BioFresh compartment

- Forced air cooling
- BioFresh-Safes with adjustable humidity

NoFrost freezer compartment

- Forced air cooling
- FrostSafe system with completely enclosed transparent drawers

Features

- Slimline door handle with integrated opening mechanism
- Reversible doors
- Flush with wall and with front ventilation suitable for installation in a row of kitchen units
- Height adjustable feet at front, castors and handles at back



The elegant, high precision **MagicEye control** unit featuring the innovative **SoftTouch control** concept ensures that the selected temperatures are kept to the very degree required. The SoftTouch panel makes the control of all the functions easy and convenient to use.



The **BioFresh drawers** provide the perfect climate for keeping your food fresher for longer. With the temperature maintained just above 0°C and an ideal humidity level, fruit, vegetables, meat and fish retain their healthy vitamins, their delicate flavour and their attractive appearance for up to three times longer.



The **HomeDialog system** allows you to control a NoFrost premium freezer from the new **LCD display** panel. Interconnection is possible here with the optional extra PowerLine Module; expensive rewiring is not required. The only requirement is that both appliances are connected within the same ring main. If this is not the case, please contact your local Liebherr dealer.



BioFresh fridge-freezers

Total net capacity	Fridge compartment
	BioFresh compartment
Total net capacity	Freezer compartment
Energy efficiency class (kWh in 365 days)	
Climate rating	
Exterior dimensions in cm (h/w/d)	
Separately adjustable cooling circuits	
Finish	

CBNes 5067 Premium



200 litre
103 litre
119 litre
<A> (460 kWh)
SN-T
200/75/63
2
stainless steel

CBNes 3956 Premium



157 litre
79 litre
89 litre
<A+> (334 kWh)
SN-T
201.1/60/63
2
stainless steel

CBN 3956 Premium



157 litre
79 litre
89 litre
<A+> (334 kWh)
SN-T
201.1/60/63
2
white

BioFresh refrigerators

Electronic control system

- MagicEye control with SoftTouch and digital temperature display
- Automatic SuperCool function
- Audible door alarm
- Control lamps for mains, alarm and SuperCool

Fridge compartment

- Forced air cooling
- Glassline storage shelves - 1 sections, with slide under half shelf option
- Easy-to-use removable VarioBoxes
- Egg tray

BioFresh compartment

- Automatic defrosting, forced air cooling
- Pull-out BioFresh Drawers mounted on telescopic rails
- DrySafe with low humidity for fish, meat and dairy products
- HydroSafes with adjustable humidity for fruit and vegetables

Features


- Reversible doors
- Height adjustable feet at front, castors and handles at back
- Flush with wall and with front ventilation suitable for installation in a row of kitchen units



The **MagicEye control** keeps the temperature at exactly the level you select. It is simple and convenient to use. The **automatic SuperCool** function briefly reduces the temperature of the refrigerator to +4°C. This is ideal if you want to chill fresh food quickly.



The **BioFresh drawers** provide the perfect climate for keeping your food fresher for longer. With the temperature maintained just above 0°C and an ideal humidity level, fruit, vegetables, meat and fish retain their healthy vitamins, their delicate flavour and their attractive appearance for up to three times longer.



Liebherr have now redefined energy saving with the innovative **A+ fridges**. Use of the latest electronics combined with a highly efficient refrigerating system enables the energy consumption to be significantly reduced once again. This super energy-saving solution actively contributes to environmental conservation.



BioFresh refrigerators

Total net capacity Fridge compartment
BioFresh compartment

Energy efficiency class (kWh in 365 days)

Climate rating

Exterior dimensions in cm (h/w/d)

Finish

KBes 4260 Premium



241 litre
103 litre
<A> (167 kWh)
SN-T
185.2/60/63
stainless steel

KB 4260 Premium



241 litre
103 litre
<A> (167 kWh)
SN-T
185.2/60/63
white

KBes 3660 Premium



194 litre
103 litre
<A> (161 kWh)
SN-T
165.5/60/63
stainless steel

KB 3160 Premium



194 litre
67 litre
<A> (156 kWh)
SN-T
145.8/60/63
white



Type/model numbers	CBNes 3967 PremiumPlus	CBNes 5067 Premium	CBNes 3956 Premium	CBN 3956 Premium	KBes 4260 Premium	KB 4260 Premium	KBes 3660 Premium	KB 3160 Premium
Model classification ¹	10	10	10	10	10	10	10	10
Energy efficiency class	<A>	<A>	<A>	<A>	<A>	<A>	<A>	<A>
Energy consumption in 365 days	330 kWh	460 kWh	334 kWh	334 kWh	167 kWh	167 kWh	161 kWh	156 kWh
Total net capacity	314 litre	422 litre	325 litre	325 litre	344 litre	344 litre	297 litre	261 litre
Total net capacity of refrigerator	150 litre	200 litre	157 litre	157 litre	241 litre	241 litre	194 litre	194 litre
BioFresh compartment	79 litre	103 litre	79 litre	79 litre	103 litre	103 litre	103 litre	67 litre
Total net capacity of freezer	85 litre	119 litre	89 litre	89 litre	–	–	–	–
Star coding ²	★★★★	★★★★	★★★★	★★★★	–	–	–	–
Storage time during malfunctions	30 h	21 h	30 h	30 h	–	–	–	–
Freezing capacity in 24 hours	14 kg	10 kg	14 kg	14 kg	–	–	–	–
Climate rating ³	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T
Voltage	220–240 V	220–240 V	220–240 V	220–240 V	220–240 V	220–240 V	220–240 V	220–240 V
Connection rating	1.0 A	1.5 A	1.0 A	1.0 A	0.8 A	0.8 A	0.8 A	0.8 A
Fridge compartment								
Fridge compartment defrosting	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic
Interior light	LED light column	Premium	Premium	Premium	Premium	Premium	Premium	Premium
BioFresh-Safes	2	2	2	2	3	3	3	2
BioFreshPlus, adjustable	•	–	–	–	–	–	–	–
BioFresh light	LED	–	–	–	–	–	–	–
Exotic fruit compartment	–	•	–	–	–	–	–	–
Bottle shelf	integrated, for variable use	Bottle rack	integrated, for variable use	integrated, for variable use	integrated, for variable use	integrated, for variable use	integrated, for variable use	integrated, for variable use
Door interior	GlassLine	GlassLine	GlassLine	GlassLine	GlassLine	GlassLine	GlassLine	GlassLine
VarioBoxes	•	–	•	•	•	•	•	•
Freezer compartment								
Freezer compartment defrosting	Automatic	Automatic	Automatic	Automatic	–	–	–	–
Cold storage accumulators	2	2	2	2	–	–	–	–
Freezer tray	•	–	•	•	–	–	–	–
IceMaker	fixed water connection ⁴	fixed water connection ⁴	–	–	–	–	–	–
Ice cube capacity	0.8 kg	1.0 kg	–	–	–	–	–	–
Ice cube stock	1.5 kg	1.5 kg	–	–	–	–	–	–
Dimensions								
Height x Width	201.1 x 60 cm	200 x 75 cm	201.1 x 60 cm	201.1 x 60 cm	185.2 x 60 cm	185.2 x 60 cm	165.5 x 60 cm	145.8 x 60 cm
Depth incl. distance from wall	63 cm	63 cm	63 cm	63 cm	63 cm	63 cm	63 cm	63 cm
Features								
Interface	HomeDialog	HomeDialog	HomeDialog	HomeDialog	–	–	–	–
Design	SwingLine	SwingLine	SwingLine	SwingLine	SwingLine	SwingLine	SwingLine	SwingLine

¹ Model classification 10: BioFresh fridge-freezers
Model classification 10: BioFresh refrigerators

² ★★★★★ freezer compartment with -18 °C or colder

³ Climate Ratings: SN +10 °C to +32 °C ST +16 °C to +38 °C
N +16 °C to +32 °C T +16 °C to +43 °C

⁴ IceMaker - automatic ice-cube maker (can be switched off) with fixed water connection and solenoid valve (needs to be plumbed in)

NoFrost fridge-freezers special features



Illustration:
CNes 4056



NoFrost

Liebherr's NoFrost appliances provide expert refrigeration technology for securing long-term freshness. The food is frozen with chilled forced air and any humidity that is generated is quickly expelled. As a result, the freezer is always free from ice and the food never frosts over. With NoFrost defrosting is a thing of the past.



Premium ceiling lighting

The elegant Premium ceiling lighting with satined glass cover is integrated in the ceiling to form a harmonious synthesis with the appliance design. It provides pleasant, bright lighting conditions, illuminating the entire interior with a high intensity of light.



Bottle rack

The bottle rack is the practical and elegant answer for storing drinks. As many as five bottles can be neatly stored.



VarioBoxes

The removable VarioBoxes, designed for convenient storage, can be rearranged in the door interior to suit your requirements. The lid swings back and is detachable.



Premium electronic control system

The elegant, high-precision MagicEye control unit featuring the innovative SoftTouch control concept is integrated in the door so as to be viewable at all times. It ensures that the selected temperatures are kept to the very degree required. The SoftTouch panel makes the control of all the functions easy and convenient.



Elegant GlassLine shelves

The elegant GlassLine shelves of the Premium appliances are durable, scratch resistant and easy-to-clean. The high-quality stainless steel strips put the finishing touch to a truly harmonious overall look. Adjustable dividers provide optimum lateral storage, which even allows 1.5 litre bottles to be neatly stored in the fridge.

NoFrost fridge-freezers

Electronic control system

- MagicEye digital controls with SoftTouch (60 cm models)
- MagicEye with digital display (75 cm models)
- Automatic SuperCool
- Quantity controlled automatic SuperFrost
- Control lamps for mains, alarm, SuperCool, SuperFrost, FrostControl and Child Lock
- Audible and visual temperature alarm
- Audible temperature alarm

Fridge compartment

- Forced air cooling
- GlassLine storage shelves - 1 sectioned, with slide under half shelf option
- Easy-to-use removable VarioBoxes with 60 cm models
- Egg tray

NoFrost freezer compartment

- Forced air cooling
- FrostSafe system with completely enclosed transparent drawers
- Ice cube tray
- Freezer tray

Features

- Slimline door handles with integrated opening mechanism
- Reversible doors
- Flush with wall and with front ventilation, suitable for installation in a row of kitchen units
- Height adjustable feet at front, castors and handles at back



The **bottle rack** is the practical and elegant answer for storing drinks. As many as 5 bottles can be neatly stored here.



The elegant, high precision **MagicEye control** unit featuring the innovative **SoftTouch control** concept ensures that the selected temperatures are kept to the very degree required. The SoftTouch panel makes the control of all the functions easy and very convenient.



The new **transparent vegetable bins** running on rollers are designed to form a harmonious synthesis with the interior and provide a clear view of the stored food. They slide out effortlessly on the new roller system.

NoFrost fridge-freezers

Total net capacity	Fridge compartment
	Freezer compartment
Energy efficiency class (kWh in 365 days)	
Climate rating	
Exterior dimensions in cm (h/w/d)	
Separately adjustable cooling circuits	
Finish	

CNes 5056 Premium



330 litre
122 litre
<A> (464 kWh)
SN-T
200/75/63
2
CNes 5056 in stainless steel
CN 5056 in white

CN 4056 Premium



275 litre
89 litre
<A> (317.5 kWh)
SN-T
201.1/60/63
2
CN 4056 in white
CNes 4056 in stainless steel

CN 3956 Premium



225 litre
123 litre
<A> (335.8 kWh)
SN-T
201.1/60/63
2
white

CNes 3556 Premium



225 litre
89 litre
<A> (302.9 kWh)
SN-T
181.7/60/63
2
stainless steel

CN 3556 Premium



225 litre
89 litre
<A> (302.9 kWh)
SN-T
181.7/60/63
2
white

NoFrost fridge-freezers

Electronic control system

- Magic Eye with LED temperature display
- Audible and visual temperature alarm
- Audible door alarm
- Time-controlled automatic SuperFrost
- Control lamps for mains, alarm and SuperFrost

Fridge compartment


- Forced air cooling
- GlassLine storage shelves - 1 sectioned with slide under half shelf option
- Egg tray
- Easy-to-use removable VarioBoxes with 60 cm models

NoFrost freezer compartment

- Forced air cooling
- FrostSafe system with completely enclosed transparent drawers
- Ice cube tray

Features

- Slimline door handle with integrated opening mechanism with 60 cm models
- Reversible doors
- Flush with wall and with front ventilation suitable for installation in a row of kitchen units
- Height adjustable feet at front, castors and handles at back



The **MagicEye control** keeps the temperature at exactly the level you select. It is simple and convenient to use. The **automatic SuperFrost** function quickly reduces the temperature to freeze your food while preserving the vitamins.



The **Comfort ceiling lighting** bathes the entire interior in bright light. This gives you an unparalleled view of the inside of the appliance.



The elegant **GlassLine interior** is tough, scratch resistant and easy-to-clean. The storage shelves are in satin finish glass. The attractive stainless steel trims on the Premium appliances enhance the overall harmonious look.



NoFrost fridge-freezers

Total net capacity	Fridge compartment
	Freezer compartment
Energy efficiency class (kWh in 365 days)	
Climate rating	
Exterior dimensions in cm (h/w/d)	
Separately adjustable cooling circuits	
Finish	

CN 4013 Comfort



280 litre
89 litre
<A> (375.9 kWh)
SN-T
201.1/60/63
2
white

CN 3913 Comfort



231 litre
123 litre
<A> (394.2 kWh)
SN-T
201.1/60/63
2
white

CN 3513 Comfort



231 litre
89 litre
<A> (361.4 kWh)
SN-T
181.7/60/63
2
white

CNesf 3033 Comfort



197 litre
79 litre
<A> (354 kWh)
SN-ST
180/55/62.8
2
stainless steel front



Type/model numbers	CNes 5056 Premium	CN 5056 Premium	CNes 4056 Premium	CN 4056 Premium	CN 3956 Premium	CNes 3556 Premium	CN 3556 Premium	CN 4013 Comfort	CN 3913 Comfort	CN 3513 Comfort	CNesf 3033 Comfort
Model classification ¹	7	7	7	7	7	7	7	7	7	7	7
Energy efficiency class	<A>	<A>	<A>	<A>	<A>	<A>	<A>	<A>	<A>	<A>	<A>
Energy consumption in 365 days	464 kWh	464 kWh	317.5 kWh	317.5 kWh	335.8 kWh	302.9 kWh	302.9 kWh	375.9 kWh	394.2 kWh	361.4 kWh	354 kWh
Total net capacity	452 litre	452 litre	364 litre	364 litre	348 litre	314 litre	314 litre	369 litre	354 litre	320 litre	276 litre
Total net capacity of refrigerator	330 litre	330 litre	275 litre	275 litre	225 litre	225 litre	225 litre	280 litre	231 litre	231 litre	197 litre
Total net capacity of freezer	122 litre	122 litre	89 litre	89 litre	123 litre	89 litre	89 litre	89 litre	123 litre	89 litre	79 litre
Star coding ²	****	****	****	****	****	****	****	****	****	****	****
Storage time during malfunctions	30 h	30 h	30 h	30 h	31 h	30 h	30 h	30 h	31 h	30 h	30 h
Freezing capacity in 24 hours	15 kg	15 kg	14 kg	14 kg	14 kg	14 kg	14 kg	14 kg	14 kg	14 kg	10 kg
Climate rating ³	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	SN-ST
Voltage	220–240 V	220–240 V	220–240 V	220–240 V	220–240 V	220–240 V	220–240 V	220–240 V	220–240 V	220–240 V	220–240 V
Connection rating	1.5 A	1.5 A	1.0 A	1.0 A	1.0 A	1.0 A	1.0 A	1.0 A	1.0 A	1.0 A	1.0 A
Fridge compartment											
Fridge compartment defrosting	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic
Forced air system	•	•	•	•	•	•	•	•	•	•	•
Interior light	Premium	Premium	Premium	Premium	Premium	Premium	Premium	Comfort	Comfort	Comfort	light bulb
Exotic fruit compartment	–	•	–	–	–	–	–	–	–	–	–
Bottle shelf	Bottle rack	Bottle rack	Bottle shelf	Bottle shelf	Bottle shelf	Bottle shelf	Bottle shelf	Bottle shelf	Bottle shelf	Bottle shelf	Bottle shelf
Door interior	GlassLine	GlassLine	GlassLine	GlassLine	GlassLine	GlassLine	GlassLine	GlassLine	GlassLine	GlassLine	Plastic
VarioBoxes	–	–	•	•	•	•	•	•	•	•	–
Freezer compartment											
Freezer compartment defrosting	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic
Cold storage accumulators	2	2	2	2	2	2	2	2	2	2	–
Freezer tray	–	–	•	•	•	•	•	•	•	•	–
Ice cube tray	•	•	•	•	•	•	•	•	•	•	•
Dimensions											
Height x Width	200 x 75 cm	200 x 75 cm	201.1 x 60 cm	201.1 x 60 cm	201.1 x 60 cm	181.7 x 60 cm	181.7 x 60 cm	201.1 x 60 cm	201.1 x 60 cm	181.7 x 60 cm	180 x 55 cm
Depth incl. distance from wall	63 cm	63 cm	63 cm	63 cm	63 cm	63 cm	63 cm	63 cm	63 cm	63 cm	62.8 cm
Features											
Interface	–	–	HomeDialog	HomeDialog	HomeDialog	HomeDialog	HomeDialog	–	–	–	–
Design	SwingLine	SwingLine	SwingLine	SwingLine	SwingLine	SwingLine	SwingLine	SwingLine	SwingLine	SwingLine	SwingLine

1 Model classification 7: Fridge-freezers (4-star freezer compartment)

2 **** freezer compartment with -18 °C or colder

3 Climate Ratings: SN +10 °C to +32 °C ST +16 °C to +38 °C
N +16 °C to +32 °C T +16 °C to +43 °C

SmartFrost fridge-freezers and NoFrost fridge-freezers



Illustration:
CUNesf 3513



Electronic control system

The **MagicEye control** keeps the temperature at exactly the level you select. It is simple and convenient to use. The **automatic SuperFrost function** quickly reduces the temperature to freeze your food while preserving the vitamins.



Comfort ceiling lighting

The Comfort ceiling lighting bathes the entire interior in bright light. This gives you an unparalleled view of the inside of the appliance and allows easy access to stored food.



Vegetable compartment

The vegetable compartment provides plenty of room for storing fruit and vegetables. It is practical and easy-to-clean.



Storage shelves

The transparent storage shelves in the inner door offer convenient storage for even 1.5 litre bottles. Adjustable dividers keep the contents securely in place.



SmartFrost

The inside walls are especially smooth and easy-to-clean. The attractive intervening shelves are made of glass and the transparent drawers are removable.



Bottle shelf

The bottle shelf is the practical and elegant answer for storing drinks. As many as five bottles can be chilled and stored neatly.

SmartFrost fridge-freezers and NoFrost fridge-freezers

Electronic control system

- MagicEye with LED display
- Automatic SuperFrost
- Control lamps for mains, alarm and SuperFrost
- Audible and visual temperature alarm
- Audible door alarm with 60 cm models

Fridge compartment

- GlassLine storage shelves - 1 sectioned with slide under half shelf option
- Plastic door shelves
- Egg tray
- Fruit and vegetable bins

Freezer compartment

- Forced air cooling with 75 cm models
- Automatic defrost with 60 cm models
- FrostSafe system with completely enclosed transparent drawers

Features

- Slimline door handles with integrated opening mechanism
- Reversible doors
- Flush with wall and with front ventilation, suitable for installation in a row of kitchen units
- Height adjustable feet at front, castors and handles at back



The slimline door handles with integrated opening mechanism in stainless steel or white are fitted at a convenient height for easy opening.



The NoFrost fridge-freezer from Liebherr provides freezing performance at top professional quality for safe, long-term storage. This has the effect of keeping the freezer section constantly frost free and food cannot deteriorate. With NoFrost technology you will never have to defrost your fridge-freezer again.



SmartFrost system.
The inside walls are especially smooth and easy-to-clean.

The attractive intervening shelves made of glass and the transparent drawers are removable. This means the entire interior can be used as VarioSpace for storing large frozen items as well.



SmartFrost fridge-freezers

Total net capacity	Fridge compartment
	Freezer compartment
Energy efficiency class (kWh in 365 days)	
Climate rating	
Exterior dimensions in cm (h/w/d)	
Separately adjustable cooling circuits	
Finish	

CPes 4613 Comfort



337 litre
95 litre
<A> (321 kWh)
SN-T
184/75/63
2
CPes 4613 in stainless steel
CP 4613 in white

CUNesf 3913 Comfort



232 litre
123 litre
<A> (375.9 kWh)
SN-ST
201.1/60/63
1
CUNesf 3913 with stainless steel front
CUN 3913 in white

CUN 4013 Comfort



282 litre
89 litre
<A> (365 kWh)
SN-ST
201.1/60/63
1
white

NoFrost fridge-freezers

Electronic control system with 60 cm models

- Magic Eye with LED display
- Automatic SuperFrost
- Control lamps for mains, alarm and SuperFrost
- Audible door alarm
- Audible and visual temperature alarm

Fridge compartment

- Glassline storage shelves - 1 sectioned, with slide under half shelf option
- Swivel lid for butter / cheese compartment
- Egg tray
- Fruit and vegetable bins

NoFrost freezer compartment

- FrostSafe system with completely enclosed transparent drawers

Features

- SwingLine
- Reversible doors
- Height adjustable feet at front, castors and handles at back
- Flush with wall and with front ventilation suitable for installation in a row of kitchen units
- Slimline door handles with integrated opening mechanism with 60 cm models



The **MagicEye control** keeps the temperature at exactly the level you select. It is simple and convenient to use. The **automatic SuperFrost** function quickly reduces the temperature to freeze your food while preserving the vitamins.



Liebherr's **NoFrost appliances** provide expert refrigeration technology for long-term storage.

The food is frozen with chilled forced air and any humidity that is generated is quickly expelled. As a result, the freezer is always free from ice and the food never frosts over. With NoFrost, defrosting is a thing of the past.



The **bottle rack** is the practical and elegant answer for storing drinks. As many as 5 bottles can be neatly stored here.



NoFrost fridge-freezers

Total net capacity	Fridge compartment
Total net capacity	Freezer compartment
Energy efficiency class (in 365 days)	
Climate rating	
Exterior dimensions in cm (h/w/d)	
Finish	

CUNesf 3513 Comfort



232 litre
89 litre
<A> (346.7 kWh)
SN-ST
181.7/60/63
stainless steel front

CUN 3513 Comfort



232 litre
89 litre
<A> (346.7 kWh)
SN-ST
181.7/60/63
white

CUN 3113 Comfort



183 litre
89 litre
<A> (324.8 kWh)
SN-ST
162.3/60/63
white

CUN 3031 Comfort



199 litre
79 litre
<A> (354 kWh)
SN
180/55/62.8
white

SmartFrost fridge-freezers

Fridge compartment


- GlassLine storage shelves – 1 sectioned, with slide under half shelf option
- Plastic storage racks with dividers
- Butter and cheese compartment and egg tray
- Fruit and vegetable bins

Freezer compartment

- SmartFrost-System
- FrostSafe system with completely enclosed, transparent drawers

Features

- Ergonomic slimline door handle
- Reversible doors
- Flush with wall and with front ventilation suitable for installation in a row of kitchen units
- Height adjustable feet at front, castors and handles at back



The elegant **GlassLine interior** is tough, scratch resistant and easy-to-clean. The storage shelves are in satin finish glass. The attractive stainless steel trims enhance the overall harmonious look.



The transparent **storage shelves** of the Comfort appliances in the inner door offer convenient storage for even 1.5 litre bottles. Adjustable bottle and can holders keep the contents securely in place.



SmartFrost system. The inside walls are especially smooth and easy-to-clean. The attractive intervening shelves made of glass and the transparent drawers are removable.



SmartFrost fridge-freezers

Total net capacity Fridge compartment
Total net capacity Freezer compartment
Energy efficiency class (in 365 days)
Climate rating
Exterior dimensions in cm (h/w/d)
Finish

CUP 3021 Comfort



199 litre
85 litre
<A> (262 kWh)
SN-ST
180/55/62.8
white

CUPesf 2721 Comfort



199 litre
54 litre
<A> (239 kWh)
SN-ST
160/55/62.8
stainless steel front

CUP 2721 Comfort



199 litre
54 litre
<A> (239 kWh)
SN-ST
160/55/62.8
white

CUP 2221 Comfort



142 litre
54 litre
<A> (219 kWh)
SN-ST
136/55/62.8
white



Type/model numbers	CPes 4613 Comfort	CP 4613 Comfort	CUNesf 3913 Comfort	CUN 3913 Comfort	CUN 4013 Comfort	CUNesf 3513 Comfort	CUN 3513 Comfort	CUN 3113 Comfort	CUN 3031 Comfort	CUP 3021 Comfort	CUPesf 2721 Comfort	CUP 2721 Comfort	CUP 2221 Comfort
Model classification ¹	7	7	7	7	7	7	7	7	7	7	7	7	7
Energy efficiency class	<A>	<A>	<A>	<A>	<A>	<A>	<A>	<A>	<A>	<A>	<A>	<A>	<A>
Energy consumption in 365 days	321 kWh	321 kWh	375,9 kWh	375,9 kWh	365 kWh	346,7 kWh	346,7 kWh	324,8 kWh	354 kWh	262 kWh	239 kWh	239 kWh	219 kWh
Total net capacity	432 litre	432 litre	355 litre	355 litre	371 litre	321 litre	321 litre	272 litre	278 litre	284 litre	253 litre	253 litre	196 litre
Total net capacity of refrigerator	337 litre	337 litre	232 litre	232 litre	282 litre	232 litre	232 litre	183 litre	199 litre	199 litre	199 litre	199 litre	142 litre
Total net capacity of freezer	95 litre	95 litre	123 litre	123 litre	89 litre	89 litre	89 litre	89 litre	79 litre	85 litre	54 litre	54 litre	54 litre
Star coding ²	****	****	****	****	****	****	****	****	****	****	****	****	****
Storage time during malfunctions	30 h	35 h	27 h	27 h	27 h	27 h	27 h	27 h	30 h	24 h	15 h	15 h	15 h
Freezing capacity in 24 hours	8 kg	15 kg	8 kg	8 kg	8 kg	8 kg	8 kg	8 kg	10 kg	7 kg	7 kg	7 kg	7 kg
Climate rating ³	SN-T	SN-T	SN-ST	SN-ST	SN-ST	SN-ST	SN-ST	SN-ST	SN	SN-ST	SN-ST	SN-ST	SN-ST
Voltage	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V
Connection rating	1.5 A	1.5 A	1.0 A	1.0 A	1.0 A	1.0 A	1.0 A	1.0 A	1.0 A	1.0 A	1.0 A	1.0 A	1.0 A
Fridge compartment													
Fridge compartment defrosting	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic
Forced air system	•	•	–	–	–	–	–	–	–	–	–	–	–
Interior light	light bulb	light bulb	Comfort	Comfort	Comfort	Comfort	Comfort	Comfort	light bulb	light bulb	light bulb	light bulb	light bulb
Bottle shelf	Bottle rack	Bottle rack	Bottle shelf	Bottle shelf	Bottle shelf	Bottle shelf	Bottle shelf	–	Bottle shelf	Bottle shelf	Bottle shelf	Bottle shelf	–
Door interior	Plastic	Plastic	Plastic	Plastic	Plastic	Plastic	Plastic	Plastic	Plastic	Plastic	Plastic	Plastic	Plastic
Freezer compartment													
Freezer compartment defrosting	Manual	Manual	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Manual	Manual	Manual	Manual
NoFrost	–	–	•	•	•	•	•	•	•	–	–	–	–
SmartFrost	•	•	–	–	–	–	–	–	–	•	•	•	•
CoolPlus	–	–	–	–	–	–	–	–	•	•	•	•	•
Cold storage accumulators	2	2	2	2	2	2	2	2	–	–	–	–	–
Freezer tray	–	–	•	•	•	•	•	•	–	–	–	–	–
Ice cube tray	•	•	•	•	•	•	•	•	•	•	•	•	•
Dimensions													
Height x Width	184 x 75 cm	184 x 75 cm	201.1 x 60 cm	201.1 x 60 cm	201.1 x 60 cm	181.7 x 60 cm	181.7 x 60 cm	162.3 x 60 cm	180 x 55 cm	180 x 55 cm	160 x 55 cm	160 x 55 cm	136 x 55 cm
Depth incl. distance from wall	63 cm	63 cm	63 cm	63 cm	63 cm	63 cm	63 cm	63 cm	62.8 cm	62.8 cm	62.8 cm	62.8 cm	62.8 cm
Features													
Slimline door handles with integrated opening mechanism	•	•	•	•	•	•	•	•	–	–	–	–	–
Design	SwingDesign	SwingLine	SwingLine	SwingLine	SwingLine	SwingLine	SwingLine	SwingLine	SwingLine	SwingLine	SwingLine	SwingLine	SwingLine

1 Model classification 7: Fridge-freezers (4-star freezer compartment)

2 **** freezer compartment with -18 °C or colder

3 Climate Ratings: SN +10 °C to +32 °C ST +16 °C to +38 °C
N +16 °C to +32 °C T +16 °C to +43 °C

Top mount fridge-freezers special features



Illustration:
CTesf 2431



A+

Liebherr have now redefined energy saving with the innovative A+ fridge-freezers. Use of the latest electronics combined with a highly efficient refrigerating system enables the energy consumption to be significantly reduced once again. This super energy-saving solution actively contributes to environmental conservation.



4-star freezer compartment

You can freeze fresh food and store frozen food for long periods in appliances with the 4-star freezer compartment. Temperatures of -18°C and lower ensure food is stored preserving vitamins and minerals.



GlassLine interior

The elegant GlassLine interior is tough, scratch resistant and easy-to-clean. The storage shelves are in satin finish glass. The attractive stainless steel trims on the Premium appliances enhance the overall harmonious look.



Transparent storage racks

The transparent storage racks in the inner door offer convenient storage for even 1.5 litre bottles. Adjustable dividers keep the contents securely in place.



SwingLine

The SwingLine models with side profile are presented in timeless elegance, with the embossed Liebherr logo on the doors adding one more harmonious detail. The new slimline handle is fitted at a convenient height for easy opening.



Vegetable compartment

The practical and easy to clean vegetable compartment provides plenty of space for storing fruit and vegetables.

Top mount fridge-freezers

Electronic control system

- MagicEye with LED display
- Automatic SuperFrost
- Audible and visual temperature alarm with CTNes 4653

Fridge compartment

- GlassLine storage shelves – 1 sectioned, with slide under half shelf option
- Butter and cheese compartment with egg tray
- Fruit and vegetable bins

NoFrost-freezer compartment with CTNes 4653

- Grid shelf with ice cube tray holder

Features

- Slimline door handle with integrated opening mechanism
- Reversible doors
- Flush with wall and with front ventilation, suitable for installation in a row of kitchen units
- Height adjustable feet at front



Liebherr's **NoFrost** appliances provide expert refrigeration technology for securing long-term freshness. The food is frozen with chilled forced air and any humidity that is generated is quickly expelled. As a result, the freezer is always free from ice and the food never frosts over. With NoFrost defrosting is a thing of the past.



SmartFrost system. The inside walls are especially smooth and easy-to-clean. The attractive intervening shelves made of glass and the transparent drawers are removable.



The high-performance **forced air system** ensures rapid cooling of food and an even cooling temperature throughout the entire internal space. Door contact switches turn off the fan when the door is opened, which saves valuable energy and prevents warmer external air from entering the fridge.



Top mount fridge-freezers

Total net capacity Fridge compartment
Total net capacity Freezer compartment
Energy efficiency class (in 365 days)
Climate rating
Exterior dimensions in cm (h/w/d)
Separately adjustable cooling circuits
Finish

CTNes 4653 Premium



324 litre
82 litre
<A> (419.8 kWh)
SN-T
184/75/63
2
stainless steel

CTPes 3213 Comfort



236 litre
71 litre
<A+> (266 kWh)
SN-ST
169/60/63
1
stainless steel

CTP 3213 Comfort



236 litre
71 litre
<A+> (266 kWh)
SN-ST
169/60/63
1
white

CTPesf 2913 Comfort



217 litre
59 litre
<A+> (248 kWh)
SN-ST
155/60/63
1
stainless steel front

Top mount fridge-freezers

Fridge compartment

- GlassLine storage shelves – 1 sectioned, with slide under half shelf option
- Butter and cheese compartment with egg tray
- Fruit and vegetable bins

SmartFrost-freezer compartment

- CoolPlus function with ******* -freezer compartment
- Grid shelf

Features

- Reversible doors
- Rigid slimline door handles
- Flush with wall and with front ventilation suitable for installation in a row of kitchen units
- Height adjustable feet at front



The practical and easy-to-clean **vegetable compartment** provides plenty of space for storing fruit and vegetables. The extra deep transparent drawer is designed to fit into the elegant design of the interior and allows for a clear view of your food at all times.



The elegant **GlassLine interior** is tough, scratch resistant and easy-to-clean. The storage shelves are in satin finish glass. The attractive stainless steel trims enhance the overall harmonious look.



The **transparent storage racks** in the inner door offer convenient storage for even 1.5 litre bottles. Adjustable dividers keep the contents securely in place.



Top mount fridge-freezers

CT 2831 Comfort



217 litre
52 litre
<A> (244 kWh)
SN-ST
157/55/62.8
white

CTesf 2431 Comfort



183 litre
52 litre
<A> (229 kWh)
SN-ST
142.5/55/62.8
stainless steel front

CT 2431 Comfort




183 litre
52 litre
<A> (229 kWh)
SN-ST
142.5/55/62.8
white

CTesf 2041 Comfort



152 litre
42 litre
<A> (211 kWh)
SN-ST
123/55/62.8
stainless steel front

CT 2041 Comfort



152 litre
42 litre
<A> (211 kWh)
SN-ST
123/55/62.8
white

Total net capacity Fridge compartment
Total net capacity Freezer compartment
Energy efficiency class (in 365 days)
Climate rating
Exterior dimensions in cm (h/w/d)
Finish



Type/model numbers	CTNes 4653 Premium	CTPes 3213 Comfort	CTP 3213 Comfort	CTPesf 2913 Comfort	CT 2831 Comfort	CTesf 2431 Comfort	CT 2431 Comfort	CTesf 2041 Comfort	CT 2041 Comfort
Model classification ¹	7	7	7	7	7	7	7	7	7
Energy efficiency class	<A>	<A>	<A>	<A>	<A>	<A>	<A>	<A>	<A>
Energy consumption in 365 days	419.8 kWh	266 kWh	266 kWh	248 kWh	244 kWh	229 kWh	229 kWh	211 kWh	211 kWh
Total net capacity	406 litre	307 litre	307 litre	276 litre	269 litre	235 litre	235 litre	194 litre	194 litre
Total net capacity of refrigerator	324 litre	236 litre	236 litre	217 litre	217 litre	183 litre	183 litre	152 litre	152 litre
Total net capacity of freezer	82 litre	71 litre	71 litre	59 litre	52 litre	52 litre	52 litre	42 litre	42 litre
Star coding ²	★★★★	★★★★	★★★★	★★★★	★★★★	★★★★	★★★★	★★★★	★★★★
Storage time during malfunctions	24 h	30 h	30 h	30 h	20 h	20 h	20 h	18 h	18 h
Freezing capacity in 24 hours	11 kg	7 kg	7 kg	7 kg	6 kg	6 kg	6 kg	6 kg	6 kg
Climate rating ³	SN-T	SN-ST	SN-ST	SN-ST	SN-ST	SN-ST	SN-ST	SN-ST	SN-ST
Voltage	220–240 V	220–240 V	220–240 V	220–240 V	220–240 V	220–240 V	220–240 V	220–240 V	220–240 V
Connection rating	1.0 A	1.0 A	1.0 A	1.0 A	1.0 A	1.0 A	1.0 A	1.0 A	1.0 A
Fridge compartment									
Fridge compartment defrosting	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic
Forced air system	•	•	•	•	–	–	–	–	–
Interior light	light bulb	light bulb	light bulb	light bulb	light bulb	light bulb	light bulb	light bulb	light bulb
Bottle shelf	Bottle rack	–	–	–	–	–	–	–	–
Door interior	GlassLine	Plastic	Plastic	Plastic	Plastic	Plastic	Plastic	Plastic	Plastic
Freezer compartment									
Freezer compartment defrosting	Automatic	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual
NoFrost / SmartFrost	• / –	– / •	– / •	– / •	– / •	– / •	– / •	– / •	– / •
CoolPlus	–	–	–	–	•	•	•	•	•
Ice cube tray	•	•	•	•	•	•	•	•	•
Dimensions									
Height x Width	184 x 75 cm	169 x 60 cm	169 x 60 cm	155 x 60 cm	157 x 55 cm	142,5 x 55 cm	142,5 x 55 cm	123 x 55 cm	123 x 55 cm
Depth incl. distance from wall	63 cm	63 cm	63 cm	63 cm	62.8 cm	62.8 cm	62.8 cm	62.8 cm	62.8 cm
Features									
Slimline door handles with integrated opening mechanism	•	•	•	•	–	–	–	–	–
Electronic control	•	•	•	•	–	–	–	–	–
Design	SwingLine	SwingLine	SwingLine	SwingLine	SwingLine	SwingLine	SwingLine	SwingLine	SwingLine

1 Model classification 7: Fridge-freezers (4-star freezer compartment)

2 ★★★★★ freezer compartment with -18 °C or colder

3 Climate Ratings: SN +10 °C to +32 °C ST +16 °C to +38 °C
N +16 °C to +32 °C T +16 °C to +43 °C

Upright fridges Special Features



Illustration:
K 4270



Premium electronic control system

The elegant, high-precision MagicEye control unit featuring the innovative SoftTouch control concept ensures that the selected temperatures are kept to the very degree wanted. The SoftTouch control panel makes for easy and very convenient control of all the functions.



VarioBoxes

The removable VarioBoxes, designed for convenient storage, can be rearranged in the door interior to suit your requirements. The lid swings back and is detachable.



Forced air system

The high performance forced air system ensures rapid cooling of food and an even temperature throughout the entire internal space. Door contact switches turn off the fan when the door is opened, which saves valuable energy and prevents warmer external air from entering the refrigerator.



Premium ceiling lighting

The elegant Premium ceiling lighting with satined glass cover is integrated in the ceiling to form a harmonious synthesis with the appliance design. It provides pleasant, bright lighting conditions, illuminating the entire interior with a high intensity of light.



Fruit/vegetable bin on telescopic rails

The transparent vegetable bins provide a clear view of the stored food and slide out effortlessly on the roller system. The roller plates integrated in the floor of the liner are easy to remove for cleaning.



GlassLine storage shelves

The elegant GlassLine storage shelves are tough, scratch resistant and easy-to-clean. The high quality stainless steel trims enhance the harmonious look of the fridge. The interior can be adapted to suit every need as the shelves are adjustable in height. One of the shelves is sectioned so that the front half can slide under the back half to quickly provide room for tall containers.

Upright fridges

Electronic control system

- MagicEye control with SoftTouch digital display (with Premium models)
- Automatic SuperCool
- Audible door alarm (with Premium models)

Fridge compartment


- Automatic defrosting, forced air cooling
- GlassLine storage shelves - 1 sectioned with slide under half shelf option
- Easy-to-use removable VarioBoxes (with Premium models)
- Fruit / vegetable bin on telescopic rails

Features


- Reversible doors
- Easy defrosting with smooth and easy-to-clean interior
- Height adjustable feet at front, castors and handles at back
- Flush with wall and with front ventilation suitable for installation in a row of kitchen units



The efficient **forced-air system** ensures that freshly stored food is rapidly chilled and provides a uniform cooling temperature throughout the interior. Door contact switches turn off the fan when the door is opened, saving valuable energy and preventing warm air from flowing in from the outside.



Liebherr have now redefined energy saving with the innovative **A+** fridges. Use of the latest electronics combined with a highly efficient refrigerating system enables the energy consumption to be significantly reduced once again. This super energy-saving solution actively contributes to environmental conservation.



The elegant, high-precision **MagicEye control** unit featuring the innovative SoftTouch control concept ensures that the selected temperatures are kept to the very degree required. The **automatic SuperCool function** reduces the temperature of the fridge to +2°C for 6 hours. This is ideal if you want to chill fresh food quickly. It switches back to normal mode automatically.

Upright fridges

Kes 4270 Premium



K 4270 Premium



Kes 3670 Premium



K 3670 Premium



K 3620 Comfort



Total net capacity Fridge compartment

Energy efficiency class (in 365 days)

Climate rating

Exterior dimensions in cm (h/w/d)

Finish

385 litre

<A> (148 kWh)

SN-T

185.2/60/63

stainless steel

385 litre

<A> (148 kWh)

SN-T

185.2/60/63

stainless steel

340 litre

<A> (142.3 kWh)

SN-T

165.5/60/63

stainless steel

340 litre

<A> (142.3 kWh)

SN-T

165.5/60/63

stainless steel

345 litre

<A> (142.3 kWh)

SN-T

165.5/60/63

white

Upright fridges

Electronic control system with 60 cm models

- MagicEye with LED display

Fridge compartment

- GlassLine storage shelves - 1 sectioned, with slide under half self option
- Swivel lid for butter/cheese compartment with egg tray
- Fruit and vegetable bins

Features

- Reversible doors
- Easy defrosting with smooth and easy-to-clean interior
- Height adjustable feet at front, castors and handles at back
- Flush with wall and with front ventilation suitable for installation in a row of kitchen units



The elegant **GlassLine interior** is tough, scratch resistant and easy-to-clean. The storage shelves are in satin finish glass. The attractive stainless steel trims enhance the overall harmonious look.



The **bottle shelf** is a practical and elegant answer for storing drinks. As many as five bottles can be chilled and compactly stored.



You can freeze fresh food and store frozen food for long periods in appliances with the **4-star freezer compartment**. Temperatures of -18°C and lower ensure food is stored preserving vitamins and minerals.



Upright fridges

Total net capacity Fridge compartment
Total net capacity Freezer compartment
Energy efficiency class (in 365 days)
Climate rating
Exterior dimensions in cm (h/w/d)
Finish

K 3120 Comfort



305 litre
<A+> (138 kWh)
SN-T
144.7/60/63.1
white

K 2734 Comfort



234 litre
21 litre
<A+> (226 kWh)
SN-ST
142/55/62.8
white

K 2620 Comfort



256 litre
<A+> (131 kWh)
SN-T
125/60/63.1
white

K 2330 Comfort



217 litre
<A+> (124 kWh)
SN-ST
117.6/55/62.8
white

Table-height fridges

Electronic control system with Premium models

- MagicEye with digital display
- SuperCool function for fridge compartment
- SuperFrost function for ******* -freezer compartment (KTPes 1554)

Electronic control system with Comfort models

- MagicEye with digital display

Fridge compartment

- GlassLine storage shelves – (1 sectioned, with slide under half shelf option with Premium-models)
- Butter and cheese compartment with egg tray
- Fruit and vegetable bins

Features

- Ergonomic slimline door handle
- Recessed condenser enabling flush-fit with wall
- Height adjustable feet at front
- Reversible doors



The **MagicEye control** on the KTPes 1750 model keeps the temperature at exactly the level you select.

It is simple and convenient to use. The **SuperCool function** reduces the temperature of the fridge to +2°C for 6 hours. This is ideal if you want to chill fresh food quickly.



You can freeze fresh food and store frozen food for long periods in appliances with the **4-star freezer compartment**. Temperatures of -18°C and lower ensure food is stored preserving vitamins and minerals.



Crystal clear advantages

The glass shelves are adjustable in height to suit every storage need. They are tough, scratch resistant and easy-to-clean. One of the shelves is sectioned so that the front half slides under the back half to quickly provide room for tall containers.



Table-height fridges

KTPes 1750 Premium



156 litre
 <A++> (84 kWh)
 SN-ST
 85/60/61
 stainless steel

KTPes 1554 Premium



119 litre
 18 litre
 <A++> (127 kWh)
 SN-ST
 85/60/61
 stainless steel

KTP 1810 Comfort



174 litre
 <A+> (120 kWh)
 SN-ST
 85/60/62.8
 white

KTP 1714 Comfort



133 litre
 18 litre
 <A+> (188 kWh)
 SN-ST
 85/60/62.8
 white

Total net capacity Fridge compartment
Total net capacity Freezer compartment
Energy efficiency class (in 365 days)
Climate rating
Exterior dimensions in cm (h/w/d)
Finish

Table-height fridges

Fridge compartment

- GlassLine storage shelves
- Transparent plastic storage racks
- Fruit and vegetable bins

Features

- Front ventilation, detachable top, suitable for installation under worktop and in a row of kitchen units (worktop must be ventilated)
- Ergonomic slimline door handle
- Flush with wall
- Height adjustable feet at front

Box fridge KX 1021

- Grid shelf with hinged section
- 1 glass shelf
- Ice compartment with ice cube tray
- Egg tray
- Fruit and vegetable bin
- Reversible doors
- Ergonomic slimline door handle
- Height adjustable feet at front



The **CoolPlus** function reduces the temperature in the freezer compartment for several hours so that food can be frozen quickly and safely. This function also ensures that the temperature in the freezer compartment is kept constant in room temperatures as low as + 10°C.



You can freeze fresh food and store frozen food for long periods in appliances with the **4-star freezer compartment**. Temperatures of -18°C and lower ensure food is stored preserving vitamins and minerals.



The **transparent storage racks** in the door bins offer convenient storage for even 1.5 litre bottles. Adjustable dividers keep the contents securely in place.



Table-height fridges

	KT 1730 Comfort	KT 1534 Comfort	KT 1434 Comfort	KT 1430 Comfort	KX 1021
Total net capacity Fridge compartment	151 litre	117 litre	106 litre	137 litre	86 litre
Total net capacity Freezer compartment		18 litre	16 litre		6 litre
Energy efficiency class (in 365 days)	<A> (153.3 kWh)	<A> (230 kWh)	<A> (226.3 kWh)	<A> (149.7 kWh)	<A> (146 kWh)
Climate rating	SN-ST	SN-ST	SN-ST	SN-ST	SN-ST
Exterior dimensions in cm (h/w/d)	85.0/55.4/62.3	85.0/55.4/62.3	85.0/50.1/62	85.0/50.1/62	63.0/55.1/62.3
Separately adjustable cooling circuits	1	1	1	1	1
Finish	white	white	white	white	white

Upright fridges and Table-height fridges



Type/model numbers	Kes 4270 Premium	K 4270 Premium	Kes 3670 Premium	K 3670 Premium	K 3620 Comfort	K 3120 Comfort	K 2734 Comfort	K 2620 Comfort	K 2330 Comfort	KTPes 1750 Premium	KTPes 1554 Premium	KTP 1810 Comfort	KTP 1714 Comfort	KT 1730 Comfort	KT 1534 Comfort	KT 1434 Comfort	KT 1430 Comfort	KX 1021 Comfort
Model classification ¹	1	1	1	1	1	1	7	1	1		7	1	7	1	7	7	1	3
Energy efficiency class	<A>	<A>	<A>	<A>	<A>	<A>	<A>	<A>	<A>	<A+>	<A+>	<A>	<A>	<A>	<A>	<A>	<A>	<A>
Energy consumption in 365 days	148 kWh	148 kWh	142.3 kWh	142.3 kWh	142.3 kWh	138 kWh	226 kWh	131 kWh	124 kWh	84 kWh	127 kWh	120 kWh	188 kWh	153.3 kWh	230 kWh	226,3 kWh	149,7 kWh	146 kWh
Total net capacity	385 litre	385 litre	340 litre	340 litre	345 litre	305 litre	255 litre	256 litre	217 litre	156 litre	137 litre	174 litre	151 litre	151 litre	135 litre	122 litre	137 litre	92 litre
Total net capacity of refrigerator	385 litre	385 litre	340 litre	340 litre	345 litre	305 litre	234 litre	256 litre	217 litre	156 litre	119 litre	174 litre	133 litre	151 litre	117 litre	106 litre	137 litre	86 litre
Total net capacity of freezer	-	-	-	-	-	-	21 litre	-	-	-	18 litre	-	18 litre	-	18 litre	16 litre	-	6 litre
Star coding ²	-	-	-	-	-	-	****	-	-	-	****	-	****	-	****	****	-	*
Storage time during malfunctions	-	-	-	-	-	-	15 h	-	-	-	17 h	-	10 h	-	10 h	10 h	-	-
Freezing capacity in 24 hours	-	-	-	-	-	-	2 kg	-	-	-	2 kg	-	2 kg	-	2 kg	2 kg	-	-
Climate rating ³	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	SN-ST	SN-T	SN-ST	SN-ST	SN-ST	SN-ST	SN-ST	SN-ST	SN-ST	SN-ST	SN-ST	SN-ST
Voltage	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V
Connection rating	0.8 A	0.8 A	0.8 A	0.8 A	0.8 A	0.8 A	0.8 A	0.8 A	0.8 A	0.8 A	0.8 A	0.8 A	0.8 A	0.8 A	0.8 A	0.8 A	0.8 A	0.8 A
Fridge compartment																		
Fridge compartment defrosting	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Manual
Interior light	Premium	Premium	Premium	Premium	Comfort	light bulb	light bulb	light bulb	light bulb	light bulb	light bulb	light bulb	light bulb	light bulb	light bulb	light bulb	light bulb	light bulb
Forced air system	•	•	•	•	•	•	-	•	-	-	-	-	-	-	-	-	-	-
Bottle shelf	Bottle shelf	Bottle shelf	Bottle shelf	Bottle shelf	-	Bottle shelf	Bottle shelf	Bottle shelf	Bottle shelf	-	-	-	-	-	-	-	-	-
Automatic SuperCool function	•	•	•	•	•	-	-	•	-	•	-	•	-	-	-	-	-	-
Door interior	GlassLine	GlassLine	GlassLine	GlassLine	Plastic	Plastic	Plastic	Plastic	Plastic	GlassLine	GlassLine	Plastic	Plastic	Plastic	Plastic	Plastic	Plastic	Plastic
VarioBoxes	•	•	•	•	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Freezer compartment																		
Automatic SuperFrost function	-	-	-	-	-	-	-	-	-	-	•	-	•	-	-	-	-	-
CoolPlus	-	-	-	-	-	-	•	-	-	-	•	-	-	-	•	•	-	-
Type of appliance																		
box/table height/upright appliance	-/-/•	-/-/•	-/-/•	-/-/•	-/-/•	-/-/•	-/-/•	-/-/•	-/-/•	-/•/-	-/•/-	-/•/-	-/•/-	-/•/-	-/•/-	-/•/-	-/•/-	•/-/-
under worktop	-	-	-	-	-	-	-	-	-	-	-	-	-	•	•	•	•	-
Dimensions																		
Height x Width	185.2 x 60 cm	185.2 x 60 cm	165.5 x 60 cm	165.5 x 60 cm	165.5 x 60 cm	144.7 x 60 cm	142 x 55 cm	125 x 60 cm	117.6 x 55 cm	85 x 60 cm	85 x 60 cm	85 x 60 cm	85 x 60 cm	85.0 x 55.4 cm	85.0 x 55.4 cm	85.0 x 50.1 cm	85.0 x 50.1 cm	63.0 x 55.1 cm
Depth incl. distance from wall	63 cm	63 cm	63 cm	63 cm	63 cm	63.1 cm	62.8 cm	63.1 cm	62.8 cm	61 cm	61 cm	62.8 cm	62.8 cm	62.3 cm	62,3 cm	62 cm	62 cm	62.3 cm
Features																		
Electronic control	•	•	•	•	•	•	-	•	-	•	•	-	-	-	-	-	-	-
Slimline door handles with integrated opening mechanism	•	•	•	•	•	•	-	•	-	-	-	-	-	-	-	-	-	-
Design	SwingLine	SwingLine	SwingLine	SwingLine	SwingLine	SwingLine	SwingLine	SwingLine	SwingLine	HardLine	HardLine	SwingDesign	SwingDesign	SwingDesign	SwingDesign	SwingDesign	SwingDesign	SwingDesign

¹ Model classification 1: Fridges
Model classification 3: Fridge-freezers (0-star freezer compartment)

Model classification 7: Fridge-freezers (4-star freezer compartment)

² freezer compartment with -6 °C or colder
 freezer compartment with -18 °C or colder

³ Climate Ratings: **SN** +10 °C to +32 °C **ST** +16 °C to +38 °C
N +16 °C to +32 °C **T** +16 °C to +43 °C

Side-by-Side fridge-freezers

Large capacity food storage centers



Illustration:
SBSes 7155



The new BioFreshPlus technology

The separate BioFreshPlus electronic control system means, for example, that the temperature in the top drawer can be lowered to -2°C for storing fish. Together with the DrySafe setting, fish is kept fresher for longer. Exotic fruits find ideal storage conditions in the top adjustable safe at +6 °C and a high level of humidity.



NoFrost

Liebherr's NoFrost appliances provide expert refrigeration technology for securing long-term freshness. The food is frozen with chilled forced air and any humidity that is generated is quickly expelled. As a result, the freezer is always free from ice and the food never frosts over. With NoFrost defrosting is a thing of the past.



Light columns

Hallmarks of the PremiumPlus range are two light columns integrated into the liner on either side, inside which there are numerous LEDs ensuring uniform illumination of the interior. The special satin finish of the light cover creates a pleasant lighting atmosphere.



IceCenter

The new IceCenter is a highlight for any kitchen, supplying ice cubes, crushed ice and chilled water, the IceCenter provides a myriad of options for serving cool drinks. The ice cubes and water are dispensed using the contact-sensitive paddles, which are lit by LED light either when in operation or optionally on a permanent basis.



SoftSystem

The SoftSystem ensures that the door closes very gently even when fully loaded inside. What is more, the door is closed automatically from an opening angle of approx 30°.



Integrated bottle shelf

An innovative and unique detail is the integrated bottle shelf. Should you need to store very tall bottles, the bottle rack in the door can be moved upwards allowing the entire depth of the appliance to be used. Alternatively, the glass shelf under the bottle shelf can be utilized.

Side-by-Side fridge-freezers

Electronic control system

- MagicEye with SoftTouch digital display
- Quantity-controlled automatic SuperFrost function
- Automatic SuperCool function
- Control lamps for mains, alarm, SuperCool, SuperFrost, FrostControl and Child Lock function
- Audible and visual temperature alarm for freezer and Wine compartments
- Audible door alarm

Wine storage compartment

- 2 independent temperature zones, each adjustable between + 5° C and +20° C
- Automatic defrosting
- Forced air cooling with 2 fans
- Internal dimmable LED lighting, with separate switch
- Fresh air supply via active charcoal filter
- Wooden shelves on pull-out telescopic rails
- Folding half shelf for angled storage
- Double glazed tinted glass door

NoFrost freezer compartment with IceMaker

- Forced air cooling
- FrostSafe system with completely enclosed, transparent drawers
- VarioSpace with removable drawers and glass intervening shelves
- IceMaker with fixed water connection

Fridge compartment

- Forced air cooling
- GlassLine storage shelves – 1 sectioned, one half can slide underneath the other
- Easy-to-use removable VarioBoxes

BioFresh compartment

- Automatic defrosting, forced air cooling
- Pull-out BioFresh drawers on telescopic rails
- DrySafe with low humidity for fish, meat and dairy products
- 2 HydroSafes with adjustable humidity for fruit and vegetables

Features

- Stainless steel slimline door handle with integrated opening mechanism
- Flush with wall
- Height adjustable feet at front
- Castors at rear - adjustable from front



Side-by-Side fridge-freezer

Total net capacity	Fridge compartment
	BioFresh compartment
Total net capacity	Freezer compartment
Total net capacity	Wine storage compartment
Energy efficiency class (in 365 days)	
Climate rating	
Exterior dimensions in cm (h/w/d)	
Separately adjustable cooling circuits	
Finish	

SBSes 7155 Premium



247 litre
103 litre
119 litre
128 litre
▲▲▲ (507 kWh)
SN-T
185.2/121/63
4
stainless steel

Electronic control system

- LCD temperature display
- Control lamps for mains, alarm, SuperCool, SuperFrost, FrostControl and Child Lock function
- Quantity-controlled automatic SuperFrost function
- Automatic SuperCool function
- Audible and visual temperature alarm for freezer
- Audible door alarm

NoFrost freezer compartment with IceCenter

- Forced air cooling
- FrostSafe system with completely enclosed, transparent drawers
- VarioSpace with removable drawers and intervening glass shelves
- IceCenter for cold water, crushed ice and ice cubes

Fridge compartment

- Forced air cooling
- GlassLine storage shelves – 1 sectioned, one half can slide underneath the other
- Easy-to-use removable VarioBoxes

BioFresh compartment

- Automatic defrosting, forced air cooling
- BioFreshPlus, adjustable temperature range -2° C for fish and seafood, 0° C for fruit, vegetables, meat and dairy products, +6° C for tropical fruits
- BioFresh-Safe with adjustable humidity, for use as DrySafe or Hydrosafe

Features

- Stainless steel slimline door handle with integrated opening mechanism
- Flush with wall
- Height adjustable feet at front
- Castors at rear - adjustable from front

Side-by-Side fridge-freezer

Total net capacity	Fridge compartment
	BioFresh compartment
Total net capacity	Freezer compartment
Energy efficiency class (in 365 days)	
Climate rating	
Exterior dimensions in cm (h/w/d)	
Separately adjustable cooling circuits	
Finish	



The new **electronic LCD** display features an innovative design, clear menu navigation and the

SoftTouch control system to provide yet more information and convenience for tailored storage conditions. The SoftTouch navigation ensures convenient selection and use of the numerous control functions.



The new **IceCenter** from Liebherr is a highlight for any kitchen. Supplying ice cubes, crushed ice and chilled water, the IceCenter provides a myriad of options for serving cool drinks. The ice cubes and water are dispensed using the contact-sensitive paddles, which are lit by LED light either when in operation or optionally on a permanent basis.



SBSes 7273 PremiumPlus



243 litre
92 litre
237 litre
▲▲▲ (460.6 kWh)
SN-T
185.2/121/63
3
stainless steel



Electronic control system

- MagicEye with SoftTouch digital temperature display
- Automatic SuperCool function
- Quantity-controlled automatic SuperFrost function
- Control lamps for mains, alarm, SuperCool, SuperFrost, FrostControl and Child Lock function
- Audible and visual temperature alarm for freezer
- Audible door alarm

Fridge compartment

- Forced air cooling
- GlassLine storage shelves – 1 sectioned, with slide under half shelf option
- Egg tray
- Easy-to-use removable VarioBoxes

BioFresh compartment

- Automatic defrosting, forced air cooling
- BioFresh-Safe with adjustable humidity, for use as DrySafe or Hydrosafe

NoFrost freezer compartment

- Forced air cooling
- FrostSafe system with completely enclosed, transparent drawers
- VarioSpace with removable drawers and intervening glass shelves

Features

- Stainless steel slimline door handle with integrated opening mechanism
- Flush with wall
- Height adjustable feet at front
- Castors at rear - adjustable from front



Side-by-Side fridge-freezer

Total net capacity Fridge compartment	241 litre
BioFresh compartment	103 litre
Total net capacity Freezer compartment	261 litre
Energy efficiency class (in 365 days)	A ⁺ (480,9 kWh)
Climate rating	SN-T
Exterior dimensions in cm (h/w/d)	185.2/121/63
Separately adjustable cooling circuits	2
Finish	stainless steel

SBSes 7253 Premium

Total net capacity Fridge compartment	241 litre
BioFresh compartment	103 litre
Total net capacity Freezer compartment	261 litre
Energy efficiency class (in 365 days)	A ⁺ (480,9 kWh)
Climate rating	SN-T
Exterior dimensions in cm (h/w/d)	185.2/121/63
Separately adjustable cooling circuits	2
Finish	stainless steel



Type/model numbers	SBSes 7155 Premium	SBSes 7273 PremiumPlus	SBSes 7253 Premium
Model classification ¹	7	7	7
Energy efficiency class	A ⁺	A ⁺	A ⁺
Energy consumption in 365 days	507 kWh	460.6 kWh	480.9 kWh
Total net capacity	597 litre	572 litre	605 litre
Total net capacity of refrigerator	247 litre	243 litre	241 litre
BioFresh compartment	103 litre	92 litre	103 litre
Total net capacity of freezer	119 litre	237 litre	261 litre
Total net capacity of wine stor. comp.	128 litre	–	–
Star coding ²	★★★★	★★★★	★★★★
Storage time during malfunctions	31 h	43 h	43 h
Freezing capacity in 24 hours	14 kg	18 kg	20 kg
Climate rating ³	SN-T	SN-T	SN-T
Voltage	220–240 V	220–240 V	220–240 V
Connection rating	1.8 A	1.7 A	1.7 A
Fridge compartment			
Fridge compartment defrosting	Automatic	Automatic	Automatic
Interior light	LED	LED light column	LED
BioFresh-Safes	3	3	3
BioFreshPlus, adjustable	–	•	–
BioFresh light	–	LED	–
Bottle shelf	integrated, for variable use	integrated, for variable use	integrated, for variable use
Door interior	GlassLine	GlassLine	GlassLine
VarioBoxes	•	•	•
Freezer compartment			
Freezer compartment defrosting	Automatic	Automatic	Automatic
Interior light	–	LED	LED
Cold storage accumulators	2	2	2
Freezer tray	•	–	–
IceMaker/IceCenter SBSes 7273	fixed water connection ⁴	fixed water connection ⁴	–
Ice cube capacity	0.8 kg	0.8 kg	–
Ice cube stock	1.5 kg	1.5 kg	–
Dimensions			
Height x Width	185.2 x 121 cm	185.2 x 121 cm	185.2 x 121 cm
Depth incl. distance from wall	63 cm	63 cm	63 cm
Features			
Interface	–	HomeDialog	–
SoftSystem	•	•	–
Design	SwingLine	SwingLine	SwingLine

1 Model classification 7: Side-by-Side fridge freezers
 2 ★★★★★ freezer compartment with -18 °C or colder
 3 Climate Ratings: SN +10 °C to +32 °C
 N +16 °C to +32 °C
 ST +16 °C to +38 °C
 T +16 °C to +43 °C
 4 IceMaker - automatic ice-cube maker (can be switched off) with fixed water connection and solenoid valve (needs to be plumbed in)

Upright freezers: special features



Illustration:
GN 2756



HomeDialog System

The HomeDialog and System from Liebherr provides remote control capability for, e.g. a freezer situated in the basement, using the combined refrigerator-freezer electronic control system. All the functions of the freezer can be conveniently monitored and controlled using the electronic control system on the display.



NoFrost

The NoFrost freezers from Liebherr provide professional quality freezing performance for safe, long-term freshness. Food is deep-frozen with chilled re-circulated air and any moisture is removed. With NoFrost technology you will never have to defrost your freezer again.



Transparent drawers

The transparent drawers are attractively designed and extremely practical. Especially high, closed all around and removable, they consequently guarantee an optimum overview and the best possible storage options for frozen products.



SuperFrost

The Automatic SuperFrost makes freezing a simple and energy-saving pleasure. It quickly reduces the temperature and creates the cold air required for vitamin-preserving freezing. As soon as the food is completely frozen the Automatic SuperFrost switches back to normal operating temperature and therefore saves energy.



Vario Energy-Saving Panel

If you don't require the entire freezer section for stocking up with frozen goods, unused drawers can be switched off with the optional Vario Energy-Saving Panel. Energy consumption can then be reduced again by up to 50%.



VarioSpace

Plus, the drawers and shelves beneath them can also be removed. And that's how VarioSpace the practical system for extra storage space works, so that even the biggest cake quickly finds a place.

NoFrost freezers

Electronic control system


- MagicEye with SoftTouch digital display
- MagicEye digital display (GNP 3376)
- Automatic SuperFrost function
- Control lamps for mains, SuperFrost, alarm, FrostControl and Child Lock function
- Audible door alarm
- Audible and visual temperature alarm

NoFrost freezer

- Forced air cooling
- DuraFreeze technology with GNP 3376
- FrostSafe system with completely enclosed, transparent drawers (on smooth-running telescopic rails with GNP 3376)
- Herb and berry tray
- Insulation plate available as an accessory

Features

- Slimline door handle with integrated opening mechanism
- Reversible doors
- Flush with wall and with front ventilation, suitable for installation in a row of kitchen units
- Height adjustable feet at front



The elegant, high-precision **MagicEye** control unit featuring the innovative **SoftTouch** control concept ensures that the selected temperatures are kept to the very degree required. The SoftTouch panel makes the control of all the functions easy and very convenient.



Fruit, berries, herbs and even delicate mushrooms can be easily frozen in the **Herb and Berry Tray**. This prevents goods from freezing together, maintains their proper form and makes it easier to divide into portions. Freeze packs and ice cube trays can also be easily stored here.



DuraFreeze
With DuraFreeze the freezer section temperature is reduced to -28°C .

The modern variable speed compressor guarantees continuous maintenance of this temperature without any temperature fluctuations. Food can consequently be stored for twice as long as possible at -18°C .

NoFrost freezers

GNP 3376 Premium



GN 3056 Premium



GN 2756 Premium



GN 2356 Premium



GN 1956 Premium



Total net capacity Freezer compartment

Energy efficiency class (in 365 days)

Climate rating

Exterior dimensions in cm (h/w/d)

Separately adjustable cooling circuits

Finish

305 litre

$\langle A^{++} \rangle$ (244.6 kWh)

SN-T

184.1/66/68.3

1

white

261 litre

$\langle A \rangle$ (313.9 kWh)

SN-T

184.1/60/63

1

white

224 litre

$\langle A \rangle$ (288.4 kWh)

SN-T

164.4/60/63

1

white

188 litre

$\langle A \rangle$ (262.8 kWh)

SN-T

144.7/60/63

1

white

151 litre

$\langle A \rangle$ (237.3 kWh)

SN-T

125/60/63

1

white

SmartFrost freezers

Electronic control system

- MagicEye with LED display (60 cm models)
- Time-controlled automatic SuperFrost function
- Control lights for mains, alarm and SuperFrost

SmartFrost freezer

- SmartFrost-System with VarioSpace
- FrostSafe system with completely enclosed, transparent drawers

Features

- Slimline door handle with integrated opening mechanism
- Reversible doors
- Flush with wall and with front ventilation suitable for installation in a row of kitchen units
- Height adjustable feet at front, castors and handles at back (60 cm models)



Automatic SuperFrost makes freezing a simple and energy-saving pleasure. It quickly reduces the temperature and creates the cold air required for vitamin-preserving freezing. As soon as the food is completely frozen the Automatic SuperFrost switches back to normal operating temperature and therefore saves energy.



Plus, the drawers and shelves beneath them can also be removed. And that's how **VarioSpace** the practical system for extra storage space works, so that even the biggest cake quickly finds a place.



SmartFrost The inside walls are especially smooth and easy-to-clean. The attractive intervening shelves made of glass and the transparent drawers are removable.



SmartFrost freezers

G 2713 Comfort



226 litre
 <A> (262.8 kWh)
 SN-T
 164.4/60/63.2
 white

G 2413 Comfort



192 litre
 <A> (240.9 kWh)
 SN-T
 144.7/60/63.2
 white

G 1221 Comfort



98 litre
 <A> (211.7 kWh)
 SN-ST
 85/55.4/62.3
 white

Total net capacity Freezer compartment

Energy efficiency class (in 365 days)

Climate rating

Exterior dimensions in cm (h/w/d)

Finish

Table-height freezers with SmartFrost

Electronic control system with Premium table-height freezers

- Digital temperature display
- Time-controlled automatic SuperFrost function
- Control lamps for mains, SuperFrost, alarm, FrostControl and Child Lock function
- Audible and visual temperature alarm

Electronic control system with GX 821

- Automatic SuperFrost function
- SuperFrost control lamps for mains, alarm and SuperFrost

Freezer

- Easy defrosting with smooth and easy-to-clean interior
- FrostSafe system with completely enclosed, transparent drawers with Premium models

Features

- Reversible doors
- Flush with wall and with front ventilation, suitable for installation in a row of kitchen units with Premium models
- Height adjustable feet at front



The **Automatic SuperFrost** with Premium table-height freezers makes freezing a simple and energy-saving task. It quickly reduces the temperature and in the process creates the cold air required for vitamin preserving freezing. As soon as the food is completely frozen the Automatic SuperFrost switches back to normal operation and therefore saves energy.



SmartFrost system. The inside walls are especially smooth and easy-to-clean.

The attractive intervening shelves made of glass and the transparent drawers are removable.



Plus, the drawers and shelves beneath them can also be removed. And that's how **VarioSpace** the practical system for extra storage space works, so that even the biggest cake quickly finds a place.



Table-height freezers with SmartFrost

Total net capacity Freezer compartment
Energy efficiency class (in 365 days)
Climate rating
Exterior dimensions in cm (h/w/d)
Separately adjustable cooling circuits
Finish

GPes 1466 Premium



104 litre
<A++> (135 kWh)
SN-T
85/60.2/61
1
stainless steel

GP 1466 Premium



104 litre
<A++> (135 kWh)
SN-T
85/60.2/61
1
white

GP 1366 Premium



104 litre
<A+> (189.8 kWh)
SN-T
85/55.5/62.4
1
white

GX 821 Comfort



69 litre
<A> (193 kWh)
SN-T
63/55.5/62.4
1
white



Type/model numbers	GNP 3376 Premium	GN 3076 Premium	GN 3056 Premium	GN 2756 Premium	GN 2356 Premium	GN 1956 Premium
Model classification ¹	8	8	8	8	8	8
Energy efficiency class	<A>	<A>	<A>	<A>	<A>	<A>
Energy consumption in 365 days	244,6 kWh	310,2 kWh	313,9 kWh	288,4 kWh	262,8 kWh	237,3 kWh
Total net capacity	305 litre	256 litre	261 litre	224 litre	188 litre	151 litre
Total net capacity of freezer	305 litre	256 litre	261 litre	224 litre	188 litre	151 litre
Star coding ²	****	****	****	****	****	****
Storage time during malfunctions	45 h	43 h	43 h	43 h	43 h	43 h
Freezing capacity in 24 hours	22 kg	18 kg	20 kg	18 kg	16 kg	15 kg
Climate rating ³	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T
Voltage	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V
Connection rating	0.9 A	0.9 A	0.9 A	0.9 A	0.9 A	0.9 A
Freezer compartment						
NoFrost	•	•	•	•	•	•
SmartFrost	-	-	-	-	-	-
Freezer compartment defrosting	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic
Interior light	light bulb	light bulb	light bulb	light bulb	light bulb	light bulb
DuraFreeze function	•	-	-	-	-	-
VarioSpace	•	•	•	•	•	•
Cold storage accumulators	2	2	2	2	2	2
Freezer tray	-	-	-	-	-	-
IceMaker ⁴	-	fixed water connection ⁴	-	-	-	-
Ice cube capacity	-	0.8 kg	-	-	-	-
Ice cube stock	-	1.5 kg	-	-	-	-
Type of appliance						
box/table height/upright appliance	- / - / •	- / - / •	- / - / •	- / - / •	- / - / •	- / - / •
Dimensions						
Height x Width	184.1 x 66 cm	184.1 x 60 cm	184.1 x 60 cm	164.4 x 60 cm	144.7 x 60 cm	125 x 60 cm
Depth incl. distance from wall	68.3 cm	63 cm	63 cm	63 cm	63 cm	63 cm
Features						
Interface	HomeDialog	HomeDialog	HomeDialog	HomeDialog	HomeDialog	HomeDialog
Electronic control	•	•	•	•	•	•
Insulation plate available as accessory	•	•	•	•	•	•
Design	SwingDesign	SwingLine	SwingLine	SwingLine	SwingLine	SwingLine

Type/model numbers	G 2713 Comfort	G 2413 Comfort	G 1221 Comfort	GPes 1466 Premium	GP 1466 Premium	GP 1366 Premium	GX 821 Comfort
Model classification ¹	8	8	8	8	8	8	8
Energy efficiency class	<A>	<A>	<A>	<A>	<A>	<A>	<A>
Energy consumption in 365 days	262,8 kWh	240,9 kWh	211,7 kWh	135 kWh	135 kWh	189,8 kWh	193 kWh
Total net capacity	226 litre	192 litre	98 litre	104 litre	104 litre	104 litre	69 litre
Total net capacity of freezer	226 litre	192 litre	98 litre	104 litre	104 litre	104 litre	69 litre
Star coding ²	****	****	****	****	****	****	****
Storage time during malfunctions	28 h	26 h	26 h	30 h	30 h	26 h	8 h
Freezing capacity in 24 hours	22 kg	16 kg	11 kg	16 kg	16 kg	16 kg	8 kg
Climate rating ³	SN-T	SN-T	SN-ST	SN-T	SN-T	SN-T	SN-T
Voltage	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V
Connection rating	1.0 A	1.0 A	0.9 A	0.9 A	0.9 A	0.9 A	0.9 A
Freezer compartment							
NoFrost	-	-	-	-	-	-	-
SmartFrost	•	•	•	•	•	•	•
Freezer compartment defrosting	Manual	Manual	Manual	Manual	Manual	Manual	Manual
Interior light	-	-	-	-	-	-	-
DuraFreeze function	-	-	-	-	-	-	-
VarioSpace	•	•	•	•	•	•	•
Cold storage accumulators	2	2	0	2	2	2	-
Freezer tray	•	•	-	-	-	-	-
IceMaker ⁴	-	-	-	-	-	-	-
Ice cube capacity	-	-	-	-	-	-	-
Ice cube stock	-	-	-	-	-	-	-
Type of appliance							
box/table height/upright appliance	- / - / •	- / - / •	- / • / -	- / • / -	- / • / -	- / • / -	• / - / -
Dimensions							
Height x Width	164.4 x 60 cm	144.7 x 60 cm	85 x 55.4 cm	85 x 60.2 cm	85 x 60 cm	85 x 55.5 cm	63 x 55.5 cm
Depth incl. distance from wall	63.2 cm	63.2 cm	62.3 cm	61 cm	62.4 cm	62.4 cm	62.4 cm
Features							
Interface	-	-	-	-	-	-	-
Electronic control	•	•	•	•	•	•	•
Insulation plate available as accessory	-	-	-	-	-	-	-
Design	SwingDesign	SwingDesign	SwingDesign	HardLine	SwingDesign	SwingDesign	SwingDesign

1 Model classification 8: Freezers

2 **** freezer compartment with -18 °C or colder

3 Climate Ratings: SN +10 °C to +32 °C ST +16 °C to +38 °C
N +16 °C to +32 °C T +16 °C to +43 °C

4 IceMaker - automatic ice-cube maker (can be switched off) with fixed water connection and solenoid valve (needs to be plumbed in)

Chest freezers



Digital temperature display in chest handle
The digital temperature display in the handle allows for a quick and easy view of the current temperature within the freezer compartment.



Interior light
The bright interior light allows a clear view of all your storage food products even in a low ambient lighting conditions.



StopFrost.
This innovation has two distinct advantages: frosting up of the freezer and frozen food is reduced by over 70%, reducing the number of times you need to defrost the freezer. The StopFrost system prevents a vacuum from building up after the lid has been opened and closed.



Jointless foam insulation
The heat-exchange condenser is embedded in foam along the exterior wall, minimising vibration and promoting silent operation. No condensation forms on the outside and the smooth outside walls are easy-to-clean.



Cold storage accumulators
The cold storage accumulators preserve the cold temperatures longer in case of power failure and can also be used for the cool box.



Freezing chart
The freezing chart on the inner lid gives information on how long the different types of food can be kept in frozen storage.

Chest freezers

Electronic control system

- Automatic SuperFrost function
- Control lamps for mains, SuperFrost and alarm

Freezer

- Storage baskets
- One piece, distortion-proof, pressed steel lid
- Condenser embedded in side walls
- StopFrost function
- Freezing chart on inner lid
- Dividing wall – also suitable for use as a water collection tray
- Defrost water drain
- Interior light (except GTS 2112)



Freezing chart

The freezing chart on the inner lid gives information on how long the different types of food can be kept in frozen storage.



Jointless foam insulation

The heat-exchange condenser is embedded in foam along the exterior wall, minimising vibration and promoting silent operation. No condensation forms on the outside and the smooth outside walls are easy to clean.



StopFrost.

This innovation has two distinct advantages: frosting over of the freezer and frozen food is reduced by 70%, reducing the number of times you need to defrost the freezer. The StopFrost system prevents a vacuum from building up after the lid has been opened and closed.



Chest freezers

	GTS 6112	GTS 4912	GTS 4212	GTS 3612	GTS 3012	GTS 2612	GTS 2112
Total net capacity Freezer compartment	572 litre	461 litre	391 litre	334 litre	284 litre	242 litre	199 litre
Energy efficiency class (in 365 days)	<A> (408 kWh)	<A> (354.1 kWh)	<A> (317.6 kWh)	<A> (288.4 kWh)	<A> (262.8 kWh)	<A> (237.3 kWh)	<A> (215.4 kWh)
Climate rating	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T
Exterior dimensions in cm (h/w/d)	91.7/164.7/80.9	91.7/137.2/80.9	91.7/128.8/76	91.7/113.2/76	91.7/99.8/76	91.7/87.2/76	86.2/83.7/73
Number of baskets	3	2	2	2	2	2	1
Finish	white	white not illustrated	white not illustrated	white	white	white not illustrated	white



Type/model numbers	GTS 6112	GTS 4912	GTS 4212	GTS 3612	GTS 3012	GTS 2612	GTS 2112
Model classification ¹	9	9	9	9	9	9	9
Energy efficiency class	<A>	<A>	<A>	<A>	<A>	<A>	<A>
Energy consumption in 365 days	408 kWh	354.1 kWh	317.6 kWh	288.4 kWh	262.8 kWh	237.3 kWh	215.4 kWh
Total net capacity	572 litre	461 litre	391 litre	334 litre	284 litre	242 litre	199 litre
StopFrost function	•	•	•	•	•	•	•
Star coding ²	★★★★	★★★★	★★★★	★★★★	★★★★	★★★★	★★★★
Storage time during malfunctions	59 h	64 h	62 h	60 h	54 h	48 h	36 h
Freezing capacity in 24 hours	30 kg	28 kg	26 kg	24 kg	22 kg	20 kg	15 kg
Climate rating ³	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T
Voltage	220–240 V	220–230 V	220–240 V	220–240 V	220–240 V	220–240 V	220–240 V
Connection rating	1.5 A	1.5 A	1.2 A	1.2 A	1.0 A	0.8 A	0.8 A
Freezer compartment							
Freezer compartment defrosting	Manual	Manual	Manual	Manual	Manual	Manual	Manual
Interior light	light bulb	light bulb	light bulb	light bulb	light bulb	light bulb	–
Number of baskets	3	2	2	2	2	2	1
(more available for subsequent fitting)	13	7	7	8	5	5	6
Maximum number of baskets	16	9	9	10	7	7	7
Defrost water drain	•	•	•	•	•	•	•
Dimensions							
Height x Width	91.7 x 164.7 cm	91.7 x 137.2 cm	91.7 x 128.8 cm	91.7 x 113.2 cm	91.7 x 99.8 cm	91.7 x 87.2 cm	86.2 x 83.7 cm
Depth incl. distance from wall	80.9 cm	80.9 cm	76 cm	76 cm	76 cm	76 cm	73 cm
Features							
Ergonomic chest handle	•	•	•	•	•	•	•
Design	SwingDesign	SwingDesign	SwingDesign	SwingDesign	SwingDesign	SwingDesign	HardLine


1 Model classification 9: Chest freezers

2 ★★★★★ freezer compartment with -18 °C or colder

3 Climate Ratings: SN +10 °C to +32 °C ST +16 °C to +38 °C
N +16 °C to +32 °C T +16 °C to +43 °C

Multi-temperature wine cabinets

The Vinidor series optimally combines the advantages of wine storage cabinets and multi-temperature wine cabinets in one appliance. This series offers two or three wine zones in which the temperature can be set separately for each zone at exact degrees. These appliances also ensure optimum temperature setting options when large amounts of wine need to be stored for long periods.



The solid **wooden pull-out shelves** offer convenient access to bottles. Charcoal air filtration, low vibration and a quiet compressor help to create the perfect environment for wine storage.



The **LED lighting** in the wine cooling compartments can be dimmed to a pleasant ambient light inside the appliance. All Vinidor appliances are equipped with this innovative no-heat LED lighting concept.

Illustration:
WTes 4677

Wine storage cabinets

Wine storage cabinets are the ideal choice for storing large quantities of wine for longer periods. These appliances are also perfect for keeping wine, ready to drink at optimum drinking temperatures. The set temperature is kept constant and even throughout the cabinet.



The **lever handle** in the GrandCru range is ergonomically adapted to the respective door height. This practical door handle, with integrated opening mechanism, allows the door of the appliance to be opened conveniently with a minimum of effort.



The wine storage cabinets of the GrandCru range are equipped with an accurate **electronic control system** with digital temperature display. With this control system the temperatures can be set to the degree required in the range of 5 °C to 20 °C. The Vintothek range can be set between 5 °C and 20 °C using a rotary control button.

Illustration:
WKes 4177



Type/model numbers	WTes 4677 Vinidor	WT 4677 Vinidor	WTes 4177 GrandCru	WT 4177 GrandCru	WT 4127 Vinothek	WT 4126 Vinothek	WTes 1753 Vinidor	WK 5700 Vinothek	WK 4677 GrandCru	WK 4676 GrandCru	WKes 4177 GrandCru	WK 4127 Vinothek	WK 4126 Vinothek	WK 2927 Vinothek	WK 2926 Vinothek	WK 1806 Vinothek	WK 1802 Vinothek
Energy consumption in 365 days	332 kWh	332 kWh	273 kWh	273 kWh	273 kWh	204 kWh	220 kWh	255 kWh	204 kWh	175 kWh	178 kWh	178 kWh	160 kWh	171 kWh	153 kWh	219 kWh	292 kWh
Total net capacity	422 litre	422 litre	394 litre	394 litre	394 litre	386 litre	135 litre	545 litre	444 litre	433 litre	386 litre	386 litre	376 litre	274 litre	268 litre	168 litre	168 litre
Max. No. of Bordeaux bottles 0.75 Ltr	143	143	173	173	173	182	40	231	187	193	162	162	168	115	119	68	68
Climate rating ¹	SN-ST	SN-ST	SN-ST	SN-ST	SN-ST	SN-ST	SN-ST	SN-T	SN-ST	SN-T	SN-ST	SN-ST	SN-T	SN-ST	SN-T	SN-T	N-ST
Voltage	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V
Connection rating	2.0 A	2.0 A	1.2 A	1.2 A	1.2 A	1.0 A	0.9 A	1.5 A	1.2 A	1.2 A	1.2 A	1.2 A	1.0 A	1.2 A	1.0 A	1.0 A	1.0 A
Wine storage compartment																	
Temperature zones	3	3	6	6	6	6	2	1	1	1	1	1	1	1	1	1	1
Temperature range	+5°C to +20°C	+5°C to +20°C	+5°C to +18°C	+5°C to +18°C	+5°C to +18°C	+5°C to +18°C	+5°C to +20°C	+5°C to +20°C	+5°C to +20°C	+5°C to +20°C	+5°C to +20°C	+5°C to +20°C	+5°C to +20°C	+5°C to +20°C	+5°C to +20°C	+5°C to +20°C	+5°C to +20°C
Sep. adjustable cooling circuits	3	3	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1
Door	tin. glazed door	tin. glazed door	tin. glazed door	tin. glazed door	tin. glazed door	stainless steel	tin. glazed door	stainless steel	tin. glazed door	stainless steel	tin. glazed door	tin. glazed door	stainless steel	tin. glazed door	stainless steel	stainless steel	tin. glazed door
Colour	stainless steel	tinto	stainless steel	stainless steel	tinto	tinto	stainless steel	tinto	tinto	tinto	stainless steel	tinto	tinto	tinto	tinto	tinto	tinto
Slimline door handles with integrated opening mechanism	•	•	•	•	–	–	–	–	•	•	•	–	–	–	–	–	–
Interior light	•	•	•	•	•	–	•	–	•	•	•	•	–	•	–	–	•
Electronic control	•	•	•	•	–	–	•	–	•	•	•	–	–	–	–	–	–
Temperature display	internal digital	internal digital	internal digital	internal digital	digital	analog	internal digital	analog	internal digital	digital	internal digital	internal digital	digital	internal digital	internal digital	analog	analog
Child proof function	•	•	•	•	–	–	•	–	•	•	•	–	–	–	–	–	–
Fault: warning signal	vis. and audible	vis. and audible	vis. and audible	vis. and audible	–	–	vis. and audible	–	vis. and audible	vis. and audible	vis. and audible	–	–	–	–	–	–
Door open: warning signal	audible	audible	audible	audible	–	–	audible	–	audible	audible	audible	–	–	–	–	–	–
Dimensions																	
Height x Width	185.5 x 66 cm	185.5 x 66 cm	165.8 x 66 cm	165.8 x 66 cm	165.8 x 66 cm	164.4 x 66 cm	85 x 59.7 cm	170.8 x 75 cm	185.5 x 66 cm	184.1 x 66 cm	165.8 x 66 cm	165.8 x 66 cm	164.4 x 66 cm	126.4 x 66 cm	125 x 66 cm	88.9 x 60 cm	88.9 x 60 cm
Depth incl. distance from wall	67.1 cm	67.1 cm	67.1 cm	67.1 cm	67.1 cm	67.1 cm	58.6 cm	71 cm	67.1 cm	67.1 cm	67.1 cm	67.1 cm	67.1 cm	67.1 cm	67.1 cm	60.5 cm	60.5 cm
Features																	
Design	SwingLine	SwingLine	SwingLine	SwingLine	SwingLine	SwingLine	HardLine	HardLine	SwingLine	SwingLine	SwingLine	SwingLine	SwingLine	SwingLine	SwingLine	SwingDesign	SwingDesign
Wooden pull-out shelves on telescopic rails	10	10	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–
Shelf material	wooden shelf	wooden shelf	wooden shelf	wooden shelf	wooden shelf	wooden shelf	wooden shelf	zincd rails	wooden shelf	wooden shelf	wooden shelf	wooden shelf	wooden shelf	wooden shelf	wooden shelf	zincd rails	zincd rails
Storage shelves	13	13	6	6	6	6	6	7	7	7	6	6	6	4	4	4	4
Activated charcoal filter	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Lock	•	•	•	•	subsequently	subsequently	–	•	•	•	•	•	subsequently	subsequently	subsequently	subsequently	•
Door hinges	right, reversible	right, reversible	right, reversible	right, reversible	right, reversible	right, reversible	right, reversible	right, reversible	right, reversible	right, reversible	right, reversible	right, reversible	right, reversible	right, reversible	right, reversible	right, reversible	right, reversible

¹ Climate Ratings: SN +10 °C to +32 °C ST +16 °C to +38 °C
 N +16 °C to +32 °C T +16 °C to +43 °C

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>