

UNDER SHELF LUMINAIRE TSL SERIES

Page 1 of 2 12-1/4", 21-1/4", 24-1/2", 33-1/2", 42-1/2" LENGTHS, ONE OR TWO LAMPS, T5 PREHEAT

Features

- 1-1/8" shallow depth.
- Five nominal lengths.
- Optional grounded convenience outlet.
- Baked white polyester enamel.
- On/off switch supplied standard with supply pack.






MOUNTING METHODS



Attractive, unobtrusive lighting

DIMENSIONS All K.O.'s are 7/8" unless otherwise noted.



LIGHTOLIER®

Job Information

Type:

Job Name:

Cat. No.:

Lamp(s):

Volts/Ballast:

Lightolier a Genlyte Thomas Company

www.lightolier.com

Technical Information: (978) 657-7600 • Fax (978) 658-0595

631 Airport Road, Fall River, MA 02720 • (508) 679-8131 • Fax (508) 674-4710

We reserve the right to change details of design, materials and finish.

© 2002 Genlyte Thomas Group LLC (Lightolier Division)

A0902

SECTION 3A/Folio H150-09




UNDER SHELF LUMINAIRE **TSL SERIES**

Page 2 of 2 12-1/4", 21-1/4", 24-1/2", 33-1/2", 42-1/2" LENGTHS, ONE OR TWO LAMPS, T5 PREHEAT

ORDERING INFORMATION

Explanation of Catalog Number. Example: TSL0018W BPR



For electronic ballast, substitute **TSLP** for **TSL**, ie: **TSLP0018W BPR**.

OPTIONS & ACCESSORIES

INLINE FUSING: SUFFIX: **GLR**.

GROUNDING CONVENIENCE OUTLET: SUFFIX: **CO**.

SPECIFICATIONS

MATERIALS: Chassis parts are die-formed cold rolled steel.

LENS: Ribbed, white opal acrylic.

FINISH: Cavity—white baked enamel, minimum 85% reflectance.

Phosphate undercoating. Chassis exterior—white baked enamel.

ELECTRICAL: Thermally protected class "P" ballast C.B.M. approved, non PCB.

If K.O. is within 3" of ballast, use wire suitable for at least 90°.

LABELS: I.B.E.W. Listed by Underwriters Laboratories.

Job Information

Type:

Lightolier a Genlyte Thomas Company

www.lightolier.com

Technical Information: (978) 657-7600 • Fax (978) 658-0595

631 Airport Road, Fall River, MA 02720 • (508) 679-8131 • Fax (508) 674-4710

We reserve the right to change details of design, materials and finish.

© 2002 Genlyte Thomas Group LLC (Lightolier Division)

A0902

SECTION 3A/Folio H150-09

LIGHTOLIER®

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>