


The LGS Series signage provides a slim profile that blends well with any commercial or architectural space. Universal mounting allows for recessed ceiling, surface ceiling, surface end or surface wall mount. White LEDs allows for choice of wording/graphic colors such as blue, black and yellow.



How to Order



SERIES

LGS = LG Series
White LED AC
Only Signage



HOUSING FINISH

A = Brushed Aluminum
B = Black
W = White
N = Nickel
G = Gunmetal
BR = Ornamental Bronze
AC = Aged Copper
VG = Velvet Green
GR = Granite



OF FACES

1 = Single
2 = Double



GRAPHICS COLOR

R = Red
G = Green
B = Blue
K = Black
Y = Yellow



LENS INSERT

Blank = Clear
M = Mirror



SPECIAL WORDING

See Back Page



FACTORY INSTALLED OPTIONS

Blank = No options
FL = AC Flasher
RFL = Remote Switched Flasher

Features

- 1. Illumination:** Illumination is accomplished with the use of high brightness LEDs in an optical array offering even illumination.
- 2. Housing:** All housing components are premium die-cast aluminum construction. A wide range of finishes are available; see How to Order above. A bar hanger kit and trimplate is furnished as a standard feature.
- 3. Panel:** Panel is manufactured from high impact acrylic and silk-screened using computer generated artwork.
- 4. Electronics:** 120/277 VAC dual voltage input with surge-protected, solid-state circuitry.
- 5. Input Power Requirements:**
AC Only
120 VAC - 60 Hz, 0.084A, 9.1W, .90Pf
277 VAC - 60 Hz, 0.037A, 9.3W, .90Pf
- 6. Warranty:** Electronics: 5 years

Code Compliance

UL 48 listed, IC rated, UL damp location listing 32°F (0°C) to 104°F (40°C), Meets ADA specifications for wall mounted lighting fixtures

Options Description

FL - AC Flasher option enables the sign to operate in a 50% duty cycle flashing mode any time AC power is present. This option allows off or flashing operation. RFL - Remote Switched Flasher option allows for an external, normally open, dry contact switch to control the flashing mode. This mode allows for off, on, or flashing operation.

Accessories

PKIT12B = Pendant Kit, 12", Black Finish
PKIT12W = Pendant Kit, 12", White Finish

NOTE: Custom pendant lengths and colors available, consult factory.

Job Information	Type:
Job Name:	
Cat. No.:	
Lamp(s):	
Notes:	

631 Airport Road, Fall River, MA 02720 • (508) 679-8131 • Fax (508) 674-4710
We reserve the right to change details of design, materials and finish.
www.lightolier.com © 2008 Philips Group • D0708

Special Wording Examples (Consult factory for additional options.)



E2



E4



E6



E8



E11



E14



E16



E17



E24



E25



E26




E27



E28



E29



E30

Job Informationv Type:

631 Airport Road, Fall River, MA 02720 • (508) 679-8131 • Fax (508) 674-4710
 We reserve the right to change details of design, materials and finish.
www.lightolier.com © 2008 Philips Group • D0708

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>