



LINK ELECTRONICS, INC.

200 SERIES MOUNTING FRAME AUDIO AND VIDEO DA's MODEL PFM-210 / PFM-220



VideoLink Model PFM-210



AudioLink Model PFM-220

FEATURES

- ◆ Holds 4 Modules
- ◆ Plug-in Power Supply
- ◆ Low Power Consumption

The 200 series frames are available in two versions. The video frame, model PFM-210, will accommodate up to four (4) PVA-152/1 video DA's. Each PVA-152/1 has eight (8) video outputs when operating in the PFM-210 frame. Model PFM-220 will accommodate up to four (4) PAA-652/1 audio DA's with (8) low impedance audio outputs. The 200 series comes complete with mounting frame, power supply and rear panel connectors for easy hook-up. The video DA input can be looped for up to 32 outputs with the frame loaded with four modules.

The audio DA input in the PFM-220 frame can be looped for up to 32 mono outputs with the frame loaded with four modules. By using two modules for right signal and two modules for left, the PFM- will provide sixteen stereo outputs.

- ◆ Plug-in DA's
- ◆ Eight Outputs
- ◆ One Rack Unit

The PFM-210 rear panel connectors are BNC and the PFM-220 are captive screw clamp terminals.

The power supply PC board is designed as the basis for both the PFM-210 video and PFM-220 audio frame. The PC board is designed to accept either the video or audio power transformer. The rear panel motherboard correctly routes the input and output signals and provides for future expansion.

The 200 series is ultra stable and extremely reliable for all applications. A ten year warranty covers all Link products including parts and labor.

LINK ELECTRONICS, INC. ◆ 2137 Rust Avenue ◆ Cape Girardeau, MO 63703-7668

Phone 573 334 4433 ◆ FAX 573 334 9255

PFM-210 REAR



PFM-220 REAR



**200 SERIES MOUNTING FRAMES
MODELS PFM-210 & PFM-220**

ELECTRICAL:

Power input: 120 VAC± 10%
..... 50/60 Hz
Connectors: 40 BNC, PFM-210
..... 108 Screw Terminals
Crosstalk: >55dB PFM-210
..... >80dB PFM-220

CONTROLS:

Power Switch: ON/OFF
Gain: Adjust signal level
Fuse: 250mA PFM-210
..... 400mA PFM-220

MECHANICAL, FRAME:

Height: 1 3/4 inches
Width: 19 Inches
Depth: 11 1/2 inches
Weight: 5 pounds

PPS-202 VIDEO POWER SUPPLY

ELECTRICAL:

Input: 120VAC
..... +8 VDC @ 300mA
..... -8 VDC @ 300 mA

PPS-203 AUDIO POWER SUPPLY

Input: 120 VAC
..... +21 VDC @ 500mA
..... -21 VDC @ 500 mA

MECHANICAL, POWER SUPPLY:

Height: 1 1/4 inches
Width: 2.5 Inches
Depth: 10 3/4 inches
Weight: 12.5 Oz.

LINK ELECTRONICS, INC.

2137 Rust Avenue
Cape Girardeau, MO 63703
Phone: 573 334 4433
FAX: 573 334 9255

PROFESSIONAL SERIES--

stand-alone television system products--by LINK

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>