


HomeLink™ Phoneline 10M Network Card

*Build A 10Mbps Network in Your Home or Small Office
Using Only Your Existing Standard Phoneline*



home
Your network is calling



The Second Generation of Phoneline Networking

HomeLink Phoneline 10M Network Card (HPN200)
HomeLink Phoneline 10M Network in a Box
(HPN200SK)

The Linksys HomeLink Phoneline Network Card is the second generation Network Card of the Linksys HomeLink series. Now able to transfer data at the same speed as a standard Ethernet network, the HomeLink Phoneline 10M Network Card is the simplest way to build a network in your home or small office. Share your Internet connection over multiple PCs, connect directly to your first-generation HomeLink or home phoneline network, print from any PC to any printer, and play multi-player games at top speeds without installing a switch, a hub, or even network cables.

By allocating certain frequencies for certain types of data transfer, the Linksys HomeLink Network 10M Card allows your phone line to simultaneously carry computer data along with your voice. You can talk on the telephone, download files from the Internet, and share data between PCs—all at the same time (assuming that you are using a cable or DSL modem). Every standard telephone jack in the home is capable of hosting a PC. You can transform your telephone wiring into an easily expandable network.

Benefits

- Build a 10Mbps Network Over Your Existing Telephone Lines
- Share Internet Access between Your PCs
- No Need for Hubs, Switches or Additional Cables
- Use Your Telephone Jacks to Expand Your Network
- Free Technical Support, 24 Hours a Day, 7 Days a Week
- 5-Year Limited Warranty

Features

- Build a network using your existing telephone line
- 10Mbps or 1Mbps transfer rate
- Share Internet access between your PCs
- Play multi-player games at top speeds
- Enable file, data and printer sharing
- Connect up to 30 PCs with up to 1000 feet of telephone cabling
- Data transfer rate is over 30X faster than a 56K modem
- Compatible with Windows 95, Windows 98, Windows NT 4.0, and Windows 2000*
- Free technical support via telephone or Internet and free driver upgrades
- Frequency division multiplexing for uninterrupted simultaneous voice service and network data transmissions
- UADSL, CSMA/CD, and FCC compliant
- Internal PCI Network Card with 2 RJ-11 modular telephone ports

Specifications

Standards	802.3 compatible
Protocol	CSMA/CD
Ports	Two RJ-11
Cabling Type	Standard Telephone Wire
Topology	Daisy Chain
Speed	1Mbps , 10Mbps
LEDs	Transmit, Link, Receive, Collision

Package Contents

HomeLink Phoneline 10M Network Card

- One HomeLink Phoneline 10M Network Card
- One Standard Telephone Cable
- One User Guide and Registration Card
- One Installation CD-ROM

HomeLink Phoneline 10M Network in a Box

- Two HomeLink Phoneline 10M Network Cards
- Two Standard Modular Telephone Cables
- One User Guide and Registration Card
- One Installation CD-ROM

Environmental

Dimensions	4.75 x 2.56 x 0.5 inches (120 x 65 x 13mm)
Unit Weight	3.0 oz.
Power	2W Maximum
Certifications	FCC Class B, CE Mark Commercial
Operating Temp.	32°F to 122°F (0°C to 49°C)
Storage Temp.	-4°F to 158°F (-20°C to 70°C)
Operating Hum.	10% to 85% Non-Condensing
Storage Hum.	5% to 90% Non-Condensing

Sales (800) 546-5797
Support (800) 326-7114 *or*
(949) 261-1288
Fax (949) 261-8868
Web www.linksys.com



Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>