

# Instant Wireless™ Network Access Point

*The Latest in Wireless Technology.  
The Ultimate in Network Flexibility.*

Free Your PC From  
Cable Restrictions!



Instant Wireless™ Network  
Access Point  
(WAP11)

## Benefits

- Fully Compatible with IEEE 802.11b Standard and Supports a High Data Rate Up to 11 Mbps
- Highly Efficient Dipole Antennas Provides Excellent Range of Operation
- Wireless Office Extends Ethernet Range
- Configurable Through Your USB Port As Well As Through Your Ethernet Connection
- Easy Set-Up--Ready to Run Right out of the Box
- Free Technical Support - 24 Hours a Day, 7 Days a Week (North America Only)
- 1-Year Limited Warranty

**D**on't be bound by cabling restrictions any longer! The Instant Wireless™ Network Access Point from Linksys delivers the freedom to configure your network your way. Utilization of "state-of-the-art" wireless technology gives you the ability to set up workstations in ways you never thought possible; no cables to install means less expense and less hassle.

The Instant Wireless™ Network Access Point's high-powered antenna offers a range of operation of up to 492 feet indoors, providing seamless roaming throughout your wireless LAN infrastructure; an advanced user authentication feature ensures a high level of network security. The Instant Wireless™ Network Access Point is easy to install (Just plug it in and you're ready to go!) and easy to use--Windows-based diagnostics and statistic tools ensure that you'll always be in control.

When all these features come together in one compact, lightweight, and power-efficient unit, you have the ultimate in flexible networking--the Linksys Instant Wireless™ Network Access Point.

## Features

- High-Speed Transfer Rate of Up to 11 Mbps
- Interoperable with IEEE 802.11b (DSSS) 2.4GHz-compliant Equipment
- Provides Roaming, Best Access Point Selection, Load Balancing, and Network Traffic Filtering
- Long Operating Range Supports 150m (indoor) and 500m (outdoor)
- Adjustable Antennas Provide for Physical Configuration
- Wireless Access Point Roaming and Bridging
- MAC Address Filtering, IP Filtering, DHCP Client, and SNMP Configuration Utility Password Protection
- 128-bit Hardware WEP Supported
- Compatible with Virtually All Major Operating Systems
- Free Technical Support - 24 Hours a Day, 7 Days a Week (North America Only)
- 1-Year Limited Warranty

## Specifications

|                        |   |
|------------------------|---|
| <b>Model Number:</b>   | WAP11   |
| <b>Standards</b>       | IEEE 802.3 (wired), IEEE 802.11b (wireless)   |
| <b>Channels</b>        | 11 Channels (US, Canada)<br>13 Channels (Europe)<br>14 Channels (Japan)   |
| <b>Ports</b>           | One 10BaseT RJ-45 Port  |
| <b>Cabling Type</b>    | <b>10BaseT:</b> UTP Category 3 or better  |
| <b>Operating Range</b> | Indoor: <i>up to</i> 50M (164 ft.) @ 11 Mbps<br><i>up to</i> 80M (262 ft.) @ 5.5 Mbps<br><i>up to</i> 120M (393 ft.) @ 2 Mbps,<br><i>up to</i> 150M (492 ft.) @ 1 Mbps<br><br>Outdoor: <i>up to</i> 250M (820 ft.) @ 11 Mbps<br><i>up to</i> 350M (1148 ft.) @ 5.5 Mbps<br><i>up to</i> 400M (1312 ft.) @ 2 Mbps<br><i>up to</i> 500M (1640 ft.) @ 1 Mbps |
| <b>Data Rate</b>       | Up to 11Mbps  |
| <b>LEDs</b>            | Power, Ethernet (Wired - Link/Activity)   |

## Environmental

|                        |   |
|------------------------|---|
| <b>Dimensions</b>      | 8.9" x 5" x 1.6"<br>(226mm x 127mm x 41mm)    |
| <b>Unit Weight</b>     | 12 oz.  |
| <b>Power</b>           | 5V, 550mA TX, 230mA RX                        |
| <b>Certifications</b>  | CE, FCC Class B, UL Listed, ICS-03, WiFi, MIC |
| <b>Operating Temp.</b> | 0°C to 55°C (32°F to 131°F)                   |
| <b>Storage Temp.</b>   | 0°C to 70°C (32°F to 158°F)                   |
| <b>Operating Hum.</b>  | 0% to 70% Non-Condensing                      |
| <b>Storage Hum.</b>    | 0% to 95% Non-Condensing                      |

## Package Contents

### Instant Wireless™ Network Access Point

- One Wireless Network Access Point
- One AC Adapter and Power Cord
- One Wireless Setup CD-ROM
- One Standard USB Cable
- User Guide and Registration Card

### Linksys

17401 Armstrong Ave.  
Irvine, CA 92614 USA

**Sales Information** (800) 546-5797

**Technical Support** (800) 326-7114  
(949) 261-1288

**Fax** (949) 261-8868

**World Wide Web\*** <http://www.linksys.com>

**Email** [sales@linksys.com](mailto:sales@linksys.com)  
[support@linksys.com](mailto:support@linksys.com)

#### China

Tech Support (10) 6432 1920

Sales (10) 6432 1923

Fax (10) 6437 6891

#### Japan

Telephone (03) 5259-5139

Fax (03) 5259-5117

#### Philippines

Telephone (632) 638 5580

Fax (632) 635 6772

#### Singapore

Telephone 552-8998

Fax 552-1024

#### Thailand

Telephone 717-0770

Fax 717-0738

#### United Kingdom

Tech Support 0870 7393939

Sales 01245 352403

Fax 0870 7393938

\* Visit our website for the most current contact information.



## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>