

15MF605T

15" LCD TV

Simply superb performance, great features: High definition TV excitement-ready, the high brightness, ultra-sharp 15MF605T comes with smart features for hassle-free fun, virtual surround high performance audio and doubles as a PC monitor.

- High brightness HDTV-ready LCD TV
- · Crisp, clear, ultra-sharp picture
- · Fast response time panel technology
- Multiple Audio/Video inputs (480i/p, 720p, 1080i)
- VGA input for use as a PC monitor
- · Smart picture and sound presets
- Virtual Surround Sound for enhanced sound
- High-performace audio







15MF605T/17 15" LCD TV

Product specifications

Picture/Display

- Aspect ratio: 4:3
- · Brightness: 400 cd/m²
- · Contrast ratio (typical): 500:1
- · Display screen type: LCD XGA Active Matrix TFT
- Picture enhancement: 2D Combfilter, Automatic skin tone correction, Black stretch, Blue stretch, Green enhancement, Motion adaptive de-interlacing, Progressive Scan, White stretch
- Screen enhancement: Anti-Reflection coated screen
- Viewing angle (H / V): 140 / 125 degree
- · Response time (typical): 16 ms
- Panel resolution: 1024 x 768p

Supported Display Resolution

 Resolution
 Refresh rate

 Computer formats
 640 x 480
 60Hz

 800 x 600
 56, 60Hz

 1024 x 768
 60Hz

 Video formats
 60Hz

480i 60Hz 480p 60Hz 720p 60Hz 1080i 60Hz

Sound

- · Output power (RMS): 2 speakers @ 3w each
- · Sound Enhancement: Virtual Surround Sound
- · Sound System: Mono, SAP

Convenience

- Ease of Installation: Autostore, Fine Tuning, PLL Digital Tuning
- Ease of Use: Auto Volume Leveller (AVL), Smart Picture Control, Smart Sound Control, Closed Captioning Full Text
- Remote control type: RC1112713/17B
- · Remote Control: TV
- Screen Format Adjustments: 4:3, 4:3 expand, 4:3 HD, 16:9 compress

- · Convenience Enhancements: Sleep Timer
- VESA Mount: 75 x 75 mm
- · Child Protection: Child Lock+Parental Control

Tuner/Reception/Transmission

- · Tuner bands: Hyperband, S-Channel, UHF, VHF
- TV system: NTSC
- · Video Playback: Multi-system
- · Aerial Input: 75 ohm F-type
- · Number of channels (cable): 125
- Number of channels (off-air): 69

Connectivity

- · AV 1: Audio L/R in, CVBS in
- AV 2: S-Video
- AV 3: Audio L/R in, YPbPr, 480i, 480p, 576i, 576p, 720p, 1080i
- PC: 3.5 mm PC audio input x1, VGA-in D-Sub 15HD
- Rear Connections: Antenna F-type, Headphone out 3.5 mm iack

Power

- Power consumption: < 45 W
- · Standby power consumption: < 1 W
- Ambient temperature: 5 °C to 40 °C
- Mains power: 90-240 VAC, 50/60 Hz

Dimensions

- Product weight (+stand): 4.2 kg
- Product weight (+stand) (lb): 9.3 lb
- Set dimensions with stand (W x H x D): 452 x 375 x 120 mm
- Set dimensions with stand in inch (W x H x D): 17.8 x 14.8 x 4.7 inch

Accessories

 Included Accessories: Batteries for remote control, Power cord, Quick Use Guide, Remote Control, Right angle antenna adaptor, User Manual, Warranty certificate

HDTV-ready LCD TV

HDTV delivers exceptional picture quality and real movie-viewing experience that makes television more dynamic, truer than anything you've seen before. It is the latest and best television signal available. It features picture quality more than twice that of traditional analog broadcasts. In order to effectively maximize the HDTV signal, a television must incorporate advanced signal input connectivity and circuitry design. To use HDTV the TV must be connected through its component video or DVI inputs to a DTV set-top box and set to operate in the DTV mode.

High quality display

High quality display delivers the very best in high resolution display through the use of outstanding components including a high-end scaler and state-of-the-art 2D combfilter.

Fast response time

Faster response time delivers improved display of video action with faster transitions that dramatically reduce visible image artifacts in the display of fast-moving images.

Multiple AV inputs

Multiple AV inputs accommodate a variety of format choices in connecting video and audio devices (480i/p, 720p, 1080i).

VGA input


VGA input provides a connector to accommodate input of an analog signal for use as a PC monitor.

Smart picture & Smart sound

Smart picture and Smart sound presets are optimized settings for all your favorite types of programs, various display and audio modes that are directly accessed through a single key on the remote control.

Virtual surround sound

Virtual surround sound creates additional audio channels for a theater-like audio experience.



Date of issue 2008-02-22

Version: 3.0.12

12 NC: 8639 000 16036 UPC: 0 37849 95945 9 Specifications are subject to change without notice.

Trademarks are the property of Koninklijke Philips Electronics N.V. or

their respective owners.
© 2008 Magnavox.
All Rights reserved.
www.magnavox.com

Download from Www.Somanuals.com. All Manuals Search And Download.

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com