

OUTDOOR POWER EQUIPMENT HIGH POWER GENERATORS

HIGH POWER GENERATORS WITH LEADING INNOVATION, TECHNOLOGY AND ADVANCED FEATURES Innovative Cooling Design with Large Cooling Fins Engineered into the Crankcase, Cylinder and Mounting Base

Fully Lubricated System as Timing Chain Carries Oil to Camshaft, Rocker Arms and Valve Train for Extended Life

Protected with a Built-in Oil Sensor that Shuts off the Ignition if the Oil Level Drops too Low

Cast Iron Cylinder Increases Durability and Extends Engine Performance Large, Heavy Duty Air and Fuel Filters with High Capacity to Reduce Service Intervals

Durable, Metal Full Cage Tubing Protects Commercial Duty Controls and Engine



G1100 G2800L G4300L






For more info, call 1-800-4MAKIT/ makitaope.com

PERFORMANCE



EX Series engines are chain-driven. Overhead Cam (OHC) with less moving parts & reduced noise*

RELIABILITY



Easy starting with an automatic compression release system. 40% less pulling force in below 0° weather*



EX Series engines are extra quiet with an (OHC) system & rigid muffler that optimizes the noise level*

EFFICIENCY



Durable metal fuel tank. Pent-roof combustion chamber emits less exhaust emissions for more power*

CONTINUOUS OPERATION

HIGH POWER GENERATORS

Models G1100, G2800L, G4300L

Features & Benefits

- Powerful Overhead Cam (OHC) engines for extreme performance and durability*
- Recoil starter system with electronic ignition makes for easy starting and reliable, consistent service
- Noise levels as low as 59 dB for a quieter working environment and low
- Durable metal tank holds up to 4.2 gallons of fuel for longer run time*
- DC output with circuit breakers for consistent electrical flow with overload protection
- Impact resistant design and full cage metal frame protects the commercial duty electrical controls and engine from damage

Specifications

MODEL		G1100 G2800L*		G4300L*	
GENERATOR SPE	CIFICATIONS				
Max. Output Current		1,100W/9.2A	2,800W/23.3A	4,300W/35.8A/17.9A	
Rated Output Current		900W/7.5A	2,400W/20.0A	3,700/30.8A/15.4A	
AC Output		120V	120V	120V/240V	
DC Voltage		12V-8.3A	12V-8.3A	12V-8.3A	
Receptacles		Α	Α	A, C, D	
ENGINE SPECIFIC	CATIONS				
Engine Type		OHV	OHC	OHC	
EX Series Engine		No	Yes	Yes	
Maximum H.P.		2.5	6.0	9.0	
Displacement		85cc	169cc	265cc	
Fuel Tank Capacity		1.1 gal.	3.7 gal.	4.2 gal.	
Continuous Operation		4.2 hrs.	9.7 hrs.	8.0 hrs.	
Noise Level at Rated Output		59 dB	68 dB	71 dB	
SIZE					
Dry Weight		55 lbs.	95 lbs.	121 lbs.	
Dimensions: Length		19-1/2"	21-1/4"	22-3/4"	
Width		11-3/4"	17"	18-1/2"	
Height		17-1/2"	18-3/4"	20"	
			\odot		
A	В		C	D	
One Duplex 120-20A GFCI	One 120V-20A Locking Rec	•		One 120V/240V-20A Locking Receptacle	
GFCI Receptacle	NEMA L5-20R	NE	EMA L5-30R	NEMA L14-20R	



Common Application	Watts	G1100	G2800L	G4300L
Radio	50-200	•	•	•
Color TV	300	•	•	•
Hand Drill	600			
1/2" Drill	600	•	•	•
HID Lighting	800	•	•	
14" Electric Chain Saw	1,100	•	•	•
High-Pressure Washer	1,200		•	
15 AMP Circular Saw	1,400		•	•
8" Bench Grinder	1,800		•	
Small Window A/C	1,500		•	•
10" Table Saw	1,800		•	
Tools & Lights for 1 or 2 Man Crew	2,500		•	•
1.5 HP Air Compressor	2,800		•	
2.0 HP Air Compressor	3,200			•

Makita offers a wide variety of generator accessories. For a complete listing, please refer to the Makita General Catalog, or visit our website at www.makitaope.com, or call 1-800-4MAKITA.





Model G1100 UPC 0 88381 05406 5





Model G2800L UPC 0 88381 05416 4





Model G4300L UPC 0 88381 05424 9



Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com