
1" ROTARY HAMMERS with D-HANDLE



3-MODE SWITCH



2X FASTER DRILLING



Synchronized RPM and BPM prevents overlapping impacts for 2X more efficient drilling

360° VERSATILITY



Chisel rotates 360° with 40 different locking positions to achieve the best working angle (HR2455)

PERFORMANCE



Powerful 7.0 AMP motor; 2.0 ft.lbs. impact energy for demanding applications - weighs 6.2 lbs. (HR2455)



1" ROTARY HAMMERS with D-HANDLE

Model HR2455/HR2445

Features & Benefits

- Powerful 7.0 AMP motor and lightweight 6.2 lbs. (HR2455); 6.0 lbs. (HR2445)
- 2X faster drilling with synchronized RPM and BPM
- Impact Energy (2.0 ft. lbs.); Power-to-Weight Ratio (.32)
- Model HR2455 features 3-mode operation; "rotation only," hammering with rotation" or "hammering only"
- Model HR2445 features 2-mode operation; "rotation only" or "hammering with rotation"
- Positive bit lock ensures that the bit is securely fastened
- 0 1,100 RPM and 0 4,500 BPM (2.7 joules of impact energy) for demanding applications
- Built-in torque limiter helps prevents kickback when hitting reinforcements
- One-touch sliding chuck for easy bit changes; accepts SDS-Plus bits
- Large trigger switch and 360° swivel side handle for added comfort
- Recessed lock-on button for continuous use
- Ergonomic, well balanced design features a rubberized D-handle grip for greater stability, comfort and control with reduced operator fatique



Standard Equipment

- Side Handle (134943-5)
- Depth Gauge (324219-0)
- Tool Case (824695-3)

PITEBUL


Model HR2455

(3-Mode)


Model HR2445 (2-Mode)













Specifications

Capacities:	Wood	1-1/4"
	Steel	1/2"
	Concrete	1"
No Load Speed		0 - 1,100 RPM
Blows per Minute		0 - 4,500
AMPS (115V)		7.0
Overall Length:	HR2455	16 - 3/4"
	HR2445	16 - 3/8"
Net Weight:	HR2455	6.2 lbs.
	HR2445	6.0 lbs.
Shipping Weight:	HR2455	10.34 lbs.
	HR2445	10.12 lbs.
UPC Code	HR2455	088381-05002-9
	HR2445	088381-04960-3

Accessories

Thruster® Carbide-Tipped Bits



- Thruster Style carbide tip penetrates on contact and plows through rebar
- Thruster Style reinforced ground flute for efficient dust removal
- Dynamic chisel shaped head keeps bit in contact with the material at all times
- Available individually, 5/pk and 25/pk
- From 5/32" to 1" diameter

Modular Thin Wall Core Bit System



- For use in non-reinforced concrete, block, brick, etc.
- Specially designed carbide tip geometry for increased penetration
- Core body length: 4-1/4"
- Usable drilling depth: 3-1/4"
- From 1" to 4" diameter

Hammer Steel



- Designed for long lasting performance
- Strength and surface hardness maximize life
- Available in Bull Point, Flat Chisel, Scaling Chisel and Floor Scraper



Makita offers a wide variety of accessories for 1" Rotary Hammers. For a complete listing, please refer to the Makita General Catalog, or visit our website at makitatools.com, or call 1-800-4MAKITA.

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com