

DIGITAL DOCUMENT **On-Ramp**

The new F-525 from Muratec seamlessly captures paper documents for delivery to e-mail addresses, PC folders, fax terminals and color printers.

The F-525 series come equipped with standard:

- › Intuitive touchscreen interface
- › High-speed Ethernet connectivity
- › One-touch color scanning to PC folder, e-mail, FTP and color printer
- › Local and network print capabilities
- › Reliable walk-up and network fax functionality
- › Simple fax server integration
- › 80-sheet automatic document feeder
- › Best-in-class operational cost and performance



F-525 / F-525D

DEPLOY. DUPLICATE. DIGITIZE. DELIVER.

muratec

FEATURES AND BENEFITS

Intuitive, personalized touchscreen operation

- › Large, back-lit touchscreen is easy to operate and significantly reduces user training
- › Default screens may be customized for each user thus simplifying operation and increasing efficiency
- › Program keys allow for one-touch initiation of complex fax and copy commands

High-resolution color scanning (Standard)

- › Scan color documents and photos at up to 600 x 600 dpi resolution

Network scanning (Standard)

- › The F-525 can be deployed into a dynamic, fast-paced workgroup to enable users the ability to conveniently scan hardcopy documents into electronic files for document archiving and delivery
- › Surf corporate networks with ease, delivering documents directly into network folders
- › Create up to 300 folder shortcut keys for one-touch scan initiation

Scan to e-mail (Standard)

- › Send documents to a remote e-mail address at the touch of a button
- › Intuitive QWERTY keypad allows you to add a customized file name, subject line and text message for each transmission
- › Send documents in TIFF, PDF or JPEG format
- › LDAP compliance enables users to quickly and easily locate contacts on a corporate server (Active Directory, OpenLDAP)

Network printing (Standard)

- › High-speed Ethernet connection enables the F-525 to be shared by multiple workgroup users
- › Secure printing enables users to suppress document printout until a password has been entered at the machine control panel
- › Print on Demand enables users to locate commonly printed documents on the network and initiate printing from the F-525 touchscreen

Reliable fax communication (Standard)

- › Fax modem transmits documents at the highest regulated speeds
- › F-525 can integrate into a variety of fax server solutions using the innovative e-mail Gateway feature
- › Send documents to a remote fax terminal directly from your PC using the intuitive fax driver
- › Archive all outbound fax and e-mail transmissions into a secure network location to create an audit trail of communication
- › Route inbound fax documents to an e-mail address to reduce paper consumption and increase document security

1000 entry address book

- › Each location can house a contact name, fax number, e-mail address and group location
- › Broadcast capabilities (fax and e-mail addresses can be mixed during a broadcast)
- › Expand the internal address book to 2000 locations (w/ optional 512 MB memory)
- › Address book supports vCard import from Microsoft Outlook

80-sheet automatic document feeder

- › Enables faxing, copying or scanning of large jobs without having to split them into multiple sets

Flexible paper capacity

- › Standard 500-sheet front loading tray is accessible and user adjustable
- › Optional second 500-sheet cassette allows for the simultaneous use of letter and legal-sized papers

Duplex printing

- › Reduce paper consumption and day-to-day operational costs by utilizing duplex print, copy and fax reception capabilities

Create color copies

- › Scan to print monitor allows you to create color copies using the F-525 and a networked color printer

SPECIFICATIONS — F-525 / F-525D

| GENERAL | |
|-------------------------------|--|
| Print Speed | 14 pages-per-minute |
| User Interface | Touchscreen |
| Document Feeder | 80 sheets |
| Standard Paper Capacity | 550-sheets (includes 50-sheet bypass tray) |
| Maximum Paper Capacity | 1,050-sheets |
| Cassette Paper Weight | 20-24 lb. |
| Duplex Printing (F-525D) | 1:2, 2:2 |
| Duplex Scanning | Manual |
| Dimensions (H x W x D) | 20.5" x 19.3" x 17.5" |
| Weight | 48.7 lbs. |
| DHCP Compliant | Yes (Default On) |
| Ethernet Connection | Standard 10/100 BaseT, RJ-45 connection |
| Network Protocol | TCP/IP |
| Network Authentication | Standard Kerberos |
| Network Filtering | IP Address, MAC Address & Port Filtering |
| Local Connection | Standard USB |
| SCAN | |
| Resolution | 600 x 600 dpi |
| Grayscale | 256 levels |
| Scan to E-mail | Direct or Shortcut |
| File Formats | PDF, TIFF, JPEG |
| Scan to FTP | Direct or Shortcut |
| Scan to PC Folder | Direct or Shortcut |
| Scan to Color Printer | Up to 5 printers can be registered |
| Default Color Scan Speed | 9 seconds |
| Default Monochrome Scan Speed | 4.1 seconds |

| PRINT | |
|---------------------------------------|---|
| Resolution | 600 x 600 dpi |
| Page Description Language | Standard Windows GDI, Optional PCL6 |
| OS Support | Windows 98SE, Me, NT 4.0, 2000, XP, Vista, 2003 |
| Secure Print | Standard |
| Print on Demand | Standard |
| FAX | |
| Modem Speed | 33.6 Kbps |
| Max. Compression | JBIG |
| Max. Transmission Speed | 2 seconds-per-page |
| Default Scan Speed | 1.8 seconds-per-page |
| Standard Image Memory (Page Capacity) | 8 MB (650 pages) |
| Max. Image Memory (Page Capacity) | 40 MB (3370 pages) |
| Document Memory Back-up | 72 hours |
| Address Book | 1000 locations (Expandable to 2000) |
| Group Dialing | 100 groups (Expandable to 200) |
| Fax/E-mail Mixed Transmission | Yes |
| LDAP Directory Support | Yes - Active Directory 2000 & 2003, Open LDAP |
| Block Junk Fax | Yes (up to 50 locations) |
| Security Reception | Yes |
| Fax Forwarding to E-mail | Yes |
| Confirmation Report | Yes (Fax or E-mail) |



As an ENERGY STAR® partner, Muratec America, Inc. has determined that these products meet the ENERGY STAR® guidelines for energy efficiency. Muratec, the Muratec logo and all Muratec product and feature names are trademarks of Muratec America, Inc. Energy Star is a registered trademark of the U.S. Environmental Protection Agency.

MK3168

All specifications subject to change.



Muratec America, Inc.
3301 East Plano Parkway, Suite 100, Plano, TX 75074
For more information on Muratec products or services, call (469) 429-3300 or visit our web site at www.muratec.com

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>