

A fax, copier and printer in every department? Yes.

Every working day, more and more otherwise productive minutes slip away as your employees wait for the copier, or wait for the fax. But you can't afford to give every department its own copier and fax. Or ... can you?

As a matter of fact, now you can. Because, now, there's the Muratec MFX-2000 - a superb fax and digital copier. Its cover ("platen top") opens to let you easily fax or copy from books, ledgers or other three-dimensional objects. And, still better yet, it optionally also becomes a bigb-quality PC or LAN[†] printer.

SPECIFICATIONS	Туре	High-speed facsimile transmitter and re	ceiver for home and office use
DILONIOATIONS	Phone Line	Normal Public Switched Telephone (PS	TN) line or equivalent
	Modem		7,200, 4,800 and 2,400 bps per ITU-T, v.29 and v.27 ter.
	Compatability	ITU-T Group 3	
	Transmission Speed	6 seconds per page*	
	Copier Type	Digital; scan-once/print-many	
	First-Copy-Out Time	9.6 seconds	
	Feeder Capacity	(20-pound bond) 50 letter-sized sheets	
	Resolution	(in lpi, horizontal × vertical): Normal, 203	imes 98; fine, 203 $ imes$ 196; superfine, 203 $ imes$ 392;
		Muratec-proprietary, 305 x 293	
	Grayscale	64-level	
	Printing Width	11.7" (ADF, letter-sized sheets)	
	Scanning Width	11.6" (ADF, letter-sized sheets)	
	Scanning Method	Flatbed CCD	
	Printing Method	Dry, electrophotographic (laser) proces	S
	Consumables Yield	Drum cartridge, 21,000-30,000 pages; tor	ner cartridge, 5,500-7,000 pages.**
	Recording Paper	Standard: two 300-sheet cassettes, lette	er-, legal- or tabloid-sized sheets; optional third and fourth
	Capacity	300-sheet cassettes provide total possib	ole capacity of 1,200 sheets
	Acceptable	(width x height): ADF, single sheet - 12.0"	x 35.4″ maximum, 4.7″ x 3.9″ minimum; ADF, two or more sheets –
	Document Size	11.7" x 16.5" maximum, 4.7" x 3.9" minimu	ım; <i>platen-top</i> , 11.7" x 16.5" maximum, 4.7" x 3.9" minimum
	Weight	111.1 pounds	
	Dimensions	(width \times depth \times height): 22.9" \times 24.2" \times 2	0.6″
	Power	120v ± 10%, 50-60 Hz	
FEATURES	High-volume plain-page	er printing of fax messages and copies	ITU-T superfine transmission, Error Correction Mode (ECM)
FEATURES		h letter, legal or $11'' \times 17''$ sizes	Automatic reduction of oversized fax documents
		00 sheets (two 300-sheet cassettes)	Smoothing and 64-level grayscale
		tional cassettes to boost capacity to	
	either 900 or 1,200 she	ets	Security and control features
	A 4 1 2 1 1 1		 Passcode protection for a variety of operations
	Multipurpose single-sl		 Passcode protection for a variety of operations SecureMail[™] for confidential documents
	Platen-top (cover) or au	tomatic feeding of originals	
	Platen-top (cover) or au • Platen top lets you fax	tomatic feeding of originals or copy easily from books, ledgers and	 SecureMail[™] for confidential documents
	Platen-top (cover) or au • Platen top lets you fax other three-dimension	tomatic feeding of originals or copy easily from books, ledgers and	 SecureMail[®] for confidential documents Junk fax barrier Security transmission Closed network operation
	Platen-top (cover) or au • Platen top lets you fax other three-dimension	tomatic feeding of originals or copy easily from books, ledgers and Ial objects sument feeder for flat sheets	 SecureMail[®] for confidential documents Junk fax barrier Security transmission Closed network operation Departmental coding
	Platen-top (cover) or au • Platen top lets you fax other three-dimension • 50-page automatic doo High-reliability digital of	tomatic feeding of originals or copy easily from books, ledgers and Ial objects sument feeder for flat sheets	 SecureMail[®] for confidential documents Junk fax barrier Security transmission Closed network operation Departmental coding 192-number autodialer
	Platen-top (cover) or au • Platen top lets you fax other three-dimension • 50-page automatic doo High-reliability digital of • Scan-once/print-many • 9.6-second first-copy-t	tomatic feeding of originals or copy easily from books, ledgers and lal objects cument feeder for flat sheets copying r method requires fewer moving parts out time (FCOT)	 SecureMail[®] for confidential documents Junk fax barrier Security transmission Closed network operation Departmental coding 192-number autodialer 72 one-touch numbers, 120 speed-dial numbers
	Platen-top (cover) or au • Platen top lets you fax other three-dimension • 50-page automatic doo High-reliability digital of • Scan-once/print-many • 9.6-second first-copy- • Reduction/enlargemen	tomatic feeding of originals or copy easily from books, ledgers and lal objects cument feeder for flat sheets copying method requires fewer moving parts but time (FCOT) tt – 50%–200%	 SecureMail[®] for confidential documents Junk fax barrier Security transmission Closed network operation Departmental coding 192-number autodialer 72 one-touch numbers, 120 speed-dial numbers 70 delayed dialing commands
	Platen-top (cover) or au • Platen top lets you fax other three-dimension • 50-page automatic doo High-reliability digital of • Scan-once/print-many • 9.6-second first-copy-(• Reduction/enlargemen • Up to 99 copies per ori	tomatic feeding of originals or copy easily from books, ledgers and lal objects cument feeder for flat sheets copying method requires fewer moving parts but time (FCOT) tt – 50%–200%	 SecureMail[®] for confidential documents Junk fax barrier Security transmission Closed network operation Departmental coding 192-number autodialer 72 one-touch numbers, 120 speed-dial numbers 70 delayed dialing commands 32 call groups
	Platen-top (cover) or au Platen top lets you fax other three-dimension 50-page automatic doo High-reliability digital of Scan-once/print-many 9.6-second first-copy-t Reduction/enlargemen Up to 99 copies per ori Sorting and stacking	tomatic feeding of originals or copy easily from books, ledgers and ial objects sument feeder for flat sheets copying v method requires fewer moving parts out time (FCOT) nt – 50%–200% ginal	 SecureMail[®] for confidential documents Junk fax barrier Security transmission Closed network operation Departmental coding 192-number autodialer 72 one-touch numbers, 120 speed-dial numbers 70 delayed dialing commands
	Platen-top (cover) or au Platen top lets you fax other three-dimension 50-page automatic doo High-reliability digital of Scan-once/print-many 9.6-second first-copy-t Reduction/enlargemer Up to 99 copies per ori Sorting and stacking Muratec TriAccess" pro-	tomatic feeding of originals or copy easily from books, ledgers and al objects sument feeder for flat sheets copying v method requires fewer moving parts out time (FCOT) ht – 50%–200% ginal ovides maximum access to machine	 SecureMail[®] for confidential documents Junk fax barrier Security transmission Closed network operation Departmental coding 192-number autodialer 72 one-touch numbers, 120 speed-dial numbers 70 delayed dialing commands 32 call groups EasyDial alphanumeric directory dialing Eight programmable multi-function keys
	Platen-top (cover) or au Platen top lets you fax other three-dimension 50-page automatic doo High-reliability digital of Scan-once/print-many 9.6-second first-copy- Reduction/enlargemer Up to 99 copies per ori Sorting and stacking Muratec TriAccess" pro Large graphical display	tomatic feeding of originals or copy easily from books, ledgers and al objects sument feeder for flat sheets copying or method requires fewer moving parts out time (FCOT) tt – 50%–200% ginal ovides maximum access to machine for easy operation	 SecureMail[®] for confidential documents Junk fax barrier Security transmission Closed network operation Departmental coding 192-number autodialer 72 one-touch numbers, 120 speed-dial numbers 70 delayed dialing commands 32 call groups EasyDial alphanumeric directory dialing
	Platen-top (cover) or au Platen top lets you fax other three-dimension 50-page automatic door High-reliability digital of Scan-once/print-many 9.6.second first-copy	tomatic feeding of originals or copy easily from books, ledgers and lal objects sument feeder for flat sheets copying method requires fewer moving parts out time (FCOT) tt = 50%-200% iginal ovides maximum access to machine r for easy operation ument feeder	 SecureMail[®] for confidential documents Junk fax barrier Security transmission Closed network operation Departmental coding 192-number autodialer 72 one-touch numbers, 120 speed-dial numbers 70 delayed dialing commands 32 call groups EasyDial alphanumeric directory dialing Eight programmable multi-function keys Journals, reports and displays User-controlled confirmation stamp
	Platen-top (cover) or au Platen top lets you fax other three-dimension 50-page automatic door High-reliability digital of Scan-once/print-many 9.6.second first-copy Reduction/enlargemer Up to 99 copies per ori Sorting and stacking Muratec TriAccess" pro Large graphical display 50-page automatic door • Stacks transmitted and	tomatic feeding of originals or copy easily from books, ledgers and lal objects sument feeder for flat sheets copying or method requires fewer moving parts out time (FCOT) tt — 50%–200% iginal ovides maximum access to machine or for easy operation ument feeder d printed documents in original order	 SecureMail[®] for confidential documents Junk fax barrier Security transmission Closed network operation Departmental coding 192-number autodialer 72 one-touch numbers, 120 speed-dial numbers 70 delayed dialing commands 32 call groups EasyDial alphanumeric directory dialing Eight programmable multi-function keys Journals, reports and displays User-controlled confirmation stamp Page numbering
	Platen-top (cover) or au Platen top lets you fax other three-dimension 50-page automatic door High-reliability digital of Scan-once/print-many 9.6.second first-copy-1 Reduction/enlargemer Up to 99 copies per ori Sorting and stacking Muratec TriAccess" pro Large graphical display 50-page automatic door Stacks transmitted and Substantial memory, sta	tomatic feeding of originals or copy easily from books, ledgers and lal objects sument feeder for flat sheets copying method requires fewer moving parts out time (FCOT) tt = 50%-200% iginal ovides maximum access to machine or for easy operation ument feeder d printed documents in original order andard or optional***	 SecureMail[®] for confidential documents Junk fax barrier Security transmission Closed network operation Departmental coding 192-number autodialer 72 one-touch numbers, 120 speed-dial numbers 70 delayed dialing commands 32 call groups EasyDial alphanumeric directory dialing Eight programmable multi-function keys Journals, reports and displays User-controlled confirmation stamp
	Platen-top (cover) or au Platen top lets you fax other three-dimension 50-page automatic door High-reliability digital of Scan-once/print-many 9.6.second first-copy Reduction/enlargemer Up to 99 copies per ori Sorting and stacking Muratec TriAccess" pro Large graphical display 50-page automatic door • Stacks transmitted and	tomatic feeding of originals or copy easily from books, ledgers and lal objects sument feeder for flat sheets sopying method requires fewer moving parts out time (FCOT) tt – 50%–200% ginal ovides maximum access to machine for easy operation ument feeder d printed documents in original order andard or optional***	 SecureMail[®] for confidential documents Junk fax barrier Security transmission Closed network operation Departmental coding 192-number autodialer 72 one-touch numbers, 120 speed-dial numbers 70 delayed dialing commands 32 call groups EasyDial alphanumeric directory dialing Eight programmable multi-function keys Journals, reports and displays User-controlled confirmation stamp Page numbering ENERCY STAR[®] compliance for energy efficiency
	Platen-top (cover) or au Platen top lets you fax other three-dimension 50-page automatic doo High-reliability digital of Scan-once/print-many 9.6-second first-copy-1 Reduction/enlargemer Up to 99 copies per ori Sorting and stacking Muratec TriAccess" pro Large graphical display 50-page automatic doct Stacks transmitted and Substantial memory, sta • Standard capacity, 238	tomatic feeding of originals or copy easily from books, ledgers and lal objects sument feeder for flat sheets sopying method requires fewer moving parts out time (FCOT) tt – 50%–200% ginal ovides maximum access to machine for easy operation ument feeder d printed documents in original order andard or optional***	 SecureMail[®] for confidential documents Junk fax barrier Security transmission Closed network operation Departmental coding 192-number autodialer 72 one-touch numbers, 120 speed-dial numbers 70 delayed dialing commands 32 call groups EasyDial alphanumeric directory dialing Eight programmable multi-function keys Journals, reports and displays User-controlled confirmation stamp Page numbering ENERGY STAR[®] compliance for energy efficiency Optional second phone line (33.6 Kbps modem)
	Platen-top (cover) or au Platen top lets you fax other three-dimension 50-page automatic door High-reliability digital of Scan-once/print-many 9.6-second first-copy-t Reduction/enlargemer Up to 99 copies per ori Sorting and stacking Muratec TriAccess" pro Large graphical display 50-page automatic docc Stacks transmitted and Substantial memory, sta Standard capacity, 238 Expandable to 558 pag High-speed operation • 14.4 Kbps modem	tomatic feeding of originals or copy easily from books, ledgers and al objects sument feeder for flat sheets copying wethod requires fewer moving parts out time (FCOT) ht - 50%-200% ginal ovides maximum access to machine for easy operation ment feeder d printed documents in original order andard or optional*** 8 pages es	 SecureMail" for confidential documents Junk fax barrier Security transmission Closed network operation Departmental coding 192-number autodialer 72 one-touch numbers, 120 speed-dial numbers 70 delayed dialing commands 32 call groups EasyDial alphanumeric directory dialing Eight programmable multi-function keys Journals, reports and displays User-controlled confirmation stamp Page numbering ENERGY STAR" compliance for energy efficiency Optional second phone line (33.6 Kbps modem) Gives you two fax machines in one device Allows simultaneous reception and transmission Optional Centronics" parallel port and GDI software
	Platen-top (cover) or au Platen top lets you fax other three-dimension 50-page automatic door High-reliability digital of Scan-once/print-many 9.6-second first-copy Reduction/enlargemer Up to 99 copies per ori Sorting and stacking Muratec TriAccess" pro Large graphical display 50-page automatic door Stacks transmitted and Substantial memory, sta Standard capacity, 238 Expandable to 558 pag High-speed operation 14.4 Kbps modem 14.4 scond quick scan	tomatic feeding of originals or copy easily from books, ledgers and all objects sument feeder for flat sheets copying or method requires fewer moving parts out time (FCOT) tt - 50%-200% ginal ovides maximum access to machine of or easy operation ament feeder d printed documents in original order andard or optional*** 8 pages es	 SecureMail" for confidential documents Junk fax barrier Security transmission Closed network operation Departmental coding 192-number autodialer 72 one-touch numbers, 120 speed-dial numbers 70 delayed dialing commands 32 call groups EasyDial alphanumeric directory dialing Eight programmable multi-function keys Journals, reports and displays User-controlled confirmation stamp Page numbering ENERCY STAR" compliance for energy efficiency Optional second phone line (33.6 Kbps modem) Gives you two fax machines in one device Allows simultaneous reception and transmission Optional Centronics" parallel port and GDI software for PC printing
	Platen-top (cover) or au Platen top lets you fax other three-dimension 50-page automatic door High-reliability digital of Scan-once/print-many 9.6second first-copy Reduction/enlargemer Up to 99 copies per ori Sorting and stacking Muratec TriAccess" pro Large graphical display 50-page automatic door Stacks transmitted and Substantial memory, sta Standard capacity, 238 Expandable to 558 pag High-speed operation 14.4 Kbps modem 14.4 second quick scan 15-ppm laser print eng	tomatic feeding of originals or copy easily from books, ledgers and all objects sument feeder for flat sheets copying or method requires fewer moving parts out time (FCOT) tr - 50%-200% iginal ovides maximum access to machine or for easy operation ument feeder d printed documents in original order andard or optional*** 8 pages es	 SecureMail[®] for confidential documents Junk fax barrier Security transmission Closed network operation Departmental coding 192-number autodialer 72 one-touch numbers, 120 speed-dial numbers 70 delayed dialing commands 32 call groups EasyDial alphanumeric directory dialing Eight programmable multi-function keys Journals, reports and displays User-controlled confirmation stamp Page numbering ExERGY STAR[®] compliance for energy efficiency Optional second phone line (33.6 Kbps modem) Gives you two fax machines in one device Allows simultaneous reception and transmission Optional Centronics[®] parallel port and GDI software for PC printing Works with Microsoft[®] Windows[®]
	Platen-top (cover) or au Platen top lets you fax other three-dimension 50-page automatic door High-reliability digital of Scan-once/print-many 9.6.6-second first-copy Reduction/enlargemer Up to 99 copies per ori Sorting and stacking Muratec TriAccess" pro Large graphical display 50-page automatic door Stacks transmitted and Substantial memory, sta Standard capacity, 238 Expandable to 558 pag High-speed operation 14.4 Kbps modem 1.4.5 second quick scan 15-ppm laser print eng 6-second transmission	tomatic feeding of originals or copy easily from books, ledgers and all objects sument feeder for flat sheets copying or method requires fewer moving parts out time (FCOT) tt - 50%-200% iginal ovides maximum access to machine or for easy operation ument feeder d printed documents in original order andard or optional*** 8) pages es	 SecureMail[®] for confidential documents Junk fax barrier Security transmission Closed network operation Departmental coding 192-number autodialer 72 one-touch numbers, 120 speed-dial numbers 70 delayed dialing commands 32 call groups EasyDial alphanumeric directory dialing Eight programmable multi-function keys Journals, reports and displays User-controlled confirmation stamp Page numbering Excrev Staf[®] compliance for energy efficiency Optional second phone line (33.6 Kbps modem) Gives you two fax machines in one device Allows simultaneous reception and transmission Optional Centronics[®] parallel port and GDI software for PC printing Works with Microsoft[®] Windows[®] Up to 400 dpi quality
	Platen-top (cover) or au Platen top lets you fax other three-dimension 50-page automatic door High-reliability digital of Scan-once/print-many 9.6.esecond first-copy Reduction/enlargemer Up to 99 copies per ori Sorting and stacking Muratec TriAccess" pro Large graphical display 50-page automatic door Stacks transmitted and Substantial memory, sta Standard capacity, 238 Expandable to 558 pag High-speed operation 14.4 Kbps modem 14.4 second quick scan 15-ppm laser print eng 6-second transmission Broadcasting – up to 19	tomatic feeding of originals or copy easily from books, ledgers and all objects sument feeder for flat sheets copying or method requires fewer moving parts out time (FCOT) tt - 50%-200% iginal ovides maximum access to machine or for easy operation ument feeder d printed documents in original order andard or optional*** 8 pages es	 SecureMail" for confidential documents Junk fax barrier Security transmission Closed network operation Departmental coding 192-number autodialer 72 one-touch numbers, 120 speed-dial numbers 70 delayed dialing commands 32 call groups EasyDial alphanumeric directory dialing Eight programmable multi-function keys Journals, reports and displays User-controlled confirmation stamp Page numbering Excery Stark" compliance for energy efficiency Optional second phone line (33.6 Kbps modem) Gives you two fax machines in one device Allows simultaneous reception and transmission Optional Centronics" parallel port and GDI software for PC printing Works with Microsoft" Windows" Up to 400 dpi quality Standalone or LAN' options
	Platen-top (cover) or au Platen top lets you fax other three-dimension 50-page automatic door High-reliability digital of Scan-once/print-many 9.6.6-second first-copy	tomatic feeding of originals or copy easily from books, ledgers and all objects sument feeder for flat sheets copying or method requires fewer moving parts out time (FCOT) tt - 50%-200% iginal ovides maximum access to machine or for easy operation ument feeder d printed documents in original order andard or optional*** 8) pages es	 SecureMail" for confidential documents Junk fax barrier Security transmission Closed network operation Departmental coding 192-number autodialer 72 one-touch numbers, 120 speed-dial numbers 70 delayed dialing commands 32 call groups EasyDial alphanumeric directory dialing Eight programmable multi-function keys Journals, reports and displays User-controlled confirmation stamp Page numbering ENERCY STAR" compliance for energy efficiency Optional second phone line (33.6 Kbps modem) Gives you two fax machines in one device Allows simultaneous reception and transmission Optional Centronics" parallel port and GDI software for PC printing Works with Microsoft* Windows* Up to 400 dpi quality Standalone or LAN' options Optional stam for greater convenience
	Platen-top (cover) or au Platen top lets you fax other three-dimension 50-page automatic door High-reliability digital of Scan-once/print-many 9.6second first-copy-1 Reduction/enlargemer Up to 99 copies per ori Sorting and stacking Muratec TriAccess" pro Large graphical display 50-page automatic door Stacks transmitted and Substantial memory, sta Standard capacity, 238 Expandable to 558 pag High-speed operation 14.4 Kbps modem 14.4 kbps modem 14.4 second quick scan 15-ppm laser print eng 6-second transmission Broadcasting – up to 19 Relay broadcasting – in Batch transmission	tomatic feeding of originals or copy easily from books, ledgers and lal objects sument feeder for flat sheets copying method requires fewer moving parts out time (FCOT) tt - 50%-200% iginal ovides maximum access to machine or for easy operation ument feeder d printed documents in original order andard or optional*** apages es ine a speed 7 locations ititation and "hub" activity	 SecureMail" for confidential documents Junk fax barrier Security transmission Closed network operation Departmental coding 192-number autodialer 72 one-touch numbers, 120 speed-dial numbers 70 delayed dialing commands 32 call groups EasyDial alphanumeric directory dialing Eight programmable multi-function keys Journals, reports and displays User-controlled confirmation stamp Page numbering Excery Stark" compliance for energy efficiency Optional second phone line (33.6 Kbps modem) Gives you two fax machines in one device Allows simultaneous reception and transmission Optional Centronics" parallel port and GDI software for PC printing Works with Microsoft" Windows" Up to 400 dpi quality Standalone or LAN' options
	Platen-top (cover) or au Platen top lets you fax other three-dimension 50-page automatic door High-reliability digital of Scan-once/print-many 9.6second first-copy-1 Reduction/enlargemer Up to 99 copies per ori Sorting and stacking Muratec TriAccess" pro Large graphical display 50-page automatic door Stacks transmitted and Substantial memory, sta Standard capacity, 238 Expandable to 558 pag High-speed operation 14.4 Kbps modem 14.4 kbps modem 14.4 second quick scan 15-ppm laser print eng 6-second transmission Broadcasting – up to 19 Relay broadcasting – in Batch transmission	tomatic feeding of originals or copy easily from books, ledgers and all objects sument feeder for flat sheets copying or method requires fewer moving parts out time (FCOT) tt - 50%-200% iginal ovides maximum access to machine or for easy operation ument feeder d printed documents in original order andard or optional*** 8 pages es	 SecureMail" for confidential documents Junk fax barrier Security transmission Closed network operation Departmental coding 192-number autodialer 72 one-touch numbers, 120 speed-dial numbers 70 delayed dialing commands 32 call groups EasyDial alphanumeric directory dialing Eight programmable multi-function keys Journals, reports and displays User-controlled confirmation stamp Page numbering ENERGY STAR* compliance for energy efficiency Optional second phone line (33.6 Kbps modem) Gives you two fax machines in one device Allows simultaneous reception and transmission Optional Centronics* parallel port and GDI software for PC printing Works with Microsoft* Windows* Up to 400 dpi quality Standalone or LAN' options Optional stam for greater convenience Allows easy storage of consumables

Muratec"

Muratec America, Inc. • 6400 International Parkway, Suite 1500 • Plano, TX 75093. For more information on Muratec products and services, call (972) 364-3300 or visit our Web site at www.muratec.com • MK3069

MFX-7000

** Based on letter-sized sheets and 4% document cover- age. In each case, lower figure is for two-page printing cycle, while higher figure is for continuous printing.
*** Based on ITU-T Test Document 1 stored at normal resolution.
Som the
As an ENERGY STAR® partner, Muratec America, Inc., has determined that the F-95 meets the ENERGY STAR guidelines for energy efficiency.

* Based on transmission of ITU-T Test Document 1 to a Murate Cax. Your transmission times will vary, but your Muratec fax machine always will provide the fastset transmission speeds possible under ITU-T guidelines and phone line conditions.

† Check with your authorized Muratec dealer about availability. Muratec, the Muratec logo and all Muratec product and feature names are trademarks of Muratec America, Inc. Windows is a registered Windows is a registered trademark of Microsoft Corporation. Centronics is a registered trademark of Centronics Corporation. Exercor STAR and the Energy Star logo are registered marks of the United States Environmental Protection Agency. All the information in this document is subject to change without notice.

© 1997 Muratec America, Inc.



Muratec MFX-2000



The MFX-2000 has 64-level grayscale. So, even if it's a photo or some shaded art that you want to fax or copy, the crystalclear results won't leave you stone-faced.

It's legitimate to call just about any plain-paper fax machine a "fax/copier." But now, with the coming of the platen-top fax/copier, the "copier" side of that name gains an impressive new meaning. Now, it's easy to fax or copy something that doesn't fit into an automatic document feeder. Now, there's the Muratec MFX-2000.


But the MFX-2000 is more than "just" a platen-top fax/copier. Boasting a buge expandable memory, 1.4-second quick scan, 15-ppm laser print engine, bigh-reliability digital copying with sorting, 50%-200% copy reduction, 9.6-second first-copy-out time, a 14.4 Kbps fax modem, 70 delayed fax commands, paper capacity up to 1,200 sheets, true $11'' \times 17''$ paper handling, 50-sheet document feeder and optional PC and LAN^{\dagger} printing, the Muratec MFX-2000 is an **outstanding** platen-top fax/copier.




Faxing something besides a flat sheet say, a page from a book or newspaper once meant making a copy first and then faxing the copy. But, with the MFX-2000, just lift the cover and place your original on the glass, as on a regular copier. We also include a 50-page automatic document feeder for those times when flat is still OK.



The large graphical display makes it easier to use even the most sophisticated features on your MFX-2000.





The MFX-2000's standard printing paper capacity is 600 sheets – letter- or legal-sized, or even $11'' \times 17''$. Options let you boost capacity to 1,200 sheets and even add a spacesaving stand.


As great as it is right out of the box, the Muratec MFX-2000 can get even better. Because you can add higher-performance upgrades. *The second-line option, which includes a second fax modem* (and this one works at an even faster 33.6 Kbps), transforms your MFX-2000 into two faxes in one. Thus, your machine can actually conduct two communications at the same time, shattering your office's fax bottlenecks and boosting productivity. The MFX-2000's paper capacity easily grows from the standard

600 sheets to 900 or 1,200 sheets. Each 300-sheet cassette, standard or optional, holds letter-sized, legal-sized or $11'' \times 17''$ paper. Load different sizes and the MFX-2000 prints from the correct cassette automatically, based on the original.

You can upgrade the machine's memory from the standard 238-page capacity to a mammoth 558-page capacity. The more memory your MFX-2000 bas, the more documents it can save for fast memory transmission, out-of-paper reception and more.

And the PC/LAN^{\dagger} printing option adds even more "multi" to this Muratec multifunctional machine. This includes a standard parallel port and Windows[®]-compatible GDI driver for easy setup.

A simple upgrade transforms your MFX-2000 into not only a great fax and copier but also a highquality PC and LAN[†] printer for use with Microsoft® Windows®



Download from Www.Somanuals.com. All Manuals Search And Download.

Free Manuals Download Website <u>http://myh66.com</u> <u>http://usermanuals.us</u> <u>http://www.somanuals.com</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.com</u> <u>http://www.404manual.com</u> <u>http://www.luxmanual.com</u> <u>http://aubethermostatmanual.com</u> Golf course search by state

http://golfingnear.com Email search by domain

http://emailbydomain.com Auto manuals search

http://auto.somanuals.com TV manuals search

http://tv.somanuals.com