

MFX-2830

Productivity POWERHOUSE

The MFX-2830 delivers quality copying capabilities with innovative network connectivity features.



Key Specifications:

- ❖ 28 copies-per-minute
- ❖ Single pass duplex scanner
- ❖ Interactive voice guidance system
- ❖ OfficeBridge™ Pro connectivity features
- ❖ Flexible paper capacity
- ❖ Sort, staple and other finishing features

Features & Benefits

28 ppm print engine

- Powerful print engine provides faster output speed than comparably priced units

Interactive voice guidance system

- Step-by-step instruction for paper jam removal, programming the address book, setting operational procedures and much more

Fast first copy out and warm-up times

- 5.0 second first copy out time and 17 second warm-up time increases office efficiency

Card Copy mode

- Improve efficiency by copying both sides of an insurance card or drivers license through a simplified process

Finishing features

- Automatically sort, staple and stack documents for a clean professional finish

Single pass duplex scanner

- Scan and process two-sided documents in a single pass, reducing processing time and machine wear

Large paper capacity

- Easily handles up to 3,650 sheets, using three trays and a multi-purpose bypass

Intuitive panel

- Simple layout makes programming copy jobs, fax transmissions and scan destinations a snap

OfficeBridge Pro functionality

The OfficeBridge Pro digital connectivity solution affordably expands the capabilities of the MFX-2830 with the following:

- Network printing
- Desktop faxing
- Scan to e-mail
- Internet faxing
- Network scanning

OfficeBridge Pro also offers inbound fax routing, programming of autodialer numbers directly from the PC and other powerful features – all through an intuitive, browser-based interface.



CONFIGURATIONS – MFX-2830

Model	MFX-2830	MFX-2830 with OfficeBridge Pro
Digital Copier	Standard	Standard
Fax Machine	Standard	Standard
Internet Fax	Optional	Standard
Desktop Fax	Optional	Standard
Network Printing	Optional	Standard
Local Printing	Standard	Standard
Network Scanning	Optional	Standard
Scan to e-mail	Optional	Standard

SPECIFICATIONS – MFX-2830

Classification	Segment 2	Toner Yield	14,000 @ 6% coverage	Staple Limit (pg)	50
Print Speed (PPM)	28	Drum Yield	84,000	Punch Finishing	Opt. (2 position)
Duplex Print Speed (PPM)	15	Copier Memory	32 MB	Finisher Output Capacity (pg)	1,200
FCOT	5 seconds	Max. Copier Memory	64 MB	Electronic Sorting	Standard
Warm-up Time	17 seconds	Print/Copy Functions	Combine, Auto/Text/Photo Modes, Positive/Negative Image Reverse, Book Copy, Erase, Image Repeat, Copy Reservation, XY Zoom	Off-Set Stacking	Included w/Staple Finisher
Control Panel	Touchscreen	Copy Resolution	600 x 600 dpi	Local GDI Printing	Standard
Document Feeder (pg)*	100	Job Program	10 jobs	PCL 5e/6 Printing	Opt. (Local & Network)
Insert Document (ADF)	Face Up	Number of Copies	1-999	Driver Installation	Client/Server
Paper Capacity**	1,150	Zoom Ratio	25-400% in 1% increments	OS Support	Windows 98SE/ME/NT 4.0/2000/XP/Server 2003
Max. Paper Capacity**	3,650	Card Copy	Standard	Network Interface	Opt. Ethernet
Max. Paper Sources	5	Copy Scan Speed (FBS)	1.6 spp	Interface Type	10/100 BaseT
Cassette Paper Weight	16 to 24 lb.	Copy Scan Speed (ADF)	1.6 spp	Fax Modem	Standard, 33.6 Kbps w/JBIG data compression
Bypass Paper Weight	15 to 53 lb.	Duplex Copy Scan Speed	1.9 spp	Transmission Speed	2.8 spp
Automatic Tray Change	Standard	Program Keys	6	Address Book Locations	500
Output Tray Capacity	500	PC-Scan Speed (Default)	0.8 spp	Fax Functions	Auto/Manual Dialing, Batch Tx, Broadcasting, Delayed Tx, F-code Compliant, Group Dialing, Multi-Access, Polling Tx/Rx, Overseas Dialing
Max. Original Size	11" x 17"	Scan Resolution	Up to 600 x 600 dpi	Fax Scan Speed (Default)	0.8 spp
Duplex Scanning	Standard single-pass	Scan Formats	TIFF, PDF	Fax Resolution	Up to 400 x 400
Duplex Printing	Opt (1:2, 2:2, 2:1)	Scan Functions	E-mail, Network TWAIN, Internet Fax		
Mixed-Original Detection	Yes	Staple Finishing	Opt (3 position)		
Auto. Image Adjustment	Yes				
Department Code Tracking	Copy & Fax				
Usage Counter	Print & Scan				
Dimensions	26.7" x 26" x 33.7"				
Weight (in pounds)	177.3 lbs				

* Based on letter-sized paper.

**Based on letter-sized paper. Figure includes 150-sheet multipurpose bypass tray.

All specifications subject to change without notice. Manufacturer is not responsible for misprints, errors or misinterpretations of the information presented in this material.



As an ENERGY STAR® partner, Muratec America, Inc. has determined that these products meet the ENERGY STAR® guidelines for energy efficiency.

Muratec, the Muratec logo and all Muratec product and feature names are trademarks of Muratec America, Inc. Energy Star is a registered trademark of the U.S. Environmental Protection Agency.



Muratec America, Inc.

3301 East Plano Parkway, Suite 100, Plano, Texas 75074

For more information on Muratec products or services, call (469) 429-3300 or visit our web site at www.muratec.com

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>