



EPSON PowerLite® 30c

The Perfect Partner for Work and Play!

With the EPSON PowerLite 30c, you can get rich Epson image quality both at home and in the office.

This projector can deliver your next business presentation, then be taken home for big-screen entertainment including video games, movies, and more. Its easy-to-use cinema filter enhances movie images in the dark for an authentic theater feeling.

Designed to fit most any presentation style, this 6.4 lb projector offers SVGA resolution, and a sharp 400:1 contrast ratio. With EPSON 0.5" LCD technology, it provides many of the benefits of larger, more expensive projectors in a convenient, lightweight unit.

Not only is the PowerLite 30c easy to transport, but it's ready to use right out of the box. A simple control panel makes it easy to operate, while its corresponding remote control offers presentation flexibility. With its attractive pricing and feature set, this ultraportable is perfect for all your projection needs.

The EPSON PowerLite 30c is backed by unbeatable service and support, including a comprehensive one-year warranty and access to person-to-person toll-free technical support. Every EPSON PowerLite projector has met stringent quality control standards from the design table to the shipping dock, to ensure the highest degree of performance. And, experienced professionals who service and sell multimedia projectors choose Epson 5:1 as the most reliable.

Excellent detail and razor-sharp contrast


- Three 0.5" high aperture LCDs for rich color saturation across the screen
- 400:1 contrast ratio for blacker blacks and whiter whites
- SVGA (800 x 600) resolution for sharp, vivid detail

Easy setup and operation

- Monitor out capability so you can display images on a monitor and screen simultaneously
- Cinema filter enhances video for movie theater images
- +/- 15° digital keystone correction for distortion-free images
- EPSON SizeWise™ resizing technology supports virtually any computer (Mac or PC) up to XGA (1024 x 768)
- Easy-to-use remote control
- Digital zoom
- Cable lock feature for security-conscious environments
- Start Here Kit gets first-time users projecting in just minutes

Renowned EPSON service and support (free for the duration of the one-year warranty)

- International warranty in over 45 countries, offered exclusively by Epson
- 90-day bulb warranty for added dependability
- EPSON Road Service Program provides a replacement projector, typically within 24 hours
- EPSON PrivateLine™ dedicated toll-free support line available from 6 a.m. to 6 p.m. PST Monday – Friday (calls are answered live, typically in under a minute)



EPSON PowerLite 30c Specifications

Projection System	EPSON original LCD prism technology	
Projection Method	Front/rear/ceiling mount	
LCD		
Size	0.5"	
Driving method	EPSON Poly-Silicon TFT Active Matrix	
Pixel number	480,000 dots x 3 (800 x 600) LCDs	
Native resolution	SVGA	
Aspect ratio	4:3 (supports 16:9, 5:4)	
Pixel arrangement	Stripe	
Projection Lens		
Type	Manual: focus	
F-number	2	
f-number	16.6mm	
Zoom ratio	Digital (1.0-1.2); lens at max size, zoom reduces up to 80.66%	
Lamp		
Type	130W UHE	
Life (typical)	1500H	
Screen Width Ratio (distance/width)	1.47 to 1.89:1	
Screen Size (projected distance)	30" to 300" (0.9m to 11.3m)	
Keystone Correction	Vertical: +/-15°	
Brightness (typical)	800 ANSI lumens	
Contrast Ratio	400:1	
Brightness Uniformity (typical)	85%	
Color Reproduction	24 bit; 16.7ml	
Audio Output	1W Monaural	
Operating Temperature	41°F to 95°F (5°C to 35°C)	
Power Supply Voltage	100-120V / 200-240V +/-10%, 50/60Hz AC	
Power Consumption	190W (6W at sleep mode)	
Dimensions (includes lens and feet)	8.8" x 12.17" x 4.1"	
Dimensions (excludes lens and feet)	8.6" x 12.17" x 3.66"	
Weight	6.4lb/2.9kg	
Fan Noise	35db	
Effective Scanning Frequency Range		
Pixel clock	13.5MHz to 162MHz	
Horizontal	15KHz to 92KHz	
Vertical	50Hz to 85Hz	
Remote Control		
Features	Keystone, source selection, power, color mode, volume, presets, e-zoom, a/v mute, freeze	
Operating angle	Right/Left +/- 30° Upper/Lower +/- 15°	
Operating distance	20ft (6m)	
RGB		
	Analog RGB I/O	
Display performance		
Native	800 x 600	
Resize	1024 x 768, 640 x 480	
Input terminal		
Video	Mini D-sub 15 pin	
Audio	Stereo mini jack	
Output terminal		
Video	Mini D-sub 15pin (monitor out)	

Video I/O	
Display performance	NTSC: 550 lines, PAL: 550 lines (Depends on observation of the multi burst pattern)
Input signal	NTSC, NTSC4.43, PAL, M-PAL, N-PAL, PAL60, SECAM HDTV: 480i, 480p, 720p, 1080i
Input terminal	
Video	Composite Video: RCA (Yellow) x 1; S-video: Mini DIN; Component Video: Mini D-sub 15pin (in common with Analog RGB connector); Video-RGB: Mini D-sub 15pin (in common with Analog RGB connector)
Audio	RCA (White) x 1
Audio Signal	500m Vrms/47Kohm
Control I/O	
I/O terminal	RS-232C
Security	
	Kensington®-style lock provision

Warranty

One year limited warranty, 1-year international warranty, 90-day lamp warranty, EPSON Road Service Program and EPSON PrivateLine dedicated toll-free support (U.S. and Canada only)

Supplied Accessories

Power cable, card-type remote control with lithium battery, computer cable, cinema filter, Start Here Kit, soft carrying case

Product/Accessory Part Numbers

EPSON PowerLite 30c Projector	V11H105020
Replacement lamp	V13H010L19
Samsonite wheeled soft case	ELPKS24
Samsonite Notebook/projector soft shoulder bag	ELPKS43
ATA molded hardshell case	ELPKS44
Ceiling mount	ELPMB38
Suspension adapter	ELPMBAPL
False ceiling plate	ELPMBFCP
Distribution amplifier	ELPDA01
Component video cable	ELPKC19
Mac adapter set	ELPAP01
50" portable screen	ELPSC06
60" portable pop-up screen	ELPSC07
80" portable pop-up screen	ELPSC08
High resolution document imager	ELPDC02
Motion presentation camera	ELPDC03
High resolution document camera	V12H064020
Kensington security lock	ELPSL01

Support-The Epson ConnectionSM

Pre-Sales Support U.S. and Canada 800-463-7766
Automated Technical Support 800-922-8911
Internet Web Site www.epson.com

Presenters ONLINESM

presentersonline.com



THE WORLD LEADER IN
HIGH PERFORMANCE PROJECTORS

www.epson.com

Specifications and terms are subject to change without notice. EPSON is a registered trademark of Seiko Epson Corporation. PowerLite is a registered trademark, and Epson Connection, PrivateLine and Presenters Online are service marks of Epson America, Inc. All other product and brand names are trademarks and/or registered trademarks of their respective companies. Epson disclaims any and all rights in these marks.

© Copyright 2002 Epson America, Inc. CPD-14276 50K 8/02 CG

Printed on Recycled Paper

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>