

# Designed to meet today's cleaning needs



## Technical specifications

Description	Unit	HSC 585 Multi
Rated power	W	2950
Suction power end of tube	W	372
Airflow	l/sec	41.9
Vacuum at nozzle	kpa	30.4
Sound pressure level	Db(A) BS 5415	75
Working width	mm	305
Suction width	mm	305
Solution/Recovery tank	l	53/60
Pump pressure	bar/psi	85 & 7/1200 & 100
Length x width x height	cm	91.5 x 53 x 99
Weight	kg	89.5

☒ Specifications and details are subject to change without prior notice.

96025220-04/08



Nilfisk-Advance Limited,  
Unit 24, Hillside Business Park  
Kempson Way  
Bury St. Edmunds,  
Suffolk IP32 7EA  
Tel. (01284) 763163  
Fax (01284) 750562  
www.nilfisk.com

Download from [www.Somanuals.com](http://www.Somanuals.com). All Manuals Search And Download.

# Nilfisk Hard floor restoration

Nilfisk HSC 585 Multi



# The 2-in-1 time saver



Think of a machine with the capability of high pressure cleaning and drying, in a single pass, tiled floors. And imagine that same machine then being used as a hot water carpet extractor. This unique '2-machines-in-1' concept is now a reality in the form of the Nilfisk HSC 585 Multi. The net result of this latest Nilfisk innovation is a massive increase in productivity, and significant savings in the cost of professional cleaning. Deep cleaning tiles, and more importantly the grout between tiles, is now a simple one-pass operation. The machine sprays high pressure (85 bar) cold water and immediately vacuums the residue, to leave a clean, dry surface. A simple tool change then allows the HSC 585 Multi to be used as an efficient hot water carpet extractor.



Nilfisk HSC 585 Multi



The convenient hose reel carries 7.6 m of water hose



Suitable for both hard and soft floors



The hand tool can be used in hard to reach areas and on walls

# Real flexibility for true productivity savings

- 2-machines-in-1 concept saves both investment and operating costs
- Efficient grout cleaning capability prevents build up of harmful bacteria
- Automatic filling & dumping of water allows uninterrupted cleaning
- Top-of-the-line features include a crush-proof vacuum hose and built-in hose reel
- In-line heater provides up to 100°C hot water for better performance
- Two handles enable easy loading and manoeuvrability



The simple one-pass operation cleans floors in washrooms, kitchens, supermarkets, restaurants and wherever cleanliness is important.

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>