

Digital Camera 10.1 Megapixels
DCC-1025



Superior image clarity (10.1 Megapixels) and a large
2.5" LCD Display

Product Features

- 10.1 Megapixel Digital Camera
- Captures high-resolution images up to 3648 x 2736
- 2.5" LTPS TFT LCD, scratch-resistant acrylic panel display
- 3x optical zoom and 4x digital zoom
- Movie mode captures video clips with resolutions of 640 x 480, 320 x 240, and 160 x 120
- Built-in flash with auto, red-eye reduction, always on, slow sync, forced on, forced off
- Manual, daylight, cloudy, tungsten, fluorescent and custom white balance settings
- 15 picture taking modes: Program, movie, voice REC, portrait, landscape, sunset, night scene, text, back light, kids, snow, food, fireworks, building, quickmode (English only)

Digital Camera 10.1 Megapixels

DCC-1025

Product Specifications

Special Features

Number of Pixels		10.1 Mega Pixels
Image Resolution		3648x2736(10M), 3648x2432(3:2), 3264x2448(8M), 2560x1920(5M), 2048x1536(3M), 640x480
File Formats		Still: EXIF 2.2 compatible format, (JPEG compression) DCF compatible, Supports DPOF Video: AVI, MPEG-4 w/audio Audio: WAV
Imaging Elements		2.5" Type, 28-pin Plastic SOP
Lens		Focal length: f=7.94 (W) - 22.71 (T)mm, (35mm film equivalent: 38.01-108.73)
LCD Display		2.5" LTPS TFTcolor LCD
Zoom		3x optical zoom, 4x digital zoom
Focus Range		Normal: (W) 80cm - Infinity (from the tip of barrier) Macro: (W) 5cm - 80cm / (T) 25cm - 80cm
Exposure Meter		Center-weighted, multi, spot
Exposure Control		Default Auto, Exposure compensation: -2EV to +2EV in 1/3 step
Shutter Speed		Mechanical Shutter, shutter speed: 1/2000~ 8 sec. with CCD variable electronic shutter
Aperture		F/2.8 (W), 5.1(T)
White Balance		Manual(6 modes in manual selection: daylight, cloudy, tungsten, fluorescent (H), fluorescent (L), customer)
Scene Modes		15 modes: Program, movie, voice REC, portrait, landscape, sunset, night scene, text, back light, kids, snow, food, fireworks, building, quickmode (English only)
Sensitivity		Default Auto, Auto, ISO 50, ISO 100, ISO 200
Self-Timer		10 sec, 2 sec, single shot and Double self-timer
Built-in Flash		5 modes: Default Auto, Auto, Red-eye reduction, Always on, Slow sync, Forced On, Forced Off
Photo effects		Off, Black & White, Sepia, Negative Art, Mosaic
Burst		Continuous, unlimited
Recording Functions		Resolution: 640x480 / 320x240 / 160x120 (@30fps) Recording time: until media is full
Voice Memo		Max 30 sec. along with an image file (still & movie)
TV System		NTSC/PAL (selected by MENU)
Storage		32MB internal memory, SD/MMC card slot
Languages		English, German, French, Japanese, Italian, Korean, Spanish, Simplified Chinese, Traditional Chinese, Dutch, Russian, Portuguese, Czech, Polish, Turkish, Hungarian
Power Supply		AA battery x2: 110 shots (with new alkaline battery), or rechargeable Ni-MH battery x2 (not included)
Dimensions		(W) 3.5"x(H) 2.4"x(D) 1.1" (max 1.05" Lens - LCD)
Unit Weight		.3 lbs.
Accessories		USB Cable, AV Cable, Wrist Strap, Camera Bag, User Manual, Software CD



UPC# 803802352069

Norcent is a registered trademark of Norcent Technology Inc. (2005)
550 Cliffside Drive, San Dimas, CA 91773

All rights reserved.

All product information is accurate to the best of our knowledge at the time of publication.
Features and specifications are subject to change without notice.

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>