# C5000 Series



C5650n C5950n C5650dn C5950dn C5750n C5950dtn

C5750n C5950dth C5750dn

C5850n C5850dn















# A4 colour and mono printing, giving a competitive advantage to demanding workgroups

The new high performance C5000 Series is the perfect solution for businesses wanting to work more productively, print more professionally and keep a tight control over costs.

No two workgroups have exactly the same print requirements, so the C5000 Series has been designed accordingly. The C5650 and C5750 models are for workgroups who want high volume, low cost, mono printing with occasional use of colour, whereas the C5850 and C5950 models are intended specifically for those who print mostly colour. There are also several options including extra trays, double-sided printing and enhanced document security.

All four models offer a harmonious combination of hardware, consumables and in-box software, and promise the utmost efficiency and reliability, as expected from OKI Printing Solutions, the business printing specialists.

The C5000 Series. Printers with the performance to match the need.

## **QUICK OVERVIEW**







### **FAST PERFORMANCE**

Class leading print speeds of up to 26 pages per minute (ppm) colour and 32ppm mono



### RANGE OF MEDIA HANDLING

Handles A6-A4, 1.2m banner printing and heavyweight media up to 203gsm



### **SECURITY**

A range of utilities help control how and when documents are printed



### **USER FRIENDLY**

Easy to work with and maintain, with helpful toner level gauge on LCD panel



### **SINGLE PASS PRINTING**

Straight, smooth paper path requires less user attention and greater reliability

# Four different models. One great performance



### C5650

This high performance, business printer offers outstanding value for money and truly professional print quality - delivering class-leading mono print and exceptional colour. At 32ppm it will meet the need for high volume mono printing while giving a real business edge to those documents that require it. And all of this is possible without losing control of costs. The cost of mono printing is comparable to mono-only printers, and we provide Print Control in-box software to monitor and manage colour usage. The C5650 can be fully networked, allowing it to be shared across many users, thus saving costs without losing productivity within a busy workgroup. The printer offers 64-203gsm paper support in various sizes, and for extra flexibility in paper handling, duplex printing is available as an option.

### C5750

Like the C5650, this too has been designed for those businesses that print mostly mono with occasional use of colour. In addition the C5750 has a higher 256MB memory and boasts

PCL/PostScript capability. PostScript is particularly useful for printing from a greater range of creative applications and easier printing of PDF's. This makes the C5750 a truly capable and versatile printer for the business that wants to take the first affordable step up into professional colour.

### C5850

The C5850 is designed for the busy, demanding workgroup that prints mainly colour. It gives class-leading colour output of 26ppm, as well as a class-leading 32ppm mono. The combined effect of ProQ2400 Multi-level technology and High Definition Toner gives a truly professional look and feel to colour documents. Despite all this, colour costs remain under control, thanks to low cost colour toner cartridges and the special Print Control in-box software which monitors and manages colour usage. The C5850 can be fully networked, allowing it to be shared across many users, to save costs further.


### C5950

This is our top of the range model. Like the C5850 it will suit those users who have a regular need for colour and want to print professional colour in-house. It prints A6 to A4 and 1.2m long banners on paper stock from 64gsm up to 203gsm. The heavier weight paper support allowing the production of professional looking document covers, while Graphic Pro colour management ensures accurate colour rendition for specific matching of company logos etc. A 256MB memory and PCL/PS capability adds to its flexibility, making it perfect for more graphical applications - especially with the option of automatic single pass duplex printing. With our proven colour heritage, we've ensured that this machine produces exceptional print quality and highly accurate colour. Trust the business printing specialists to give your business the edge.

### **PRINT MONO**



A5 Booklets



A4 Reports

### **PRINT CREATIVELY**



**Business Cards** 

# INSTRUCTION OF THE PROPERTY OF


**CD Solutions** 


## PRINT UP TO A4 COLOUR

### **A4 Duplex Documents**



**A4 Posters** 





A4 Charts

# ixotec international

A4 Banners up to 1.2m long

# SECURITY AND CONTROL

### Enjoy colour. Take control

- Print Control enables the management of colour use and printing costs of each individual user
- Users are able to print confidential documents with ease due to helpful functionality, such as password protection

### **FLEXIBILITY**

### Extend the possibilities of in-house printing

- 64-203gsm paper support in sizes A6-A4 and 1.2m banners
- Free in-box Template Manager software allows creative in-house printing
- Can be easily upgraded, with four variants available to meet every user need
- Automatic duplex printing available for professional double-sided printing, enabling booklet printing, reduced paper use and space saving
- Input capacity of up to 930 sheets allows non-stop printing without user intervention

### **PERFORMANCE**

### The fastest, most professional business printers

- Class-leading print speeds of 32 pages per minute (ppm) mono and up to 26 ppm colour
- Fast time to first print at just 8 seconds for a mono page or 11 seconds for colour
- ProQ2400 Multi-level technology and High Definition Toner together give a better level of detail, greater colour depth, reduced grain and a high gloss feel
- Graphic Pro colour management provides the tools to download colour profiles to the printer's hard disk for specific colour matching



### **Tent Cards**





Menus



### **RELIABILITY**


### Handles the days demands and the different media

- · Robust, award-winning, LED single-pass print technology
- Fewer moving parts mean a more reliable printer to cope with the day's demands
- Keeps the work flowing smoothly handling a diverse range of media from business cards to 1.2m banners

### **USABILITY**

### Designed for easy operation by all

- Easy to change consumables, with a helpful gauge on the LCD panel clearly showing toner levels
- High capacity mono toner cartridges reduce running costs and user intervention
- Mono running costs are equivalent to many mono only products
- · Low cost colour toner cartridges
- Auto Colour Balance ensures consistent results throughout the life of the printer
- Photo Enhance provides stunning photo-like quality on ordinary office paper



### **UTILITY SUITE**



### Unlock printing power and maintain business control

The C5000 Series Utility Suite is a unique set of software designed to help users get the most out of their investment. Below are some of the advanced utilities that deliver increased printing power and management control. For a complete list of utilities refer to the product specification tables.

### **Color Correct**

With the Office Palette Tuning function for the C5000 Series you can adjust the standard palette colours in Microsoft Office programs. The Hue and Saturation Tuning function allows you to change the overall appearance of a print by adjusting gamma, hue and saturation.

### **Color Swatch**

OKI Printing Solutions Colour Swatch is used to emulate a specific printed colour. When using the C5000 Series, businesses will benefit from precision colour printing particularly when printing corporate colours, such as those used for company logos.

### **Template Manager\***

This powerful software program makes life easier in the office by providing ready-made templates for many kinds of stationery and promotional materials such as labels and business cards. The unique editing suite allows the freedom to create new templates for specific media or vertical industry specific documents and to make it even easier the software automatically matches the document with the correct media. These templates can also be shared across networks for design/brand consistency.

### PrintSuperVision\*

This system allows IT support staff to monitor all business printers within the firewall, regardless of printer make. Access is given to networked printer data for monitoring, reporting and managing networked printers. The user interface to this system is web browser based, making it simple to use.

### **Print Control**

Print Control is a job accounting and reporting program which enables network administrators to track printer usage and control costs. This easy to use utility captures details such as number of printouts, whether colour or mono, the paper type and size and the consumables used. Printer access can be restricted to authorized individuals or groups, and pre-defined cost limits can be set, denying further access once these print limits have been reached.

### Ask OKI

Ask OKI, help is close at hand delivering advice, hints and tips on how users can optimize the use of the C5000 Series mono printers. The Ask OKI tab in the printer driver connects users to a web site specifically tailored to the C5650, C5750, C5850 and C5950 printers. This gives simple, step by step instructions for optimal printing.

### THE C5000 SERIES FEATURES AT A GLANCE

	C5650n	C5650dn	C5750n	C5750dn	C5850n	C5850dn	C5950n	C5950dn	C5950dtn	C5900cdtn
Colour speed (A4)	22ppm			26ppm						
Mono speed (A4)					32p	pm				
Printer language	Windows/Mac Host Based PCL/PostScript Windows/Mac Host Based PCL/PostScript									
Print quality	ProQ2400 Multi-level technology & High Definition Toner									
Memory	64MB 256MB 64MB 256MB									
Network	•									
Duplex (for double- sided printing)	0	•	0	•	0	•	0	0 •		
2nd paper tray (for 930 sheet max paper capacity)	•									
Cabinet	•									
40 GB Hard Disk Drive	N,	/A	C	o N/A o						

<sup>\*</sup>Utility available with Microsoft Windows only

### The C5000 Series Colour and Mono Printers

		C5650n	C5650dn	C5850n	C5850dn			
Order number		01212501	01212601	01212901	01213001			
Speed & throughput	A4 Print speed	22ppm colour, 32ppm mono		26ppm colour,	, 32ppm mono			
	Time to first print	8 seconds mono, 11 seconds colour 8 seconds mono, 9 seconds colour						
	Warm up time	up to 60 seconds from power on & up to 45 seconds from power save						
	Processor speed	200MHz						
Print quality	Resolution	ProQ2400 Multi-level technology, 1200 x 600dpi						
Enhancements		Auto Colour Balance, Photo Enhance via driver						
Typefaces	Printer fonts	N/A						
Compatibility	Printer languages		Windows/Mac Host B	ased Printing System				
,,	Connectivity			0/100-TX Ethernet				
	OS Compatibility	Windows 2000 / XP Home / XP Professional / XP Professional x64 / Server 2003 / Server 2003 for x64 / Vista (32-bit) / Vista (64-bit) / Mac OS X PowerPC 10.2.8 or later / Mac OS X Intel 10.4.4 or later 1						
Utility Suite				rindows only), Swatch Utility, Templat aly), Print Control Server (Windows on				
Memory	Std RAM		64	MB				
	Max RAM		320	OMB				
Paper handling	Paper capacity tray 1		300 sheets of 80gsm. Pa	per sizes: A4, A5, B5, A6				
	Paper capacity optional 2nd tray		530 sheets of 80gsm.	Paper sizes: A4, A5, B5				
	Paper capacity of multi-purpose tray	100 sheets of 80gsm. Paper sizes: A4, A5, B5, A6, 10 Envelopes (Com-9, Com-10, DL, Monarch, C5), Labels (Avery 7162, 7664, 7666), Custom Size (up to 1200mm length including Banner), 50 transparencies						
	Standard tray paper weight 64–120gsm							
	Optional 2nd tray paper weight 64–176gsm							
	Multi-purpose tray paper weight	y paper weight 75–203gsm						
	Duplex	Optional Standard Optional Standard						
	Duplex paper sizes	Supported paper sizes: A4, A5, B5. Supports Custom Size: Width 148-215.9mm Length 210-355.6mm						
	Duplex paper weight	75-105gsm						
	Paper output	250 sheets face down, 100 sheets face up, 80gsm						
Operating conditions	Temperature/humidity	10°C to 32°C (17°C to 27°C recommended) / 20% to 80% RH (50% to 70% RH recommended)						
	Storage	-10°C to 43°C, 10% to 90% RH						
Power requirements	Power supply	Single phase 220-240VAC, frequency 50/60Hz +/-2%						
	Power consumption	Typical 490W, Peak 1200W, Idle 100W (average), Power save <15W						
Noise level		Operati	ng: Up to 55.6 dB(A), Standby: 3	55.6 dB(A), Standby: 37 dB(A), Power Save: Background Level				
Dimensions (HxWxD)		339.5mm x 400mm (max 435mm) x 528mm (max 563.5mm)	339.5mm x 400mm (max 435mm) x 621mm	339.5mm x 400mm (max 435mm) x 528mm (max 563.5mm)	339.5mm x 400mm (max 435mm) x 621mm			
Weight*2		Approx 26kg	Approx 29kg	Approx 26kg	Approx 29kg			
Duty cycle	Printer duty (max)	60,000 pages/month						
Printer duty (wax)		1,500 - 5,000 pages/month						
Warranty		Pan European 1 year on-site						
Accessories	Duplex	Optional (43347502)	Standard	Optional (43347502)	Standard			
	Memory	64MB (01214001) or 256MB (01214002)						
	2nd Tray	Optional (43347602)						
	Cabinet	Optional (09004619)						

<sup>\*1</sup> Check local OKI Printing Solutions website for latest driver releases & OS compatibility

Consumables Information: For the protection of your printer, and in order to ensure that you benefit from its full functionality, this model has been designed to operate only with genuine OKI Printing Solutions toner cartridges. These can be identified by the Oki trademark. Any other toner cartridge may not operate at all, even if it is described as "compatible", and if it does work, your printer's performance and print quality may be degraded.

Description	Life* (pages)	C5650	C5850			
Black toner	8,000	43865708	43865724			
Colour toners	2,000	Cyan: 43872307 / Magenta: 43872306 / Yellow: 43872305	N/A			
	6,000	N/A	Cyan: 43865723 / Magenta: 43865722 / Yellow: 43865721			
Image drum	20,000 A4 pages	Black: 43870008 / Cyan: 43870007 Black: 43870024 / Cyan: 43870 Magenta: 43870006 / Yellow: 43870005 Magenta: 43870022 / Yellow: 438				
Transfer belt	60,000 A4 pages	43363402				
Fuser unit	60,000 @ A4	43853103				

<sup>\*</sup>All toners: A4 pages @ 5%, Printer shipped with 2250 pages @ 5%. All Drums: A4 pages average life. Specification subject to change without notice. All trademarks acknowledged.

<sup>\*2</sup> Includes all consumables

_
5
2
Č
$\geq$
Ξ
È
_
Ξ
Ξ
٥.
ž
٩
_
τ
=
٥
5
5
Ξ
щ
7
C
₹
2
7
5
ë
b
2
τ
2
Ξ
9
Ŧ
U
Ξ
٩
Ξ
7
ū
b
2.
ŧ
÷
۵
5
₹
_
ζ
=
٩
۶
7
ā
=
ž
_
7
Z
2007

		C5750n	C5750dn	C5950n	C5950dn	C5950dtn	C5950cdtn	
Order number		01212701	01212801	01213101	01213201	01213301	01213401	
Speed & throughput	oughput A4 Print speed		22ppm colour, 32ppm mono		26ppm colour	, 32ppm mono		
	Time to first print	8 seconds mono, 11 seconds colour 8 seconds mono, 9 seconds colour						
	Warm up time	up to 60 seconds from power on & up to 45 seconds from power save						
	Processor speed	500MHz						
Print quality	Resolution		Р	roQ2400 Multi-level te	chnology, 1200 x 600d	lpi		
	Enhancements		Auto Colour Balanc	e, Photo Enhance via d	river (excludes Mac an	d PostScript drivers)		
Typefaces	Printer fonts	Sc	alable: 87 PCL fonts ar	nd 136 PostScript fonts	; PCL Bitmap fonts . O	CR-A/B; USPS ZIP Barco	ode	
Compatibility	Printer languages	PCL 6 (XL3.0) and PCL5c, PostScript 3 (clone). (clone). SIDM (IBM-PPR, EPSON-FX) SIDM (IBM-PPR, EPSON-FX), PDF Direct Print v1.5						
	Connectivity	Hi-Speed USB, 10/100-TX Ethernet & IEEE 1284 Bi-directional Parallel						
	OS Compatibility	Windows 2000 / XP Home / XP Professional / XP Professional x64 / Server 2003 / Server 2003 for x64 / Vista (32-bit) / Vista (64-bit) / Mac OS X PowerPC 10.2.8 or greater / Mac OS X Intel 10.4.4 or greater 1						
	Barcode support			Barcode with Ch	ecksum support			
Utility Suite			Installer (Windows only		ly), Print Control Server	lity, Template Manager (\ (Windows only), Print Cor ïle Assistant*²		
Memory	Std RAM			256	SMB			
	Max RAM			768	BMB			
	Hard Disk Drive							
Paper handling	Paper capacity tray 1 300 sheets of 80gsm. Paper sizes: A4, A5, B5, A6							
	Paper capacity optional 2nd tray 530 sheets of 80gsm. Paper sizes: A4, A5, B5,							
	Paper capacity of multi-purpose tray	100 sheets of 80gsm. Paper sizes: A4, A5, B5, A6, 10 Envelopes (Com-9, Com-10, DL, Monarch, C5), Labels (Avery 7162, 7664, 7666), Custom Size (up to 1200mm length including Banner), 50 transparencies						
	Standard tray paper weight	64-120gsm						
	Optional 2nd tray paper weight	64-176gsm						
	Multi-purpose tray paper weight	75–203gsm						
	Duplex	Optional Standard Optional Standard						
	Duplex paper sizes	Supported paper sizes: A4, A5, B5. Supports Custom Size: Width 148-215.9mm Length 210-355.6mm						
	Duplex paper weight	75–105gsm						
	Paper Output	250 sheets face down, 100 sheets face up, 80gsm						
Operating conditions	Temperature/humidity	10°C to 32°C (17°C to 27°C recommended) / 20% to 80% RH (50% to 70% RH recommended)				ed)		
	Storage	-10°C to 43°C, 10% to 90% RH						
Power requirements	Power supply		Sing	le phase 220-240VAC	, frequency 50/60Hz -	<b>⊦/-2</b> %		
	Power consumption		Typical 490	W, Peak 1200W, Idle 100W (average), Power save <17W				
Noise level			Operating: Up to	55.6 dB(A), Standby: 3	37 dB(A), Power Save:	Background Level		
Dimensions (HxWxD)		339.5mm x 400mm	339.5mm x 400mm		339.5mm x 400mm		911.5 x 400mm	
		(max 435mm) x 528mm (max 563.5mm)	(max 435mm) x 621mm	(max 435mm) x 528mm (max 563.5mm)	(max 435mm) x 621mm	(max 435mm) x 621mm	(max 533mm) x 621mm	
Weight*3		Approx 26kg	Approx 29kg	Approx 26kg	Approx 29kg	Approx 36kg	Approx 51kg	
Duty cycle	Printer duty (max)	60,000 pages/month						
zuly cyclo	Printer duty (average)	1,500 - 5,000 pages/month						
Warranty	· ·····c· duty (uverage)	Pan European 1 year on-site						
Accessories	Duplex	Optional (43347502) Standard Optional (43347502) Standard						
	Memory	256MB (01182901) or 512MB (01182902)						
	2nd Tray	Optional (43347602) Standard					dard	
	Hard Disk Drive	40GB (01184501)				uaru		
	Cabinet	Optional (09004619)				Standard		
	Capinet			ομιιστιαι (07004619)			Jianuaru	

<sup>\*1</sup> Check local OKI Printing Solutions website for latest driver releases & OS Compatibility

Consumables Information: For the protection of your printer, and in order to ensure that you benefit from its full functionality, this model has been designed to operate only with genuine OKI Printing Solutions toner cartridges. These can be identified by the OKI trademark. Any other toner cartridge may not operate at all, even if it is described as "compatible", and if it does work, your printer's performance and print quality may be degraded.

Description	Life* (pages)	C5750	C5950			
Black toner	8,000	43865708	43865724			
Colour toners	2,000	Cyan: 43872307 / Magenta: 43872306 / Yellow: 43872305	N/A			
	6,000	N/A	Cyan: 43865723 / Magenta: 43865722 / Yellow: 43865721			
Image drum	20,000 A4 pages	Black: 43870008 Cyan: / 43870007 Black: 43870024 / Cyan: 43870023 / Magenta: 43870022 / Yellow: 438 Magenta: 43870006 / Yellow: 43870005				
Transfer belt	60,000 A4 pages	43363402				
Fuser unit	60,000 @ A4	43853103				

\*All toners: A4 pages @ 5%, Printer shipped with 2,250 pages @ 5%. All Drums: A4 pages average life. Specification subject to change without notice. All trademarks acknowledged.



**Mono Printers** 

MFPs

Fax

Dot Matrix

### OKI EUROPE LTD.

Central House, Balfour Road Hounslow, Middlesex TW3 1HY United Kingdom T+44(0) 20 8219 2190 F+44(0) 20 8219 2199

WWW.OKIPRINTINGSOLUTIONS.COM







<sup>\*2</sup> Hard Disk Drive required

<sup>\*3</sup> Includes all consumables

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com