

TX-RZ900 7.2-Channel Network A/V Receiver

BLACK SILVER











































Hear Every Detail, Feel Every Emotion

From thick aluminum faceplate to gold-plated speaker posts, the TX-RZ900 is crafted for one purpose: pure enjoyment of sound, be it vinyl records or the latest object-based movie soundtracks. Every component is customized to reference standards, from a hand-wound toroidal transformer to massive audio-grade capacitors, to capture the whole audio image with breathtaking clarity and timing. The sound is lush, dynamic, and musical, with discrete high-current amplifiers reaching all the way down to 5 Hz. When the soundtrack explodes, you feel the rumble. Using low-noise Vector Linear Shaping Circuitry™ (VLSC), this unique high-current amp technology produces sound that is immensely powerful yet free of distortion. A full complement of wireless audio services is included along with the latest spec HDMI® terminals for 60 fps UltraHD video and 4:4:4 color space. Experience home entertainment at its finest: the TX-RZ900 is one for the ages.

HIGHLIGHTS

- Latest DTS:X[™] and Dolby Atmos[®] Compatible
- THX® Select2™ Plus Certified Power
- 200 W per Channel
- Ultra-Low-Frequency Reproduction for Dynamic Bass
- Hi-Current Amp Design for Authentic Sound Reproduction
- Custom Toroidal Transformer for Unbeatable Power
- HDMI® 8 In / 2 Out Including 1 Front (4K UltraHD / HDCP 2.2 / 4:4:4 Color Space)
- Bluetooth Audio / Wi-Fi® with Pandora, Spotify, and AirPlay
- DSD 5.6 MHz, FLAC 192 kHz/24-bit Hi-Res Audio Capable
- 384 kHz/32-bit Hi-Grade DAC

ADVANCED FEATURES

- Supports New DTS:X $^{\rm m}$ and Dolby Atmos $^{\rm m}$ Formats for Exciting Multidimensional Sound
- THX® Select2™ Plus Certified for Cinema Reference Sound
- 4K/60 Hz, 4:4:4 Color Space, and HDCP 2.2 Capable HDMI® Terminals for UltraHD Entertainment*1
- Zone 2 HDMI Output for 4K Video in a Second Room*2
- Zone 2 Digital Audio and Network Audio Output
- Built-in Wi-Fi® and Bluetooth Technology for Wireless LAN and Audio Streaming
 High-Grade Toroidal Transformer
- Three-Stage Inverted Darlington Circuitry on All Channels
- · Customized Capacitors and Transformer for High Current and Ultra-Low-Frequency Reproduction
- VLSC™ Technology for Noise-free Signal Path

- Parallel Push-Pull Amplifier Design for Front Channels
- Pure Direct Analog Path Mode for Interference-free Hi-Fi Stereo Listening
- Internet Radio and Music Streaming Subscription Services Included (Tuneln Radio, Spotify, and Deezer)*3
- Airplay Compatible
- · Play Compressed, Lossless, and Hi-Res Audio via Local Network (MP3,WMA,WMA Lossless, FLAC,WAV, Ogg Vorbis,AAC,Apple Lossless, DSD 5.6 MHz, LPCM**, and Dolby® TrueHD)

 •AccuEQ Room Calibration with Mic for Clear and Balanced Sound
- Advanced Music Optimizer to Improve Compressed Digital Audio Quality (Bluetooth Included)
- Control and Stream with Free Onkyo Remote Streaming Apps for iPod touch/iPhone*s and Android Devices**6
- Bi-Amping Capability for Front Channels · Powered Zone 2 and Zone 2 Pre/Line-Out and Zone 3 Line-Out for Distributed Audio Playback
- Whole House Mode for Synchronized Housewide Audio
- 7.2 Multichannel Pre-Outs
- Transparent High-Grade Speaker Terminals
- *1.66.4:4.4 video and HDCP 2.2 is supported on HDMI inputs 1/2/3/4/5, Main Out, and Out. *2. Zane 2. HDMI is supported on inputs 1/2/3/4/5. *3 Availability of services depend region. Some services may require a paid subscription and firmware update. Availability of to party services olderfised here is occurate at the time of publication, but may be subsert in party services ouver user a rear is octained as an earner of plantacions, but in they be subject to change without notice. *4 LPCM is supported vio DLNA only. *5 Compatible with iPod touch (3rd generation or later) and iPhone 3GS or later. All models require iOS 4.2 or later. *6 Requires Andro 2.1 or later.

AMPLIFIER FEATURES

- 200 W/Ch (6 Ω , I kHz, I %THD, I Channel Driven, IEC); 235 W/Ch (6 Ω , I kHz, I Channel Driven, JEITA)
- WRAT (Wide Range Amplifier Technology), H.C.P.S. (High Current Power Supply) Massive High-Power Toroidal Transformer, VLSC, and Discrete Output Stage Circuitry
- PLL (Phase Locked Loop) Jitter-Cleaning Circuit Technology for S/PDIF Audio

PROCESSING FEATURES

- AK4458 384 kHz/32-bit DAC (8 Channels x I)
- 32-bit Digital Signal Processing Engine
- 4 DSP Modes for Gaming: Rock, Sports, Action, and RPG
- Theater-Dimensional Virtual Surround Function
- Direct Mode and Pure Audio Mode

CONNECTION FEATURES

- 8 HDMI Inputs (I Front/7 Rear), Main, and Zone 2 Outputs
 Mass Storage Class USB Memory Playback Capability
- Component Video Switching (2 Input and 1 Output)
- 3 Composite Video Inputs (3 Rear) and I Output
- 5 Digital Audio Inputs (3 Optical and 2 Coaxial)
- 9 Analog Audio Inputs (9 Rear)
- Phono Input (MM) for Turntable Connection
- IR Input, 12 V Trigger Out (Assignable), and RS232 Port • 2 Parallel Subwoofer Pre-Outs

OTHER FEATURES

- Independent Crossover Adjustment for Each Channel (40/50/60/70/80/90/100/120/150/180/200 Hz)
- A/V Sync Control (Up to 500 ms in 5 ms Steps at 48 kHz)
- Graphical Overlaid On-Screen Display (OSD) via HDMI Hybrid Standby Function with HDMI Passthrough
- 40 FM/AM and 40 Internet Radio Station Presets
- RIHD (Remote Interactive Over HDMI) for System Control
- Aluminum Front Panel and Volume Control Knob
- Preprogrammed RI (Remote Interactive) Remote Control

Custom Toroidal Transformer and Hi-Current Amps for Ultra-Low-Frequency Sound

Backed by 70 years' experience building amplifiers and high-grade audio components, the TX-RZ900's custom toroidal transformer and capacitors help to reproduce ultra-low frequencies down to 5 Hz so you can feel the bass impact in your chest. Our high-current amplification system also enables enhanced control of the speakers for accurate and dynamic sound.



Non-Phase-Shift Amp for Realistic Audio Imaging

Wide Range Amp Technology (WRAT) prevents phase shifting by pushing the roll-off point higher than the listening level frequency. Amplifying sound without phase shift creates an uncommonly clear. well focused, and realistic audio image.



VLSC[™] for Noiseless Audio Processing

Onkyo developed Vector Linear Shaping Circuitry (VLSC) to reassemble the signal in its original form following processing. Unlike conventional filters, VLSC completely removes pulsenoise generated in D/A conversion, allowing the sound wave to be reproduced with extremely high fidelity



Parallel Push-Pull Amplification with Three-Stage Inverted Darlington Circuitry

Parallel Push-Pull Amplification on the front channels enables high instantaneous current through low-impedance Three Stage Inverted Darlington Circuitry, delivering power, current, and efficiency that is simply unrivalled in its class.

DTS:X™ and Dolby Atmos® Support

DTS:X is a next-generation object-based surround-sound technology that includes height to deliver a fully immersive listening experience in your living room. DTS:X provides the ultimate in flexibility, immersion, and interactivity. Dolby Atmos transports you



dts

from an ordinary moment into an extraordinary experience with captivating, multidimensional sound that fills your room and flows all around you to move your mind, body, and soul.

THX®-Certified Amp Quality

THX certification guarantees the same high-volume, low-distortion sound you experience in a commercial

cinema in your listening room.THX® Select2™ Plus is recommended for screen-to-seat viewing distances of 3-4 m.



Premium 384 kHz/32-bit DAC for Hi-Res Audio

Onkyo A/V receivers are engineered for universal Hi-Res playback including DSD 5.6 MHz and 192 kHz/24-bit FLAC files. A top-quality AK4458 DAC from Asahi Kasei extracts the best possible performance from any format for transparent, lifelike sound.





HDMI® 8 In / 2 Out Including I Front (4K UltraHD / HDCP 2.2 / 4:4:4 Color)

HDMI terminals support 4K/60 Hz video as well as HDCP 2.2 for next-generation UltraHD streaming and broadcasting.

Bluetooth Audio, Wi-Fi®, and AirPlay with Spotify

Stream virtually any audio to your home cinema with zero hassle. Available internet radio and music subscription services include Spotify and many more.

Share Your 4K Video Sources in Two Zones

Use the HDMI Sub Out to connect a second display in another room. This allows you to route 4K and 1080p content from the media players connected to your receiver and play it back on another TV with easy smartphone control.

SPECIFICATIONS

Amplifier Section	
Power Output	
All Channels	200 W/Ch
	(6 Ω, I kHz, I%THD, I Channel Driven, IEC)
	235 W/Ch
	(6 Ω, I kHz, I Channel Driven, JEITA)
Dynamic Power	320 W (3 Ω, Front)
	270 W (4 Ω, Front)
	160 W (8 Ω, Front)
THD+N (Total Harmonia	Distortion + Noise)
,	0.08% (20 Hz–20 kHz, Half Power)
Damping Factor	Over 40 (Front, I kHz, 8 Ω)
Input Sensitivity and Impe	edance

200 mV/47 kΩ (Line) 3.5 mV/47 kΩ (Phono MM) Rated RCA Output Level and Impedance I.0V/470 Ω (Pre Out) I.0V/470 Ω (Subwoofer Pre I00 mV/2.2 kΩ (Zone Out) I.0V/2.2 kΩ (Zone Pre Out) Phono Overload

70 mV (MM, 1 kHz, 0.5%) 5 Hz–100 kHz/+1 dB, -3 dB (Direct Mode) Frequency Respon ±10 dB, 20 Hz (Bass) ±10 dB, 20 kHz (Treble) 106 dB (Line, IHF-A) 80 dB (Phono MM, IHF-A) Signal-to-Noise Ratio Speaker Impedance 4 Ω – 16 Ω

Video Section

Input Sensitivity/Output Level and Impedance Video 1.0 Vp–p/75 Ω (Component Y) 0.7 Vp–p/75 Ω (Component PB/CB, PR/CR) 1.0 Vp–p/75 Ω (Composite)

Component Video Frequency Response 5 Hz-100 MHz/+0 dB, -3 dB

Tuner Section Tuning Frequency Range

87.5 MHz-108 MHz 87.5 MHz–107.9 MHz (Taiwan Model) 530 kHz–1.710 kHz ΔМ

522 kHz–1,710 kHz 530 kHz–1,710 kHz (Taiwan Model) FM/AM Preset Memory 40 Statio

General

AC 220~240 V, 50/60 Hz AC 120 V~, 60 Hz Power Supply

No-Sound Power Consu

Standby Power Consumption 0.2 W


Dimensions (W x H x D) 435 x 201.5 x 433.5 mm (Height 261.5 mm with antennas Weight 18 kg

CARTON

Dimensions (W \times H \times D) 582 \times 317 \times 521 mm 21.5 kg

Supplied Accessories

- Indoor FM antenna AM loop antenna Speaker setup microphone Instruction manual Remote controller AA (R6) batteries x 2



Due to a policy of continuous product improvement, Onlyo reserves the right to change specifications and appearance without notice. THX, the THX logo, and Select2 are trademarks of THX Ltd.THX and the THX logo are registered in the U.S. and other jurisdictions. All rights reserved Manufactured under license from Dolby Laboratories. Dolby, Atmos, and the double-D symbol are trademarks of Dolby Laboratories. For DTS patents, see http://patents.dts.com. Manufactured under license from DTS Licensing Limited, DTS, the Symbol, DTS in combination with the Symbol, DTSX, and the DTSX logo are registered trademarks or trademarks of DTS, inc. in the United States and/or other countries. © DTS, inc. All Rights Reserved. HDMI, the HDMI logo, and High-Definition Multimedia Interface are trademarks or registered trademarks or registered trademarks or registered trademarks or registered trademarks or or Rights Reserved. HDMI, the HDMI logo, and High-Definition Multimedia Interface are trademarks or registered trademarks or or Rights Reserved. HDMI the HDMI logo, and High-Definition Multimedia Interface are trademarks or registered trademarks or registered trademarks or or Rights Reserved. HDMI the HDMI logo, and High-Definition Multimedia Interface are trademarks or registered trademarks or registered trademarks or registered trademarks or Rights Reserved. HDMI the HDMI logo, and High-Definition Multimedia Interface are trademarks or registered trademarks or Rights Reserved. HDMI the HDMI logo, and High-Definition Multimedia Interface are trademarks or registered trademarks or Rights Reserved. HDMI the HDMI logo, and High-Definition Multimedia Interface are trademarks or Rights Reserved. HDMI the HDMI logo are registered trademarks or Rights Reserved. HDMI the HDMI logo are registered trademarks or Rights Reserved. HDMI the HDMI logo are registered trademarks or Rights Reserved. HDMI the HDMI logo are registered trademarks or Rights Reserved. HDMI the HDMI logo are registered trademarks or Rights Reserved. HDMI the HDMI logo a



Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com