

**TX700**

# Well Built & Feature Rich



## Brilliant Versatile Performer


The Optoma TX700 digital projector is a versatile and portable workhorse. Designed to excel in the most demanding big screen, multimedia environment, the TX700 will shine brightly in a wide range of applications. From the office to school and more, the TX700 is perfect for today and tomorrow's diverse applications.

- **Advanced DLP® technology**
- **Native XGA (1024 x 768) resolution** for sharp display
- **Bright 2200 lumens** for great image quality in a wide range of applications
- **Superior 2500:1 contrast ratio** for cinema quality images and crisp graphics
- **SXGA+ (1400 x 1050) capability** with high-end notebooks
- **HDTV compatible** (720p, 1080i)
- Convenient **DVI w/HDCP**, VGA-in, composite video and s-video inputs
- Weighs only **4.4 pounds**

**Optoma**

[www.OptomaUSA.com](http://www.OptomaUSA.com)

### Advanced DLP® Technology




### Enhanced Ventilation System



### Remote Control



### I/O Ports



## Specifications

<b>Display Technology:</b>	Single 0.55" DDR DLP® Technology by Texas Instruments
<b>Resolution:</b>	XGA (1024 x 768)
<b>Maximum Resolution:</b>	SXGA+ (1400 x 1050)
<b>Brightness (Typical):</b>	2200 Lumens
<b>Contrast Ratio:</b>	2500:1 (Full On/Full Off)
<b>Lamp Life (STD/ECO):</b>	2000/3000 Hours
<b>Lamp Type:</b>	200W UHP
<b>Throw Ratio:</b>	1.93-2.13:1 (Distance/Width)
<b>Image Size (Diagonal):</b>	24.6" to 306" (0.6 to 7.7 m)
<b>Noise Level:</b>	28dB
<b>Remote Control:</b>	IR Remote
<b>Monitor Loop Through:</b>	D-Sub 15 VGA Output (Functional in Both Normal and Standby Modes)
<b>Projection Distance:</b>	3.9' to 39.3' (1.2 to 12 m)
<b>Computer Compatibility:</b>	XGA, SVGA, VGA, SXGA+ Resized, VESA, PC and Macintosh Compatible
<b>Video Compatibility:</b>	NTSC, PAL, SECAM, SDTV (480i), EDTV (480p), HDTV (720p, 1080i)
<b>Aspect Ratio:</b>	4:3 Native, 5:4 and 16:9 Compatible
<b>Projection Lens:</b>	F=2.7~3.0, f=21.83~23.81 mm, 1.2:1 Manual Zoom and Focus
<b>Audio:</b>	One 2-Watt Mono Speaker
<b>Weight:</b>	4.4 lbs (1.99 kg)
<b>Dimensions (W x H x D):</b>	9" x 3.7" x 8.26" (230 x 95 x 210 mm)
<b>Keystone Correction:</b>	± 16° Vertical
<b>Horizontal Scan Rate:</b>	15 to 100 kHz
<b>Vertical Refresh Rate:</b>	56 to 85 Hz
<b>Power Supply:</b>	AC Input 100 - 240V, Auto-Switching Power Supply
<b>Power Consumption:</b>	265 Watts, <15W Standby Power
<b>Operating Temperature:</b>	Operating: 5 to 35°C, 80% Humidity (Max) Storage: -20 - 60°C, 80% Humidity (Max)
<b>Displayable Colors:</b>	16.7 Million, 256 Shades of Gray
<b>Projection Method:</b>	Front, Rear, Ceiling Mount, Table Top
<b>Uniformity:</b>	85%
<b>User Controls:</b>	Advanced Adjustability Options through the On-Screen Display
<b>Security:</b>	One Kensington® Lock Port
<b>I/O Connectors:</b>	DVI w/HDCP, VGA-In, S-Video, Composite Video, VGA-Out, Audio-In, RS-232
<b>Standard Accessories:</b>	AC Power Cord, VGA to VGA Cable, Composite Video Cable, Lens Cap, Remote Control, Batteries for Remote, Carrying Case, Quick Start Guide, User's Manual and Warranty Card
<b>Optional Accessories:</b>	Ceiling Mount, 15-pin to 3 RCA Component/HDTV Adapter, S-Video Cable, Audio-Out Adapter and GrayWolf™ Series Screens
<b>Warranty:</b>	3 Years Optoma Express Replacement Service, 1 Year on Lamp
<b>UPC:</b>	796435 11 121 2



Available from:



## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>