


Operating Instructions

1. Slide ON/OFF switch to desired setting (Hi/Low/Off) to control level of air purification (fig. 1). After selecting either the Hi or Lo setting, the green LED indicator will rapidly flash during the initial 30 minute purification process. Upon completing the initial purification process, the air purifier will begin an automatic cycle operation every two hours. The green LED indicator will flash once every 15 seconds while waiting for the automatic cycle operation to begin and rapidly flash during the automatic cycle operation. Note: On the Lo setting, the automatic cycle operation will run for two minutes every two hours and four minutes every two hours on the Hi setting.
2. Place unit on upper shelf of refrigerator and close door.




Warranty

Oreck Corp. warrants the Cordless Refrigerator Purifier (Model XJ-100) free from defects in material and workmanship under normal, non-commercial use and service. Oreck will remedy any such defects if they appear within one (1) year from date of purchase. This warranty gives you specific legal rights, and you may have other rights which vary state to state.

**Register your product on the web:
WWW.ORECK.COM**

ORECK[®] XL[®]

SIMPLY AMAZING[®]



USA: 1-800-989-3535
CANADA: 1-888-676-7325



WWW.ORECK.COM



VISIT ONE OF OUR OVER
750 STORE LOCATIONS

USER'S GUIDE

CORDLESS REFRIGERATOR PURIFIER

MODEL XJ-100

• **IMPORTANT** •
SAVE THIS BOOKLET!

Includes:
Important Safety Instructions
Warranty
Operating Instructions

**REGISTER YOUR PRODUCT
ON THE WEB:
WWW.ORECK.COM**

IMPORTANT SAFETY INSTRUCTIONS

When using an electrical appliance, basic precautions should always be followed, including the following:

READ ALL INSTRUCTIONS BEFORE USING THIS PRODUCT



WARNING

To reduce the risk of fire, electric shock, or injury:

- Do not wet or soak the purifier.
- Do not insert metallic items into the purifier.
- Do not dismantle the ionizer to avoid electric short and damage to internal parts.
- Do not place purifier in wet or hot environment.
- If the ionizer will not be used for a long period of time, remove the batteries to prevent corrosion and leakage.
- Do not drop or subject the purifier to high impact.

SAVE THESE INSTRUCTIONS


Household Use Only

ALL SERVICING SHOULD BE DONE BY AN AUTHORIZED ORECK SERVICE CENTER.

CUSTOMER SERVICE HOT LINE

US: 1-800-989-3535 Canada: 1-888-676-7325

Assembly



MODEL XJ-100

Body

Ozone (O_3) Output

LED Indicator

Baseplate (battery cover)

- Removes Odors-generates negative ions and ozone to oxidize and remove odors.

Battery Installation & Replacement

1. Turn the baseplate (battery cover) clockwise to remove.
2. Observing the correct polarity, install (4) "C" size batteries.
3. Replace the baseplate.

Note: When it's time to replace the batteries, remove the unit from the refrigerator and wrap it in a clean plastic bag until it reaches room temperature. Once the purifier has reached room temperature, it's then safe to remove it from the plastic bag and replace the batteries. If the unit is not wrapped in a plastic bag and allowed to come to room temperature, low temperatures of the refrigerator will cause condensation on the body and inside the purifier when it comes in contact with the outside air. This condensation will corrode the batteries causing metal parts to rust, damaging the purifier.

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>