

2 Satellite Speakers & 1 Subwoofer





# STRAIGHT STYLE JUST HEARING

dotodot500

THIS PERSONAL THEATRE SPEAKER
IS DESIGNED FOR PERSONALIZED
SPACE. IT AIMS FOR CONSUMERS
WHO APPRECIATE THE PURITY AND
POWER OF SOUND. THE SYSTEM
PRESENTS THE MOST CONCRETE
AND FINEST SOUND VIA THE TRULY
DESIGN. IT PERFORMS ITS BEST
SOUND EFFECT WITHIN 13 SQUARE
METERS. YOU WILL ENTER INTO
ANOTHER WORLD WHEN LISTENING
THE MUSIC, PLAYING GAMES AND
WATCHING MOVIES.



# Truth. Personality. Good Feeling dotodot500



# Total output power 48W

-You can enjoy the sound of music, games or movies within 13 square meters.



# **DD** frequency lines

-DD (Dynamic Driver) frequency lines bring the clearness of bass and treble.



# Multi coating alloy driver

-The combination of PP film and metal powder, you can even hear someone°¶s breathing.



# 2 meters wire controller

-The 2 meters wire controller allows you to manipulate everything.



# Remote twin headphone connector

-There are two sets of build-in headphone connectors, you can play the game in two.



# Satellite speakers especially for LCD monitor

-Two simple stylish satellite speakers are the best companions of LCD monitor.



### Subwoofer frequency tuner

-It helps you to connect the speakers fast and correctly.



-The vibration of wooden subwoofer allows you to get a better sound effect in music, game and movie.



## Magnetically shielded

-You can use the speakers near a television or computer without interference.

# www.ozaki.com.tw Download from Www.Somanuals.com. All Manuals Search And D

# **Looking for Compatibility?**



Notebook



Computer



CD/MP3 Player



Gaming Console

# What?! Stereo Sound!

If your device has a 3.5mm headphone jack, you can connect the computer, CD/MP3 player, gaming console, radio, and recorder such anyone you want, then, sit back and enjoy your own music world!

# SYSTEM SPECIFICATIONS

- Total System Power: 48 Watts RMS
- Frequency Response: 30Hz-20KHz
- Input Impedance: >8K ohm
- Signal to Noise Ratio: 140dB

# SATELLITE SPEAKERS

Driver(per satellite):2"+1" Dimensions: W68xH240xD85mm

# **SUBWOOFER**

Driver:One 5.25" Dimensions: W160xH238xD292mm

# **FUNCTION**

# Wired Control

# **Woofer Control** • Frequency Adjust

- Power ON/OFF
- Master Volume
- Woofer Volume
- Two Headphone Jack

# PACKAGING SPECIFICATIONS

Master Carton Quantity:4 Master Carton Dimensions: W525xH415xD640mm **Display Carton Dimensions:** W326xH288xD266mm Master Carton Weight: 23Kgs Display Carton Weight: 4.8Kgs

# © 2003 OZAKI CORPORATION

8F-2, No. 6, Lane 609, Sec. 5, Chung Hsin Rd., San Chung City, Taipei 241, Taiwan, R.O.C. (Tonsom Industrial Area) TEL: 886-2-2995-9816 • FAX: 886-2-2995-9824 E-mail: info@ozaki.com.tw



**DOTODOT Series DT500** 

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com